

# ANDROID STATIC ANALYSIS REPORT



## Farmacias del Ahorro (9.7.0)

File Name: mx.com.fahorro2\_5030331.apk

Package Name: mx.com.fahorro2

Scan Date: Sept. 1, 2025, 2:44 p.m.

App Security Score: 47/100 (MEDIUM RISK)

В

Grade:

Trackers Detection: 6/432

## FINDINGS SEVERITY

兼HIGH	<b>▲</b> MEDIUM	i INFO	✓ SECURE	<b>Q</b> HOTSPOT
4	20	4	2	1

### FILE INFORMATION

File Name: mx.com.fahorro2\_5030331.apk

Size: 35.5MB

MD5: f85fc539c5ff744067980a3fcbbd0955

**SHA1:** 664dc1e639721c66b486082931d88b9cf9539b46

**\$HA256**: a544834adf69253e37010dd45532515ad5e411b18b0975288006dc6135ecbe79

## **i** APP INFORMATION

**App Name:** Farmacias del Ahorro **Package Name:** mx.com.fahorro2

Main Activity: com.app.farmaciasdelahorro.farmacias\_del\_ahorro.MainActivity

Target SDK: 34 Min SDK: 24 Max SDK:

Android Version Name: 9.7.0

Android Version Code: 5030331

### **EXE** APP COMPONENTS

Activities: 18
Services: 17
Receivers: 12
Providers: 8
Exported Activities: 4
Exported Services: 1
Exported Receivers: 3
Exported Providers: 0

## **\*** CERTIFICATE INFORMATION

Binary is signed

v1 signature: False

v2 signature: True

v3 signature: False v4 signature: False

X.509 Subject: C=MX, ST=DF, L=Mexico, O=iNetCorp, OU=Desarrollo, CN=Victor Garcia

Signature Algorithm: rsassa\_pkcs1v15 Valid From: 2014-06-12 10:20:31+00:00 Valid To: 2039-06-06 10:20:31+00:00

Issuer: C=MX, ST=DF, L=Mexico, O=iNetCorp, OU=Desarrollo, CN=Victor Garcia

Serial Number: 0x24e00e1f Hash Algorithm: sha256

md5: 25f30fd1a2291674663a7072143fd5b8

sha1: 7d2b4eb1d169f7e56efb9e4da42ca1a59d617548

sha256: d114a3a366db8a8b6859c4037d744d68a41a3fd775cb9e57d9fe3d0dfbe9e7d4

sha512: 2f894935beb01bf026632a64ca7b6e4ccd425c9ed3e89ea80ae7f61bfa3b637beadd50a05eb7f208021e27f64a3facce49e244646b1496cbcd9ba9237a8a2c65

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: 8eacbaec60cf51eec6c853be1f10ddf0c734880023b65935ed2e9e3a34c69d8d

Found 1 unique certificates

### **⋮** APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.RECORD_AUDIO	dangerous	record audio	Allows application to access the audio record path.
android.permission.ACCESS_FINE_LOCATION	dangerous	fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.
android.permission.ACCESS_COARSE_LOCATION	dangerous	coarse (network-based) location	Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available.  Malicious applications can use this to determine approximately where you are.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.
android.permission.MODIFY_AUDIO_SETTINGS	normal	change your audio settings	Allows application to modify global audio settings, such as volume and routing.
android.permission.VIDEO_CAPTURE	unknown	Unknown permission	Unknown permission from android reference
android.permission.AUDIO_CAPTURE	unknown	Unknown permission	Unknown permission from android reference
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android,permission.BLUETOOTH	normal	create Bluetooth connections	Allows applications to connect to paired bluetooth devices.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.
android.permission.SCHEDULE_EXACT_ALARM	normal	permits exact alarm scheduling for background work.	Allows an app to use exact alarm scheduling APIs to perform timing sensitive background work.
android.permission.USE_EXACT_ALARM	normal	allows using exact alarms without user permission.	Allows apps to use exact alarms just like with SCHEDULE_EXACT_ALARM but without needing to request this permission from the user. This is only intended for use by apps that rely on exact alarms for their core functionality. You should continue using SCHEDULE_EXACT_ALARM if your app needs exact alarms for a secondary feature that users may or may not use within your app. Keep in mind that this is a powerful permission and app stores may enforce policies to audit and review the use of this permission. Such audits may involve removal from the app store if the app is found to be misusing this permission.
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.
android,permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.
com.google.android.gms.permission.AD_ID	normal	application shows advertisements	This app uses a Google advertising ID and can possibly serve advertisements.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.

PERMISSION	STATUS	INFO	DESCRIPTION
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	normal	permission defined by google	A custom permission defined by Google.
com.google.android.c2dm.permission.RECEIVE	normal	recieve push notifications	Allows an application to receive push notifications from cloud.
android.permission.ACCESS_ADSERVICES_ATTRIBUTION	normal	allow applications to access advertising service attribution	This enables the app to retrieve information related to advertising attribution, which can be used for targeted advertising purposes. App can gather data about how users interact with ads, such as clicks or impressions, to measure the effectiveness of advertising campaigns.
android.permission.ACCESS_ADSERVICES_AD_ID	normal	allow app to access the device's advertising ID.	This ID is a unique, user-resettable identifier provided by Google's advertising services, allowing apps to track user behavior for advertising purposes while maintaining user privacy.
com.google.android.providers.gsf.permission.READ_GSERVICES	unknown	Unknown permission	Unknown permission from android reference
mx.com.fahorro2.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

# ক্লি APKID ANALYSIS

FILE	DETAILS		
	FINDINGS		DETAILS
f85fc539c5ff744067980a3fcbbd0955.apk	Anti-VM Code		possible VM check
	Obfuscator		DexGuard
	FINDINGS	DETAILS  Build.FINGER Build.MODEL	
classes.dex	Anti-VM Code	Build.MANUF. Build.PRODU Build.HARDW Build.BOARD possible Build SIM operator	ACTURER check CT check 'ARE check check check
	Compiler	r8 without ma	arker (suspicious)

FILE	DETAILS		
	FINDINGS	DETAILS	
classes2.dex	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.BOARD check possible Build.SERIAL check Build.TAGS check possible ro.secure check	
	Compiler	r8 without marker (suspicious)	
	FINDINGS	DETAILS	
classes3.dex	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check possible VM check	
	Anti Debug Code	Debug.isDebuggerConnected() check	
	Obfuscator	DexGuard	
	Compiler	r8 without marker (suspicious)	
classes4.dex	FINDINGS	DETAILS	
CIOSCOPIOCA	Compiler	r8 without marker (suspicious)	

# **■** BROWSABLE ACTIVITIES

ACTIVITY	INTENT
com.app.farmaciasdelahorro.farmacias_del_ahorro.MainActivity	Schemes: https://, Hosts: @string/host, Path Patterns: .*\\html,

ACTIVITY	INTENT
com.facebook.CustomTabActivity	Schemes: @string/fb_login_protocol_scheme://, fbconnect://, Hosts: cct.mx.com.fahorro2,
com.google.firebase.auth.internal.GenericIdpActivity	Schemes: genericidp://, Hosts: firebase.auth, Paths: /,
com.google.firebase.auth.internal.RecaptchaActivity	Schemes: recaptcha://, Hosts: firebase.auth, Paths: /,

## **△** NETWORK SECURITY

HIGH: 1 | WARNING: 0 | INFO: 0 | SECURE: 0

NO	SCOPE	SEVERITY	DESCRIPTION
1	aeafa3b24e094478f9b967c632c79a50-1987663961.us-east-2.elb.amazonaws.com	high	Domain config is insecurely configured to permit clear text traffic to these domains in scope.

## **CERTIFICATE ANALYSIS**

HIGH: 0 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate

# **Q** MANIFEST ANALYSIS

HIGH: 1 | WARNING: 8 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version Android 7.0, [minSdk=24]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.
2	App has a Network Security Configuration [android:networkSecurityConfig=@xml/network_security_config]	info	The Network Security Configuration feature lets apps customize their network security settings in a safe, declarative configuration file without modifying app code. These settings can be configured for specific domains and for a specific app.
3	Activity (com.facebook.CustomTabActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
4	Broadcast Receiver (io.flutter.plugins.firebase.messaging.FlutterFirebaseMessagingReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

NO	ISSUE	SEVERITY	DESCRIPTION
5	Activity (com.example.miniapp_example.MainActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
6	Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
7	Activity (com.google.firebase.auth.internal.GenericIdpActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
8	Activity (com.google.firebase.auth.internal.RecaptchaActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
9	Service (com.google.android.gms.auth.api.signin.RevocationBoundService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.auth.api.signin.permission.REVOCATION_NOTIFICATION [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
10	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

# </> CODE ANALYSIS

HIGH: 1 | WARNING: 10 | INFO: 3 | SECURE: 2 | SUPPRESSED: 0

NO	ISSUE SEVERITY	STANDARDS	FILES
			a0/r0.java
			a9/a.java
			ac/b.java
			ac/c.java
			ac/i.java
			ac/r.java
			ac/t.java
			ac/v.java
			ac/y.java
			ac/z.java
			ad/h.java
			af/a1.java
			af/b1.java
			af/d0.java
			af/e.java
			af/g0.java
			af/i0.java
			af/j1.java
			af/k0.java
			af/m1.java
			af/q0.java
			af/u0.java
			af/v1.java
			train-

			di7XU.jdVd
NO	ISSUE	SEVERITY STANDARDS	
INO	1330E	SEVERITY STANDARDS	គ្រ/ខ្ <del>រត់រូប</del> a b1/b.java
			b4/c.java
			bc/c0.java
			bc/f.java
			bc/h0.java
			bc/k.java
			bc/l.java
			bc/m0.java
			bc/p.java
			bc/y.java
			bf/f.java
			bf/n.java
			c4/d.java
			c4/f.java
			c4/g.java
			c7/m.java
			c8/a.java
			cg/b.java
			com/adobe/marketing/mobile/assurance/internal/d.java
			com/baseflow/geolocator/GeolocatorLocationService.java
			com/baseflow/geolocator/b.java
			com/baseflow/geolocator/j.java
			com/baseflow/geolocator/m.java
			com/dexterous/flutterlocalnotifications/ActionBroadcastReceiver.java
			com/dexterous/flutterlocalnotifications/FlutterLocalNotificationsPlugin.java
			com/dexterous/flutterlocalnotifications/ScheduledNotificationReceiver.java
			com/it_nomads/fluttersecurestorage/ciphers/h.java
			com/lyokone/location/FlutterLocationService.java
			com/lyokone/location/a.java
			com/lyokone/location/b.java
			com/lyokone/location/c.java
			com/lyokone/location/d.java
			com/newrelic/agent/android/harvest/l.java
			com/newrelic/agent/android/harvest/u.java
			com/newrelic/agent/android/logging/b.java
			com/newrelic/agent/android/logging/e.java
			com/newrelic/agent/android/logging/p.java
			com/pichillilorenzo/flutter_inappwebview_android/MyCookieManager.java
			com/pichillilorenzo/flutter_inappwebview_android/Util.java
			com/pichillilorenzo/flutter_inappwebview_android/chrome_custom_tabs/ChromeCustom
			TabsActivity.java
			com/pichillilorenzo/flutter_inappwebview_android/chrome_custom_tabs/CustomTabsHel
			per,java
			com/pichillilorenzo/flutter_inappwebview_android/content_blocker/ContentBlockerHandl
			er.java
			com/pichillilorenzo/flutter_inappwebview_android/in_app_browser/InAppBrowserActivity
			.java
			com/pichillilorenzo/flutter_inappwebview_android/in_app_browser/InAppBrowserManag
			er.java
			com/pichillilorenzo/flutter_inappwebview_android/service_worker/ServiceWorkerManage
			r.java
			com/pichillilorenzo/flutter_inappwebview_android/types/WebViewAssetLoaderExt.java
			com/pichillilorenzo/flutter_inappwebview_android/webview/JavaScriptBridgeInterface.jav
			a
			com/pichillilorenzo/flutter_inappwebview_android/webview/in_app_webview/DisplayList
			enerProxy.java
			com/pichillilorenzo/flutter_inappwebview_android/webview/in_app_webview/FlutterWeb
			View.java
			com/pichillilorenzo/flutter_inappwebview_android/webview/in_app_webview/InAppWeb
			View.java
			com/pichillilorenzo/flutter_inappwebview_android/webview/in_app_webview/InAppWeb
1			ViewChromeClient.java
			com/pichillilorenzo/flutter_inappwebview_android/webview/in_app_webview/InAppWeb ViewClient.java

NO	ISSUE	SEVERITY	STANDARDS	com/pichillilorenzo/flutter_inappwebview_android/webview/in_app_webview/InAppWeb  FlatGaentCompat.java  com/pichillilorenzo/flutter_inappwebview_android/webview/in_app_webview/InAppWeb
1	The App logs information. Sensitive information should never be logged.	info	CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3	ViewRenderProcessClient,java com/pichillilorenzo/flutter_inappwebview_android/webview/in_app_webview/InputAware WebView_java d/a_java d/a_java d/a_java d/a_java d/a_java d/a_java d/a_java e/a_java e/a_java e/a_java e/a_java e/a_java e/a_java e/a_java e/d_java f/x_java g/e_java g/e_java f/x_java g/e_java m/z_java m/z_

NO ISSUE	SEVERITY STANDARDS	ke/b.java <b>[a](cis</b> va ki/d.java
		KI/d.java Vc.java
		I3/x.java
		lg/a.java
		lg/e.java
		li/e.java
		li/q.java
		lj/a.java
		lj/g.java
		Il/a.java
		mc/f.java
		n1/g.java
		n1/w.java
		n5/e.java
		n5/k,java
		nb/r.java
		nc/d.java
		nl/i.java
		o3/e.java
		o4/n.java
		05/b.java
		o5/g,java
		o7/a.java
		og/d0.java
		og/g.java
		og/g0.java
		og/i0.java
		og/k.java
		og/y.java
		p5/e.java
		p8/c.java
		pd/d.java
		pg/a.java
		q7/c1.java
		q7/g,java
		q7/i0.java
		q7/n0.java
		q7/10.java q7/s0.java
		q8/e0.java
		q8/f0.java
		q8/y.java
		qb/a.java
		qb/d.java
		qd/b.java
		quisiava agriava
		qg/c.java qg/f.java
		qi/c.java
		qi/c.java qi/o.java
		qi/o.java qk/a.java
		qk/e.java qk/e.java
		r6/b.java
		r7/d.java
		r7/g,java
		r7/n,java
		r7/o.java
		r7/s.java
		rb/o,java
		rt/o,java rc/e.java
		s2/f0 iava
		s2/f0.java
		s3/c.java
		sc/i0.java
		sd/g.java
		sk/b.java
		t4/b.iava

NO	ISSUE	SEVERITY	STANDARDS	tc/e.java
				u7/i,java u8/b,java v4/q,java v6/g,java v7/e,java v7/e,java v8/a,java vi/b,java vi/e,java vi/e,java w4/a,java w6/a,java w6/a,java w6/b,java x7/a,java xc/a,java y/o0,java y/o6,java y5/e,java y6/f,java y5/f,java y5/f,java z7/f,java z7/f,java z7/f,java z7/f,java z7/f,java z7/f,java z7/f,java z7/m,java z7/m,java
2	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	b1/i1.java b1/j2.java com/dexterous/flutterlocalnotifications/FlutterLocalNotificationsPlugin.java com/dexterous/flutterlocalnotifications/models/NotificationDetails.java com/newrelic/agent/android/harvest/n.java com/pichillilorenzo/flutter_inappwebview_android/credential_database/URLCredentialCo ntract.java com/pichillilorenzo/flutter_inappwebview_android/types/ClientCertResponse.java com/pichillilorenzo/flutter_inappwebview_android/types/HttpAuthResponse.java com/pichillilorenzo/flutter_inappwebview_android/types/URLCredential.java jf/e.java jf/e.java jf/e.java ng/b.java ng/b.java ng/b.java 12/q0.java t7/g.java t7/g.java t7/g.java t7/g.java
3	App can write to App Directory. Sensitive Information should be encrypted.	info	CWE: CWE-276: Incorrect Default Permissions OWASP MASVS: MSTG-STORAGE-14	d8/b.java q7/b.java q7/c1.java q7/f1.java q7/p0.java q7/f0.java q7/t0.java q8/e0.java
4	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	OWASP MASVS: MSTG-NETWORK-4	app/tango/o/clearWallpaper.java app/tango/o/sendBroadcast.java en/r.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
5	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	cg/b.java kk/e.java p8/a.java
6	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	app/tango/o/getPackageManager.java bk/d.java com/distil/protection/android/Protection.java g6/a.java g8/n0.java jm/b.java jm/b.java km/a.java mj/q.java q7/r.java r9/q1.java sa/r0.java
7	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	com/adobe/marketing/mobile/internal/util/k.java com/pichillilorenzo/flutter_inappwebview_android/credential_database/CredentialDataba seHelper.java ek/i.java m9/m0.java m9/t0.java t5/d.java zi/i.java
8	The App uses the encryption mode CBC with PKCS5/PKCS7 padding. This configuration is vulnerable to padding oracle attacks.	high	CWE: CWE-649: Reliance on Obfuscation or Encryption of Security-Relevant Inputs without Integrity Checking OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-3	com/it_nomads/fluttersecurestorage/ciphers/h.java xa/a.java
9	This App may have root detection capabilities.	secure	OWASP MASVS: MSTG-RESILIENCE-1	bn/i.java ck/b.java hf/i.java
10	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	r7/e.java z7/m.java
11	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	bn/i.java bn/l.java cn/a.java g8/n0.java io/flutter/plugins/pathprovider/a.java io/flutter/plugins/pathprovider/i.java li/e.java
12	This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.	info	OWASP MASVS: MSTG-STORAGE-10	io/flutter/plugin/editing/h.java io/flutter/plugin/platform/m.java
13	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	a0/t.java cg/c.java
14	IP Address disclosure	warning	CWE: CWE-200: Information Exposure OWASP MASVS: MSTG-CODE-2	bn/i.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
15	Insecure WebView Implementation. Execution of user controlled code in WebView is a critical Security Hole.	warning	CWE: CWE-749: Exposed Dangerous Method or Function OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	com/adobe/marketing/mobile/assurance/internal/g0.java
16	This App may request root (Super User) privileges.	warning	CWE: CWE-250: Execution with Unnecessary Privileges OWASP MASVS: MSTG-RESILIENCE-1	ck/a.java

# ■ NIAP ANALYSIS v1.3

# BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00063	Implicit intent(view a web page, make a phone call, etc.)	control	af/f1,java bc/g,java com/adobe/marketing/mobile/assurance/internal/AssuranceExtension.java com/adobe/marketing/mobile/messaging/MessagingPushTrackerActivity.java com/dexterous/flutterlocalnotifications/FlutterLocalNotificationsPlugin.java com/pichillilorenzo/flutter_inappwebview_android/chrome_custom_tabs/ChromeCustomTabsActivity.java com/pichillilorenzo/flutter_inappwebview_android/chrome_custom_tabs/ChromeCustomTabsChannelDelegate.java com/pichillilorenzo/flutter_inappwebview_android/chrome_custom_tabs/CustomTabsHelper.java com/pichillilorenzo/flutter_inappwebview_android/chrome_custom_tabs/TrustedWebActivity.java com/pichillilorenzo/flutter_inappwebview_android/in_app_browser/InAppBrowserManager.java e7/a.java f7/a.java f7/a.java f7/a.java g8/e0.java g8/e0.java g8/e0.java g8/s0.java g8/s0.java g8/s0.java uo/flutter/plugins/imagepicker/l.java k4/a.java m6/b.java m7/a.java q1/a.java q1/a.java q1/a.java q1/a.java q1/a.java q1/a.java q1/a.java
00003	Put the compressed bitmap data into JSON object	camera	com/pichillilorenzo/flutter_inappwebview_android/webview/in_app_webview/lnAppWebView.java q7/i0.java u7/l.java

RULE ID	BEHAVIOUR	LABEL	FILES
00096	Connect to a URL and set request method	command network	app/tango/o/EncryptStrings.java com/adobe/marketing/mobile/assurance/internal/b.java com/newrelic/agent/android/harvest/o.java com/pichillilorenzo/flutter_inappwebview_android/Util.java dg/c.java mb/s.java oi/c.java q7/i0.java t7/g.java
00091	Retrieve data from broadcast	collection	com/pichillilorenzo/flutter_inappwebview_android/chrome_custom_tabs/ActionBroadcastReceiver.java com/pichillilorenzo/flutter_inappwebview_android/chrome_custom_tabs/ChromeCustomTabsActivity.java com/pichillilorenzo/flutter_inappwebview_android/in_app_browser/InAppBrowserActivity.java g8/e0.java q8/k0.java qk/e.java
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	bc/g.java com/pichillilorenzo/flutter_inappwebview_android/in_app_browser/InAppBrowserManager.java e7/a.java f7/a.java f7/q.java f7/k.java g8/n0.java g8/n0.java k4/a.java m6/b.java m7/a.java n1/h.java z4/a.java
00013	Read file and put it into a stream	file	a0/t.java a8/j.java app/tango/o/deleteDatabase.java app/tango/o/getCodeCacheDir.java app/tango/o/n.java app/tango/o/valueOf.java b6/b.java cg/c.java cm/l.java cm/l.java cm/a.java com/adobe/marketing/mobile/internal/util/f.java com/dexterous/flutterlocalnotifications/FlutterLocalNotificationsPlugin.java com/pichililiorenzo/flutter_inappwebview_android/Util.java d8/a.java hf/b0.java i8/k.java mb/g.java mb/g.java mb/h0.java mf/e.java mj/o.java of/a.java p003if/f.java r//g.java u3/m.java u8/b.java w5/d.java u3/m.java u8/b.java w5/d.java v5/d.java v5/d.java v5/d.java v5/d.java v5/d.java v5/d.java v5/d.java v5/d.java

RULE ID	BEHAVIOUR	LABEL	FILES
00023	Start another application from current application	reflection control	m7/a.java
00078	Get the network operator name	collection telephony	com/adobe/marketing/mobile/assurance/internal/d.java g8/n0.java mj/c.java z5/i.java
00022	Open a file from given absolute path of the file	file	a0/t.java app/tango/o/getCodeCacheDir.java bn/l.java bn/l.java com/adobe/marketing/mobile/internal/util/f.java com/newrelic/agent/android/logging/e.java com/newrelic/agent/android/logging/p.java io/flutter/plugins/pathprovider/i.java mj/i.java p003if/f.java u3/m.java u8/a.java u8/b.java
00209	Get pixels from the latest rendered image	collection	io/flutter/embedding/android/m.java
00210	Copy pixels from the latest rendered image into a Bitmap	collection	io/flutter/embedding/android/m.java
00089	Connect to a URL and receive input stream from the server	command network	app/tango/o/EncryptStrings.java com/adobe/marketing/mobile/assurance/internal/b.java com/newrelic/agent/android/harvest/o.java dg/c.java mb/s.java p8/c.java t7/g.java
00109	Connect to a URL and get the response code	network command	app/tango/o/EncryptStrings.java com/adobe/marketing/mobile/assurance/internal/b.java com/newrelic/agent/android/harvest/o.java dg/c.java mb/s.java oi/c.java qb/d.java t7/g.java vi/c.java yb/e.java
00147	Get the time of current location	collection location	com/lyokone/location/a.java
00012	Read data and put it into a buffer stream	file	app/tango/o/getCodeCacheDir.java r7/g.java z7/m.java

RULE ID	BEHAVIOUR	LABEL	FILES
00036	Get resource file from res/raw directory	reflection	bc/g,java bn/i,java com/dexterous/flutterlocalnotifications/FlutterLocalNotificationsPlugin,java com/pichillilorenzo/flutter_inappwebview_android/chrome_custom_tabs/CustomTabsHelper.java e7/a,java f7/a,java f7/q,java g8/a,java g8/n0,java g8/n0,java g8/s0,java mb/h0,java
00102	Set the phone speaker on	command	ak/e0.java
00056	Modify voice volume	control	ak/e0.java
00108	Read the input stream from given URL	network command	com/newrelic/agent/android/harvest/o.java hj/f.java mb/s.java
00004	Get filename and put it to JSON object	file collection	a8/f.java bn/i.java bn/l.java i8/c.java m8/a.java
00125	Check if the given file path exist	file	a8/f.java
00014	Read file into a stream and put it into a JSON object	file	a8/j.java cg/c.java d8/a.java i8/k.java of/a.java p003if/f.java
00028	Read file from assets directory	file	mb/c.java
00030	Connect to the remote server through the given URL	network	com/pichillilorenzo/flutter_inappwebview_android/Util.java mb/s.java
00094	Connect to a URL and read data from it	command network	com/newrelic/agent/android/harvest/o.java com/pichillilorenzo/flutter_inappwebview_android/Util.java lf/a.java mb/s.java
00015	Put buffer stream (data) to JSON object	file	g8/n0.java
00009	Put data in cursor to JSON object	file	bn/i.java g8/n0.java
00191	Get messages in the SMS inbox	sms	g8/a.java g8/e0.java g8/n0.java

RULE ID	BEHAVIOUR	LABEL	FILES
00132	Query The ISO country code	telephony collection	nb/r0.java
00005	Get absolute path of file and put it to JSON object	file	bn/h.java bn/l.java p003if/f.java
00189	Get the content of a SMS message	sms	g8/e0.java
00188	Get the address of a SMS message	sms	g8/e0.java
00011	Query data from URI (SMS, CALLLOGS)	sms calllog collection	g8/e0.java
00200	Query data from the contact list	collection contact	g8/e0.java
00187	Query a URI and check the result	collection sms calllog calendar	g8/e0.java
00201	Query data from the call log	collection calllog	g8/e0.java
00077	Read sensitive data(SMS, CALLLOG, etc)	collection sms calllog calendar	g8/e0.java
00161	Perform accessibility service action on accessibility node info	accessibility service	io/flutter/view/AccessibilityViewEmbedder.java io/flutter/view/f.java I3/x.java
00173	Get bounds in screen of an AccessibilityNodeInfo and perform action	accessibility service	io/flutter/view/AccessibilityViewEmbedder.java I3/x.java
00062	Query WiFi information and WiFi Mac Address	wifi collection	bn/i.java
00130	Get the current WIFI information	wifi collection	bn/i.java bn/l.java
00116	Get the current WiFi MAC address and put it into JSON	wifi collection	bn/i.java
00076	Get the current WiFi information and put it into JSON	collection wifi	bn/i.java bn/l.java
00082	Get the current WiFi MAC address	collection wifi	bn/i.java
00131	Get location of the current GSM and put it into JSON	collection location	bn/l.java
00042	Query WiFi BSSID and scan results	collection wifi	bn/l.java
00137	Get last known location of the device	location collection	bn/l.java
00033	Query the IMEI number	collection	bn/l.java
00139	Get the current WiFi id	collection wifi	bn/l.java
00115	Get last known location of the device	collection location	bn/l.java
00066	Query the ICCID number	collection	bn/l.java

RULE ID	BEHAVIOUR	LABEL	FILES
00135	Get the current WiFi id and put it into JSON.	wifi collection	bn/l.java
00067	Query the IMSI number	collection	bn/l.java
00099	Get location of the current GSM and put it into JSON	collection location	bn/l.java
00083	Query the IMEI number	collection telephony	bn/l.java
00113	Get location and put it into JSON	collection location	bn/l.java
00016	Get location info of the device and put it to JSON object	location collection	bn/l.java
00202	Make a phone call	control	f7/v.java
00203	Put a phone number into an intent	control	f7/v.java
00162	Create InetSocketAddress object and connecting to it	socket	mj/k.java
00163	Create new Socket and connecting to it	socket	mj/k.java z5/q.java
00123	Save the response to JSON after connecting to the remote server	network command	com/pichillilorenzo/flutter_inappwebview_android/Util.java
00153	Send binary data over HTTP	http	com/adobe/marketing/mobile/assurance/internal/b.java

## FIREBASE DATABASES ANALYSIS

TITLE	SEVERITY	DESCRIPTION
App talks to a Firebase database	info	The app talks to Firebase database at https://farmacias-del-ahorro-a50ee.firebaseio.com
Firebase Remote Config enabled	warning	The Firebase Remote Config at https://firebaseremoteconfig.googleapis.com/v1/projects/735787215025/namespaces/firebase:fetch?key=AlzaSyDL892L_Qh2AO4_c-2TW3QUFWenn_riX5s is enabled. Ensure that the configurations are not sensiting in MIN_POSTCODE_LOCATION_DISTANCE: '2', 'NIMBO_BEAUTY_AND_SKIN_URL': 'https://app.nimbo-x.com/o/fahorro-derma', 'NIMBO_DENTAL_HEALTH_URL': 'https://app.nimbo-x.com/o/fahorro-odonto', 'NIMBO_MENTAL_HEALTH_URL': 'https://faborro-deventaledevalede

## **\*: ::** ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	12/25	android.permission.RECORD_AUDIO, android.permission.ACCESS_FINE_LOCATION, android.permission.ACCESS_COARSE_LOCATION, android.permission.CAMERA, android.permission.INTERNET, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.READ_EXTERNAL_STORAGE, android.permission.ACCESS_NETWORK_STATE, android.permission.RECEIVE_BOOT_COMPLETED, android.permission.VIBRATE, android.permission.WAKE_LOCK, android.permission.ACCESS_WIFI_STATE
Other Common Permissions	6/44	android.permission.MODIFY_AUDIO_SETTINGS, android.permission.BLUETOOTH, android.permission.FOREGROUND_SERVICE, com.google.android.gms.permission.AD_ID, com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE, com.google.android.c2dm.permission.RECEIVE

#### Malware Permissions:

Top permissions that are widely abused by known malware.

#### Other Common Permissions:

Permissions that are commonly abused by known malware.

# ! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION
--------	----------------

## **Q** DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
graph-video.s	ok	No Geolocation information available.
issuetracker.google.com	ok	IP: 142.250.74.174 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
.facebook.com	ok	No Geolocation information available.
blobs.griffon.adobe.com	ok	No Geolocation information available.
play.google.com	ok	IP: 142.250.74.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
graph.s	ok	No Geolocation information available.
device.griffon.adobe.com	ok	IP: 13.224.53.87 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
default.url	ok	No Geolocation information available.
facebook.com	ok	IP: 31.13.70.36 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
www.w3.org	ok	IP: 104.18.23.19 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
github.com	ok	IP: 140.82.112.3 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
c.sandbox.paypal.com	ok	IP: 151.101.3.1  Country: United States of America Region: California  City: San Francisco  Latitude: 37.775700  Longitude: -122.395203  View: Google Map
firebase.google.com	ok	IP: 142.250,74.110  Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122,078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
farmacias-del-ahorro-a50ee.firebaseio.com	ok	IP: 35.190.39.113 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
developer.android.com	ok	IP: 142.250.74.174 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
developers.facebook.com	ok	IP: 31.13.70.1  Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
pagead2.googlesyndication.com	ok	IP: 142.250.74.66 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
c.paypal.com	ok	IP: 151.101.129.21 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
www.example.com	ok	IP: 23.220.73.58  Country: Colombia Region: Antioquia City: Medellin Latitude: 6.251840 Longitude: -75.563591 View: Google Map
accounts.google.com	ok	IP: 142.250.141.84  Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.paypalobjects.com	ok	IP: 172.64.153.163 Country: United States of America Region: Texas City: Dallas Latitude: 32.783058 Longitude: -96.806671 View: Google Map
www.fahorro.com	ok	IP: 45.223.161.233 Country: United States of America Region: California City: Redwood City Latitude: 37.532440 Longitude: -122.248833 View: Google Map
developer.apple.com	ok	IP: 17.253.83.143 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
ns.adobe.com	ok	No Geolocation information available.
schemas.microsoft.com	ok	IP: 13.107.246.71 Country: Netherlands Region: Noord-Holland City: Amsterdam Latitude: 52.374031 Longitude: 4.889690 View: Google Map
b.stats.paypal.com	ok	IP: 34.106.92.18 Country: United States of America Region: Utah City: Salt Lake City Latitude: 40.760780 Longitude: -111.891052 View: Google Map
firebase-settings.crashlytics.com	ok	IP: 216.58.207.195  Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map.

DOMAIN	STATUS	GEOLOCATION
dashif.org	ok	IP: 185.199.111.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
assets.adobedtm.com	ok	IP: 23.38.161.73  Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
www.facebook.com	ok	IP: 31.13.70.36 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
aomedia.org	ok	IP: 185.199.108.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
goo.gle	ok	IP: 67.199.248.13 Country: United States of America Region: New York City: New York City Latitude: 40.739288 Longitude: -73.984955 View: Google Map

# **EMAILS**

EMAIL	FILE
u0013android@android.com0 u0013android@android.com	bc/x.java



TRACKER	CATEGORIES	URL
Adobe Experience Cloud		https://reports.exodus-privacy.eu.org/trackers/229
Facebook Login	Identification	https://reports.exodus-privacy.eu.org/trackers/67
Facebook Share		https://reports.exodus-privacy.eu.org/trackers/70
Google CrashLytics	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/27
Google Firebase Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/49
New Relic	Analytics	https://reports.exodus-privacy.eu.org/trackers/130

# **₽** HARDCODED SECRETS

POSSIBLE SECRETS
"facebook_client_token" : "94e919bc4cc1dfe23d898049ff19aa86"
"firebase_database_url" : "https://farmacias-del-ahorro-a50ee.firebaseio.com"
"gmaps_api_key" : "AlzaSyAAi7dTFyiiKr949taYvjRZSftCdlNKkJs"
"google_api_key" : "AlzaSyDL892i_Qh2AO4_c-2TW3QUFWenn_rlX5s"
"google_crash_reporting_api_key" : "AlzaSyDL892i_Qh2AO4_c-2TW3QUFWenn_rIX5s"
11839296a789a3bc0045c8a5fb42c7d1bd998f54449579b446817afbd17273e662c97ee72995ef42640c550b9013fad0761353c7086a272c24088be94769fd16650
16a09e667f3bcc908b2fb1366ea957d3e3adec17512775099da2f590b0667322a
389C9738-A761-44DE-8A66-1668CFD67DA1
6864797660130609714981900799081393217269435300143305409394463459185543183397656052122559640661454554977296311391480858037121987999716643812574028291115057151
470fa2b4ae81cd56ecbcda9735803434cec591fa
VGhpcyBpcyB0aGUga2V5IGZvciBhlHNlY3VyZSBzdG9yYWdllEFFUyBLZXkK
4fe342e2fe1a7f9b8ee7eb4a7c0f9e162bce33576b315ececbb6406837bf51f5
a4b7452e2ed8f5f191058ca7bbfd26b0d3214bfc
af60eb711bd85bc1e4d3e0a462e074eea428a8
ChNjb20uYW5kcm9pZC52ZW5kaW5nCiBjb20uZ29vZ2xlLmFuZHJvaWQuYXBwcy5tZWV0aW5ncwohY29tLmdvb2dsZ55hbmRyb2lkLmFwcHMubWVzc2FnaW5n
c56fb7d591ba6704df047fd98f535372fea00211

POSSIBLE SECRETS
edef8ba9-79d6-4ace-a3c8-27dcd51d21ed
39402006196394479212279040100143613805079739270465446667946905279627659399113263569398956308152294913554433653942643
8a3c4b262d721acd49a4bf97d5213199c86fa2b9
9a04f079-9840-4286-ab92-e65be0885f95
36864200e0eaf5284d884a0e77d31646
VGhpcyBpcyB0aGUgcHJIZml4IGZvciBhIHNIY3VyZSBzdG9yYWdlCg
5ac635d8aa3a93e7b3ebbd55769886bc651d06b0cc53b0f63bce3c3e27d2604b
c6858e06b70404e9cd9e3ecb662395b4429c648139053fb521f828af606b4d3dbaa14b5e77efe75928fe1dc127a2ffa8de3348b3c1856a429bf97e7e31c2e5bd66
9b8f518b086098de3d77736f9458a3d2f6f95a37
e2719d58-a985-b3c9-781a-b030af78d30e
3617de4a96262c6f5d9e98bf9292dc29f8f41dbd289a147ce9da3113b5f0b8c00a60b1ce1d7e819d7a431d7c90ea0e5f
000102030405060708090A0B0C0D0E0F101112131415161718191A1B1C1D1E1F202122232425262728292A2B2C2D2E2F303132333435363738393A3B3C3D3E3F404142434445464748494A4B4C4D4E4F505152535455565758595A5B5C5D5E5F606162636465666768696A6 B6C6D6E6F707172737475767778797A7B7C7D7E7F808182838485868788898A8B8C8D8E8F909192939495969798999A9B9C9D9E9FA0A1A2A3A4A5A6A7A8A9AAABACADAEAFB0B1B2B3B4B5B6B7B8B9BABBBCBDBEBFC0C1C2C3C4C5C6C7C8C9CACBCCCDCECFD0D1D2D 3D4D5D6D7D8D9DADBDCDDDEDFE0E1E2E3E4E5E6E7E8E9EAEBECEDEEEFF0F1F2F3F4F5F6F7F8F9FAFBFCFDFEFF
d67afc830dab717fd163bfcb0b8b88423e9a1a3b
b3312fa7e23ee7e4988e056be3f82d19181d9c6efe8141120314088f5013875ac656398d8a2ed19d2a85c8edd3ec2aef
2438bce1ddb7bd026d5ff89f598b3b5e5bb824b3
39402006196394479212279040100143613805079739270465446667948293404245721771496870329047266088258938001861606973112319
aa87ca22be8b05378eb1c71ef320ad746e1d3b628ba79b9859f741e082542a385502f25dbf55296c3a545e3872760ab7
115792089210356248762697446949407573530086143415290314195533631308867097853951
051953eb9618e1c9a1f929a21a0b68540eea2da725b99b315f3b8b489918ef109e156193951ec7e937b1652c0bd3bb1bf073573df883d2c34f1ef451fd46b503f00
cc2751449a350f668590264ed76692694a80308a
6864797660130609714981900799081393217269435300143305409394463459185543183397655394245057746333217197532963996371363321113864768612440380340372808892707005449
VGhpcyBpcyB0aGUga2V5IGZvcihBIHNIY3XyZZBzdG9yYWdlIEFFUyBLZXkK
df6b721c8b4d3b6eb44c861d4415007e5a35fc95
6b17d1f2e12c4247f8bce6e563a440f277037d812deb33a0f4a13945d898c296
bae8e37fc83441b16034566b

#### POSSIBLE SECRETS

115792089210356248762697446949407573529996955224135760342422259061068512044369

016d026c-c477-4a7e-9ced-c8000f126e62

### **▶ PLAYSTORE INFORMATION**

Title: Farmacias del Ahorro

Score: 3.65 Installs: 5,000,000+ Price: 0 Android Version Support: Category: Medical Play Store URL: mx.com.fahorro2

Developer Details: Farmacias del Ahorro, Farmacias+del+Ahorro, None, https://www.fahorro.com, appmovil@fahorro.com.mx,

Release Date: Jul 15, 2020 Privacy Policy: Privacy link

#### Description:

With the Farmacias del Ahorro App, you will have well-being, health, prevention and beauty at your fingertips. Browse through the different product categories and find what you are looking for. Scan products and add them to your shopping cart easily. FREE SHIPPING IN ALL MEXICO Home delivery is FREE and we do not raise prices for it. Send wellness to who you love the most in less than 90 minutes. Make your order from your cell phone and check the status at all times, from the moment it is processed until it reaches your door. PAYMENT METHODS Make your purchase safely using credit / debit card or on delivery using cash. SCHEDULED SHIPMENTS Schedule your recurring orders from the App and receive them at your door whenever you want. LOYALTY PROGRAM Always carry our Loyalty Program Card with you, use it in all your purchases online or at a branch and accumulate virtual money. Virtual Loyalty Program Card features: check your balance, 100 +100 balance, account statement and free gifts with our loyalty plan. FREE MEDICAL GUIDANCE SERVICE Because we want you well protected, we have implemented a free Remote Orientation Service. Schedule an orientation with an available doctor to treat you without having to leave home. BRANCH SEARCH Find the branch closest to your location. Check hours of attention and medical guidance service.

### **∷**≡ SCAN LOGS

Timestamp	Event	Error
2025-09-01 14:44:51	Generating Hashes	ОК
2025-09-01 14:44:51	Extracting APK	ОК
2025-09-01 14:44:51	Unzipping	ОК
2025-09-01 14:44:52	Parsing APK with androguard	ОК
2025-09-01 14:44:52	Extracting APK features using aapt/aapt2	ОК
2025-09-01 14:44:52	Getting Hardcoded Certificates/Keystores	ОК
2025-09-01 14:44:54	Parsing AndroidManifest.xml	ОК

2025-09-01 14:44:54	Extracting Manifest Data	OK
2025-09-01 14:44:54	Manifest Analysis Started	ОК
2025-09-01 14:44:54	Reading Network Security config from network_security_config.xml	ОК
2025-09-01 14:44:54	Parsing Network Security config	ОК
2025-09-01 14:44:54	Performing Static Analysis on: Farmacias del Ahorro (mx.com.fahorro2)	ОК
2025-09-01 14:44:55	Fetching Details from Play Store: mx.com.fahorro2	ОК
2025-09-01 14:44:57	Checking for Malware Permissions	ОК
2025-09-01 14:44:57	Fetching icon path	ОК
2025-09-01 14:44:57	Library Binary Analysis Started	ОК
2025-09-01 14:44:57	Reading Code Signing Certificate	ОК
2025-09-01 14:44:57	Running APKiD 2.1.5	ОК
2025-09-01 14:45:02	Detecting Trackers	ОК
2025-09-01 14:45:05	Decompiling APK to Java with JADX	ОК
2025-09-01 14:45:56	Decompiling with JADX failed, attempting on all DEX files	ОК
2025-09-01 14:45:56	Decompiling classes2.dex with JADX	ОК
2025-09-01 14:46:00	Decompiling classes4.dex with JADX	ОК
2025-09-01 14:46:02	Decompiling classes.dex with JADX	ОК

2025-09-01 14:46:11	Decompiling classes3.dex with JADX	ОК
2025-09-01 14:46:21	Decompiling classes 2.dex with JADX	ОК
2025-09-01 14:46:25	Decompiling classes4.dex with JADX	ОК
2025-09-01 14:46:26	Decompiling classes.dex with JADX	ОК
2025-09-01 14:46:35	Decompiling classes3.dex with JADX	ОК
2025-09-01 14:46:45	Converting DEX to Smali	ОК
2025-09-01 14:46:45	Code Analysis Started on - java_source	ОК
2025-09-01 14:46:48	Android SBOM Analysis Completed	ОК
2025-09-01 14:46:56	Android SAST Completed	ОК
2025-09-01 14:46:56	Android API Analysis Started	ОК
2025-09-01 14:47:03	Android API Analysis Completed	ОК
2025-09-01 14:47:04	Android Permission Mapping Started	ОК
2025-09-01 14:47:13	Android Permission Mapping Completed	ОК
2025-09-01 14:47:13	Android Behaviour Analysis Started	ОК
2025-09-01 14:47:23	Android Behaviour Analysis Completed	ОК
2025-09-01 14:47:23	Extracting Emails and URLs from Source Code	ОК
2025-09-01 14:47:26	Email and URL Extraction Completed	ОК

2025-09-01 14:47:26	Extracting String data from APK	ок
2025-09-01 14:47:26	Extracting String data from Code	ОК
2025-09-01 14:47:26	Extracting String values and entropies from Code	ОК
2025-09-01 14:47:29	Performing Malware check on extracted domains	ОК
2025-09-01 14:47:32	Saving to Database	ОК

#### Report Generated by - MobSF v4.4.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2025 Mobile Security Framework - MobSF | Ajin Abraham | OpenSecurity.