

ANDROID STATIC ANALYSIS REPORT



Yoga Go (10.39.0)

File Name: net.beginners.weight.loss.workout.women.yoga.go_1424.apk

Package Name: net.beginners.weight.loss.workout.women.yoga.go

Scan Date: Sept. 1, 2025, 2:47 p.m.

App Security Score: 49/100 (MEDIUM RISK)



Grade:

Trackers Detection: 5/432

FINDINGS SEVERITY

Ą	i€ HIGH	▲ MEDIUM	iNFO	✓ SECURE	Q HOTSPOT
6.5	3	18	4		1

FILE INFORMATION

File Name: net.beginners.weight.loss.workout.women.yoga.go_1424.apk

Size: 35.38MB

MD5: f7bf837c61f68f4ff6e6046bfca9cda8

SHA1: a705d7185f91b4ffe76e2032c8e4eb5ea4f25eb3

\$HA256: 0d51a34ebf9f2e8c73e323dcd1975220d55be6aef688e917b5eb297640356a51

i APP INFORMATION

App Name: Yoga Go

Package Name: net.beginners.weight.loss.workout.women.yoga.go

Main Activity: com.yogaline.ui.splash.SplashActivity

Target SDK: 35 Min SDK: 26 Max SDK:

Android Version Name: 10.39.0 Android Version Code: 1424

EXECUTE APP COMPONENTS

Activities: 14
Services: 13
Receivers: 15
Providers: 4
Exported Activities: 1
Exported Services: 1
Exported Receivers: 5
Exported Providers: 0

***** CERTIFICATE INFORMATION

Binary is signed

v1 signature: False

v2 signature: True v3 signature: True

v4 signature: False

X.509 Subject: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Signature Algorithm: rsassa_pkcs1v15 Valid From: 2019-05-27 16:07:00+00:00 Valid To: 2049-05-27 16:07:00+00:00

Issuer: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Serial Number: 0x2043d7966eb5823de5b0c966614f6c770beecb34

Hash Algorithm: sha256

md5: 68a75f6ac3cd66842281ef8f37c4d5a7

sha1: 695889baf159d36f3338354bddd51962ed2fe5c0

sha256: bc0b5f88c1022edd372ee562332a49735c114ab0857ed7b0191ff0d641dc9e12

sha512:4bd4b4f41f9d523e5e56fdd14747c899293139cad18a4894ee42bc2a395b7875560e426f77f959661e088433164e7caeda294cbc4b5709f4416a3bf50666ef99

PublicKey Algorithm: rsa

Bit Size: 4096

Fingerprint: 312a837c1404c0d58d740f5104e41ca4318e9ae89fbafc7e13e645ef0c5263ea

Found 1 unique certificates

⋮ APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.
android.permission.QUICKBOOT_POWERON	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications
android.permission.DETECT_SCREEN_CAPTURE	normal	notifies when a screen capture of the app's windows is attempted.	Allows an application to get notified when a screen capture of its windows is attempted.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.
android.permission.SCHEDULE_EXACT_ALARM	normal	permits exact alarm scheduling for background work.	Allows an app to use exact alarm scheduling APIs to perform timing sensitive background work.
android.permission.CHANGE_CONFIGURATION	SignatureOrSystem	change your UI settings	Allows an application to change the current configuration, such as the locale or overall font size.
com.google.android.gms.permission.AD_ID	normal	application shows advertisements	This app uses a Google advertising ID and can possibly serve advertisements.
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.
com.google.android.c2dm.permission.RECEIVE	normal	recieve push notifications	Allows an application to receive push notifications from cloud.
android.permission.ACCESS_ADSERVICES_ATTRIBUTION	normal	allow applications to access advertising service attribution	This enables the app to retrieve information related to advertising attribution, which can be used for targeted advertising purposes. App can gather data about how users interact with ads, such as clicks or impressions, to measure the effectiveness of advertising campaigns.
android.permission.ACCESS_ADSERVICES_AD_ID	normal	allow app to access the device's advertising ID.	This ID is a unique, user-resettable identifier provided by Google's advertising services, allowing apps to track user behavior for advertising purposes while maintaining user privacy.
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	normal	permission defined by google	A custom permission defined by Google.
com.android.vending.BILLING	normal	application has in-app purchases	Allows an application to make in-app purchases from Google Play.
net.beginners.weight.loss.workout.women.yoga.go.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference
com.android.vending.CHECK_LICENSE	unknown	Unknown permission	Unknown permission from android reference



FILE	DETAILS		
	FINDINGS		DETAILS
f7bf837c61f68f4ff6e6046bfca9cda8.apk	Anti-VM Code		possible VM check
	FINDINGS	DETAILS	
classes.dex	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.PRODUCT check Build.TAGS check SIM operator check network operator name check device ID check ro.hardware check ro.kernel.qemu check possible VM check	
	Anti Debug Code	Debug.isDebu	ggerConnected() check
	Compiler	r8 without ma	rker (suspicious)
	FINDINGS DETAILS		
classes2.dex	Anti-VM Code	Build.MANUF/	NCTURER check
	Compiler	r8 without ma	rker (suspicious)

■ BROWSABLE ACTIVITIES

ACTIVITY	INTENT
com.yogaline.ui.splash.SplashActivity	Schemes: https://, Hosts: yogago.onelink.me, Path Prefixes: /vaBt, /oAx4, /5qMi,

△ NETWORK SECURITY

HIGH: 1 | WARNING: 0 | INFO: 0 | SECURE: 0

	NO	SCOPE	SEVERITY	DESCRIPTION
--	----	-------	----------	-------------

NO	SCOPE	SEVERITY	DESCRIPTION
1	127.0.0.1 localhost	high	Domain config is insecurely configured to permit clear text traffic to these domains in scope.

CERTIFICATE ANALYSIS

HIGH: 0 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate

Q MANIFEST ANALYSIS

HIGH: 0 | WARNING: 8 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version Android 8.0, minSdk=26]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.
2	App has a Network Security Configuration [android:networkSecurityConfig=@xml/network_security_config]	info	The Network Security Configuration feature lets apps customize their network security settings in a safe, declarative configuration file without modifying app code. These settings can be configured for specific domains and for a specific app.
3	Service (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
4	Broadcast Receiver (androidx.work.impl.diagnostics.DiagnosticsReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
5	Broadcast Receiver (tech.amazingapps.fitapps_debugmenu.receiver.AuthTokenResponseBroadcastReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: tech.amazingapps.fitapps_debugmenu_auth.DEBUG_MENU_AUTHORIZATION [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
6	Broadcast Receiver (com.appsflyer.SingleInstallBroadcastReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
7	Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
8	Activity (androidx.compose.ui.tooling.PreviewActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
9	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 1 | WARNING: 8 | INFO: 3 | SECURE: 2 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
1	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	OWASP MASVS: MSTG-NETWORK-4	Jj/c.java Jj/d.java Jj/h.java Jj/i.java com/amplitude/api/PinnedAmplitudeClient.java
				A0/f.java A1/AbstractC0167h.java A1/AbstractC0323h.java A1/B0.java A1/P.java A1/P.java A1/O.java A1/O.java B1/f.java B2/AbstractC0222c.java B2/AbstractC0408c.java B5/y.java B7/r.java D1/b.java D1/b.java E1/j.java E1/j.java E1/j.java E1/j.java E3/RunnableC0353e.java F7/c.java F3/C0427n.java F3/C0427n.java G3/J.java G3/J.java G3/J.java H3/AbstractC0815v1.java H3/AbstractC0815v1.java H3/C0580o0.java H3/C0580o0.java H3/C0580o0.java H3/C0580o0.java H3/C0580o0.java H3/C0580o0.java H3/C0580o0.java H3/C0580o0.java H3/C0500.java

NO	ISSUE	SEVERITY STANDARDS	K6/a.java KJUESva
			LI/C0253e.java
			M6/f.java
			N1 / Ab
			N1/AbstractC0880a0.java
			N1/AbstractC0883c.java
			N1/AbstractC1204a0.java
			N1/AbstractC1207c.java
			N1/B0.java
			N1/C0881b.java
			N1/C0916u.java
			N1/C1205b.java
			N1/C1240u.java
			N1/G0.java
			N1/O.java
			N1/z0.java
			N3/e.java
			N6/a.java
			N8/g.java
			P5/A.java
			P5/AbstractC0949b.java
			P5/AbstractC1368b.java
			P5/c.java
			P5/e.java
			P5/h.java
			P5/j.java
			P5/q.java
			P5/v.java
			P5/x.java
			P5/z.java
			P8/m.java
			Pg/C0472b.java
			Q/l.java
			Q3/E.java
			Q3/F.java
			Q3/H.java
			Q3/J.java
			Q3/K.java
			Q3/L.java
			Q3/L.java
			Q3/O.java
			Q3/Y.java
			Q5/e.java
			Q5/f.java
			Q5/h.java
			Q5/i.java
			Q5/k,java
			Q5/p.java
			Q5/s.java
			Q5/x.java
			Q6/h.java
			Q7/f.java
			S1/c.java
			S5/C1023f.java
			S5/C10251.java S5/C1558f.java
			55/C15501.jdVd
			S5/H.java
			S5/v.java
			S6/e.java
			S6/l.java
			S6/n.java
			T1/v.java
			T5/AbstractC1066f.java
			T5/AbstractC1081v.java
			T5/AbstractC1640f.java
			T5/AbstractDialogInterfaceOnClickListenerC1083x.java
			T5/AbstractDialogInterfaceOnClickListenerC1657x.java
			- I I I I I I I I I I I I I I I I I I I

ı	SSUE	SEVERITY STANDARDS	T5/C1069i.java F\$kES 43i.java
Ι'	330L	JETERALI SITATOMOS	T5/G.java
			T5/N.java
			T5/S.java
			T5/Y.java
			T7/c.java
			T7/f.java
			T8/a.java
			T8/b.java
			U2/m.java
			U3/d.java
			U7/c.java
			V2/i.java
			V2/l.java
			V3/c.java
			V7/e.java
			W3/a.java
			W4/d.java
			W5/a.java
			X/N0.java
			X0/J.java
			X1/e.java
			X5/f.java
			X5/g.java
			X6/g.java
			X6/q.java
			Xc/n.java
			Y/t.java
			Y0/b.java
			Y6/l.java
			Yl/f.java
			Z3/AbstractC1420m.java
			Z3/AbstractC2101m.java
			ak/C0812b.java
			b6/e.java
			b6/g.java
			b8/C0837b.java
			com/amazonaws/cognito/clientcontext/data/UserContextDataProvider.java
			com/amazonaws/cognito/clientcontext/datacollection/ApplicationDataColle
			a
			com/amazonaws/cognito/clientcontext/util/SignatureGenerator.java
			com/amazonaws/logging/AndroidLog.java
			com/amazonaws/mobile/auth/core/IdentityManager.java
			com/amazonaws/mobile/auth/core/signin/SignInManager.java
			com/amazonaws/mobile/client/AWSMobileClient.java
			com/amazonaws/mobile/client/activities/HostedUIRedirectActivity.java
			com/amazonaws/mobile/client/internal/InternalCallback.java
			com/amazonaws/mobile/client/internal/oauth2/OAuth2Client.java
			com/amazonaws/mobileconnectors/cognitoauth/Auth.java
			com/amazonaws/mobileconnectors/cognitoauth/AuthClient.java
			com/amazonaws/mobileconnectors/cognitoauth/activities/CustomTabsMa
			tivity.java
			and formation of the state of t
			com/amazonaws/mobileconnectors/cognitoauth/util/LocalDataManager.ja
			com/amazonaws/mobileconnectors/cognitoidentityprovider/CognitoUser.j
			com/amazonaws/mobileconnectors/cognitoidentityprovider/CognitoUserS
			ava
			com/amazonaws/mobileconnectors/pinpoint/targeting/notification/EventS
			pe.java
			com/amplitude/api/AmplitudeCallbacks.java
			com/amplitude/api/AmplitudeClient.java
			com/amplitude/api/DatabaseHelper.java
			com/amplitude/api/DeviceInfo.java
			com/amplitude/api/Identify.java
	l de la companya de		com ampircade apinacital y java

NO ISSUEEd.		CILEC.
	SEVERITY STANDARYSMSTG-STORAGE-3	Fult Smplitude/api/Revenue.java
		com/amplitude/api/Utils.java
		com/appsflyer/internal/AFb1tSDK.java
		com/appsflyer/internal/AFf1iSDK.java
		com/appsflyer/internal/AFf1jSDK.java
		com/appsflyer/internal/AFf1tSDK.java
		com/appsflyer/internal/AFg1dSDK.java
		com/appsflyer/internal/AFg1lSDK.java
		com/appsflyer/share/LinkGenerator.java
		com/arthenica/ffmpegkit/FFmpegKitConfig.java
		com/miui/referrer/commons/LogUtils.java
		com/pairip/licensecheck/LicenseActivity.java
		com/pairip/licensecheck/LicenseClient.java
		com/shockwave/pdfium/PdfiumCore.java
		d1/C1919a.java
		d7/h.java
		d7/j.java
		e7/f.java
		f4/v.java
		f8/C1274a.java
		f8/C3360a.java
		g5/AbstractC2141b.java
		g5/AbstractC3532b.java
		h/AbstractC2208e.java
		h/AbstractC3658e.java
		i2/C2287b.java
		i2/C2288c.java
		i2/C2292g,java
		i2/C3859b.java
		i2/C3860c.java
		i2/C3864g.java
		j5/d.java
		j5/e.java
		j5/m.java
		j6/b.java
		k/AbstractC2404j.java
		k/AbstractC4144j.java
		k/ActivityC2398d.java
		k/ActivityC4138d.java
		k/C2406l,java
		k/s.java
		k/w.java
		k0/f.java
		k1/AbstractC2433y.java
		k1/N.java
		k2/AbstractC2440F.java
		k2/AbstractC2457X.java
		k2/AbstractC4180F.java
		k2/AbstractC4197X.java
		k2/AnimationAnimationListenerC2463d.java
		k2/C2435A.java
		k2/C2439E,java
		k2/C2447M.java
		k2/C2451Q.java
		k2/C2455V.java
		k2/C2460a.java
		k2/C2464e.java
		k2/C2465f.java
		k2/C4179E.java
		k2/C4187M.java
		k2/C4195V.java
		k2/C4204e.java
		k2/C4204e.java k2/C4205f.java k2/ComponentCallbacksC2476q.java

NO	ISSUE S	EVERITY STANDARDS	k2/ComponentCallbacksC4216q.java FluES ogInterfaceOnCancelListenerC2471l.java
•	13301	LVEINI JIMADMADJ	k2/DialogInterfaceOnCancelListenerC4211I.java
1			k2/LayoutInflaterFactory2C2483x.java
1			k6/C2532d2.java
1			k6/C2611r3.java
			k6/C4272d2.java
			k6/D4.java
1			
			k6/s4.java
			kk/C1820a.java
			kk/C4473a.java
			11/C2659e.java
			l1/C4489e.java
			I2/AbstractC2667f.java
			I2/RunnableC2663b.java
			I2/RunnableC4493b.java
			Im/C1871a.java
			m7/b.java
			n6/C2747a.java
			n6/C4735a.java
			n7/C2752e.java
			n7/C4740e.java
			n7/g.java
			n8/C1990d.java
			nj/f.java
			o/g.java
			o1/C2779A.java
			o1/C2784e.java
			o1/C4864A.java
			o1/C4869e.java
			o1/w.java
			o8/C2087d.java
			ok/C2131b.java
			p/C2848k.java
			p/C4988k.java
			p/ViewOnKeyListenerC2843f.java
			p/ViewOnKeyListenerC4983f.java
			p8/C2141c.java
			p8/C2142d.java
			p8/C2148j.java
			p8/C2152n.java
			p8/C5025d.java
			p8/C5031j.java
			p8/C5035n.java
			p8/RunnableC2140b.java
			q/AbstractC2901U.java
			q/AbstractC5128U.java
			q/C2885D.java
			q/C2905Y.java
			q/C2931m.java
			q/C2935o.java
			q/C2950v0.java
			q/C2958z0.java
			4/CE33020.jaVa
			q/C5112D.java
			q/C5132Y.java
			q/C5158m.java
			q/C5162o.java
			q/C5177v0.java
			q/C5185z0.java
			q/DialogInterfaceOnClickListenerC2884C.java
			q/L0.java
			q/O0.java
			q1/h.java
			q1/i.java
	l l		
			q6/C3027h.java

NO	ISSUE	SEVERITY	STANDARDS	q6/C5254h.java ГМ/ES 26a.java q8/C5259a.java
				s1/h.java
				t0/o.java
				u1/C3206b.java
				u1/C5808b.java
				u1/g.java
				u1/j.java
				u1/m.java
				u7/f.java
				u8/C2604D.java
				u8/C2618n.java
				u8/C2619o.java
				u8/l.java
				u8/J.java
				u8/N.java
				u8/O.java
				u8/Q.java
				u8/r.java
				u8/x.java
				v1/C.java
				v1/C3267e.java
				v1/C3269g.java
				v1/C3270h.java
				v1/G.java
				v1/j.java
				v1/l.java
				v1/n.java
				v1/o.java
				v1/q.java
				v1/w.java
				v1/x.java
				w1/c.java
				w1/h.java
				w6/C3384b.java
				w8/C2706c.java
				w8/C2708e.java
				w8/C2709f.java
				w8/C2713j.java
				w8/C6096f.java
				x2/c.java
				x2/d.java

x7/f.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
3	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	Al/g,java B9/g,java B9/g,java C2/b,java C2/b,java C4/d,java R8/a,java R/ca,java U/C1133j1,java U/C1747j1,java W0/C12501,java W0/C18961,java W0/g0,java X/C2015u0,java X/C2015u0,java cd/e,java com/amazonaws/internal/keyvaluestore/AWSKeyValueStore.java fk/C1379a,java fk/C3465a,java gb/b,java ic/q,java mg/s,java o4/C2803c,java o4/C2803c,java pm/C2107b,java pm/C2224b,java pm/C2224b,java pm/C2235a,java qb/C2235a,java qb/C2235a,java qb/C5268a,java rf/s,java rf/s,java rf/C2375h0,java
4	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	Q3/Y.java U7/d.java v4/C3277C.java
5	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	A7/N.java D2/c.java D2/c.java D2/c.java F2/h.java F2/h.java F2/h.java G5/b.java H5/k.java H5/k.java H5/k.java H5/k.java Som/amazonaws/mobileconnectors/pinpoint/internal/event/PinpointDBBase.java com/amazonaws/mobileconnectors/pinpoint/internal/event/PinpointDatabaseHel per.java com/amplitude/api/DatabaseHelper.java k6/AbstractC4261b3.java k6/C2514a2.java k6/C2577l.java k6/K4.java k6/K4.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
6	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	B2/u.java C/C0269o.java F2/t.java H2/G.java H2/J.java H2/J.java H2/J.java U2/s.java Qi/a.java Qi/a.java Qi/b.java Ri/a.java com/amazonaws/mobileconnectors/pinpoint/targeting/notification/NotificationClie ntBase.java com/amazonaws/retry/PredefinedRetryPolicies.java com/appsflyer/internal/AFb1aSDK.java com/appsflyer/internal/AFc1iSDK.java k6/D4.java k6/D4.java k6/D4.java o8/n.java o8/n.java o8/n.java o8/c1at1c.java p8/C2147i.java p8/C2147i.java p8/C2147i.java p8/C2147i.java p8/C2147i.java p8/C2147i.java p8/C3152n.java q7/C3031b.java xj/C2840e.java
7	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	bk/C0890a.java bk/C2488a.java k6/D4.java
8	This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.	info	OWASP MASVS: MSTG-STORAGE-10	J0/C0721e.java LI/C0253e.java
9	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	A7/C0207g.java A7/C0363g.java U7/c.java X5/a.java
10	This App may have root detection capabilities.	secure	OWASP MASVS: MSTG-RESILIENCE-1	A7/C0207g.java A7/C0363g.java X6/q.java d7/j.java k6/L2.java
11	App can write to App Directory. Sensitive Information should be encrypted.	info	CWE: CWE-276: Incorrect Default Permissions OWASP MASVS: MSTG-STORAGE-14	b2/C1579c.java
12	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	vh/C2697b.java vh/C5992b.java
13	Insecure WebView Implementation. Execution of user controlled code in WebView is a critical Security Hole.	warning	CWE: CWE-749: Exposed Dangerous Method or Function OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	com/yogaline/onboarding/ui/wellfunnel/j.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
14	The file or SharedPreference is World Readable. Any App can read from the file	high	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/appsflyer/internal/AFb1tSDK.java

■ NIAP ANALYSIS v1.3

	NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
--	----	------------	-------------	---------	-------------

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
00063	Implicit intent(view a web page, make a phone call, etc.)	control	A0/f.java Ab/h.java Al/a.java F3/C0427n.java If/d.java J0/C0725f0.java J0/C0725f0.java J0/C0943f0.java Q5/f.java Q5/f.java com/amazonaws/mobile/client/internal/oauth2/OAuth2Client.java com/amazonaws/mobileconnectors/cognitoauth/AuthClient.java com/amazonaws/mobileconnectors/pinpoint/targeting/notification/NotificationClientBase.java com/appsflyer/internal/AF61tSDK.java com/appsflyer/internal/AFc1uSDK.java com/appsflyer/internal/AF61tSDK.java com/appsflyer/internal/AF61tSDK.java com/appsflyer/internal/AF61tSDK.java com/appsflyer/internal/AF61tSDK.java k6/D4.java k6/S4.java
00191	Get messages in the SMS inbox	sms	com/appsflyer/internal/AFi1gSDK.java com/appsflyer/internal/AFi1lSDK.java com/appsflyer/internal/AFi1mSDK.java q/L0.java
00036	Get resource file from res/raw directory	reflection	B4/e.java E2/w.java Q5/f.java com/amazonaws/mobileconnectors/pinpoint/internal/event/PinpointDBBase.java com/appsflyer/internal/AFb1tSDK.java com/appsflyer/internal/AFi1pSDK.java com/appsflyer/internal/AFi1lSDK.java com/appsflyer/internal/AFi1oSDK.java q/L0.java

RULE ID	BEHAVIOUR	LABEL	FILES
00013	Read file and put it into a stream	file	A1/AbstractC0167h.java A1/AbstractC0323h.java A7/C0207g.java A7/C0207g.java A7/C0207g.java A7/C0207g.java B7/g.java B7/g.java B7/q.java Cy/d.java E2/c.java E2/c.java E2/c.java E2/r.java F7/a.java H7/a.java H7/a.java H7/a.java Ki/f.java N3/e.java N3/e.java N3/e.java N3/e.java N3/y.java Cy/Y.java Cy/Y.java Cy/Y.java Cy/Y.java Cy/Y.java Cy/Y.java Cy/Y.java Com/amazonaws/regions/RegionMetadataParser.java com/amazonaws/regions/RegionMetadataParser.java com/amazonaws/regions/RegionMetadataParser.java com/amazonaws/regions/RegionMetadataParser.java com/amazonaws/regions/RegionMetadataParser.java com/amazonaws/regions/RegionMetadataParser.java com/amazonaws/regions/RegionMetadataParser.java com/amazonaws/regions/RegionMetadataParser.java com/appsflyer/internal/AFg1ISDK.java i2/C2292g.java i2/C23864g.java
00022	Open a file from given absolute path of the file	file	B7/g.java Dm/a.java Fa/b.java Hm/d.java Hm/p.java Jm/a.java K4/h.java Q3/Y.java v3rf.java com/amazonaws/auth/PropertiesCredentials.java com/appsflyer/internal/AFg1ISDK.java com/yogaline/workers/ClearDownloadedMediaCacheWorker.java com/yogaline/workers/ClearFfmpegCacheWorker.java iz/C2292g.java iz/C2292g.java iz/C2542e.java vh/C2697b.java vh/C5992b.java w4/C3370a.java
00012	Read data and put it into a buffer stream	file	F2/l.java i2/C229g,java i2/C3864g.java
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	A0/f.java Q5/f.java com/amazonaws/mobileconnectors/cognitoauth/AuthClient.java com/amazonaws/mobileconnectors/pinpoint/targeting/notification/NotificationClientBase.java

RULE ID	BEHAVIOUR	LABEL	FILES
00091	Retrieve data from broadcast	collection	Al/a.java com/amazonaws/mobileconnectors/pinpoint/targeting/notification/PinpointNotificationActivity.java com/appsflyer/internal/AFc1uSDK.java com/appsflyer/internal/AFc1uSDK.java d5/C1930C.java i4/C2300c.java
00096	Connect to a URL and set request method	command network	E2/l.java com/amazonaws/http/UrlHttpClient.java com/appsflyer/internal/AFd1oSDK.java com/appsflyer/internal/AFe1sSDK.java
00089	Connect to a URL and receive input stream from the server	command network	E2/l.java V7/e,java com/amazonaws/http/UrlHttpClient.java com/amplitude/api/ConfigManager.java com/appsflyer/internal/AFd1oSDK.java com/appsflyer/internal/AFe1sSDK.java
00030	Connect to the remote server through the given URL	network	E2/l.java k6/RunnableC2586m2.java
00109	Connect to a URL and get the response code	network command	E2/I.java V7/e.java com/amazonaws/http/UrlHttpClient.java com/amplitude/api/ConfigManager.java com/appsflyer/internal/AFd1oSDK.java com/appsflyer/internal/AFe1sSDK.java com/appsflyer/internal/AFf1mSDK.java k6/C3.java k6/RunnableC2586m2.java
00094	Connect to a URL and read data from it	command network	E2/l.java E7/a.java com/amazonaws/http/UrlHttpClient.java ul/c.java
00108	Read the input stream from given URL	network command	E2/l.java com/amazonaws/http/UrlHttpClient.java k6/A3.java k6/C2574k2.java
00189	Get the content of a SMS message	sms	com/appsflyer/internal/AFi1gSDK.java
00188	Get the address of a SMS message	sms	com/appsflyer/internal/AFi1gSDK.java
00011	Query data from URI (SMS, CALLLOGS)	sms calllog collection	com/appsflyer/internal/AFb1jSDK.java com/appsflyer/internal/AFi1gSDK.java com/appsflyer/internal/AFi1oSDK.java
00200	Query data from the contact list	collection contact	com/appsflyer/internal/AFi1gSDK.java
00201	Query data from the call log	collection calllog	com/appsflyer/internal/AFi1gSDK.java

RULE ID	BEHAVIOUR	LABEL	FILES
00077	Read sensitive data(SMS, CALLLOG, etc)	collection sms calllog calendar	com/appsflyer/internal/AFb1jSDK.java com/appsflyer/internal/AFi1gSDK.java com/appsflyer/internal/AFi1oSDK.java
00078	Get the network operator name	collection telephony	com/amazonaws/mobileconnectors/pinpoint/internal/core/system/AndroidSystem.java com/amplitude/api/DeviceInfo.java com/appsflyer/internal/AFh1dSDK.java
00147	Get the time of current location	collection location	k/s.java
00075	Get location of the device	collection location	k/s.java
00115	Get last known location of the device	collection location	com/amplitude/api/DeviceInfo.java k/s.java
00114	Create a secure socket connection to the proxy address	network command	Ej/g.java
00028	Read file from assets directory	file	E2/C0348a.java E2/C0562a.java
00132	Query The ISO country code	telephony collection	S2/h.java com/amplitude/api/DeviceInfo.java
00162	Create InetSocketAddress object and connecting to it	socket	Jj/b.java Jj/i.java
00163	Create new Socket and connecting to it	socket	Jj/b.java Jj/i.java
00208	Capture the contents of the device screen	collection screen	tech/amazingapps/fitapps_debugmenu/services/screen_recorder/RecorderService.java
00198	Initialize the recorder and start recording	record	tech/amazingapps/fitapps_debugmenu/services/screen_recorder/RecorderService.java
00196	Set the recorded file format and output path	record file	tech/amazingapps/fitapps_debugmenu/services/screen_recorder/RecorderService.java
00199	Stop recording and release recording resources	record	Rl/a.java
00192	Get messages in the SMS inbox	sms	com/appsflyer/internal/AFb1jSDK.java
00024	Write file after Base64 decoding	reflection file	K4/h.java
00001	Initialize bitmap object and compress data (e.g. JPEG) into bitmap object	camera	n8/C1988b.java n8/C4743b.java



TITLE	SEVERITY	DESCRIPTION
App talks to a Firebase database	info	The app talks to Firebase database at https://yoga-515f1.firebaseio.com
Firebase Remote Config enabled	warning	The Frebras Remark Config at https://frebrasterentoring.gog/legis/carry//project/05656153141/n/mappaces/frebrast/frest/post/biol/2004/pp/06047606.pp/06047606.pp/0604606.pp.2015606-2015551 (*Tety-up-contain-frebrast/frest-post-post-post-post-post-frest-post-post-post-frest-post-post-post-post-post-post-post-po

ТҮРЕ	MATCHES	PERMISSIONS
Malware Permissions	6/25	android.permission.INTERNET, android.permission.ACCESS_NETWORK_STATE, android.permission.RECEIVE_BOOT_COMPLETED, android.permission.VIBRATE, android.permission.WAKE_LOCK, android.permission.ACCESS_WIFI_STATE
Other Common Permissions	4/44	android.permission.FOREGROUND_SERVICE, com.google.android.gms.permission.AD_ID, com.google.android.c2dm.permission.RECEIVE, com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN COUNTRY/REGION

Q DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
www.googleadservices.com	ok	IP: 142.250.74.66 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
goo.gle	ok	IP: 67.199.248.13 Country: United States of America Region: New York City: New York City Latitude: 40.739288 Longitude: -73.984955 View: Google Map
sinapps.s	ok	No Geolocation information available.
mobile.appscdn.io	ok	IP: 18.155.173.68 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map

DOMAIN	STATUS	GEOLOCATION
support.google.com	ok	IP: 142.250.74.174 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
api.eu.amplitude.com	ok	IP: 52.59.49.232 Country: Germany Region: Hessen City: Frankfurt am Main Latitude: 50.115520 Longitude: 8.684170 View: Google Map
issuetracker.google.com	ok	IP: 142.250.74.174 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
play.google.com	ok	IP: 142.250.74.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
default.url	ok	No Geolocation information available.
sdlsdk.s	ok	No Geolocation information available.
www.w3.org	ok	IP: 104.18.23.19 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
testania-nuevo-api-stage.asqq.io	ok	IP: 18.238.96.84 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map

DOMAIN	STATUS	GEOLOCATION
firebase.google.com	ok	IP: 142.250.74.110 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
legal.yoga-go.io	ok	IP: 18.155.173.7 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
sconversions.s	ok	No Geolocation information available.
simpression.s	ok	No Geolocation information available.
developer.android.com	ok	IP: 142.250.74.174 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
smonitorsdk.s	ok	No Geolocation information available.
www.google.com	ok	IP: 142.250.74.68 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
sgcdsdk.s	ok	No Geolocation information available.
sattr.s	ok	No Geolocation information available.
ssdk-services.s	ok	No Geolocation information available.
sadrevenue.s	ok	No Geolocation information available.
yoga-515f1.firebaseio.com	ok	IP: 34.120.206.254 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: 94.578568 View: Google Map

DOMAIN	STATUS	GEOLOCATION
sars.s	ok	No Geolocation information available.
app-measurement.com	ok	IP: 142.250.74.174 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
sregister.s	ok	No Geolocation information available.
g.co	ok	IP: 172.217.21.174 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
scdn-ssettings.s	ok	No Geolocation information available.
api.reteno.com	ok	IP: 52.17.221.30 Country: Ireland Region: Dublin City: Dublin Latitude: 53.343990 Longitude: -6.267190 View: Google Map
firebaseremoteconfigrealtime.googleapis.com	ok	IP: 142.250.74.10 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
feedback-service-api-stage.asqq.io	ok	IP: 18.238.96.76 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
firebaseinstallations.googleapis.com	ok	IP: 142.250.74.106 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
feedback-service-api.asqq.io	ok	IP: 18.238.109.24 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
scdn-stestsettings.s	ok	No Geolocation information available.
api2.amplitude.com	ok	IP: 44.237.149.57 Country: United States of America Region: Oregon City: Portland Latitude: 45.523449 Longitude: -122.676208 View: Google Map
aps-webhandler.appsflyer.com	ok	IP: 18.238.109.70 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
developer.apple.com	ok	IP: 17.253.83.135 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
support.yoga-go.fit	ok	IP: 151.101.193.91 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
contact-us.welltech.com	ok	IP: 18.238.109.117 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
slaunches.s	ok	No Geolocation information available.
sonelink.s	ok	No Geolocation information available.
ns.adobe.com	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
schemas.microsoft.com	ok	IP: 13.107.246.71 Country: Netherlands Region: Noord-Holland City: Amsterdam Latitude: 52.374031 Longitude: 4,889690 View: Google Map
sapp.s	ok	No Geolocation information available.
yoga-new-api.asqq.io	ok	IP: 18.238.96.61 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
testania-nuevo-api.asqq.io	ok	IP: 18.238.109.16 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
docs.amplify.aws	ok	IP: 13.224.53.88 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
schemas.android.com	ok	No Geolocation information available.
sviap.s	ok	No Geolocation information available.
app.asana.com	ok	IP: 18.238.109.65 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
google.com	ok	IP: 216.58.207.206 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
regionconfig.eu.amplitude.com	ok	IP: 18.238.96.5 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
www.amazon.com	ok	IP: 18.238.90.46 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
regionconfig.amplitude.com	ok	IP: 18.155.173.45 Country: United States of America Region: Washington City: Seattle Latitude: 47.627499 Longitude: -122.346199 View: Google Map
svalidate.s	ok	No Geolocation information available.
aomedia.org	ok	IP: 185.199.109.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
console.firebase.google.com	ok	IP: 142.250,74.174 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122,078514 View: Google Map
goo.gl	ok	IP: 142.250.74.174 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map



EMAIL	FILE
u0013android@android.com0 u0013android@android.com	Q5/o.java
dsfsdf@sdfds.dd	Ef/t.java
yourname@mail.com support@yoga-go.fit	Android String Resource

TRACKERS

TRACKER	CATEGORIES	URL
Amazon Analytics (Amazon insights)	Analytics	https://reports.exodus-privacy.eu.org/trackers/95
Amplitude	Profiling, Analytics	https://reports.exodus-privacy.eu.org/trackers/125
AppsFlyer	Analytics	https://reports.exodus-privacy.eu.org/trackers/12
Google CrashLytics	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/27
Google Firebase Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/49

₽ HARDCODED SECRETS

POSSIBLE SECRETS

"com.google.firebase.crashlytics.mapping_file_id": "e8fc0c14e5394864816549d1a2a92a5c"

"firebase_database_url" : "https://yoga-515f1.firebaseio.com"

 $"google_api_key": "AlzaSyBSTLYekPBkD-wWEIWylWhrKkX43Bvfkh4"\\$

 $"google_crash_reporting_api_key": "AlzaSyBSTLYekPBkD-wWEIWylWhrKkX43Bvfkh4"$

nb24g Um9vd CBDQS AxMB4XDTE1MDUyNjAwMDAwMFoXDTM4MDExNzAwMDAwMFowOTEL

nVOujw5H5SNz/0egwLX0tdHA114gk957EWW67c4cX8jJGKLhD+rcdqsq08p8kDi1L

nb3QgQ0EgMTCCASIwDQYJKoZIhvcNAQEBBQADggEPADCCAQoCggEBALJ4gHHKeNXj

nU5PMCCjjmCXPI6T53iHTflUJrU6adTrCC2qJeHZERxhlbI1Bjjt/msv0tadQ1wUs

▶ PLAYSTORE INFORMATION

Title: Yoga Workout & Pilates Yoga-Go

Score: 4.550224 Installs: 10,000,000+ Price: 0 Android Version Support: Category: Health & Fitness Play Store URL: net.beginners.weight.loss.workout.women.yoga.go

Developer Details: WELLTECH APPS LIMITED, 5137904782958257230, None, https://yogago.welltech.com/, amelia.support@yoga-go.io,

Release Date: Jun 6, 2019 Privacy Policy: Privacy link

Description:

Unlock a world of yoga and Pilates with Yoga-Go! Whether you're just starting your wellness journey or are an experienced yogi, access 300+ diverse workouts, from gentle Somatic Yoga and Chair Yoga to the powerful Wall Pilates, and explore 500+ yoga poses. WITH YOGA-GO, YOU'LL GET: Your Personalized Wellness Journey: • Personal practice plans: Wall Pilates, Chair Yoga, Somatic Yoga, or Sofa Yoga • Tailored yoga series recommendations based on your goals, problem areas, and personal details • 14-30 day plan durations to fit your schedule • Workouts Builder Tool: Create your own customized flows with different practice types, difficulty levels, and focus areas Accessible Workouts, Anywhere: • Train at home with no equipment needed • 300+ yoga-inspired workouts, from gentle stretching to intensive Pilates • 10-30 minute sessions for all levels Professional Support: • Bring the yoga studio home! All our classes and somatic exercises are expertly developed by professional yoga coaches and Pilates trainers, ensuring effective and safe practice in the comfort of your own space. Focus on Your Goals: • Workout series specifically designed for energizing, mindfulness, strength, body sculpting, flexibility, or weight loss Deepen Your Practice: • Learn and practice 500+ new yoga poses for both men and women • Explore diverse practices like Tai Chi, Somatic Yoga, Meditation, Chair Yoga, Sofa Yoga, and Classic Yoga • Reduce stress through mindfulness-based exercises and deep breathing techniques WALL PILATES PLAN Unlock core strength and enhanced flexibility with our innovable will pilate splan!

Using the wall as a supportive tool, you'll perform precise and controlled exercises that improve overall fitness. Perfect for all levels, with modifications to meet your individual needs of effective yoga poses performed comfortably from a chair. Ideal for beginners, seniors, or anyone seeking low-impact exercise and stress relief. SOMATIC YOGA PLAN Discover the gentle power of Chair Yoga Foliates that enhance your body and find de

∷≡ SCAN LOGS

Timestamp	Event	Error
2025-09-01 14:47:35	Generating Hashes	ОК
2025-09-01 14:47:35	Extracting APK	ОК
2025-09-01 14:47:35	Unzipping	ОК
2025-09-01 14:47:35	Parsing APK with androguard	ОК
2025-09-01 14:47:35	Extracting APK features using aapt/aapt2	ОК
2025-09-01 14:47:35	Getting Hardcoded Certificates/Keystores	ОК
2025-09-01 14:47:37	Parsing AndroidManifest.xml	ОК
2025-09-01 14:47:37	Extracting Manifest Data	ОК

2025-09-01 14:47:37	Manifest Analysis Started	ОК
2025-09-01 14:47:37	Reading Network Security config from network_security_config.xml	OK
2025-09-01 14:47:37	Parsing Network Security config	OK
2025-09-01 14:47:37	Performing Static Analysis on: Yoga Go (net.beginners.weight.loss.workout.women.yoga.go)	OK
2025-09-01 14:47:39	Fetching Details from Play Store: net.beginners.weight.loss.workout.women.yoga.go	OK
2025-09-01 14:47:40	Checking for Malware Permissions	OK
2025-09-01 14:47:40	Fetching icon path	OK
2025-09-01 14:47:41	Library Binary Analysis Started	OK
2025-09-01 14:47:41	Reading Code Signing Certificate	OK
2025-09-01 14:47:42	Running APKiD 2.1.5	ок
2025-09-01 14:47:46	Detecting Trackers	OK
2025-09-01 14:47:48	Decompiling APK to Java with JADX	OK
2025-09-01 14:48:02	Decompiling with JADX failed, attempting on all DEX files	ОК
2025-09-01 14:48:02	Decompiling classes2.dex with JADX	ОК
2025-09-01 14:48:10	Decompiling classes.dex with JADX	OK
2025-09-01 14:48:22	Decompiling classes2.dex with JADX	OK
2025-09-01 14:48:30	Decompiling classes.dex with JADX	OK

2025-09-01 14:48:42	Converting DEX to Smalli	ОК
2025-09-01 14:48:42	Code Analysis Started on - java_source	OK
2025-09-01 14:48:47	Android SBOM Analysis Completed	OK
2025-09-01 14:49:04	Android SAST Completed	OK
2025-09-01 14:49:04	Android API Analysis Started	OK
2025-09-01 14:49:21	Android API Analysis Completed	OK
2025-09-01 14:49:21	Android Permission Mapping Started	OK
2025-09-01 14:49:35	Android Permission Mapping Completed	OK
2025-09-01 14:49:36	Android Behaviour Analysis Started	OK
2025-09-01 14:49:56	Android Behaviour Analysis Completed	OK
2025-09-01 14:49:56	Extracting Emails and URLs from Source Code	OK
2025-09-01 14:50:03	Email and URL Extraction Completed	OK
2025-09-01 14:50:03	Extracting String data from APK	OK
2025-09-01 14:50:03	Extracting String data from Code	OK
2025-09-01 14:50:03	Extracting String values and entropies from Code	OK
2025-09-01 14:50:08	Performing Malware check on extracted domains	OK
2025-09-01 14:50:12	Saving to Database	OK

Report Generated by - MobSF v4.4.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2025 Mobile Security Framework - MobSF | Ajin Abraham | OpenSecurity.