

ANDROID STATIC ANALYSIS REPORT

app_icon

♣ Blood Pressure App & Tracker (1.1.6)

File Name: com.bloodpressuretracker.bloodpressureapp.bptracker.bloodsugar.bloodglucose.heartrate_11.apk

Package Name: com.bloodpressuretracker.bloodpressureapp.bptracker.bloodsugar.bloodglucose.heartrate

Scan Date: Aug. 29, 2025, 8:16 p.m.

App Security Score: 46/100 (MEDIUM RISK)

Grade:

В

Trackers Detection: 10/432

♣ FINDINGS SEVERITY

Ą	ik HIGH	▲ MEDIUM	i INFO	✓ SECURE	Q HOTSPOT
E.	5	26	3		5



File Name: com.bloodpressuretracker.bloodpressureapp.bptracker.bloodsugar.bloodglucose.heartrate_11.apk

Size: 44.54MB

MD5: 8d996ab5635dac711121d5c9fe9e6dab

SHA1: e8da99f7d3cbe2bbdce1091be1a160bf243ee3d4

SHA256: 4e557711ad39056cd47fd1db12d8ebd7f830e401da47c13a11e2e621e4c02325

i APP INFORMATION

App Name: Blood Pressure App & Tracker

Package Name: com.bloodpressuretracker.bloodpressureapp.bptracker.bloodsugar.bloodglucose.heartrate

Main Activity: com.dreamcity.activities.splash.SplashActivity

Target SDK: 34 Min SDK: 23 Max SDK:

Android Version Name: 1.1.6
Android Version Code: 11



Activities: 77
Services: 17
Receivers: 17
Providers: 7
Exported Activities: 5
Exported Services: 2
Exported Receivers: 4

Exported Providers: 1



Binary is signed v1 signature: True v2 signature: True v3 signature: True v4 signature: False

X.509 Subject: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Signature Algorithm: rsassa_pkcs1v15 Valid From: 2024-07-11 10:00:11+00:00 Valid To: 2054-07-11 10:00:11+00:00

Issuer: C=US, ST=California, L=Mountain View, O=Google Inc., OU=Android, CN=Android

Serial Number: 0xfef795f733d6434aea16f3440f5c5109564f3f9

Hash Algorithm: sha256

md5: 12d98f6298287a29eaac9dd6c5f13f7b

sha1: 06e64c5e03114f9ae4d7cd94c6f9c0897676be6d

sha256: 46ba774862c2938c9bb21c4e057609e2bbd59752f7fd971cebe72649173ab51d

sha512: a059562f07ee5cba770c6986d661176a4152ca7a13336642a60e86c5219cda457ff72e10259641cca09b49c5c08be84f82af50cd9a7c7d30abd0bae96a151afa

PublicKey Algorithm: rsa

Bit Size: 4096

Fingerprint: f864278f9b9e65ee26055a553c633290f74d07d99bdb544ae8ff3bb5e4c5f0d9

Found 1 unique certificates

⋮ APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications
android.permission.USE_FULL_SCREEN_INTENT	normal	required for full screen intents in notifications.	Required for apps targeting Build.VERSION_CODES.Q that want to use notification full screen intents.
android.permission.SCHEDULE_EXACT_ALARM	normal	permits exact alarm scheduling for background work.	Allows an app to use exact alarm scheduling APIs to perform timing sensitive background work.
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.
android.permission.RECEIVE_BOOT_COMPLETED	normal	automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.
android.permission.VIBRATE	normal	control vibrator	Allows the application to control the vibrator.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.
android.permission.CAMERA	dangerous	take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.FOREGROUND_SERVICE_SPECIAL_USE	normal	enables special-use foreground services.	Allows a regular application to use Service.startForeground with the type "specialUse".
com.android.vending.BILLING	normal	application has in-app purchases	Allows an application to make in-app purchases from Google Play.
com.google.android.gms.permission.AD_ID	normal	application shows advertisements	This app uses a Google advertising ID and can possibly serve advertisements.
com.applovin.array.apphub.permission.BIND_APPHUB_SERVICE	unknown	Unknown permission	Unknown permission from android reference

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_WIFI_STATE	normal	view Wi-Fi status	Allows an application to view the information about the status of Wi-Fi.
com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE	normal	permission defined by google	A custom permission defined by Google.
android.permission.ACCESS_ADSERVICES_ATTRIBUTION	normal	allow applications to access advertising service attribution	This enables the app to retrieve information related to advertising attribution, which can be used for targeted advertising purposes. App can gather data about how users interact with ads, such as clicks or impressions, to measure the effectiveness of advertising campaigns.
android.permission.ACCESS_ADSERVICES_AD_ID	normal	allow app to access the device's advertising ID.	This ID is a unique, user- resettable identifier provided by Google's advertising services, allowing apps to track user behavior for advertising purposes while maintaining user privacy.
android.permission.ACCESS_ADSERVICES_TOPICS	normal	allow applications to access advertising service topics	This enables the app to retrieve information related to advertising topics or interests, which can be used for targeted advertising purposes.
com.bloodpressuretracker.bloodpressureapp.bptracker.bloodsugar.bloodglucose.heartrate.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference



FILE	DETAILS		
8d996ab5635dac711121d5c9fe9e6dab.apk	FINDINGS		DETAILS
oussouscriff Ziuscsieseouab.apk	Anti-VM Code		possible VM check
	FINDINGS	DETAIL	s
classes.dex	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check SIM operator check network operator name check possible VM check	
	Compiler	r8	
	FINDINGS	DETAILS	S
classes2.dex	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check SIM operator check network operator name check	
	Compiler r8 without marker (suspicious)		t marker (suspicious)

FILE	DETAILS	
	FINDINGS	DETAILS
classes3.dex	Anti-VM Code	Build.FINGERPRINT check Build.MODEL check Build.MANUFACTURER check Build.PRODUCT check Build.HARDWARE check Build.TAGS check SIM operator check network operator name check possible VM check
	Anti Debug Code	Debug.isDebuggerConnected() check
	Compiler	r8 without marker (suspicious)

■ BROWSABLE ACTIVITIES

ACTIVITY	INTENT
com.facebook.CustomTabActivity	Schemes: fbconnect://, Hosts: cct.com.bloodpressuretracker.bloodpressureapp.bptracker.bloodsugar.bloodglucose.heartrate,

△ NETWORK SECURITY

NO	SCOPE	SEVERITY	DESCRIPTION
----	-------	----------	-------------

CERTIFICATE ANALYSIS

TITLE	SEVERITY DESCRIPTION	
Signed Application info Application is signed with a code signing certificate		Application is signed with a code signing certificate
Application vulnerable to Janus Vulnerability	warning	Application is signed with v1 signature scheme, making it vulnerable to Janus vulnerability on Android 5.0-8.0, if signed only with v1 signature scheme. Applications running on Android 5.0-7.0 signed with v1, and v2/v3 scheme is also vulnerable.

Q MANIFEST ANALYSIS

HIGH: 1 | WARNING: 13 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable unpatched Android version Android 6.0-6.0.1, [minSdk=23]	high	This application can be installed on an older version of android that has multiple unfixed vulnerabilities. These devices won't receive reasonable security updates from Google. Support an Android version => 10, API 29 to receive reasonable security updates.
2	Application Data can be Backed up [android:allowBackup=true]	warning	This flag allows anyone to backup your application data via adb. It allows users who have enabled USB debugging to copy application data off of the device.
3	Content Provider (com.dreamcity.storage.provider.main.MainDataProvider) is not Protected. [android:exported=true]	warning	A Content Provider is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
4	Activity (com.dreamcity.activities.reminder.ReminderUserActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
5	Activity (com.dreamcity.activities.settings.VipActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
6	Activity (com.dreamcity.activities.billing.BillingActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
7	Activity (com.dreamcity.activities.pressure_blood.AddPressureRecordActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
8	Broadcast Receiver (com.dreamcity.general.services.notifydaily.DailyReceiver) is not Protected. [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
9	Broadcast Receiver (com.adjust.sdk.AdjustReferrerReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.INSTALL_PACKAGES [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
10	Activity (com.facebook.CustomTabActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
11	Service (com.google.android.gms.auth.api.signin.RevocationBoundService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.auth.api.signin.permission.REVOCATION_NOTIFICATION [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
12	Service (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.BIND_JOB_SERVICE [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
13	Broadcast Receiver (androidx.work.impl.diagnostics.DiagnosticsReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
14	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

NO	ISSUE	SEVERITY	STANDARDS	FILES
				a/g.java
				a/h.java
				a0/b1.java
				a0/d.java
				a0/s0.java
				a2/i.java
				a5/h.java
				a5/ij.java
				a8/c0.java
				a8/s.java
				aa/a.java
				ad/f.java
				ah/d.java
				ah/e.java
				ah/f.java
				ah/i iaya
				ah/j.java
	ļ			b0/o.java
	ļ			b1/c.java
	ļ			b1/f.java
	ļ			b1/g.java
	ļ			b1/j.java
	ļ			b1/n.java
	ļ			b2/s.java
				b5/h.java
				be/f.java
				be/k.java
				bf/c.java
				bg/j.java
				bj/g.java
				c3/c.java
	ļ			cf/d.java
	ļ			com/adjust/sdk/Logger.java
				com/apm/insight/b/j.java
	ļ			com/apm/insight/h/a.java
	ļ			com/apm/insight/k/k.java
	ļ			com/apm/insight/l/q.java
	ļ			com/apm/insight/runtime/o.java
	ļ			com/applovin/impl/d5.java
	ļ			com/applovin/impl/pc.java
				com/applovin/impl/qg.java
	ļ			com/applovin/impl/ru.java
	ļ			com/applovin/impl/sdk/nativeAd/d.java
	ļ			com/applovin/impl/sdk/p.java
	ļ			com/bumptech/glide/b.java
	ļ			com/bumptech/glide/c.java
				com/bumptech/glide/d.java
	ļ			com/bumptech/glide/k.java
	ļ			com/bumptech/glide/load/data/b.java
	ļ			com/bumptech/glide/load/data/l.java
	I J			1 O

NO	ISSUE	SEVERITY	STANDARDS	com/bumptech/glide/m.java
				com/bykv/vk/openvk/component/video/pr/Cg/Cg_java com/bykv/vk/openvk/component/video/pr/Cg/gw.java
				com/bykv/vk/openvk/component/video/pr/Cg/ijS.java
				com/bykv/vk/openvk/component/video/pr/Cg/mW.java
				com/bykv/vk/openvk/component/video/pr/Cg/xL.java
				com/bykv/vk/openvk/component/video/pr/rt/pr.java
				com/bykv/vk/openvk/preload/falconx/a/a.java
				com/bykv/vk/openvk/preload/geckox/logger/DefaultLogger.j
				ava
				com/bytedance/adsdk/lottie/LottieAnimationView.java com/bytedance/adsdk/ugeno/component/Cg.java
				com/bytedance/adsdk/ugeno/component/image/RoundImag
				eView.java
				com/bytedance/adsdk/ugeno/component/image/pr.java
				com/bytedance/adsdk/ugeno/core/Tu.java
				com/bytedance/adsdk/ugeno/core/pr.java
				com/bytedance/adsdk/ugeno/core/xj.java
				com/bytedance/adsdk/ugeno/pr/rt.java
				com/bytedance/sdk/component/Cg.java
				com/bytedance/sdk/component/adexpress/mW/pr.java
				com/bytedance/sdk/component/adexpress/pr/Cg/ijS.java
				com/bytedance/sdk/component/embedapplog/PangleEncryp
				tUtils.java
				com/bytedance/sdk/component/embedapplog/PangleEncryp
				tUtilsType4.java
				com/bytedance/sdk/component/mW/Cg/pr.java
				com/bytedance/sdk/component/mW/rt/Cg.java
				com/bytedance/sdk/component/mW/rt/pr/pr/Cg.java
				com/bytedance/sdk/component/mW/rt/pr/pr/pr.java
				com/bytedance/sdk/component/mW/rt/rt.java
				com/bytedance/sdk/component/pglcrypt/PglCryptUtils.java
				com/bytedance/sdk/component/utils/HomeWatcherReceiver
				.java
				com/bytedance/sdk/component/utils/Yf.java
				com/bytedance/sdk/component/utils/gRB.java
				com/bytedance/sdk/component/xL/Cg/pr.java
				com/bytedance/sdk/component/xL/gw/mW.java
				com/bytedance/sdk/component/xj/gw.java
				com/bytedance/sdk/openadsdk/Cg/rt.java
				com/bytedance/sdk/openadsdk/activity/TTAppOpenAdActivit
				y.java
				com/bytedance/sdk/openadsdk/api/factory/SDKTypeConfig.j
				ava
				com/bytedance/sdk/openadsdk/api/init/PAGSdk.java
				com/bytedance/sdk/openadsdk/component/Cg.java
				com/bytedance/sdk/openadsdk/component/reward/pIM.jav
				a
				com/bytedance/sdk/openadsdk/component/reward/pr/AlJ.ja
				Va
				com/bytedance/sdk/openadsdk/component/reward/pr/Vv.ja

NO	ISSUE	SEVERITY	STANDARDS	va FilhF6ytedance/sdk/openadsdk/component/reward/pr/rCc.j
				com/bytedance/sdk/openadsdk/component/xL.java
				com/bytedance/sdk/openadsdk/core/Pl.java
				com/bytedance/sdk/openadsdk/core/act/pr.java
				com/bytedance/sdk/openadsdk/core/model/zGp.java
				com/bytedance/sdk/openadsdk/core/settings/pIM.java
				com/bytedance/sdk/openadsdk/core/settings/rCc.java
				com/bytedance/sdk/openadsdk/core/settings/rt.java
				com/bytedance/sdk/openadsdk/core/settings/zGp.java
				com/bytedance/sdk/openadsdk/core/widget/mW.java
				com/bytedance/sdk/openadsdk/rCc/Cg.java
				com/bytedance/sdk/openadsdk/rCc/rt.java
				com/bytedance/sdk/openadsdk/utils/LB.java
				com/bytedance/sdk/openadsdk/utils/XU.java
				com/bytedance/sdk/openadsdk/utils/mW.java
				com/bytedance/sdk/openadsdk/utils/sQp.java
				com/dreamcity/App.java
				com/dreamcity/activities/ScanActivity.java
				com/dreamcity/activities/reminder/ReminderAddActivity.java
				com/dreamcity/activities/reminder/ReminderEditActivity.java
				com/dreamcity/storage/provider/main/MainDataProvider.ja
				com/dreamcity/storage/transfer/AppDatabase_Transfer.java
				com/dreamcity/view_models/heart_rate/MeasurementView
				Model.java
				com/dreamcity/view_models/suger_blood/AddBloodSugarVi
				ewModel.java
				com/iab/omid/library/applovin/publisher/b.java
				com/iab/omid/library/applovin/utils/d.java
				com/iab/omid/library/bytedance2/utils/d.java
				com/journeyapps/barcodescanner/BarcodeView.java
				com/journeyapps/barcodescanner/CaptureActivity.java
				com/makeramen/roundedimageview/RoundedImageView.ja
				va
				com/mbridge/msdk/dycreator/a/a.java
				com/mbridge/msdk/dycreator/baseview/MBScrollView.java
				com/mbridge/msdk/dycreator/baseview/extview/MBExtAcq
				uireRewardPopView.java
				com/mbridge/msdk/dycreator/baseview/extview/MBExtFeed BackView.java
				com/mbridge/msdk/dycreator/baseview/extview/MBExtMBri
				dgeBaitClickView.java
				com/mbridge/msdk/dycreator/baseview/extview/MBExtMBri
				dgeTextView.java
				com/mbridge/msdk/dycreator/bus/BackgroundPoster.java
				com/mbridge/msdk/dycreator/bus/EventBus.java
				com/mbridge/msdk/dycreator/e/g.java
				com/mbridge/msdk/foundation/controller/b.java
				com/mbridge/msdk/foundation/same/b/e.java
				com/mbridge/msdk/foundation/same/report/b/b.java

OV	ISSUE	SEVERITY	STANDARDS	com/mbridge/msdk/foundation/same/report/b/d.java
				com/mbridge/msdk/foundation/same/report/l.java
				com/mbridge/msdk/foundation/tools/aa.java com/mbridge/msdk/foundation/tools/ad.java
				com/mbridge/msdk/mbnative/controller/NativeController.ja
				va
				com/mbridge/msdk/mbnative/controller/d.java
				com/mbridge/msdk/mbnative/e/b.java
				com/mbridge/msdk/newreward/function/a/a/a.java
				com/mbridge/msdk/playercommon/exoplayer2/DefaultRend
				erersFactory.java
				com/mbridge/msdk/playercommon/exoplayer2/ExoPlayerl
				mpl.java
				com/mbridge/msdk/playercommon/exoplayer2/ExoPlayerI
				mplInternal.java
				com/mbridge/msdk/playercommon/exoplayer2/MediaPerio
				dHolder.java
				com/mbridge/msdk/playercommon/exoplayer2/SimpleExoPl
				ayer.java
				com/mbridge/msdk/playercommon/exoplayer2/audio/Defa
				ultAudioSink.java
				com/mbridge/msdk/playercommon/exoplayer2/drm/ClearK
				eyUtil.java
				com/mbridge/msdk/playercommon/exoplayer2/drm/Default
				DrmSession.java
				com/mbridge/msdk/playercommon/exoplayer2/drm/Default
				DrmSessionManager.java
				com/mbridge/msdk/playercommon/exoplayer2/extractor/m
				kv/MatroskaExtractor.java
				com/mbridge/msdk/playercommon/exoplayer2/extractor/m
				p3/VbriSeeker.java
				com/mbridge/msdk/playercommon/exoplayer2/extractor/m
				p3/XingSeeker.java
				com/mbridge/msdk/playercommon/exoplayer2/extractor/m
				p4/AtomParsers.java
				com/mbridge/msdk/playercommon/exoplayer2/extractor/m
				p4/FragmentedMp4Extractor.java
				com/mbridge/msdk/playercommon/exoplayer2/extractor/m
				p4/MetadataUtil.java com/mbridge/msdk/playercommon/exoplayer2/extractor/m
				p4/PsshAtomUtil.java
				com/mbridge/msdk/playercommon/exoplayer2/extractor/m
				p4/TrackEncryptionBox.java
				com/mbridge/msdk/playercommon/exoplayer2/extractor/og
				g/VorbisUtil.java
				com/mbridge/msdk/playercommon/exoplayer2/extractor/ts
				/AdtsReader.java
				com/mbridge/msdk/playercommon/exoplayer2/extractor/ts
				/Id3Reader.java
				com/mbridge/msdk/playercommon/exoplayer2/extractor/ts
				/PesReader.java
				*

NO	ISSUE	SEVERITY	STANDARDS	com/mbridge/msdk/playercommon/exoplayer2/extractor/w
				com/mbridge/msdk/playercommon/exoplayer2/mediacodec
				/MediaCodecInfo.java
				com/mbridge/msdk/playercommon/exoplayer2/mediacodec /MediaCodecRenderer.java
				com/mbridge/msdk/playercommon/exoplayer2/mediacodec /MediaCodecUtil.java
				com/mbridge/msdk/playercommon/exoplayer2/metadata/id 3/ld3Decoder.java
				com/mbridge/msdk/playercommon/exoplayer2/offline/Dow nloadManager.java
				com/mbridge/msdk/playercommon/exoplayer2/offline/Dow nloadService.java
				com/mbridge/msdk/playercommon/exoplayer2/source/chunk/BaseMediaChunkOutput.java
				com/mbridge/msdk/playercommon/exoplayer2/source/chu nk/ChunkSampleStream.java
				com/mbridge/msdk/playercommon/exoplayer2/source/chu nk/ChunkedTrackBlacklistUtil.java
				com/mbridge/msdk/playercommon/exoplayer2/text/cea/Ce a708Decoder.java
				com/mbridge/msdk/playercommon/exoplayer2/text/cea/Ce aUtil.java
				com/mbridge/msdk/playercommon/exoplayer2/text/dvb/Dv bParser.java
				com/mbridge/msdk/playercommon/exoplayer2/text/ssa/Ssa Decoder.java
				com/mbridge/msdk/playercommon/exoplayer2/text/subrip/ SubripDecoder.java
				com/mbridge/msdk/playercommon/exoplayer2/text/ttml/Tt
				mlDecoder.java com/mbridge/msdk/playercommon/exoplayer2/text/webvtt/
				WebvttCue.java com/mbridge/msdk/playercommon/exoplayer2/text/webvtt/
				WebvttCueParser.java com/mbridge/msdk/playercommon/exoplayer2/upstream/D efaultDataSource.java
				com/mbridge/msdk/playercommon/exoplayer2/upstream/D efaultHttpDataSource.java
				com/mbridge/msdk/playercommon/exoplayer2/upstream/L oader.java
				com/mbridge/msdk/playercommon/exoplayer2/upstream/c ache/CachedRegionTracker.java
				com/mbridge/msdk/playercommon/exoplayer2/upstream/c ache/SimpleCache.java
				com/mbridge/msdk/playercommon/exoplayer2/util/AtomicF
				ile.java com/mbridge/msdk/playercommon/exoplayer2/util/EventLo
				gger.java
				com/mbridge/msdk/playercommon/exoplayer2/util/Util.java com/mbridge/msdk/playercommon/exoplayer2/video/Dum

NO	ISSUE	SEVERITY	STANDARDS	mySurface.java FJLF&bridge/msdk/playercommon/exoplayer2/video/Medi aCodecVideoRenderer.java
				com/mbridge/msdk/tracker/b.java com/mbridge/msdk/tracker/c.java
ı	1	,	1	com/mbridge/msdk/tracker/j.java
	1	,	1	com/mbridge/msdk/tracker/k.java
ı	1	,	1	com/mbridge/msdk/tracker/m.java
1	1	,		com/mbridge/msdk/tracker/n.java
1	1	,		com/mbridge/msdk/tracker/network/ae.java
I	1	'		com/mbridge/msdk/tracker/p.java
1	1	,		com/mbridge/msdk/tracker/r.java
1	1	,		com/mbridge/msdk/tracker/w.java
ı	1	,		com/mbridge/msdk/tracker/y.java
ļ	1	1		com/mbridge/msdk/video/module/MBridgeBaseView.java
I	1	'		com/mbridge/msdk/widget/FeedbackRadioGroup.java
ı	1	,		com/vungle/ads/internal/util/v.java
ı	1	,		com/vungle/mediation/VungleInterstitialAdapter.java
I	1	'		d/h.java
ı	The App logs information. Sensitive information	info	CWE: CWE-532: Insertion of Sensitive Information into Log File	d1/f.java
ı	should never be logged.	"""	OWASP MASVS: MSTG-STORAGE-3	d3/f.java
ļ	1	,		d5/g.java
ı	1	,		d5/i.java
ı	1	'		d5/o.java
ı	1	,		
ı	1	,		dc/a.java
ļ	1	1	1	e/d.java
ļ	1	1		e0/g.java
ļ	1	1		e3/a.java
ļ	1	1	1	f1/h.java
ļ	1	1	1	f5/c.java
ļ	1	1		f6/i.java
ļ	1	1		fc/g.java
ļ	1	1	1	g/c.java
I	1	'		g/c0.java
ı	1	,		g/d0.java
ı	1	,		g/f.java
ŀ	1	'		g/h0.java
ı	1	,		g/m.java
ı	1	,		g/r.java
ı	1	'		g1/f.java
ı	1	,		g1/h.java
ı	1	,		g5/a0.java
ŀ	1	'		g5/b.java
I	1	'		g5/c.java
ı	1	,		g5/h0.java
ŀ	1	'		g5/i.java
ı	1	,		g5/l.java
ŀ	1	'		g5/q.java
ŀ	1	'		g5/s.java
ŀ	1	'		g5/w.java
ı	1	,		g8/k.java
I	1	'		g9/h.java
I	ſ	,	1	82ja.a

NO	ISSUE	SEVERITY	STANDARDS	gd/b.java FilijaSa
				h9/b.java
				hb/a.java
				hc/a.java
				hc/b.java
				hc/c.java
				hc/f.java
				hc/g.java
				he/e.java
				he/h.java
				hg/l.java
				hh/b.java
				hk/a.java
				hk/b.java
				ho/l.java
				i1/p.java
				i2/b.java
				i2/c.java
				i2/g.java
				i3/e.java
				i3/p.java
				i4/i.java
				i5/a.java
				i5/g.java
				i5/j.java
				ib/w.java
				ib/z.java
				ic/b.java
				ic/c.java
				ic/e.java
				ie/n.java
				ie/n.java
				ie/p.java
				ij/c.java
				ij/f.java
				ij/g.java
				io/d.java
				j1/j.java
				j1/k.java
				j1/l.java
				j1/m.java
				j1/n.java
				j6/j.java
				jg/l.java
				jg/r.java
				jh/q.java
				jj/b.java
				jj/c.java
				jj/e.java
				jj/f.java
				jj/i.java
				jj/k.java

O	ISSUE	SEVERITY	STANDARDS	k/j.java FALJESa
				k0/f.java
				k0/l.java
				k0/s.java
				k1/c.java
				k2/c.java
				k5/u.java
				k5/v.java
				k7/i.java
				k8/h.java
				ka/c.java
				ka/f0.java
				ka/q0.java
				ka/t0.java
				ka/v.java
				ka/x.java
				kc/c.java
				kc/d.java
				kj/c.java
				l/i.java
				l/o.java
				la/g.java
				la/h.java
				la/i.java
				la/v.java
				lc/a.java
				lc/b.java
				lc/d.java
				lc/e.java
				lc/g.java
				lc/i.java
				lc/l.java
				lc/m.java
				lj/a.java
				m/b4.java
				m/d.java
				m/e4.java
				m/g1.java
				m/j.java
				m/j2.java
				m/k1.java
				m/k3.java
				m/m0.java
				m/o3.java
				m/p2.java
				m/q2.java
				m/s0.java
				m/t2.java
				m/w.java
				m0/a.java
				m1/o.java
				····

NO	ISSUE	SEVERITY	STANDARDS	m2/a.java Fil4/EŞava
				m5/h.java
				mc/d.java
				mc/e.java
				n5/g.java
				n8/a.java
				nc/a.java
				nc/b.java
				nd/c.java
				ng/c.java
				nj/h.java
				o1/e.java
				oa/j.java
				oa/k.java
				oc/b.java
				oc/c.java
				oc/d.java
				oc/e.java
				oc/f.java
				oc/h.java
				oc/i.java
				oc/j.java
				og/b.java
				p2/g.java
				p4/b.java
				p6/a.java
				pa/g.java
				pg/c.java
				ph/c.java
				ph/d.java
				q1/b.java
				q1/d1.java
				q1/d2.java
				q1/h1.java
				q1/r0.java
				q1/u.java
				q1/x1.java
				q1/y1.java
				q2/b.java
				q3/g.java
				qh/a.java
				qj/e.java
				qj/q.java
				ra/b.java
				rj/a.java
				rj/c.java
				rj/g.java
				rn/m.java
				se/b.java
				se/e.java
				se/g.java
				<u>.</u>

NO	ISSUE	SEVERITY	STANDARDS	sg/c.java Fi/LjESa
				sj/e.java
				t/a0.java
				t/b2.java
				t/e0.java
				t/i.java
				t/j0.java
				t2/e.java
				ta/e.java
				ta/g.java
				ta/j.java
				ta/k.java
				tg/a.java
				tj/a.java
				tj/e.java
				tn/a.java
				u7/b2.java
				u7/h.java
				u7/m0.java
				u7/u1.java
				u7/v.java
				ua/f.java
				ug/b.java
				ug/c.java
				ug/d.java
				ug/h.java
				ug/l.java
				ug/n.java
				v4/c.java
				v4/d.java
				v7/I0.java
				v7/10.java
				va/a.java
				vb/a.java
				vb/b.java
				vb/c.java
				vj/d.java
				vj/h.java
				w0/d.java
				w1/q.java
				w3/e.java
				w4/d.java
				w4/e.java
				w5/b.java
				w7/d.java
				w9/d.java
				wa/b.java
				wd/d.java
				wf/e.java
				x/b.java
				x1/d.java
				x2/d.java
				•

NO	ISSUE	SEVERITY	STANDARDS	x7/d1.java F½ES java
				xd/a.java y0/e.java y2/l.java y2/l.java y2/p.java y2/p.java y2/r.java y2/r.java y2/y.java y2/z.java y4/c.java y6/c.java yg/o.java yg/o.java yg/p.java yg/p.java yg/v0.java yg/v0.java yg/w0.java yg/w0.java yg/w0.java yg/x.java z1/e.java z3/f.java z4/a0.java z4/n.java z4/q.java z5/e.java z7/t.java z9/z.java z7/t.java z9/z.java z9/z.java z9/z.java z9/z.java
2	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	za/d0.java za/n0.java za/n0.java ze/pc/apan/insight/l/v.java se/pc/apan/insight/l/v.java se/pc/apan/insight/l/v.java se/pc/apan/insight/l/v.java se/pc/apan/insight/l/v.java se/pc/apan/apance/sdk/component/wW/rt/rt/rt.java se/pc/apance/sdk/component/wW/rt/rt/rt.java se/pc/apance/sdk/component/utils/mW.java seppc/apance/sdk/component/utils/mW.java seppc/apance/sdk/component/utils/sdk/sdk/sdk/sdk/sdk/sdk/s

NO	ISSUE	SEVERITY	STANDARDS	FILES
3	IP Address disclosure	warning	CWE: CWE-200: Information Exposure OWASP MASVS: MSTG-CODE-2	ap/a.java bp/a.java com/applovin/mediation/BuildConfig.java com/bytedance/sdk/openadsdk/BuildConfig.java cp/a.java ep/a.java fp/c.java fp/i.java gp/a.java jp/a.java k8/h.java ks/h.java kc/c.java mc/c.java po/a.java qo/a.java vo/a.java vo/a.java vo/a.java xo/a.java
4	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/applovin/impl/sdk/utils/StringUtils.java com/applovin/impl/vi.java com/pgl/ssdk/C0220q.java com/pgl/ssdk/ces/c.java d0/p.java ff/h.java jg/i.java og/b.java vj/c.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
5	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	com/adjust/sdk/Util.java com/applovin/impl/mq.java com/applovin/impl/mq.java com/applovin/impl/my.java com/applovin/impl/yp.java com/bytedance/sdk/component/ijS/pr/ijS/rt.java com/bytedance/sdk/component/utils/pr.java com/bytedance/sdk/component/xL/rt/ijS.java com/bytedance/sdk/component/xL/rt/ijS.java com/bytedance/sdk/openadsdk/Cg/CTt.java com/bytedance/sdk/openadsdk/Core/model/YR.java com/bytedance/sdk/openadsdk/utils/XU.java com/bytedance/sdk/openadsdk/utils/XU.java com/bytedance/sdk/openadsdk/utils/XU.java com/mbridge/msdk/dplayercommon/exoplayer2/source/Shuf fleOrder.java com/mbridge/msdk/playercommon/exoplayer2/trackselecti on/RandomTrackSelection.java com/mbridge/msdk/playercommon/exoplayer2/upstream/c ache/CachedContentIndex.java com/mbridge/msdk/thrid/okhttp/OkHttpClient.java com/mbridge/msdk/thrid/okhttp/internal/ws/RealWebSocket .java com/mbridge/msdk/thrid/okhttp/internal/ws/WebSocketWrit er.java dl/f1.java dl/f1.java dl/f1.java dl/f1.java dl/f1.java dl/f1.java kl/v.java nt/a.java tg/i.java ug/c.java ug/g.java ug/g.java ug/l.java wm/a.java xm/a.java
				com/adjust/sdk/Constants.java com/applovin/impl/sdk/AppLovinSdkInitializationConfigurati onImpl.java com/applovin/impl/sdk/j.java com/applovin/mediation/AppLovinUtils.java

NO ISSUE	SEVERITY	STANDARDS	com/applovin/mediation/MaxSegment.java Fulr#26pplovin/mediation/ads/MaxAdView.java
Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	com/applovin/mediation/ads/MaxAppQpenAd.java com/applovin/mediation/ads/MaxNewardedAd.java com/applovin/mediation/ads/MaxNewardedAd.java com/applovin/mediation/ads/MaxNewardedInterstitialAd.java a com/applovin/sdk/AppLovinSdk/axNewardedInterstitialAd.java com/applovin/sdk/AppLovinSdk/settings.java com/applovin/sdk/AppLovinSdkSettings.java com/applovin/sdk/AppLovinSdkSettings.java com/applovin/sdk/AppLovinSdkSettings.java com/applovin/sdk/AppLovinSdkSettings.java com/applovin/sdk/AppLovinSdkSettings.java com/bridge/msdk/AppLovinWebViewActivity.java com/bridge/msdk/foundetion/download/core/DownloadC com/mbridge/msdk/foundation/download/core/DownloadC ommon.java com/mbridge/msdk/foundation/download/core/DownloadC Reporter.java com/mbridge/msdk/foundation/entity/CampaignEx.java com/mbridge/msdk/foundation/entity/LampaignEx.java com/mbridge/msdk/foundation/same/report/i.java com/mbridge/msdk/foundation/same/report/i.java com/mbridge/msdk/newreward/player/imodel/IBigTempMo del.java com/mbridge/msdk/newreward/player/imodel/IBigTempMo del.java com/mbridge/msdk/newreward/player/imodel/IPlayModel.java com/mbridge/msdk/newreward/player/imodel/IPlayModel.java com/mbridge/msdk/newreward/player/iview/IBaseWebView java com/mbridge/msdk/newreward/player/iview/IMetaData.java com/mbridge/msdk/newreward/player/iview/IMetaData.java com/mbridge/msdk/newreward/player/iview/IMetaData.java com/mbridge/msdk/newreward/player/iview/IMetaData.java com/mbridge/msdk/newreward/player/model/BigTempleVi ew.java com/mbridge/msdk/newreward/player/model/MoreOfferMo del.java com/mbridge/msdk/newreward/player/model/MoreOfferMo del.java com/mbridge/msdk/newreward/player/model/PlayTempleM odel.java com/mbridge/msdk/newreward/player/model/WebTempleM odel.java com/mbridge/msdk/newreward/player/model/WebViewECM odel.java com/mbridge/msdk/newreward/player/model/WebViewECM odel.java com/mbridge/msdk/newreward/player/wiew/ectemplate.yava com/mbridge/msdk/newreward/player/wiew/ectemplate.yava com/mbridge/msdk/newreward/player/view/ectemplate.java com/mbrid

NC	ISSUE	SEVERITY	STANDARDS	bViewEC.java FulrE&bridge/msdk/playercommon/exoplayer2/drm/Default DrmSessionManager.java
				com/mbridge/msdk/splash/view/BaseSplashPopView.java com/mbridge/msdk/video/dynview/moffer/MOfferModel.jav a com/vungle/ads/internal/signals/j.java com/vungle/ads/internal/task/c.java el/k.java pn/s0.java q/b.java u8/l.java x4/m.java z4/f.java z4/f.java z4/f.java z4/g0.java
7	App can write to App Directory. Sensitive Information should be encrypted.	info	CWE: CWE-276: Incorrect Default Permissions OWASP MASVS: MSTG-STORAGE-14	ka/b.java ka/n0.java ka/t0.java ra/h.java xa/b.java
8	App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database.	warning	CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality	ad/i.java ad/o.java com/apm/insight/e/b/a.java com/apm/insight/e/b/b.java com/applovin/impl/sdk/nativeAd/d.java com/applovin/impl/sv.java com/bykv/vk/openvk/component/video/pr/Cg/Cg/gw.java com/bykv/vk/openvk/preload/geckox/a/b.java com/bytedance/sdk/component/ijS/pr/pr/pr/pr/gw.java com/bytedance/sdk/component/ijS/pr/pr/pr/gw.java com/bytedance/sdk/openadsdk/core/ijS.java com/bytedance/sdk/openadsdk/zGp/Cg.java com/bytedance/sdk/openadsdk/zGp/Cg.java com/bridge/msdk/foundation/db/BatchReportDao.java com/mbridge/msdk/foundation/db/b.java com/mbridge/msdk/foundation/db/c.java com/mbridge/msdk/foundation/db/g.java com/mbridge/msdk/foundation/db/g.java com/mbridge/msdk/foundation/db/g.java com/mbridge/msdk/foundation/db/g.java com/mbridge/msdk/foundation/db/g.java com/mbridge/msdk/racker/b.java d3/c.java k0/f.java t/b2.java t/m.java u7/m0.java zc/c.java zc/h.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
9	Remote WebView debugging is enabled.	high	CWE: CWE-919: Weaknesses in Mobile Applications OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-RESILIENCE-2	com/applovin/impl/adview/AppLovinWebViewBase.java com/applovin/impl/adview/l.java
10	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/apm/insight/entity/d.java com/apm/insight/l/w.java com/apm/insight/nativecrash/c.java com/bytedance/sdk/openadsdk/utils/XU.java com/bytedance/sdk/foundation/same/report/b/d.java com/mbridge/msdk/foundation/tools/ag.java com/pgl/ssdk/ces/c.java com/vungle/ads/internal/platform/b.java u7/d2.java u7/s1.java u7/s1.java z7/r.java z7/t.java z3/j0.java
11	This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel.	secure	OWASP MASVS: MSTG-NETWORK-4	com/mbridge/msdk/thrid/okhttp/internal/Util.java ho/d.java ho/g.java ho/k.java ho/l.java
12	This App may have root detection capabilities.	secure	OWASP MASVS: MSTG-RESILIENCE-1	com/apm/insight/nativecrash/c.java com/bytedance/sdk/openadsdk/Cg/pr/rt.java com/bytedance/sdk/openadsdk/utils/XU.java ff/h.java he/h.java
13	The App uses the encryption mode CBC with PKCS5/PKCS7 padding. This configuration is vulnerable to padding oracle attacks.	high	CWE: CWE-649: Reliance on Obfuscation or Encryption of Security-Relevant Inputs without Integrity Checking OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-3	com/bytedance/sdk/component/gw/pr.java vj/d.java
14	Insecure WebView Implementation. Execution of user controlled code in WebView is a critical Security Hole.	warning	CWE: CWE-749: Exposed Dangerous Method or Function OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	com/bytedance/sdk/component/adexpress/mW/mW.java com/bytedance/sdk/component/widget/SSWebView.java
15	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/mbridge/msdk/playercommon/exoplayer2/util/Util.java lc/m.java m/j.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
16	This App copies data to clipboard. Sensitive data should not be copied to clipboard as other applications can access it.	info	OWASP MASVS: MSTG-STORAGE-10	com/bytedance/sdk/openadsdk/common/Tu.java
17	The App uses ECB mode in Cryptographic encryption algorithm. ECB mode is known to be weak as it results in the same ciphertext for identical blocks of plaintext.	high	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-2	vj/h.java
18	Ensure that user controlled URLs never reaches the Webview. Enabling file access from URLs in WebView can leak sensitive information from the file system.	warning	CWE: CWE-200: Information Exposure OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	gk/f.java

■ NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION	
----	------------	-------------	---------	-------------	--

BEHAVIOUR ANALYSIS

RULE ID	BEHAVIOUR	LABEL	FILES
			a/h.java ao/g.java ao/j.java b2/h0.java b2/h0.java b2/m0.java com/adjust/sdk/PreinstallUtil.java com/apm/insight/k/j.java com/apm/insight/l/a.java com/apm/insight/l/d.java com/apm/insight/l/i.java com/apm/insight/l/i.java com/applovin/impl/li.java com/applovin/impl/s4.java com/applovin/impl/s4.java com/applovin/impl/sdk/n.java com/bykv/vk/openvk/component/video/pr/gw/gw.java com/bykv/vk/openvk/preload/geckox/f/a/c.java com/bytedance/adsdk/lottie/gw/xL.java com/bytedance/adsdk/lottie/gw/xJ.java com/bytedance/adsdk/lottie/gw/xj.java com/bytedance/sdk/component/Cg.java

RULE ID	BEHAVIOUR	LABEL	com/bytedance/sdk/component/adexpress/pr/Cg/Cg.java File#25ytedance/sdk/component/adexpress/pr/Cg/xj.java
	+		com/bytedance/sdk/component/mW/rt/pr/pr/pr.java com/bytedance/sdk/component/utils/ijS.java
			com/bytedance/sdk/component/utils/ijs.java com/bytedance/sdk/component/utils/mW.java
			com/bytedance/sdk/openadsdk/core/settings/AlJ.java
			com/bytedance/sdk/openadsdk/core/video/Cg/pr.java
			com/bytedance/sdk/openadsdk/utils/gQM.java
			com/mbridge/msdk/dycreator/a/a.java
			com/mbridge/msdk/foundation/tools/ab.java
			com/mbridge/msdk/foundation/tools/ai.java
			com/mbridge/msdk/newreward/function/h/c.java
			com/mbridge/msdk/playercommon/exoplayer2/upstream/ContentDataSource.java
			com/mbridge/msdk/playercommon/exoplayer2/upstream/RawResourceDataSource.java
			com/mbridge/msdk/playercommon/exoplayer2/util/AtomicFile.java
			com/mbridge/msdk/thrid/okio/Okio.java
			com/pgl/ssdk/C0220q.java
			com/vungle/ads/internal/util/o.java
			d0/p.java
00013	Read file and put it into a stream	file	d2/f.java
	,		d4/f.java
			d4/k.java
			e2/k.java
			ff/e.java
			ff/h.java
			ff/o.java
			g1/h.java
			g6/h.java
			gf/h.java
			hf/a2.java
			i2/g.java
			j1/l.java
			j1/m.java
			j7/x.java
			jf/a.java
			jh/q.java
			k1/c.java
			ka/v.java
			la/g.java
			lc/m.java
			lf/b.java
			lg/m.java
			m4/d.java
			sm/b.java
			t7/a.java
			ta/k.java
			u7/m0.java
			u7/x1.java
			v4/d.java
			v4/f.java
			x2/a.java
			x2/d.java

RULE ID	BEHAVIOUR	LABEL	x2/i.java FALLESva xa/a.java
			y2/x.java yn/j0.java z7/x.java
00089	Connect to a URL and receive input stream from the server	command network	com/apm/insight/k/e.java com/apm/insight/k/j.java com/applovin/impl/d6.java com/applovin/impl/eg.java com/applovin/impl/ru.java com/applovin/impl/sdk/n.java com/applovin/mediation/nativeAds/b.java com/applovin/mediation/nativeAds/b.java com/bytedance/sdk/component/mW/Cg/pr.java com/bytedance/sdk/component/mW/Cg/pr.java com/bytedance/sdk/openadsdk/rCc/rt.java com/bytedance/sdk/openadsdk/rCc/rt.java com/mbridge/msdk/floundation/download/download/DownLoadUtils.java com/mbridge/msdk/foundation/download/download/DownLoadUtils.java com/mbridge/msdk/playercommon/exoplayer2/upstream/DefaultHttpDataSource.java com/mbridge/msdk/tracker/network/toolbox/h.java com/pgl/ssdk/G.java g9/h.java pg/c.java u7/m0.java
00004	Get filename and put it to JSON object	file collection	com/apm/insight/b/b.java com/apm/insight/k/b.java com/apm/insight/k/b.java com/apm/insight/k/b.java com/apm/insight/k/e.java com/apm/insight/l/i.java com/apm/insight/l/i.java com/apm/insight/l/i.java com/apm/insight/nativecrash/b.java com/apm/insight/nativecrash/c.java com/apm/insight/nativecrash/c.java com/apm/insight/runtime/s.java com/applovin/impl/sdk/nativeAd/d.java com/applovin/impl/sdk/nativeAd/d.java com/bytedance/sdk/openadsdk/Tu/rt.java com/bytedance/sdk/openadsdk/component/reward/cTt.java com/bytedance/sdk/openadsdk/component/reward/gw.java com/bytedance/sdk/openadsdk/core/settings/rt.java com/bytedance/sdk/openadsdk/core/settings/rt.java com/bytedance/sdk/openadsdk/core/settings/rt.java com/bytedance/sdk/openadsdk/core/video/Cg/pr.java

RULE ID	BEHAVIOUR	LABEL	FILES
00014	Read file into a stream and put it into a JSON object	file	com/apm/insight/l/a.java com/apm/insight/l/i.java com/bytedance/sdk/openadsdk/core/video/Cg/pr.java com/bytedance/sdk/openadsdk/core/video/Cg/pr.java com/mbridge/msdk/foundation/tools/ai.java com/mbridge/msdk/foundation/tools/ai.java com/mbridge/msdk/newreward/function/h/c.java com/pgl/ssdk/C0220q.java gf/h.java hf/a2.java lc/m.java lf/b.java u7/m0.java
			ak/c0.java b2/a0.java b2/m0.java com/apm/insight/b/b.java com/apm/insight/b/b.java com/apm/insight/h/b.java com/apm/insight/h/b.java com/apm/insight/h/b.java com/apm/insight/h/c.java com/apm/insight/l/i.java com/apm/insight/l/i.java com/apm/insight/l/i.java com/apm/insight/l/i.java com/apm/insight/l/i.java com/apm/insight/nativecrash/a.java com/apm/insight/nativecrash/b.java com/apm/insight/nativecrash/b.java com/apm/insight/runtime/b.java com/apm/insight/runtime/k.java com/apm/insight/runtime/k.java com/applovin/impl/sdk/NativeCrashReporter.java com/applovin/impl/sdk/NativeCrashReporter.java com/applovin/impl/sdk/njava com/applovin/impl/sdk/njava com/applovin/impl/sdk/njava com/bykv/k/openvk/component/video/api/rt.java com/bykv/k/openvk/component/video/pr/cg/pr/rt.java com/bykv/k/openvk/component/video/pr/gy/pr/pr.java com/bykv/k/openvk/component/video/pr/pr/pr/pr.java com/bykv/k/openvk/preload/falconx/loader/a.java com/bykv/k/openvk/preload/geckox/a/a/e.java com/bykv/k/openvk/preload/geckox/buffer/a/a.java com/bykv/k/openvk/preload/geckox/buffer/a/a.java com/bykv/kk/openvk/preload/geckox/buffer/a/a.java com/bykv/kk/openvk/preload/geckox/buffer/a/a.java com/bykv/kk/openvk/preload/geckox/buffer/a/a.java com/bykv/kk/openvk/preload/geckox/buffer/a/a.java com/bykv/kk/openvk/preload/geckox/buffer/a/a.java com/bykv/kk/openvk/preload/geckox/buffer/a/a.java com/bykv/kk/kk/openvk/preload/geckox/buffer/a/a.java com/bykv/kk/openvk/preload/geckox/buffer/a/a.java com/bykv/kk/openvk/preload/geckox/buffer/a/a.java com/bykv/kk/openvk/preload/geckox/buffer/a/a.java com/bykv/kk/openvk/preload/geckox/buffer/a/a.java com/bykv/kk/openvk/preload/geckox/buffer/a/a.java com/bykv/kk/openvk/preload/geckox/buffer/a/a.java com/bykv/kk/openvk/preload/geckox/buffer/a/a.java com/bykv/kk/openvk/preload/geckox/buffer/a/a.java

RULE ID	BEHAVIOUR	LABEL	com/bykv/vk/openvk/preload/geckox/d/a/b/e.java Fdlæf6ykv/vk/openvk/preload/geckox/d/b/a/c.java	
			com/bykv/vk/openvk/preload/geckox/d/b/a/d.java	
			com/bykv/vk/openvk/preload/geckox/d/b/b/e.java	1
			com/bykv/vk/openvk/preload/geckox/d/b/b/f.java	,
			com/bykv/vk/openvk/preload/geckox/d/c.java	,
			com/bykv/vk/openvk/preload/geckox/f/a.java	ļ
			com/bykv/vk/openvk/preload/geckox/f/a/c.java	,
			com/bykv/vk/openvk/preload/geckox/f/b.java	ı
			com/bykv/vk/openvk/preload/geckox/g/c.java	ļ
			com/bykv/vk/openvk/preload/geckox/utils/BsPatch.java	,
00022	Open a file from given absolute path of the file	file	com/bykv/vk/openvk/preload/geckox/utils/c.java	,
			com/bytedance/adsdk/lottie/gw/xL.java	J
			com/bytedance/adsdk/lottie/gw/xj.java	,
			com/bytedance/adsdk/lottie/xL.java	,
			com/bytedance/sdk/component/Cg.java	,
			com/bytedance/sdk/component/adexpress/pr/Cg/rt.java	J
			com/bytedance/sdk/component/utils/ijS.java	ļ
			com/bytedance/sdk/openadsdk/CacheDirFactory.java	ı
			com/bytedance/sdk/openadsdk/Cg/gw/pr/pr.java	ı
			com/bytedance/sdk/openadsdk/component/ijS.java	ı
			com/bytedance/sdk/openadsdk/component/reward/cTt.java	,
			com/bytedance/sdk/openadsdk/component/reward/gw.java	,
			com/bytedance/sdk/openadsdk/component/xL/pr.java	,
			com/bytedance/sdk/openadsdk/core/settings/AlJ.java	,
			com/bytedance/sdk/openadsdk/core/video/Cg/pr.java	,
			com/bytedance/sdk/openadsdk/multipro/rt.java	,
			com/dreamcity/storage/provider/main/MainDataProvider.java	ı
			com/mbridge/msdk/foundation/download/resource/MBResourceManager.java	1
			com/mbridge/msdk/foundation/download/utils/Objects.java	
			com/mbridge/msdk/foundation/same/b/e.java	
			com/mbridge/msdk/foundation/tools/ag.java	
			com/mbridge/msdk/foundation/tools/ab.java	
			com/mbridge/msdk/mbbanner/common/c/b.java	
			com/mbridge/msdk/newreward/function/c/c/w.java	
			com/mbridge/msdk/newreward/function/c/c/w.java	
			com/mbridge/msdk/newreward/function/command/receiver/a/i.java	•
			com/mbridge/msdk/newreward/player/presenter/PlayTemplePresenter.java	1
			com/mbridge/msdk/newreward/player/presenter/PlayWebPresenter.java	
			com/mbridge/msdk/reward/adapter/c.java	
			com/mbridge/msdk/splash/c/d.java	
			com/mbridge/msdk/video/module/a/a/o.java	
			com/pgl/ssdk/B.java	
			com/pgl/ssdk/b.java	
			com/vungle/ads/internal/downloader/l.java	
			com/vungle/ads/internal/load/o.java	
			com/vungle/ads/internal/load/p.java	
			d4/k.java	
			d4/n.java	
			e8/b.java	
			gf/h.java	
			m/j.java	

RULE ID	BEHAVIOUR	LABEL	m4/d.java Fl/aEjS va p7/a.java
			t7/a.java v7/e1.java v7/q.java com/apm/insight/b/b.java
00005	Get absolute path of file and put it to JSON object	file	com/apm/insight/k/b.java com/apm/insight/nativecrash/b.java com/apm/insight/nativecrash/b.java com/apm/insight/runtime/s.java com/apm/insight/runtime/s.java com/apm/insight/runtime/s.java com/bytedance/sdk/openadsdk/Cg/gw/pr/pr.java com/bytedance/sdk/openadsdk/component/ijS.java com/bytedance/sdk/openadsdk/component/reward/cTt.java com/bytedance/sdk/openadsdk/component/reward/gw.java com/bytedance/sdk/openadsdk/component/xL/pr.java com/bytedance/sdk/openadsdk/core/video/Cg/pr.java com/bytedance/sdk/openadsdk/core/video/Cg/pr.java com/bytedance/sdk/openadsdk/core/video/Cg/pr.java com/mbridge/msdk/newreward/player/presenter/PlayWebPresenter.java com/mbridge/msdk/reward/adapter/c.java com/pgl/ssdk/K.java gf/h.java of/a.java

RULE ID BEHAVIOUR	LABEL	FILES
00063 Implicit intent(view a web page, call, etc.)	make a phone control	b2/s.java com/adjust/sdk/ActivityHandler.java com/adjust/sdk/PreinstallUtil.java com/applovin/impl/dsjava com/applovin/impl/dsjava com/applovin/impl/dsjava com/applovin/impl/dsjava com/applovin/impl/dsjava com/applovin/impl/dsjava com/applovin/impl/dsjava com/applovin/impl/dsjava com/applovin/impl/dsjava com/bytedance/sdk/openadsdk/ctvity/TTWebsiteActivity.java com/bytedance/sdk/openadsdk/ctvity/TTWebsiteActivity.java com/bytedance/sdk/openadsdk/com/act/trj.java com/bytedance/sdk/openadsdk/core/act/pr.java com/bytedance/sdk/openadsdk/core/act/pr.java com/bytedance/sdk/openadsdk/core/widget/pr/mW.java com/bytedance/sdk/openadsdk/tuis/DeviceUtis.java com/bytedance/sdk/openadsdk/tuis/DeviceUtis.java com/bytedance/sdk/openadsdk/tuis/DeviceUtis.java com/bytedance/sdk/openadsdk/tuis/DeviceUtis.java com/bytedance/sdk/openadsdk/tuis/DeviceUtis.java com/bytedance/sdk/openadsdk/tuis/DeviceUtis.java com/bytedance/sdk/openadsdk/tuis/Activity.java com/com/bytedance/oversea/sdk/pr/Cg.java com/bytedance/sdk/openadsdk/tuis/Activity.java com/dreamcity/activities/sressActivity.java com/dreamcity/activities/sressActivity.java com/dreamcity/activities/sressActivity.java com/dreamcity/activities/sressActivity.java com/dreamcity/activities/sressActivity.java com/bridge/msdk/ctivities/sressActivity.java com/bridge/msdk/ctivities/sressActivity.java com/bridge/msdk/ctivities/sressActivity.java com/bridge/msdk/ctivities/sressActivity.java com/bridge/msdk/ctivities/sressActivity.java com/bridge/msdk/ctivities/sressActivity.java com/bridge/msdk/ctivities/sressActivities/sressActivity.java com/bridge/msdk/ctivities/sressActivity.java com/bridge/msdk/ctivities/sressActivity.java com/bridge/msdk/ctivities/sressActivity.java com/bridge/msdk/ctivities/sressActivities/sressActivity.java com/bridge/msdk/ctivities/sressActivities/sressActivity.java com/bridge/msdk/ctivities/sressActivities/sressActivity.java com/bridge/msdk/ctivities/sressActivity.java com/bridge/msdk/ctivities/sressActivity.java com/bridge/msdk/ctivities/sressActivity.java com/b

RULE ID	BEHAVIOUR	LABEL	za/n0.java Fl/L Fava
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	com/bytedance/sdk/openadsdk/ct/trt.java com/bytedance/sdk/openadsdk/common/Vv.java com/bytedance/sdk/openadsdk/common/Vv.java com/bytedance/sdk/openadsdk/core/widget/pr/mW.java com/bytedance/sdk/openadsdk/core/wpt.java com/bytedance/sdk/openadsdk/trlis/Pk.java com/bytedance/sdk/openadsdk/utils/Pk.java com/bytedance/overseas/sdk/pr/Cg.java com/com/bytedance/overseas/sdk/pr/pr.java com/com/bytedance/overseas/sdk/pr/pr.java com/dreamcity/activities/ScanActivity.java com/mbridge/msdk/click/c.java com/mbridge/msdk/foundation/tools/ah.java com/mbridge/msdk/video/module/a/a/a.java i7/w.java t/i.java za/j0.java
00036	Get resource file from res/raw directory	reflection	com/adjust/sdk/ActivityHandler.java com/adjust/sdk/DeviceInfo.java com/adjust/sdk/InstallReferrerHuawei.java com/applovin/impl/d5.java com/applovin/impl/h4.java com/applovin/impl/sdk/AppLovinAdServiceImpl.java com/applovin/impl/y4.java com/applovin/impl/y4.java com/bytedance/sdk/openadsdk/core/wpt.java com/bytedance/sdk/openadsdk/utils/Pk.java com/bytedance/sdk/openadsdk/utils/Rv.java com/bytedance/sdk/openadsdk/utils/XU.java com/bytedance/overseas/sdk/pr/Cg.java com/bytedance/overseas/sdk/pr/Cg.java com/karumi/dexter/listener/SettingsClickListener.java com/mbridge/msdk/foundation/tools/MIMManager.java com/mbridge/msdk/foundation/tools/ai.java com/mbridge/msdk/splash/c/e.java d5/o.java i7/w.java m/k3.java p7/s.java t/i.java ta/o.java zx/m0.java za/10.java
00183	Get current camera parameters and change the setting.	camera	f8/a.java f8/e.java jj/f.java tn/a.java

RULE ID	BEHAVIOUR	LABEL	FILES
00078	Get the network operator name	collection telephony	com/apm/insight/entity/Header.java com/applovin/impl/sdk/k.java com/applovin/impl/sdk/m.java com/vungle/ads/internal/platform/a.java za/j0.java
00096	Connect to a URL and set request method	command network	com/apm/insight/k/e.java com/apm/insight/k/j.java com/applovin/impl/d6.java com/applovin/impl/eg.java com/applovin/impl/ma.java com/applovin/mediation/nativeAds/b.java com/applovin/mediation/nativeAds/b.java com/bytedance/adsdk/lottie/gw/Cg.java com/bytedance/sdk/component/Cg/pr/pr/Pr/Cg.java com/bytedance/sdk/component/mW/Cg/pr.java com/bytedance/sdk/openadsdk/rCc/rt.java com/bytedance/sdk/openadsdk/rCc/rt.java com/bridge/msdk/click/h.java com/mbridge/msdk/newreward/player/redirect/UrlReDirectController.java com/mbridge/msdk/playercommon/exoplayer2/upstream/DefaultHttpDataSource.java com/mbridge/msdk/tracker/network/toolbox/h.java com/pgl/ssdk/G.java gg/h.java u7/m0.java yn/x.java
00030	Connect to the remote server through the given URL	network	com/adjust/sdk/AdjustLinkResolution.java com/applovin/impl/d6.java com/bumptech/glide/load/data/l.java com/bytedance/adsdk/lottie/gw/Cg.java com/bytedance/sdk/component/Cg/pr/pr/pr/Cg.java com/bytedance/sdk/component/mW/Cg/pr.java com/bridge/msdk/click/h.java com/mbridge/msdk/playercommon/exoplayer2/upstream/DefaultHttpDataSource.java com/pgl/ssdk/G.java yn/x.java

RULE ID	BEHAVIOUR	LABEL	FILES
00109	Connect to a URL and get the response code	network command	com/apm/insight/k/e.java com/apm/insight/k/j.java com/applovin/impl/d6.java com/applovin/impl/eg.java com/applovin/impl/ma.java com/applovin/impl/sdk/n.java com/applovin/mediation/nativeAds/b.java com/applovin/mediation/nativeAds/b.java com/bumptech/glide/load/data/l.java com/bytedance/sdk/component/Cg/pr/pr/pr/Cg.java com/bytedance/sdk/openadsdk/rCc/rt.java com/bytedance/sdk/openadsdk/rCc/rt.java com/mbridge/msdk/foundation/download/download/DownLoadUtils.java com/mbridge/msdk/foundation/download/download/DownLoadUtils.java com/mbridge/msdk/playercommon/exoplayer2/upstream/DefaultHttpDataSource.java com/mbridge/msdk/tracker/network/toolbox/h.java com/pgl/ssdk/G.java g9/h.java pg/c.java u7/m0.java
00034	Query the current data network type	collection network	com/apm/insight/l/p.java com/bykv/vk/openvk/preload/geckox/utils/h.java com/mbridge/msdk/foundation/tools/z.java
00191	Get messages in the SMS inbox	sms	com/adjust/sdk/DeviceInfo.java com/adjust/sdk/InstallReferrerMeta.java com/bytedance/sdk/openadsdk/multipro/pr/pr.java com/mbridge/msdk/foundation/tools/MIMManager.java m/k3.java ta/o.java za/d0.java
00094	Connect to a URL and read data from it	command network	com/apm/insight/k/e.java com/apm/insight/k/j.java com/applovin/impl/d6.java com/applovin/impl/sdk/n.java com/applovin/impl/sdk/n.java com/bytedance/sdk/component/mW/Cg/pr.java com/mbridge/msdk/foundation/download/download/DownLoadUtils.java com/mbridge/msdk/playercommon/exoplayer2/upstream/DefaultHttpDataSource.java com/pgl/ssdk/G.java k8/h.java

RULE ID	BEHAVIOUR	LABEL	FILES	
00108	Read the input stream from given URL	network command	com/apm/insight/k/e.java com/apm/insight/k/j.java com/applovin/impl/d6.java com/applovin/impl/sdk/n.java com/applovin/impl/sdk/n.java com/bytedance/sdk/component/Cg/pr/pr/pr/xj.java com/bytedance/sdk/component/mW/Cg/pr.java com/mbridge/msdk/foundation/download/download/DownLoadUtils.java com/mbridge/msdk/playercommon/exoplayer2/upstream/DefaultHttpDataSource.java com/pgl/ssdk/G.java	
00015	Put buffer stream (data) to JSON object	file	za/j0.java	
00125	Check if the given file path exist	file	com/mbridge/msdk/mbbanner/common/communication/a.java com/mbridge/msdk/reward/adapter/c.java com/mbridge/msdk/splash/c/e.java com/vungle/ads/internal/task/c.java ta/l.java	
00189	Get the content of a SMS message	sms	com/adjust/sdk/DeviceInfo.java za/d0.java	
00188	Get the address of a SMS message	sms	com/adjust/sdk/DeviceInfo.java za/d0.java	
00091	Retrieve data from broadcast	collection	com/mbridge/msdk/foundation/tools/MIMManager.java com/vungle/ads/internal/ui/a.java ib/b0.java r4/w.java s3/b.java za/d0.java	
00011	Query data from URI (SMS, CALLLOGS)	sms calllog collection	com/adjust/sdk/DeviceInfo.java za/d0.java	
00200	Query data from the contact list	collection contact	com/adjust/sdk/DeviceInfo.java za/d0.java	
00187	Query a URI and check the result	collection sms calllog calendar	za/d0.java	
00201	Query data from the call log	collection calllog	com/adjust/sdk/DeviceInfo.java za/d0.java	

RULE ID	BEHAVIOUR	LABEL	FILES	
00077	Read sensitive data(SMS, CALLLOG, etc)	collection sms calllog calendar	com/adjust/sdk/DeviceInfo.java sg/c.java za/d0.java	
00012	Read data and put it into a buffer stream	file	i2/g.java la/g.java ta/k.java	
00009	Put data in cursor to JSON object	file	com/mbridge/msdk/foundation/db/c.java com/mbridge/msdk/foundation/db/k.java com/mbridge/msdk/newreward/function/d/a.java ta/o.java	
00001	Initialize bitmap object and compress data (e.g. JPEG) into bitmap object	camera	com/bytedance/sdk/component/utils/gw.java m/j.java	
00162	Create InetSocketAddress object and connecting to it	socket	com/mbridge/msdk/thrid/okhttp/internal/platform/AndroidPlatform.java com/mbridge/msdk/thrid/okhttp/internal/platform/Platform.java ho/c.java ho/l.java	
00163	Create new Socket and connecting to it	socket	com/adjust/sdk/network/ActivityPackageSender.java com/mbridge/msdk/thrid/okhttp/OkHttpClient.java com/mbridge/msdk/thrid/okhttp/internal/connection/StreamAllocation.java com/mbridge/msdk/thrid/okhttp/internal/platform/AndroidPlatform.java com/mbridge/msdk/thrid/okhttp/internal/platform/Platform.java ho/c.java ho/l.java	
00075	Get location of the device	collection location	g/c.java	
00137	Get last known location of the device	location collection	g/c.java	
00024	Write file after Base64 decoding	reflection file	com/bytedance/adsdk/lottie/xL.java d4/n.java jh/q.java	
00065	Get the country code of the SIM card provider	collection	com/applovin/impl/sdk/k.java com/applovin/impl/sdk/m.java	
00114	Create a secure socket connection to the proxy address	network command	co/j.java	

RULE ID	BEHAVIOUR	LABEL	FILES
00153	Send binary data over HTTP	http	com/apm/insight/k/e.java com/mbridge/msdk/tracker/network/toolbox/h.java
00132	Query The ISO country code	telephony collection	com/applovin/impl/xp.java
00028	Read file from assets directory	file	com/applovin/impl/c1.java com/mbridge/msdk/playercommon/exoplayer2/upstream/AssetDataSource.java
00079	Hide the current app's icon	evasion	z3/g.java
00123	Save the response to JSON after connecting to the remote server	network command	yn/x.java
00072	Write HTTP input stream into a file	command network file	com/applovin/impl/sdk/n.java

FIREBASE DATABASES ANALYSIS

TITLE	SEVERITY	DESCRIPTION
Firebase Remote Config enabled	warning	The Firebase Remote Config at https://firebaseremoteconfig.googleapis.com/v1/projects/899487774206/namespaces/firebase:fetch? key=AlzaSyAGO17qkWmMbuwZSNUDKo5Xe4OtXeDoXAM is enabled. Ensure that the configurations are not sensitive. This is indicated by the response: {'entries': {'advice_reward': 'true', 'become_a_long_term_user': '24', 'inter_ads_gap_: '45000', 'inter_ads_gap_long_term': '90000', 'inter_ads_gap_no_spam: '120000', 'inter_ads_gap_no_spam_long_term': '{gap_1**:45000,"time_change_gap":24,"gap_2**:90000}', 'inter_ads_screen_gap': '3', 'inter_and_open_app_gap': '5000', 'main_banner': 'false', 'main_mode': '2', 'max_time_gap': '30000', 'min_time_gap': '5000', 'monetize_mode': '2', 'monetize_mode2': '2', 'native_language': 'true', 'native_walkthrough': 'true', 'number_ignore_gap_request_ad': '1', 'number_native_ad_need_load': '1', 'reminder_default_on': 'true', 'tracker_banner': 'false', 'tracker_native': 'false', 'transfer_info_detail': 'true', 'transfer_info_list_native': 'true', 'transfer_info_native': 'false', 'transfer_inter_inter_gap': '75000', 'transfer_inter_open_gap': '7000', 'transfer_main_native': 'true', 'transfer_open_open_gap': '7000', 'transfer_tracker_history_native': 'true', 'use_the_version_with_less_ads': 'false', 'user': 'false', 'user': 'false', 'templateVersion': '12'}

***: ::** ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	9/25	android.permission.RECEIVE_BOOT_COMPLETED, android.permission.VIBRATE, android.permission.WAKE_LOCK, android.permission.CAMERA, android.permission.INTERNET, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.READ_EXTERNAL_STORAGE, android.permission.ACCESS_NETWORK_STATE, android.permission.ACCESS_WIFI_STATE

TYPE	MATCHES	PERMISSIONS
Other Common Permissions	3/44	android.permission.FOREGROUND_SERVICE, com.google.android.gms.permission.AD_ID, com.google.android.finsky.permission.BIND_GET_INSTALL_REFERRER_SERVICE

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

! OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN	COUNTRY/REGION	
ssrv.adjust.cn	IP: 47.104.30.117 Country: China Region: Zhejiang City: Hangzhou	
subscription.adjust.cn	IP: 47.104.30.117 Country: China Region: Zhejiang City: Hangzhou	
app.adjust.cn	IP: 47.104.30.117 Country: China Region: Zhejiang City: Hangzhou	
gdpr.adjust.cn	IP: 47.104.30.117 Country: China Region: Zhejiang City: Hangzhou	

Q DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
a.applvn.com	ok	IP: 34.117.147.68 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
app.adjust.com	ok	IP: 185.151.204.7 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
monetization-support.applovin.com	ok	IP: 34.110.151.135 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
gdpr.adjust.com	ok	IP: 185.151.204.50 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
subscription.tr.adjust.com	ok	IP: 195.244.54.7 Country: Turkey Region: Izmir City: Izmir Latitude: 38.412731 Longitude: 27.138380 View: Google Map

DOMAIN	STATUS	GEOLOCATION
ssrv.us.adjust.com	ok	IP: 185.151.204.70 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
.facebook.com	ok	No Geolocation information available.
graph.s	ok	No Geolocation information available.
ssrv.adjust.world	ok	IP: 185.151.204.206 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
sts.applovin.com	ok	IP: 34.111.80.193 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
assets.applovin.com	ok	IP: 34.120.175.182 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
ms.applvn.com	ok	IP: 34.102.162.219 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map

DOMAIN	STATUS	GEOLOCATION
sf16-static.i18n-pglstatp.com	ok	IP: 23.220.73.53 Country: Colombia Region: Antioquia City: Medellin Latitude: 6.251840 Longitude: -75.563591 View: Google Map
www.youtube.com	ok	IP: 64.233.185.93 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
subscription.adjust.net.in	ok	IP: 185.151.204.34 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
sf16-scmcdn-sg.ibytedtos.com	ok	IP: 23.206.229.176 Country: United States of America Region: California City: San Jose Latitude: 37.339390 Longitude: -121.894958 View: Google Map
ssrv.tr.adjust.com	ok	IP: 195.244.54.6 Country: Turkey Region: Izmir City: Izmir Latitude: 38.412731 Longitude: 27.138380 View: Google Map

DOMAIN	STATUS	GEOLOCATION
d.applovin.com	ok	IP: 34.110.179.88 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
ssrv.adjust.cn	ok	IP: 47.104.30.117 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
schemas.android.com	ok	No Geolocation information available.
subscription.adjust.com	ok	IP: 185.151.204.52 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
p16-sign-sg.tiktokcdn.com	ok	IP: 23.32.152.230 Country: United States of America Region: Florida City: West Palm Beach Latitude: 26.715340 Longitude: -80.053368 View: Google Map
a.applovin.com	ok	IP: 34.117.147.68 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map

DOMAIN	STATUS	GEOLOCATION
app.adjust.net.in	ok	IP: 185.151.204.31 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
gdpr.tr.adjust.com	ok	IP: 195.244.54.5 Country: Turkey Region: Izmir City: Izmir Latitude: 38.412731 Longitude: 27.138380 View: Google Map
ms.applovin.com	ok	IP: 34.102.162.219 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
xml.org	ok	IP: 104.239.142.8 Country: United States of America Region: Texas City: Windcrest Latitude: 29.499678 Longitude: -98.399246 View: Google Map
issuetracker.google.com	ok	IP: 64.233.177.100 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
ssdk-va.pangle.io	ok	IP: 23.219.89.165 Country: United States of America Region: Massachusetts City: Cambridge Latitude: 42.363598 Longitude: -71.085205 View: Google Map
api16-access-sg.pangle.io	ok	IP: 23.62.226.170 Country: Japan Region: Tokyo City: Tokyo Latitude: 35.689507 Longitude: 139.691696 View: Google Map
ssrv.adjust.com	ok	IP: 185.151.204.2 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
gdpr.eu.adjust.com	ok	IP: 185.151.204.60 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
developers.facebook.com	ok	IP: 31.13.70.1 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map

DOMAIN	STATUS	GEOLOCATION
subscription.adjust.cn	ok	IP: 47.104.30.117 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
firebaseremoteconfigrealtime.googleapis.com	ok	IP: 74.125.136.95 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
sf19-static.i18n-pglstatp.com	ok	IP: 151.101.198.73 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
developer.apple.com	ok	IP: 17.253.83.139 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map
d.applvn.com	ok	IP: 34.110.179.88 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
app.us.adjust.com	ok	IP: 185.151.204.70 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
prod-a.applovin.comhttps	ok	No Geolocation information available.
app.adjust.cn	ok	IP: 47.104.30.117 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map
app.eu.adjust.com	ok	IP: 185.151.204.60 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
gdpr.adjust.world	ok	IP: 185.151.204.40 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
apache.org	ok	IP: 151.101.2.132 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
subscription.adjust.world	ok	IP: 185.151.204.44 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
facebook.com	ok	IP: 31.13.70.36 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
www.w3.org	ok	IP: 104.18.23.19 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
github.com	ok	IP: 140.82.112.4 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
log.sgsnssdk.com	ok	IP: 23.45.173.138 Country: United States of America Region: California City: El Segundo Latitude: 33.919182 Longitude: -118.416473 View: Google Map

DOMAIN	STATUS	GEOLOCATION
compliance.iabtechnologylab.com	ok	IP: 185.199.109.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
sites.google.com	ok	IP: 142.250.9.113 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
developer.android.com	ok	IP: 64.233.176.101 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
rt.applvn.com	ok	IP: 34.117.147.68 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
www.google.com	ok	IP: 142.251.15.105 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
sf16-fe-tos-sg.i18n-pglstatp.com	ok	IP: 23.32.152.242 Country: United States of America Region: Florida City: West Palm Beach Latitude: 26.715340 Longitude: -80.053368 View: Google Map
subscription.eu.adjust.com	ok	IP: 185.151.204.60 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
config.ads.vungle.com	ok	IP: 3.229.252.53 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
www.example.com	ok	IP: 23.220.73.58 Country: Colombia Region: Antioquia City: Medellin Latitude: 6.251840 Longitude: -75.563591 View: Google Map
pangolin16.isnssdk.com	ok	IP: 23.62.226.163 Country: Japan Region: Tokyo City: Tokyo Latitude: 35.689507 Longitude: 139.691696 View: Google Map
schemas.applovin.com	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
log-mva.isnssdk.com	ok	IP: 23.62.226.165 Country: Japan Region: Tokyo City: Tokyo Latitude: 35.689507 Longitude: 139.691696 View: Google Map
dash.applovin.com	ok	IP: 34.8.47.67 Country: United States of America Region: Texas City: Houston Latitude: 29.941401 Longitude: -95.344498 View: Google Map
app.tr.adjust.com	ok	IP: 195.244.54.6 Country: Turkey Region: Izmir City: Izmir Latitude: 38.412731 Longitude: 27.138380 View: Google Map
gdpr.adjust.net.in	ok	IP: 185.151.204.31 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
ns.adobe.com	ok	No Geolocation information available.
schemas.microsoft.com	ok	IP: 13.107.253.71 Country: United States of America Region: Washington City: Redmond Latitude: 47.682899 Longitude: -122.120903 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.facebook.com	ok	IP: 31.13.70.36 Country: United States of America Region: California City: Los Angeles Latitude: 34.052231 Longitude: -118.243683 View: Google Map
developers.applovin.com	ok	IP: 34.160.22.255 Country: United States of America Region: Texas City: Houston Latitude: 29.941401 Longitude: -95.344498 View: Google Map
aomedia.org	ok	IP: 185.199.108.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
events.ads.vungle.com	ok	IP: 44.208.72.96 Country: United States of America Region: Virginia City: Ashburn Latitude: 39.043720 Longitude: -77.487488 View: Google Map
graph-video.s	ok	No Geolocation information available.
whatwg.org	ok	IP: 165.227.248.76 Country: United States of America Region: New Jersey City: Clifton Latitude: 40.858429 Longitude: -74.163757 View: Google Map

DOMAIN	STATUS	GEOLOCATION
support.google.com	ok	IP: 64.233.177.138 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
play.google.com	ok	IP: 172.253.124.102 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
firebase.google.com	ok	IP: 74.125.136.138 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
exoplayer.dev	ok	IP: 185.199.109.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
ssrv.adjust.net.in	ok	IP: 185.151.204.207 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map

DOMAIN	STATUS	GEOLOCATION
api16-endcard-pack-sg.pangle.io	ok	IP: 23.62.226.175 Country: Japan Region: Tokyo City: Tokyo Latitude: 35.689507 Longitude: 139.691696 View: Google Map
ssdk-sg.pangle.io	ok	IP: 23.219.89.178 Country: United States of America Region: Massachusetts City: Cambridge Latitude: 42.363598 Longitude: -71.085205 View: Google Map
gdpr.us.adjust.com	ok	IP: 185.151.204.70 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
pangolin16.sgsnssdk.com	ok	IP: 23.219.89.178 Country: United States of America Region: Massachusetts City: Cambridge Latitude: 42.363598 Longitude: -71.085205 View: Google Map
gdpr.adjust.cn	ok	IP: 47.104.30.117 Country: China Region: Zhejiang City: Hangzhou Latitude: 30.293650 Longitude: 120.161423 View: Google Map

DOMAIN	STATUS	GEOLOCATION
app.adjust.world	ok	IP: 185.151.204.42 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
vid.applovin.com	ok	IP: 34.160.64.118 Country: United States of America Region: Texas City: Houston Latitude: 29.941401 Longitude: -95.344498 View: Google Map
www.applovin.com	ok	IP: 141.193.213.11 Country: United States of America Region: Texas City: Austin Latitude: 30.271158 Longitude: -97.741699 View: Google Map
ssrv.eu.adjust.com	ok	IP: 185.151.204.60 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
gist.github.com	ok	IP: 140.82.112.4 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map

DOMAIN	STATUS	GEOLOCATION
rt.applovin.com	ok	IP: 34.117.147.68 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
subscription.us.adjust.com	ok	IP: 185.151.204.70 Country: United States of America Region: Arizona City: Phoenix Latitude: 33.448380 Longitude: -112.074043 View: Google Map
maps.google.com	ok	IP: 173.194.219.100 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
applovin.com	ok	IP: 141.193.213.11 Country: United States of America Region: Texas City: Austin Latitude: 30.271158 Longitude: -97.741699 View: Google Map
firebase-settings.crashlytics.com	ok	IP: 142.250.9.94 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.pangleglobal.com	ok	IP: 23.62.226.175 Country: Japan Region: Tokyo City: Tokyo Latitude: 35.689507 Longitude: 139.691696 View: Google Map
www.googletagmanager.com	ok	IP: 74.125.21.97 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
xmlpull.org	ok	IP: 185.199.109.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map

EMAILS

EMAIL	FILE
dreamcity.techvn@gmail.com	b2/s.java

TRACKERS

TRACKER	CATEGORIES	URL
Adjust	Analytics	https://reports.exodus-privacy.eu.org/trackers/52
AppLovin (MAX and SparkLabs)	Advertisement, Identification, Profiling, Analytics	https://reports.exodus-privacy.eu.org/trackers/72

TRACKER	CATEGORIES	URL
Facebook Login	Identification	https://reports.exodus-privacy.eu.org/trackers/67
Facebook Share		https://reports.exodus-privacy.eu.org/trackers/70
Google AdMob	Advertisement	https://reports.exodus-privacy.eu.org/trackers/312
Google CrashLytics	Crash reporting	https://reports.exodus-privacy.eu.org/trackers/27
Google Firebase Analytics	Analytics	https://reports.exodus-privacy.eu.org/trackers/49
IAB Open Measurement	Advertisement, Identification	https://reports.exodus-privacy.eu.org/trackers/328
Mintegral	Advertisement, Analytics	https://reports.exodus-privacy.eu.org/trackers/200
Pangle	Advertisement	https://reports.exodus-privacy.eu.org/trackers/363

₽ HARDCODED SECRETS

POSSIBLE SECRETS
"com.google.firebase.crashlytics.mapping_file_id" : "b8d0a7388e1d4c348559d2f2d0f507eb"
"dyStrategy.privateAddress" : "privateAddress"
"facebook_client_token" : "459756b0bac683ed06b9a0f9263dc26f"
"google_api_key" : "AlzaSyAGO17qkWmMbuwZSNUDKo5Xe4OtXeDoXAM"
"google_crash_reporting_api_key" : "AlzaSyAGO17qkWmMbuwZSNUDKo5Xe4OtXeDoXAM"
"library_roundedimageview_authorWebsite" : "https://github.com/vinc3m1"
"com_facebook_device_auth_instructions": " facebook.com/device DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD
"com_facebook_device_auth_instructions": "DD facebook.com/device DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD
9douHjmTTjq3N4YYUdzzHaKyxlqsB5K92p8t26vKQB1HahpVak+32YHan4LmgLPE

POSSIBLE SECRETS
h7KsLkfPW+xUhoPBD+QqJk2MWrfXYN==
LdxThdi1WBKUL75ULBPBD+QqJk2MWrfXYN==
V8P78mWO+MxnWR283vMX+BSDXEvrm8XIQCYXMpvUe5w=
49f946663a8deb7054212b8adda248c6
3fysZeGzwX+hqd2f4+qtlSho+oF+DeFl9kzKrTFOSWo=
c56fb7d591ba6704df047fd98f535372fea00211
h7KsLkfPW+xUhoPwJ7JgY7K0DkeAWrfXYN==
8a3c4b262d721acd49a4bf97d5213199c86fa2b9
36864200e0eaf5284d884a0e77d31646
HSrCHRtOan6wp2kwOlGJC1RDtuSrF2mWVbio2aBcMHX9KF3iTJ1lLSzCKP1ZSo5yNolPNw1kCTtWpxELFF4ah1
Rx5KxmHu63h8QT7T4cYR2mu7F4LQnYkocG/Azb9HP8ZHyjUHnRxxCuB99Blp3kbl
9b8f518b086098de3d77736f9458a3d2f6f95a37
cca47107bfcbdb211d88f3385aeede40
QcEEfK1PwFv2Eb+NZQ+4kWKAUUVvycYqoBzmAjBexJV/sKEjaFlajeD5MAZYWXy5
JAlugkcNQRXP51pRzjbhWzeihtmzLSCJCmT0+GTbkts=
Y7c14Z2TDbv/Y+xgHFeXDrcshBPUYFT=
DkPtYdQTLkfAW+xUhoPwJ7JgY7K0DkeAWrfXYN==
2438bce1ddb7bd026d5ff89f598b3b5e5bb824b3
avDZD6/xoSbFYvWCy23XLncB75oD5DxKdrTKFY2O0hY=
Kx8fghNUQq+sA+EfmK6qh0KjuKvw753ECuaCFV8szVM=

POSSIBLE SECRETS
t+CAjrsoEFEWDgC/oCfdqxFl31llReQPqb6CaFb+1Y0=
6JHAw9/xzu8LcH4q9f7Udi9sTntehS9dfukXhX8DEHhp54WYBhd6ZhWkqnOAMGmY
fHaUCxrr3fcbpdQPVJw6OSoHeHoizr6wmxmAsnLvDUhuNG2u8ebKX4VPxAoXSx4W
a0784d7a4716f3feb4f64e7f4b39bf04
u7Ufq5yuXkEXg69T8jpWuOOX55Q9g2DSVl1gtbNUvY8=
ngqbGKXcQCvq0ft27xRzOzNoEVN+ei+Vq2+CNx9QQMc=
bFK3lRg0oaTUwYDrSsMiLa/j4LG9nRll5KKEyt63x08=
8138e8a0fcf3a4e84a771d40fd305d7f4aa59306d7251de54d98af8fe95729a1f73d893fa424cd2edc8636a6c3285e022b0e3866a565ae8108eed8591cd4fe8d2ce86165a978d719ebf647f362d33fca29cd179fb42401cbaf3df0 c614056f9c8f3cfd51e474afb6bc6974f78db8aba8e9e517fded658591ab7502bd41849462f
eUrWQVF8FAlcOLX3Auj55rxdEWjF+0P5JAPLCHVKKQw=
258EAFA5-E914-47DA-95CA-C5AB0DC85B11
vvYcBqgI4aoC3GZZ7n1bdLp71k52s6EJLh0/nA6ME39LmvOZf3TBZ+H4xg1YfQXg
I4qa5EABhdRHJHltXD4U8dy0wNZI4oyoZ9TbFONnMI4=
ZdMwT5n8r4APV4u4GhQlb1VCwOlVHkTm7kF7LnArEpyZnsv+C3G3q6fVFgtTcqcc
af60eb711bd85bc1e4d3e0a462e074eea428a8
5kY1EQ+6snGNdZX1BEywltRy0EAwZ4DbRiPucqHAgfZR8kr75HzXIMEIf0cE9z11
0njjbCFUq6vJ1UgnErUl7KEtLgZLN7V9lJ5yZ3QtzXmjMaTjzKInpeDNakYTgh0P
DFKwWgtuDkKwLZPwD+z8H+N/xjQZxVfV+T2SZVe6V2xS5c5n
HkzwDFeD4QuyLdx5igfZYcu9xTM9NN==
KvkOAoll09ZSAixqGUOtipMDBdKXVlslzVnQOpfDZOEJW+xbFKrK173Gu3h1RVkl

POSSIBLE SECRETS

30820268308201d102044a9c4610300d06092a864886f70d0101040500307a310b3009060355040613025553310b3009060355040813024341311230100603550407130950616c6f20416c746f31183016060355040a130f4 6616365626f6f6b204d6f62696c653111300f060355040b130846616365626f6f6b311d301b0603550403131446616365626f6f6b204d6f72706f726174696f6e3020170d3039303833313231353231365a180f323035303039 32353231353231365a307a310b3009060355040613025553310b3009060355040813024341311230100603550407130950616c6f20416c746f31183016060355040a130f46616365626f6f6b204d6f62696c653111300f0603 55040b130846616365626f6f6b311d301b0603550403131446616365626f6f6b20436f72706f726174696f6e30819f300d06092a864886f70d010101050003818d0030818902818100c207d51df8eb8c97d93ba0c8c1002c928 fab00dc1b42fca5e66e99cc3023ed2d214d822bc59e8e35ddcf5f44c7ae8ade50d7e0c434f500e6c131f4a2834f987fc46406115de2018ebbb0d5a3c261bd97581ccfef76afc7135a6d59e8855ecd7eacc8f8737e794c60a761c53 6b72b11fac8e603f5da1a2d54aa103b8a13c0dbc10203010001300d06092a864886f70d0101040500038181005ee9be8bcbb250648d3b741290a82a1c9dc2e76a0af2f2228f1d9f9c4007529c446a70175c5a900d514181286 6db46be6559e2141616483998211f4a673149fb2232a10d247663b26a9031e15f84bc1c74d141ff98a02d76f85b2c8ab2571b6469b232d8e768a7f7ca04f7abe4a775615916c07940656b58717457b42bd928a2

fab00dc1b42fca5e66e99cc3023ed2d214d822bc59e8e35ddcf5f44c7ae8ade50d7e0c434f500e6c131f4a2834f987fc46406115de2018ebbb0d5a3c261bd97581ccfef76afc7135a6d59e8855ecd7eacc8f8737e794c60a761c53
6b72b11fac8e603f5da1a2d54aa103b8a13c0dbc10203010001300d06092a864886f70d0101040500038181005ee9be8bcbb250648d3b741290a82a1c9dc2e76a0af2f2228f1d9f9c4007529c446a70175c5a900d514181286
6db46be6559e2141616483998211f4a673149fb2232a10d247663b26a9031e15f84bc1c74d141ff98a02d76f85b2c8ab2571b6469b232d8e768a7f7ca04f7abe4a775615916c07940656b58717457b42bd928a2

92762936dcbdd57fe235fd7cf61c2e93da3c4

294e82ed7511b836babc073a9302c63a

SKSJAjN3UKeguXyEasCGg04d/yJuUN8XZYgactMp4rfMtHclJcD0mydl5RKvl49M

tnRfJM39LV6MDlXml8e8fAfi5JhKcsRyFSmagsP97rbE/0XgA5fRVLlLbAYUcu57

FLgp79R6LGLnWDio6G1XBjsjORgKSjLkdakyn5bigQludVyQtVZMhDAlppvakfKf

0781feb2-bf4b-4ff8-be68-9149e288a420

cc2751449a350f668590264ed76692694a80308a

bae8e37fc83441b16034566b

DFKwWgtuDkKwLZPwD+z8H+N/xjK+n3eyNVx6ZVPn5jcincKZx5f5ncN=

O+vmm8flr2e7ZrTWUx/T8ClWwcEwLlJlfjM8sMGjZbg=

83d508d01db531b4cf4843d2e41348ed

TvLSh+Eka5RyCXMK4IvAvP4vfksx/KqJwxjzSKu7qQs=

Kq6mcF8LH4HqXGyg5/DR3VvLtDExNTPXoCRIPhkdOGM=

470fa2b4ae81cd56ecbcda9735803434cec591fa

AMztxBQmasdCMrU1nlH2RhtlfSPsjcYFxTHFmKvCDYM=

a4b7452e2ed8f5f191058ca7bbfd26b0d3214bfc

GC4CZUnPsyUcm5NrWw7C8gSktjb/gtBCDrSKBLlqImuOnQy7zHyo6XllzkH3EMVH

POSSIBLE SECRETS
LdxThdi1WBKUL75ULBPwJ7JgY7K0DkeAWrfXYN==
gYgEHbtWs2qrOou4Pi9x8/evNQKl7xufkAwk8FBwpKpll2nmAbj5wvKo77J2SETY
DFKwWgtuDkKwLZPwD+z8H+N/xj26Vjcdx5KyVj5GxVN=
XThCVgADKYpdOEJWAAMpijdExKKDLYCp1GNXWw
fd71964ced204df586b63b9d8fa3198a
8E4cUkgIY9w8/0qt+Oeyh9wfu9tQKpeKsR+Ou+hsYewuB4uFdKW1FI4W+bAZwe0B
6jGSPrUM0+2YrTO2vsTOKq3+XL/IfUFs5oxZaSEvsQg=
DFKwWgtuDkKwLZPwD+z8H+N/xj26Vjcdx5KanjKnxVN=
WfvM4SeNDVyFarUKUVpVTE2MRQkjnaN4GpgwC5IMrmyQkCennlTSSkgCAZvzOVXK
df6b721c8b4d3b6eb44c861d4415007e5a35fc95
K/sgHSTVeE1LLZ4HP+m5KF6ND+k7W4ID3M3VTul8bAl=
DkP3hrKuHoPMH+zwL+fALkK/WQc5x5zH+TcincKNNVfWNVJcVM==
0000016742C00BDA259000000168CE0F13200000016588840DCE7118A0002FBF1C31C3275D78
DFK/HrQgJ+zQW+xUhoPwJ7JgY7K0DkeAWrfXYN==
9ObkV+9nuY0gPBNLH25GoxM7YATuF1pi7lORvVFb3+Q=
eb321fa50173a95c041b0389a565b006
5HcA415u1KU8m2yVIDZBhQQK+0IFNRmmWPxuAq0DnfPzSdJ/uWlnYMD1kKfkH6cZ
a5abd655b3403882c9e095893c0984c5
NtWyZSC7qBNyKPaXbOjRpNaZGUUAwpDpvYkB4v1ZH9M=
0yxvRSsGg+/BBPRqwe1F54W0T+vv1NRnE+jebtT36Vo=

POSSIBLE SECRETS M2RhhRYJhjrQUa7n9jg23IBcTQvCkUFLA/9ZbQYvHFo= iz9pl8M74OdFMOjBXhk6CVKK/c29GtinDT3TfbuphLdYOSnoV+Rg8WuW9whaa7rD DFK/HrQgJ+zQW+xUhoPBD+QqJk2MWrfXYN== ChNjb20uYW5kcm9pZC52ZW5kaW5nCiBjb20uZ29vZ2xlLmFuZHJvaWQuYXBwcy5tZWV0aW5ncwohY29tLmdvb2dsZS5hbmRyb2lkLmFwcHMubWVzc2FnaW5n 756e7461696e205669657731143012060355040a130b476f6f676c6520496e632e3110300e060355040b1307416e64726f69643110300e06035504031307416e64726f6964301e170d3038303832313233313333345a170d3 33630313037323331333345a3074310b3009060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e205669657731143012060355040a130b476f6f676c 6520496e632e3110300e060355040b1307416e64726f69643110300e06035504031307416e64726f696430820120300d06092a864886f70d01010105000382010d00308201080282010100ab562e00d83ba208ae0a966f124e29da11f2ab56d08f58e2cca91303e9b754d372f640a71b1dcb130967624e4656a7776a92193db2e5bfb724a91e77188b0e6a47a43b33d9609b77183145ccdf7b2e586674c9e1565b1f4c6a5955bff251a63dabf9c55c27222 252e875e4f8154a645f897168c0b1bfc612eabf785769bb34aa7984dc7e2ea2764cae8307d8c17154d7ee5f64a51a44a602c249054157dc02cd5f5c0e55fbef8519fbe327f0b1511692c5a06f19d18385f5c4dbc2d6b93f68cc297 9c70e18ab93866b3bd5db8999552a0e3b4c99df58fb918bedc182ba35e003c1b4b10dd244a8ee24fffd333872ab5221985edab0fc0d0b145b6aa192858e79020103a381d93081d6301d0603551d0e04160414c77d8cc22117 56259a7fd382df6be398e4d786a53081a60603551d2304819e30819b8014c77d8cc2211756259a7fd382df6be398e4d786a5a178a4763074310b3009060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e205669657731143012060355040a130b476f6f676c6520496e632e3110300e060355040b1307416e64726f69643110300e06035504031307416e64726f6964820900c2e08746644a308d300c0603551d13040530030101ff300d06092a864886f70d010104050003820101006dd252ceef85302c360aaace939bcff2cca904bb5d7a1661f8ae46b2994204d0ff4a68c7ed1a531ec4595a623ce60763b167 297a7ae35712c407f208f0cb109429124d7b106219c084ca3eb3f9ad5fb871ef92269a8be28bf16d44c8d9a08e6cb2f005bb3fe2cb96447e868e731076ad45b33f6009ea19c161e62641aa99271dfd5228c5c587875ddb7f4527 58d661f6cc0cccb7352e424cc4365c523532f7325137593c4ae341f4db41edda0d0b1071a7c440f0fe9ea01cb627ca674369d084bd2fd911ff06cdbf2cfa10dc0f893ae35762919048c7efc64c7144178342f70581c9de573af55b3 90dd7fdb9418631895d5f759f30112687ff621410c069308a 6B110692F5A44A1D9905357FBD634283 LYoHKR17UvbUNibqKPKJklawQJNaw1zk7CnhZAC68YBTzC7x4MYQVXp9Sihs98Ok 808182838485868788898a8b8c8d8e8f909192939495969798999a9b9c9d9e9f B3EEABB8EE11C2BE770B684D95219ECB SHf]byMgI7MrHewwYoTmYsM7CTkziBSZ0pvzhPCRWcLGoNw6AaEZWLqIKa0dpKuD d7YRusR2mxxBt1bBYjK2gXVvJI/MfqFw2liZZVeFOFqksQBErGXLOKgf56kYtWpK g3h/WBQ8k1SqFyNwcX6aXlyabMyZPKS0QgL4qcVfix1XI+70++CdiHkDZKRIUPQw InMUIT0qopStslq/RfZHkyvg0xAUTVuMPsMot4SEaYA= 936dcbdd57fe235fd7cf61c2e93da3c4 c103703e120ae8cc73c9248622f3cd1e

POSSIBLE SECRETS

SkMIFTLt8H3eQLYvgf87g2pXBfp4xPpxL3RMs974XSU=

DFeuWkH0W+xUhoPwJ7JgY7K0DkeAWrfXYN==

308204a830820390a003020102020900d585b86c7dd34ef5300d06092a864886f70d0101040500308194310b3009060355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4d 6f756e7461696e205669657773110300e060355040a1307416e64726f69643110300e060355040b1307416e64726f69643110300e060355040b1307416e64726f69642e636f6d301e170d303830343135323333336555a170d333333039303132333333555a08194310b3009060355040613025553311330110603550408130a43616c69666f726e696f31163014060 3550407130d4d6f756e7461696e20566965773110300e060355040a1307416e64726f69643110300e060355040b1307416e64726f69643110300e060355040b1307416e64726f69642e636f6d30820120300d06092a864886f70d011010500038201040030820104003082010006035504031307416e64726f696431123020006092a864886f70d011001050003820104003082010400308201010046ce2e080abfe2314dd18db3cfd3185cb43d33fa0c74e1bdb6d1db8913f62c5c39df56f84 6813d65bec075ca8ed5a3990c167e76bc999b997894b8f0b22001994a92915e572c56d2a301ba36fc5fc113ad6cb9e7435a16d23ab7dfaeee165e4df1f0a8dbda70a869d516c4e9d051196ca7c0c557f175bc375f94 8c56aae86089ba44f8aa6a4dd9a7dbf2c0a352282ad06b8cc185eb15579eef86d080b1d6189c0f9af98b1c2ebd107ea45abdb68a3c7838a5e5488c76c53d40b121de7bbd30e620c188ae1aa61dbbc87dd3c645f2f55f3d4c375 ec4070a93f7151d83670c16a971abe5ef2d11890e1b8aef3298cf066bf9e6ce144ac9ae86d1c1b0f020103a381fc3081f9301d0603551d0e041604148d1cc5be954c433c61863a15b04cbc03f24fe0b23081c90603551d230481c 13081be80148d1cc5be954c433c61863a15b04cbc03f24fe0b23081c90603551d230481c 13081be80148d1cc5be954c433c61863a15b04cbc03f24fe0b23081d94304306906355040613025553311330110603550408130a43616c69666f726e6961311630140603550407130d4d6f756e7461696e20 566965773110300e060355040a1307416e64726f69643110300e060355040b1307416e64726f69643110300e060355040b1307416e64726f69643110300e060355040b1307416e64726f69643110300e060355040b1307416e64726f69643110300e060355040b1307416e64726f69643110300e060355040b1307416e64726f69643110300e060355040b1307416e64726f6964310300e060355040b1307416e64726f69643110300e060355040b1307416e64726f69643110300e060355040b1307416e64726f69643110300e060355040b130

SxHy+zpC+eGmQUPW4BYYcldQdVxiSSVnY0gIrWauGKU=

∷ SCAN LOGS

Timestamp	Event	Error
2025-08-29 20:16:42	Generating Hashes	ОК
2025-08-29 20:16:42	Extracting APK	ОК
2025-08-29 20:16:42	Unzipping	ОК
2025-08-29 20:16:42	Parsing APK with androguard	ОК
2025-08-29 20:16:44	Extracting APK features using aapt/aapt2	ОК

2025-08-29 20:16:45	Getting Hardcoded Certificates/Keystores	ОК
2025-08-29 20:16:49	Parsing AndroidManifest.xml	ОК
2025-08-29 20:16:49	Extracting Manifest Data	ОК
2025-08-29 20:16:49	Manifest Analysis Started	ОК
2025-08-29 20:16:49	Performing Static Analysis on: Blood Pressure App & Tracker (com.bloodpressuretracker.bloodpressureapp.bptracker.bloodsugar.bloodglucose.heartrate)	ОК
2025-08-29 20:16:50	Fetching Details from Play Store: com.bloodpressuretracker.bloodpressureapp.bptracker.bloodsugar.bloodglucose.heartrate	OK
2025-08-29 20:16:51	Checking for Malware Permissions	ОК
2025-08-29 20:16:51	Fetching icon path	ОК
2025-08-29 20:16:51	Library Binary Analysis Started	ОК
2025-08-29 20:16:51	Reading Code Signing Certificate	ОК
2025-08-29 20:16:52	Running APKiD 2.1.5	ОК
2025-08-29 20:16:56	Detecting Trackers	ОК
2025-08-29 20:17:00	Decompiling APK to Java with JADX	ОК
2025-08-29 20:17:21	Converting DEX to Smali	ОК

2025-08-29 20:17:21	Code Analysis Started on - java_source	ОК
2025-08-29 20:17:26	Android SBOM Analysis Completed	ОК
2025-08-29 20:17:40	Android SAST Completed	ОК
2025-08-29 20:17:40	Android API Analysis Started	ОК
2025-08-29 20:17:52	Android API Analysis Completed	ОК
2025-08-29 20:17:53	Android Permission Mapping Started	ОК
2025-08-29 20:18:02	Android Permission Mapping Completed	ОК
2025-08-29 20:18:02	Android Behaviour Analysis Started	OK
2025-08-29 20:18:18	Android Behaviour Analysis Completed	ОК
2025-08-29 20:18:18	Extracting Emails and URLs from Source Code	ОК
2025-08-29 20:18:24	Email and URL Extraction Completed	ОК
2025-08-29 20:18:25	Extracting String data from APK	ОК
2025-08-29 20:18:27	Extracting String data from Code	ОК
2025-08-29 20:18:27	Extracting String values and entropies from Code	ОК

2025-08-29 20:18:31	Performing Malware check on extracted domains	ОК
2025-08-29 20:18:36	Saving to Database	OK

Report Generated by - MobSF v4.4.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

© 2025 Mobile Security Framework - MobSF | Ajin Abraham | OpenSecurity.