# ANDROID STATIC ANALYSIS REPORT

app_icon

🤖 Life Time (6.5.4)

File Name: com.lifetimefitness.interests.fitness_1772.apk

Package Name: com.lifetimefitness.interests.fitness

Scan Date: Aug. 31, 2025, 12:28 a.m.

App Security Score: **57/100 (MEDIUM RISK)**

Grade:

**B**

Trackers Detection: 2/432

# ◔ FINDINGS SEVERITY

| ✖ HIGH | ⚠ MEDIUM | ℹ INFO | ✔ SECURE | ⚲ HOTSPOT |
|--------|----------|--------|----------|-----------|
| 1 | 17 | 3 | 3 | 1 |

# 📦 FILE INFORMATION

**File Name:** com.lifetimefitness.interests.fitness_1772.apk
**Size:** 22.24MB
**MD5:** 9d347ead7644aef247546a694d3c1ce3
**SHA1:** 4016f29b5996706f07f5e86005f7358ba6a1f5df
**SHA256:** 93bcf7e1f014b4fc13dbb472ee8708a1f9b79ba97e07b30be075f6b8fb89d04e

# ℹ APP INFORMATION

**App Name:** Life Time
**Package Name:** com.lifetimefitness.interests.fitness
**Main Activity:** com.lifetimefitness.interests.fitness.OneActivity
**Target SDK:** 34
**Min SDK:** 26
**Max SDK:**
**Android Version Name:** 6.5.4
**Android Version Code:** 1772

# ⬛ APP COMPONENTS

**Activities:** 8
**Services:** 13
**Receivers:** 15
**Providers:** 2
**Exported Activities:** 1
**Exported Services:** 2
**Exported Receivers:** 4
**Exported Providers:** 0

# ✳ CERTIFICATE INFORMATION

Binary is signed
v1 signature: False
v2 signature: True
v3 signature: True
v4 signature: False
X.509 Subject: C=01, ST=MN, L=Chanhassen, O=LTT, OU=Life Time Fitness, CN=LT Cert
Signature Algorithm: rsassa_pkcs1v15
Valid From: 2017-02-21 14:47:48+00:00
Valid To: 2059-02-21 14:47:48+00:00
Issuer: C=01, ST=MN, L=Chanhassen, O=LTT, OU=Life Time Fitness, CN=LT Cert
Serial Number: 0x58ac52bd
Hash Algorithm: sha256
md5: 750dee3c198bd25bd52308dbe9317cad
sha1: 397c2332ecf3208438c7f414ad87dcc3e707423d
sha256: dcbaf09b9a8e2dd89cf27ef7fb040cb39f33c7efe9192132ff4dbeba14823455
sha512: 65dee22161f1ce0c970f8e726260c8de5b892f06ca35c94e35fb4a2bc27abe1f2d54c7c08d77827b17f040607934fae9f1ec7e5c66950cd762721f2c0c66c232
PublicKey Algorithm: rsa
Bit Size: 2048
Fingerprint: 62c2840863b5902c54651e2717dacaa05a9aed1fe8c5ddbd2fab82fb88172882
Found 1 unique certificates

# ☰ APPLICATION PERMISSIONS

| PERMISSION | STATUS | INFO | DESCRIPTION |
|---|---|---|---|
| android.permission.INTERNET | normal | full Internet access | Allows an application to create network sockets. |
| android.permission.ACCESS_NETWORK_STATE | normal | view network status | Allows an application to view the status of all networks. |
| android.permission.ACCESS_FINE_LOCATION | dangerous | fine (GPS) location | Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power. |
| android.permission.ACCESS_COARSE_LOCATION | dangerous | coarse (network-based) location | Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available. Malicious applications can use this to determine approximately where you are. |
| android.permission.POST_NOTIFICATIONS | dangerous | allows an app to post notifications. | Allows an app to post notifications |
| android.permission.health.READ_WEIGHT | unknown | Unknown permission | Unknown permission from android reference |
| android.permission.health.READ_BODY_FAT | unknown | Unknown permission | Unknown permission from android reference |
| android.permission.health.WRITE_WEIGHT | unknown | Unknown permission | Unknown permission from android reference |
| android.permission.health.WRITE_BODY_FAT | unknown | Unknown permission | Unknown permission from android reference |

| PERMISSION | STATUS | INFO | DESCRIPTION |
| --- | --- | --- | --- |
| android.permission.WAKE_LOCK | normal | prevent phone from sleeping | Allows an application to prevent the phone from going to sleep. |
| android.permission.RECEIVE_BOOT_COMPLETED | normal | automatically start at boot | Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running. |
| android.permission.FOREGROUND_SERVICE | normal | enables regular apps to use Service.startForeground. | Allows a regular application to use Service.startForeground. |
| android.permission.VIBRATE | normal | control vibrator | Allows the application to control the vibrator. |
| com.google.android.c2dm.permission.RECEIVE | normal | recieve push notifications | Allows an application to receive push notifications from cloud. |
| com.lifetimefitness.interests.fitness.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION | unknown | Unknown permission | Unknown permission from android reference |

# 🔎 APKID ANALYSIS

| FILE | DETAILS | |
| --- | --- | --- |
| 9d347ead7644aef247546a694d3c1ce3.apk | **FINDINGS** | **DETAILS** |
| | Anti-VM Code | possible VM check |

| FILE | DETAILS |
|------|---------|
| classes.dex | <table><tr><th>FINDINGS</th><th>DETAILS</th></tr><tr><td>Anti-VM Code</td><td>Build.FINGERPRINT check<br>Build.MODEL check<br>Build.MANUFACTURER check<br>Build.PRODUCT check<br>Build.HARDWARE check<br>Build.TAGS check<br>SIM operator check<br>network operator name check<br>possible VM check</td></tr><tr><td>Anti Debug Code</td><td>Debug.isDebuggerConnected() check</td></tr><tr><td>Compiler</td><td>r8</td></tr></table> |
| classes2.dex | <table><tr><th>FINDINGS</th><th>DETAILS</th></tr><tr><td>Anti-VM Code</td><td>Build.MANUFACTURER check</td></tr><tr><td>Compiler</td><td>r8 without marker (suspicious)</td></tr></table> |

## 🗇 BROWSABLE ACTIVITIES

| ACTIVITY | INTENT |
|----------|--------|
| | Schemes: lifetime-member://, lifetimeone-member://, https://, http://,<br>Hosts: *, my.lifetime.life, qa-my.lifetime.life, www.lifetime.life, www.qa-lifetime.life, shop.lifetime.life, string, webpage,<br>lifecafeorder, lifespahome, lifespaupcoming, lifespabooking, pickleball, trainingprograms, beachclub, shopweb, appstore, |

| ACTIVITY | INTENT |
|---|---|
| | dynamicpersonaltraining, dynamicstretchrecovery, dynamicstretch, explore, classvideos, authoredcontent, test, arora, lifespacare, account, communicationpreferences, reactivatejr, clubvisits, guestpasses, healthprivacy, appfeedback, Paths: /live.html, /app/virtual-training.html, /account.html, /account/guest-invite-details.html, /account/communication- |
| com.lifetimefitness.interests.fitness.OneActivity | preferences.html, /account/guest-pass-details.html, /account/members-on-account.html, /account/my-reservations.html, /account/event-details.html, /clubs.go, /clubs.go/fitness-classes.html, /clubs.go/fitness-classes/strength.html, /clubs.go/fitness-classes/cardio.html, /clubs.go/fitness-classes/yoga.html, /clubs.go/fitness-classes/barre.html, /clubs.go/fitness-classes/boxing-kickboxing.html, /clubs.go/fitness-classes/dance.html, /clubs.go/fitness-classes/indoor-cycle.html, /clubs.go/fitness-classes/signature-group-training.html, /clubs.go/arora/classes.html, /clubs.go/classes.html, /clubs.go/events.html, /clubs.go/features/beach-club.html, /clubs.go/resource-booking.html, /clubs.go/arora.html, /clubs.go/programs/kids.html, /clubs.go/programs/pilates.html, /clubs.go/programs/swim.html, /clubs.go/programs/tennis.html, /clubs.go/programs/tennis/junior-tennis.html, /clubs.go/services/lifespa.html, /clubs.go/services/weightloss.html, /clubs.go/services/miora.html, /lp/app-download.html, /lp/lifecafe-ordering.html, /lp/pickleball-classic.html, /lp/club-feedback.html, /deeplink_login, /deeplink_login_external, /deeplink_legal_consent, /deeplink_become_a_member, /deeplink_home, /, /deeplink_training_calendar, /applink_weightloss, /qa_applink_weightloss, /applink_virtual_training_app, /qa_applink_virtual_training_app, /applink_virtual_training, /qa_applink_virtual_training, /applink_virtual_training_about, /qa_applink_virtual_training_about, /applink_life_cafe, /qa_applink_beach_club, /applink_beach_club, /qa_applink_home_clubs_go, /applink_home_clubs_go, /qa_applink_life_spa, /applink_life_spa, /qa_applink_in_app_experience, /applink_in_app_experience, /applink_shop, /applink_shop_any_path, /applink_on_demand, /qa_applink_on_demand, /qa_applink_arora, /applink_arora, /deeplink_message_center, /applink_miora, /qa_applink_miora, /deeplink_ai_chat, /applink_fall_classic, /qa_applink_fall_classic, /deeplink_access_upgrade, /deeplink_club_details, /deeplink_club_details2, /deeplink_club_selection, /deeplink_club_selectionV2, /deeplink_hours, /deeplink_club_selection_filtered, /deeplink_class_schedules, /deeplink_class_schedules2, /applink_class_schedules, /qa_applink_class_schedules, /applink_classes, /qa_applink_classes, /deeplink_event_schedules, /deeplink_event_schedules2, /applink_events, /qa_applink_events, /deeplink_details_v2, /deeplink_schedule_detail_v2, /deeplink_profile, /deeplink_profile2, /qa_applink_profile, /applink_profile, /qa_applink_communication_preferences, /applink_communication_preferences, /qa_applink_re_activate_jr, /applink_re_activate_jr, /deeplink_guest_pass_native, /qa_applink_guest_pass, /applink_guest_pass, /deeplink_connected_apps, /deeplink_reservations, /applink_reservations, /qa_applink_reservations, /deeplink_make_reservations, /applink_club_feedback, /qa_applink_club_feedback, /deeplink_membership_card, /deeplink_membership_card2, /membership_card_applink, /qa_membership_card_applink, /deeplink_event_pass, /event_pass_applink, /qa_event_pass_applink, /deeplink_event_pass_details, /deeplink_video_player, /deeplink_on_demand_video_category, /applink_on_demand_video_category, /qa_applink_on_demand_video_category, /deeplink_on_demand_video_detail, /deeplink_meditation, /deeplink_meditation_category, /deeplink_meditation_detail, /deeplink_explore, /deeplink_podcasts, /deeplink_podcast_details, /deeplink_lifespa, /deeplink_lifespa_service_item, /deeplink_lifespa_appointment_details, /deeplink_virtual_training, /deeplink_coaching_programs, /deeplink_virtual_training_program_details, /deeplink_coaching_program_details, /deeplink_coach_ai, /deeplink_mycoaching, /deeplink_coaching_habit_details, /deeplink_coaching_lesson_details, /deeplink_coaching_workout_details, /deeplink_workout_details_preview, /deeplink_coaching_activity_library, /deeplink_coaching_conversation, /deeplink_court_schedules, /deeplink_reserve_court, /deeplink_sports_details, /deeplink_book_dpt_times, /deeplink_book_dsr_times, /deeplink_dpt_reservation_details, /deeplink_personal_training_view_all_trainers, /deeplink_view_all_trainers, /deeplink_trainer_bio, /deeplink_trainer_bio_back_on_error, /deeplink_authored_content, /deeplink_login_interests, /deeplink_storefront, Path Prefixes: /on-demand, /app/virtual-training/about-virtual-training.html, /app/virtual-training.app.html, /bio/dynamic-personal-training, /bio/dynamic-personal-training/ |

| ACTIVITY | INTENT |
|---|---|
| | personal-training, /bio/dynamic-personal-training/, |

## 🔒 NETWORK SECURITY

| NO | SCOPE | SEVERITY | DESCRIPTION |
|---|---|---|---|
| | | | |

## 📇 CERTIFICATE ANALYSIS

HIGH: **0** | WARNING: **0** | INFO: **1**

| TITLE | SEVERITY | DESCRIPTION |
|---|---|---|
| Signed Application | info | Application is signed with a code signing certificate |

## 🔍 MANIFEST ANALYSIS

HIGH: **0** | WARNING: **8** | INFO: **0** | SUPPRESSED: **0**

| NO | ISSUE | SEVERITY | DESCRIPTION |
|---|---|---|---|
| 1 | App can be installed on a vulnerable Android version Android 8.0, minSdk=26] | warning | This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates. |
| 2 | Broadcast Receiver (one.libraries.core.service.UpgradeReceiver) is not Protected. [android:exported=true] | warning | A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. |

| NO | ISSUE | SEVERITY | DESCRIPTION |
|---|---|---|---|
| 3 | Service (androidx.work.impl.background.systemjob.SystemJobService) is Protected by a permission, but the protection level of the permission should be checked.<br>Permission: android.permission.BIND_JOB_SERVICE<br>[android:exported=true] | warning | A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission. |
| 4 | Broadcast Receiver (androidx.work.impl.diagnostics.DiagnosticsReceiver) is Protected by a permission, but the protection level of the permission should be checked.<br>Permission: android.permission.DUMP<br>[android:exported=true] | warning | A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission. |
| 5 | Service (androidx.health.platform.client.impl.sdkservice.HealthDataSdkService) is not Protected.<br>[android:exported=true] | warning | A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. |
| 6 | Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked.<br>Permission: com.google.android.c2dm.permission.SEND<br>[android:exported=true] | warning | A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission. |
| 7 | Activity (androidx.compose.ui.tooling.PreviewActivity) is not Protected.<br>[android:exported=true] | warning | An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. |

| NO | ISSUE | SEVERITY | DESCRIPTION |
|---|---|---|---|
| 8 | Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked.<br>Permission: android.permission.DUMP<br>[android:exported=true] | warning | A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission. |

# </> CODE ANALYSIS

HIGH: **1** | WARNING: **7** | INFO: **2** | SECURE: **2** | SUPPRESSED: **0**

| NO | ISSUE | SEVERITY | STANDARDS | FILES |
|---|---|---|---|---|
| 1 | The App uses an insecure Random Number Generator. | warning | CWE: CWE-330: Use of Insufficiently Random Values<br>OWASP Top 10: M5: Insufficient Cryptography<br>OWASP MASVS: MSTG-CRYPTO-6 | A7/N.java<br>Af/g.java<br>Af/j.java<br>B7/n.java<br>J0/Z.java<br>K8/a.java<br>Tb/b.java<br>cb/t.java<br>com/medallia/digital/mobilesdk/k.java<br>com/medallia/digital/mobilesdk/o6.java<br>f8/C2740U.java<br>one/libraries/ui/video/InLineVideoPlayerView.java<br>wd/AbstractC4953a.java<br>wd/C4954b.java<br>xd/C5119a.java |

| NO | ISSUE | SEVERITY | STANDARDS | FILES |
|---|---|---|---|---|
| 2 | [Files may contain hardcoded sensitive information like usernames, passwords, keys etc.](#) | warning | CWE: CWE-312: Cleartext Storage of Sensitive Information<br>OWASP Top 10: M9: Reverse Engineering<br>OWASP MASVS: MSTG-STORAGE-14 | F3/d.java<br>S3/b.java<br>Vf/C1628a.java<br>Vf/h1.java<br>W0/I.java<br>X/Y.java<br>Yf/I.java<br>Z4/g.java<br>b5/d.java<br>b5/p.java<br>b5/y.java<br>b8/C2160a.java<br>com/launchdarkly/sdk/LDContext.java<br>dc/C2588a.java<br>dc/z.java<br>fg/W0.java<br>one/libraries/core/net/AnalyticsGatewayInterceptor.java<br>one/libraries/core/net/MobileGatewayInterceptor.java<br>one/libraries/core/net/RequestInterceptor.java<br>one/libraries/core/net/createAccount/CreateAccountExistingMemberRequest.java<br>one/libraries/core/net/ondemand/OnDemandVideoResponse.java<br>one/libraries/core/net/user/LoginRequest.java<br>one/libraries/core/net/user/LoginResponse.java<br>one/libraries/core/net/user/LoginUIDResponse.java<br>one/libraries/core/net/user/MembershipTypeAttribute.java<br>one/libraries/core/repo/config/Config.java<br>one/libraries/core/repo/profile/ProfileRepoImpl.java<br>one/libraries/core/service/AppPreferenceServiceImpl.java |

| NO | ISSUE | SEVERITY | STANDARDS | FILES |
|----|-------|----------|-----------|-------|
|    |       |          |           | p000if/C3252L.java |
|    |       |          |           | A1/b.java |
|    |       |          |           | A1/r.java |
|    |       |          |           | A6/f0.java |
|    |       |          |           | A7/C0052f0.java |
|    |       |          |           | A7/C0071p.java |
|    |       |          |           | A7/RunnableC0066m0.java |
|    |       |          |           | A8/AbstractC0089a.java |
|    |       |          |           | A8/C0097i.java |
|    |       |          |           | A8/y.java |
|    |       |          |           | B1/f.java |
|    |       |          |           | B2/d.java |
|    |       |          |           | B3/g.java |
|    |       |          |           | B7/c.java |
|    |       |          |           | B8/m.java |
|    |       |          |           | C1/c.java |
|    |       |          |           | C2/a.java |
|    |       |          |           | C8/g.java |
|    |       |          |           | C8/j.java |
|    |       |          |           | Ca/B.java |
|    |       |          |           | Ca/D.java |
|    |       |          |           | Ca/h.java |
|    |       |          |           | Ca/m.java |
|    |       |          |           | Ca/r.java |
|    |       |          |           | Ca/t.java |
|    |       |          |           | Ca/x.java |
|    |       |          |           | Ca/y.java |
|    |       |          |           | D4/g.java |
|    |       |          |           | Da/d.java |
|    |       |          |           | Da/m.java |
|    |       |          |           | E/m.java |
|    |       |          |           | E3/f.java |
|    |       |          |           | Eh/C.java |
|    |       |          |           | F/e0.java |
|    |       |          |           | F3/i.java |
|    |       |          |           | F3/l.java |
|    |       |          |           | F3/n.java |
|    |       |          |           | F7/HandlerC0404c.java |
|    |       |          |           | F8/D.java |
|    |       |          |           | F8/q.java |
|    |       |          |           | G1/k.java |
|    |       |          |           | G3/f.java |

| NO | ISSUE | SEVERITY | STANDARDS | FILES |
|----|-------|----------|-----------|-------|
| | | | | G3/l.java |
| | | | | G8/E.java |
| | | | | G8/C0509b.java |
| | | | | G8/C0511d.java |
| | | | | G8/C0516i.java |
| | | | | H8/i.java |
| | | | | H8/x.java |
| | | | | Hb/Q.java |
| | | | | I8/k.java |
| | | | | Ia/c.java |
| | | | | J0/Z0.java |
| | | | | Ja/c.java |
| | | | | K/Q0.java |
| | | | | K8/b.java |
| | | | | K8/l.java |
| | | | | K8/o.java |
| | | | | Kb/b.java |
| | | | | L1/AbstractC0959a0.java |
| | | | | L1/C0.java |
| | | | | L1/C0960b.java |
| | | | | L1/C0987s.java |
| | | | | L1/N.java |
| | | | | L1/x0.java |
| | | | | L1/y0.java |
| | | | | L8/a.java |
| | | | | L9/d.java |
| | | | | M/C.java |
| | | | | M8/b.java |
| | | | | M8/e.java |
| | | | | M8/f.java |
| | | | | M8/l.java |
| | | | | M8/n.java |
| | | | | M8/o.java |
| | | | | N2/C1084z.java |
| | | | | N5/a.java |
| | | | | N8/d.java |
| | | | | N8/g.java |
| | | | | N8/h.java |
| | | | | N8/j.java |
| | | | | N8/l.java |
| | | | | O9/a.java |
| | | | | P8/e.java |
| | | | | P8/f.java |

| NO | ISSUE | SEVERITY | STANDARDS | FILES |
|---|---|---|---|---|
| | | | | Q9/g.java R9/E.java R8/A.java |
| 3 | The App logs information. Sensitive information should never be logged. | info | CWE: CWE-532: Insertion of Sensitive Information into Log File OWASP MASVS: MSTG-STORAGE-3 | R8/C1334f.java R8/D.java R8/F.java R8/p.java R8/q.java R8/x.java R8/y.java U8/a.java V4/b.java V8/e.java W9/f.java Wa/b.java X2/C1763f.java X2/C1766i.java X2/C1767j.java X2/C1769l.java X2/C1770m.java X2/D.java X2/O.java X2/S.java X2/W.java X2/Z.java X4/c.java X9/j.java Xa/b.java Y4/c.java Y4/d.java Y8/d.java Z2/C1853d.java Z2/G.java Z8/c.java a4/C1888h.java a5/C1898b.java b2/C2141b.java b2/C2142c.java b2/g.java b5/i.java b5/k.java b5/r.java c7/RunnableC2298a.java |

| NO | ISSUE | SEVERITY | STANDARDS | FILES |
|----|-------|----------|-----------|-------|
| | | | | cb/A.java |
| | | | | cb/AbstractC2320e.java |
| | | | | cb/t.java |
| | | | | cb/u.java |
| | | | | cb/v.java |
| | | | | cb/y.java |
| | | | | cb/z.java |
| | | | | com/bumptech/glide/b.java |
| | | | | com/bumptech/glide/load/data/b.java |
| | | | | com/bumptech/glide/load/data/l.java |
| | | | | com/bumptech/glide/m.java |
| | | | | com/datadog/android/rum/DdRumContentProvider.java |
| | | | | com/iterable/iterableapi/B.java |
| | | | | com/iterable/iterableapi/F.java |
| | | | | com/iterable/iterableapi/V.java |
| | | | | com/iterable/iterableapi/h0.java |
| | | | | com/launchdarkly/sdk/android/x.java |
| | | | | com/medallia/digital/mobilesdk/b4.java |
| | | | | com/medallia/digital/mobilesdk/k4.java |
| | | | | com/medallia/digital/mobilesdk/l4.java |
| | | | | d2/d.java |
| | | | | da/r.java |
| | | | | dc/x.java |
| | | | | e1/y.java |
| | | | | f5/C2714b.java |
| | | | | f5/C2716d.java |
| | | | | f5/z.java |
| | | | | gb/K.java |
| | | | | gb/S.java |
| | | | | gb/W.java |
| | | | | gb/x.java |
| | | | | h3/AbstractC2972B.java |
| | | | | h3/AbstractC2976F.java |
| | | | | h3/C2999s.java |
| | | | | h3/L.java |
| | | | | h3/P.java |
| | | | | h3/W.java |
| | | | | h5/C3010b.java |
| | | | | i/AbstractActivityC3169m.java |
| | | | | i/AbstractC3173q.java |
| | | | | i/C3174s.java |
| | | | | i/K.java |

| NO | ISSUE | SEVERITY | STANDARDS | FILES |
|----|-------|----------|-----------|-------|
| | | | | i/LayoutInflaterFactory2C3156D.java |
| | | | | i5/C3191b.java |
| | | | | i5/C3192c.java |
| | | | | i5/D.java |
| | | | | i5/i.java |
| | | | | i5/p.java |
| | | | | i5/r.java |
| | | | | i5/v.java |
| | | | | i5/y.java |
| | | | | i6/C3194a.java |
| | | | | ib/c.java |
| | | | | ib/d.java |
| | | | | ib/g.java |
| | | | | k0/e.java |
| | | | | l1/C3670c.java |
| | | | | la/b.java |
| | | | | la/c.java |
| | | | | m/C3736h.java |
| | | | | m/C3737i.java |
| | | | | n/ViewOnKeyListenerC3814f.java |
| | | | | n/l.java |
| | | | | n1/e.java |
| | | | | o/AbstractC3932d0.java |
| | | | | o/C3917S.java |
| | | | | o/C3940h0.java |
| | | | | o/C3971x.java |
| | | | | o/DialogInterfaceOnClickListenerC3911L.java |
| | | | | o/H0.java |
| | | | | o/M0.java |
| | | | | o/U0.java |
| | | | | o3/C3992a.java |
| | | | | o5/C3994a.java |
| | | | | o5/r.java |
| | | | | q1/f.java |
| | | | | q9/C4260a.java |
| | | | | r5/C4361f.java |
| | | | | s1/e.java |
| | | | | s1/j.java |
| | | | | s1/o.java |
| | | | | s1/p.java |
| | | | | s5/C4450e.java |
| | | | | t1/d.java |

| NO | ISSUE | SEVERITY | STANDARDS | FILES |
|----|-------|----------|-----------|-------|
| | | | | t1/h.java t1/i.java t9/C4624b.java ta/C4629d.java ta/C4631f.java u1/AbstractC4690c.java u1/C4689b.java u1/h.java u1/i.java u1/k.java u1/o.java u1/w.java uc/C4716e.java ue/C4721d.java v7/C4804c.java vf/C4843n.java w4/e.java wf/C4961d.java y1/AbstractC5234f.java ya/C5258a.java |
| 4 | This App uses SSL certificate pinning to detect or prevent MITM attacks in secure communication channel. | secure | OWASP MASVS: MSTG-NETWORK-4 | za/b.java vf/C4834e.java vf/C4837h.java vf/C4843n.java |
| 5 | App uses SQLite Database and execute raw SQL query. Untrusted user input in raw SQL queries can cause SQL Injection. Also sensitive information should be encrypted and written to the database. | warning | CWE: CWE-89: Improper Neutralization of Special Elements used in an SQL Command ('SQL Injection') OWASP Top 10: M7: Client Code Quality | com/iterable/iterableapi/C2517m.java com/iterable/iterableapi/c0.java com/medallia/digital/mobilesdk/i1.java gb/C2907o.java n3/C3826b.java s4/AbstractC4445f.java v7/C4804c.java v7/h.java w7/k.java |
| 6 | Insecure WebView Implementation. Execution of user controlled code in WebView is a critical Security Hole. | warning | CWE: CWE-749: Exposed Dangerous Method or Function OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7 | com/medallia/digital/mobilesdk/MedalliaWebView.java da/r.java |

| NO | ISSUE | SEVERITY | STANDARDS | FILES |
|---|---|---|---|---|
| 7 | Ensure that user controlled URLs never reaches the Webview. Enabling file access from URLs in WebView can leak sensitive information from the file system. | warning | CWE: CWE-200: Information Exposure<br>OWASP Top 10: M1: Improper Platform Usage<br>OWASP MASVS: MSTG-PLATFORM-7 | com/medallia/digital/mobilesdk/MedalliaWebView.java<br>com/medallia/digital/mobilesdk/b7.java |
| 8 | This App may have root detection capabilities. | secure | OWASP MASVS: MSTG-RESILIENCE-1 | Ca/h.java<br>W9/h.java |
| 9 | App can write to App Directory. Sensitive Information should be encrypted. | info | CWE: CWE-276: Incorrect Default Permissions<br>OWASP MASVS: MSTG-STORAGE-14 | A8/C0095g.java |
| 10 | App can read/write to External Storage. Any App can read data written to External Storage. | warning | CWE: CWE-276: Incorrect Default Permissions<br>OWASP Top 10: M2: Insecure Data Storage<br>OWASP MASVS: MSTG-STORAGE-2 | com/medallia/digital/mobilesdk/q1.java |
| 11 | SHA-1 is a weak hash known to have hash collisions. | warning | CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm<br>OWASP Top 10: M5: Insufficient Cryptography<br>OWASP MASVS: MSTG-CRYPTO-4 | Ca/h.java<br>Xa/b.java |
| 12 | The App uses the encryption mode CBC with PKCS5/PKCS7 padding. This configuration is vulnerable to padding oracle attacks. | high | CWE: CWE-649: Reliance on Obfuscation or Encryption of Security-Relevant Inputs without Integrity Checking<br>OWASP Top 10: M5: Insufficient Cryptography<br>OWASP MASVS: MSTG-CRYPTO-3 | k8/C3463a.java |

# 🪪 NIAP ANALYSIS v1.3

| NO | IDENTIFIER | REQUIREMENT | FEATURE | DESCRIPTION |
|---|---|---|---|---|

# ⛬ BEHAVIOUR ANALYSIS

| RULE ID | BEHAVIOUR | LABEL | FILES |
|---------|-----------|-------|-------|
| 00036 | Get resource file from res/raw directory | reflection | B8/i.java<br>N8/e.java<br>R3/a.java<br>Z2/C1851b.java<br>com/iterable/iterableapi/V.java<br>f5/C2714b.java<br>uc/C4716e.java<br>z8/O.java |
| 00063 | Implicit intent(view a web page, make a phone call, etc.) | control | N8/e.java<br>X2/A.java<br>Yf/C1834j.java<br>Z2/C1851b.java<br>Z2/C1853d.java<br>com/iterable/iterableapi/V.java<br>com/medallia/digital/mobilesdk/h7.java<br>com/medallia/digital/mobilesdk/q4.java<br>one/libraries/core/CommonAppNotificationKt.java<br>uc/C4716e.java |
| 00014 | Read file into a stream and put it into a JSON object | file | Hb/Q.java<br>com/iterable/iterableapi/V.java<br>com/medallia/digital/mobilesdk/j0.java<br>i6/C3194a.java<br>s4/AbstractC4445f.java |
| 00022 | Open a file from given absolute path of the file | file | Od/m.java<br>V1/F.java<br>com/launchdarkly/sdk/android/v.java<br>com/medallia/digital/mobilesdk/h7.java<br>com/medallia/digital/mobilesdk/p2.java<br>i6/C3194a.java |

| RULE ID | BEHAVIOUR | LABEL | FILES |
|---------|-----------|-------|-------|
| 00013 | Read file and put it into a stream | file | B1/f.java<br>C1/c.java<br>Ca/h.java<br>Ca/t.java<br>Cf/AbstractC0238b.java<br>Hb/Q.java<br>V1/A.java<br>V1/F.java<br>X1/e.java<br>X4/c.java<br>X4/e.java<br>Y1/i.java<br>a5/C1898b.java<br>b2/g.java<br>com/iterable/iterableapi/V.java<br>com/medallia/digital/mobilesdk/j0.java<br>com/medallia/digital/mobilesdk/k2.java<br>dc/x.java<br>f3/AbstractC2696c.java<br>f3/C2698e.java<br>i5/p.java<br>i6/C3194a.java<br>s4/AbstractC4445f.java<br>z8/C5402i.java<br>z8/O.java |
| 00005 | Get absolute path of file and put it to JSON object | file | i6/C3194a.java |
| 00004 | Get filename and put it to JSON object | file collection | i6/C3194a.java |
| 00023 | Start another application from current application | reflection control | com/iterable/iterableapi/V.java |
| 00091 | Retrieve data from broadcast | collection | D4/g.java<br>com/iterable/iterableapi/V.java<br>z3/C5375c.java |

| RULE ID | BEHAVIOUR | LABEL | FILES |
|---------|-----------|-------|-------|
| 00051 | Implicit intent(view a web page, make a phone call, etc.) via setData | control | N8/e.java<br>Z2/C1851b.java<br>Z2/C1853d.java<br>com/iterable/iterableapi/V.java<br>com/medallia/digital/mobilesdk/h7.java<br>com/medallia/digital/mobilesdk/q4.java<br>one/libraries/core/CommonAppNotificationKt.java |
| 00009 | Put data in cursor to JSON object | file | com/iterable/iterableapi/c0.java<br>com/medallia/digital/mobilesdk/o2.java |
| 00096 | Connect to a URL and set request method | command network | F8/D.java<br>com/iterable/iterableapi/Z.java<br>com/medallia/digital/mobilesdk/j0.java |
| 00123 | Save the response to JSON after connecting to the remote server | network command | com/medallia/digital/mobilesdk/j0.java |
| 00089 | Connect to a URL and receive input stream from the server | command network | F8/D.java<br>com/bumptech/glide/load/data/l.java<br>com/iterable/iterableapi/Z.java<br>com/medallia/digital/mobilesdk/j0.java |
| 00163 | Create new Socket and connecting to it | socket | E/w.java<br>com/medallia/digital/mobilesdk/j0.java<br>vf/C4843n.java |
| 00030 | Connect to the remote server through the given URL | network | com/bumptech/glide/load/data/l.java<br>com/medallia/digital/mobilesdk/j0.java |
| 00109 | Connect to a URL and get the response code | network command | F8/D.java<br>com/bumptech/glide/load/data/l.java<br>com/iterable/iterableapi/Z.java<br>com/medallia/digital/mobilesdk/j0.java |

| RULE ID | BEHAVIOUR | LABEL | FILES |
|---------|-----------|-------|-------|
| 00153 | Send binary data over HTTP | http | F8/D.java com/medallia/digital/mobilesdk/j0.java |
| 00094 | Connect to a URL and read data from it | command network | com/medallia/digital/mobilesdk/j0.java |
| 00108 | Read the input stream from given URL | network command | com/medallia/digital/mobilesdk/j0.java |
| 00121 | Create a directory | file command | F7/HandlerC0404c.java |
| 00125 | Check if the given file path exist | file | F7/HandlerC0404c.java |
| 00012 | Read data and put it into a buffer stream | file | b2/g.java com/medallia/digital/mobilesdk/k2.java |
| 00132 | Query The ISO country code | telephony collection | U7/b.java |
| 00114 | Create a secure socket connection to the proxy address | network command | qf/C4308j.java |
| 00162 | Create InetSocketAddress object and connecting to it | socket | vf/C4843n.java |
| 00026 | Method reflection | reflection | Od/A.java Vd/j.java |
| 00028 | Read file from assets directory | file | z8/C5396c.java |

# ⬢ FIREBASE DATABASES ANALYSIS

| TITLE | SEVERITY | DESCRIPTION |
|-------|----------|-------------|
| App talks to a Firebase database | info | The app talks to Firebase database at https://fir-member-app.firebaseio.com |
| Firebase Remote Config disabled | secure | Firebase Remote Config is disabled for https://firebaseremoteconfig.googleapis.com/v1/projects/649937486118/namespaces/firebase:fetch?key=AIzaSyBw71rj0GGHt-3daT5CUQI-uDA8Hmh8vjw. This is indicated by the response: {'state': 'NO_TEMPLATE'} |

# ⠿ ABUSED PERMISSIONS

| TYPE | MATCHES | PERMISSIONS |
|------|---------|-------------|
| Malware Permissions | 7/25 | android.permission.INTERNET, android.permission.ACCESS_NETWORK_STATE, android.permission.ACCESS_FINE_LOCATION, android.permission.ACCESS_COARSE_LOCATION, android.permission.WAKE_LOCK, android.permission.RECEIVE_BOOT_COMPLETED, android.permission.VIBRATE |
| Other Common Permissions | 2/44 | android.permission.FOREGROUND_SERVICE, com.google.android.c2dm.permission.RECEIVE |

**Malware Permissions:**

Top permissions that are widely abused by known malware.

**Other Common Permissions:**

Permissions that are commonly abused by known malware.

# ❗OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

| DOMAIN | COUNTRY/REGION |
|--------|----------------|

# ⊕ DOMAIN MALWARE CHECK

| DOMAIN | STATUS | GEOLOCATION |
|--------|--------|-------------|
| fir-member-app.firebaseio.com | ok | **IP:** 35.190.39.113<br>**Country:** United States of America<br>**Region:** Missouri<br>**City:** Kansas City<br>**Latitude:** 39.099731<br>**Longitude:** -94.578568<br>**View:** Google Map |
| issuetracker.google.com | ok | **IP:** 142.251.40.46<br>**Country:** United States of America<br>**Region:** California<br>**City:** Mountain View<br>**Latitude:** 37.405991<br>**Longitude:** -122.078514<br>**View:** Google Map |
| my.lifetime.life | ok | **IP:** 151.101.128.172<br>**Country:** United States of America<br>**Region:** California<br>**City:** San Francisco<br>**Latitude:** 37.775700<br>**Longitude:** -122.395203<br>**View:** Google Map |

| DOMAIN | STATUS | GEOLOCATION |
|---|---|---|
| play.google.com | ok | **IP:** 142.250.188.238<br>**Country:** United States of America<br>**Region:** California<br>**City:** Mountain View<br>**Latitude:** 37.405991<br>**Longitude:** -122.078514<br>**View:** Google Map |
| device.griffon.adobe.com | ok | **IP:** 13.224.53.4<br>**Country:** United States of America<br>**Region:** Arizona<br>**City:** Phoenix<br>**Latitude:** 33.448380<br>**Longitude:** -112.074043<br>**View:** Google Map |
| www.w3.org | ok | **IP:** 104.18.23.19<br>**Country:** United States of America<br>**Region:** California<br>**City:** San Francisco<br>**Latitude:** 37.775700<br>**Longitude:** -122.395203<br>**View:** Google Map |
| github.com | ok | **IP:** 140.82.114.4<br>**Country:** United States of America<br>**Region:** California<br>**City:** San Francisco<br>**Latitude:** 37.775700<br>**Longitude:** -122.395203<br>**View:** Google Map |

| DOMAIN | STATUS | GEOLOCATION |
|---|---|---|
| developer.android.com | ok | **IP:** 142.250.217.142<br>**Country:** United States of America<br>**Region:** California<br>**City:** Mountain View<br>**Latitude:** 37.405991<br>**Longitude:** -122.078514<br>**View:** Google Map |
| www.slf4j.org | ok | **IP:** 31.97.181.89<br>**Country:** United Kingdom of Great Britain and Northern Ireland<br>**Region:** England<br>**City:** Bowness-on-Windermere<br>**Latitude:** 54.363312<br>**Longitude:** -2.918590<br>**View:** Google Map |
| clientsdk.launchdarkly.com | ok | **IP:** 151.101.193.55<br>**Country:** United States of America<br>**Region:** California<br>**City:** San Francisco<br>**Latitude:** 37.775700<br>**Longitude:** -122.395203<br>**View:** Google Map |
| api.lifetimefitness.com | ok | **IP:** 151.101.192.172<br>**Country:** United States of America<br>**Region:** California<br>**City:** San Francisco<br>**Latitude:** 37.775700<br>**Longitude:** -122.395203<br>**View:** Google Map |

| DOMAIN | STATUS | GEOLOCATION |
|---|---|---|
| api.lifetime.life | ok | **IP:** 151.101.0.172<br>**Country:** United States of America<br>**Region:** California<br>**City:** San Francisco<br>**Latitude:** 37.775700<br>**Longitude:** -122.395203<br>**View:** [Google Map](#) |
| youtrack.jetbrains.com | ok | **IP:** 63.33.88.220<br>**Country:** Ireland<br>**Region:** Dublin<br>**City:** Dublin<br>**Latitude:** 53.343990<br>**Longitude:** -6.267190<br>**View:** [Google Map](#) |
| aka.ms | ok | **IP:** 72.246.157.244<br>**Country:** United States of America<br>**Region:** California<br>**City:** Los Angeles<br>**Latitude:** 34.052231<br>**Longitude:** -118.243683<br>**View:** [Google Map](#) |
| mobile.launchdarkly.com | ok | **IP:** 54.147.178.212<br>**Country:** United States of America<br>**Region:** Virginia<br>**City:** Ashburn<br>**Latitude:** 39.043720<br>**Longitude:** -77.487488<br>**View:** [Google Map](#) |

| DOMAIN | STATUS | GEOLOCATION |
| --- | --- | --- |
| payment.lifetime.life | ok | **IP:** 151.101.64.172<br>**Country:** United States of America<br>**Region:** California<br>**City:** San Francisco<br>**Latitude:** 37.775700<br>**Longitude:** -122.395203<br>**View:** Google Map |
| lifetime.life | ok | **IP:** 151.101.192.172<br>**Country:** United States of America<br>**Region:** California<br>**City:** San Francisco<br>**Latitude:** 37.775700<br>**Longitude:** -122.395203<br>**View:** Google Map |
| www.lifetime.life | ok | **IP:** 151.101.128.172<br>**Country:** United States of America<br>**Region:** California<br>**City:** San Francisco<br>**Latitude:** 37.775700<br>**Longitude:** -122.395203<br>**View:** Google Map |
| developer.apple.com | ok | **IP:** 17.253.83.135<br>**Country:** Singapore<br>**Region:** Singapore<br>**City:** Singapore<br>**Latitude:** 1.289670<br>**Longitude:** 103.850067<br>**View:** Google Map |
| www.qa-lifetime.life | ok | No Geolocation information available. |

| DOMAIN | STATUS | GEOLOCATION |
|---|---|---|
| clientstream.launchdarkly.com | ok | **IP:** 3.33.235.18<br>**Country:** United States of America<br>**Region:** Washington<br>**City:** Seattle<br>**Latitude:** 47.627499<br>**Longitude:** -122.346199<br>**View:** [Google Map](#) |
| ns.adobe.com | ok | No Geolocation information available. |
| schemas.microsoft.com | ok | **IP:** 13.107.246.71<br>**Country:** Netherlands<br>**Region:** Noord-Holland<br>**City:** Amsterdam<br>**Latitude:** 52.374031<br>**Longitude:** 4.889690<br>**View:** [Google Map](#) |
| api.iterable.com | ok | **IP:** 34.199.29.139<br>**Country:** United States of America<br>**Region:** Virginia<br>**City:** Ashburn<br>**Latitude:** 39.043720<br>**Longitude:** -77.487488<br>**View:** [Google Map](#) |
| survey.medallia.com | ok | **IP:** 199.102.178.92<br>**Country:** United States of America<br>**Region:** California<br>**City:** San Mateo<br>**Latitude:** 37.547424<br>**Longitude:** -122.330589<br>**View:** [Google Map](#) |
| schemas.android.com | ok | No Geolocation information available. |

| DOMAIN | STATUS | GEOLOCATION |
|---|---|---|
| media.lifetime.life | ok | **IP:** 23.62.226.169<br>**Country:** Japan<br>**Region:** Tokyo<br>**City:** Tokyo<br>**Latitude:** 35.689507<br>**Longitude:** 139.691696<br>**View:** [Google Map](#) |
| aomedia.org | ok | **IP:** 185.199.110.153<br>**Country:** United States of America<br>**Region:** Pennsylvania<br>**City:** California<br>**Latitude:** 40.065632<br>**Longitude:** -79.891708<br>**View:** [Google Map](#) |
| goo.gle | ok | **IP:** 67.199.248.13<br>**Country:** United States of America<br>**Region:** New York<br>**City:** New York City<br>**Latitude:** 40.739288<br>**Longitude:** -73.984955<br>**View:** [Google Map](#) |

# ✉ EMAILS

| EMAIL | FILE |
|---|---|
| u0013android@android.com0<br>u0013android@android.com | N8/k.java |

| EMAIL | FILE |
|---|---|
| name@domain.com<br>lttalks@lt.life | Android String Resource |

# 🕵️ TRACKERS

| TRACKER | CATEGORIES | URL |
|---|---|---|
| Adobe Experience Cloud | | https://reports.exodus-privacy.eu.org/trackers/229 |
| Google CrashLytics | Crash reporting | https://reports.exodus-privacy.eu.org/trackers/27 |

# 🔑 HARDCODED SECRETS

| POSSIBLE SECRETS |
|---|
| "anon_user" : "Anonymous" |
| "applink_guest_pass" : "my.lifetime.life/account/guest-pass-details.html" |
| "brightcove_policy_key" : "BCpkADawqM0WYMH7NCl59-4vmY8CwyvHeaHyk76Ubw4QBthn7gHoHHnzAFBGefbB75MGXNTMK19b7YkQ6HAqqBeAJSPxLPZW5VgtWgi5DijDhdtgZU07oEwNQKob96jzf1ldT2GCZvxsKI5O" |
| "com.google.firebase.crashlytics.mapping_file_id" : "59f9670ac30b40f3a95098632e5c4a9f" |
| "deeplink_authored_content" : "lifetime-member://authoredcontent?viewtype={viewtype}&clubid={clubid}" |
| "deeplink_authored_videos" : "lifetime-member://authoredcontent?viewtype=ondemand" |

## POSSIBLE SECRETS

"deeplink_authored_workout_programs" : "lifetime-member://authoredcontent?viewtype=workouts_programs_collection"

"deeplink_event_pass" : "lifetime-member://event-pass?entryId={entryId}"

"firebase_database_url" : "https://fir-member-app.firebaseio.com"

"google_api_key" : "AIzaSyBw71rj0GGHt-3daT5CUQI-uDA8Hmh8vjw"

"google_crash_reporting_api_key" : "AIzaSyBw71rj0GGHt-3daT5CUQI-uDA8Hmh8vjw"

"menu_pass" : "Pass"

"password" : "Password"

"qa_applink_guest_pass" : "qa-my.lifetime.life/account/guest-pass-details.html"

1189416bb42e499a9c1d9e98d6abfbce

J1sMR71IiWFljGKXO48OeriYunHDOPDE

61bb5c2b-271d-45e5-8ae1-51419d7dea40

16a09e667f3bcc908b2fb1366ea957d3e3adec17512775099da2f590b0667322a

258EAFA5-E914-47DA-95CA-C5AB0DC85B11

470fa2b4ae81cd56ecbcda9735803434cec591fa

4UPLKMRmegCkOYGHjKjyaYzc3l9gWMqx1GXdbdPYjMVtzDm

91bb3ff3-a538-4c28-aa08-3da99ccb15bd

| POSSIBLE SECRETS |
| --- |
| gyYrJhtwJu45LxWwPabjU5iptDYSRU1uEf1i |
| b-2a5f97c3-3c52-4c13-b2da-91322f7d0c9f |
| 4bvoGAoy9rID0vPSK5sul6VHk1BeMq2hiavoa |
| b-3c9baee2-bbb2-43a5-84bd-27a4fe5c854c |
| gO1rdO9kQRNOfRunQgSDATl4CoRopKx75 |
| 41677b77-dd09-411e-a9e3-83d07fa606ec |
| 1cc812dc7a624b0e9adedaa16f57f28c |
| eyJzdWIiOiJhcGlUb2tlbYyIiwiYXV0aFVybCI6Imh0dHBzOi8vZGlnaXRhbC1jbG91ZC5hcGlzLm1lZGFsbGlhLmNvbS9tb2JpbGVTREsvdjEvYWNjZXNzVG9rZW4iLCJjcmVhdGVkVUaW1lIjoxNTc1OTU0MTEzNDM5LCJhcGlUb2tlbYyVmyc2lvbiI6MiwicHJvcGVydHlJZCI6NDkxNjF9 |
| KiZL4m2vgojJxkBv6MG75mytsa97uzt |
| 97046b78ba5f42638df713728aead0c4 |
| cabc6d5134994d5c882cde800b5f6250 |

# ▶ PLAYSTORE INFORMATION

**Title:** Life Time Digital

**Score:** 4.7303467 **Installs:** 500,000+ **Price:** 0 **Android Version Support: Category:** Health & Fitness **Play Store URL:** com.lifetimefitness.interests.fitness

**Developer Details:** Life Time, Inc., Life+Time,+Inc., None, https://www.lifetime.life, mobileapps@lifetimefitness.com,

**Release Date:** Mar 2, 2017 **Privacy Policy:** Privacy link

**Description:**

UNLIMITED ACCESS TO FITNESS, HEALTH & WELLNESS — ANYTIME, ANYWHERE — NO CLUB MEMBERSHIP REQUIRED Download the Life Time Digital app and unlock the ultimate destination for your healthiest, happiest life. At home, at the gym, or on the go, enjoy world-class fitness classes, expert nutrition plans, guided meditations, podcasts, and lifestyle programs — all in one seamless experience. L•AI•C – THE FUTURE OF HEALTHY LIVING Meet L•AI•C ("lay-see"), your personal wellness companion — powered by AI, backed by Life Time expertise, and designed to help you live smarter and healthier. More than an assistant, L•AI•C is your coach, guide, concierge, and motivator — tailored to you. • Personalized Plans, Real Results. Dynamic workouts built for your goals, schedule, and lifestyle. Whether training for a race, building strength, or improving sleep, she keeps you moving forward. • Expert Answers, Instantly. Tap into Life Time's expertise. Ask anything — "How do I recover faster?" "What's a high-protein breakfast?" — and get actionable advice in seconds. • A Concierge That Gets You. Find classes, reserve courts, schedule appointments, and discover experiences — personalized to your habits, schedule, and club events. FOR EVERYONE PREMIUM FITNESS & WELLNESS, ANYWHERE • Stream unlimited on-demand and live fitness classes led by top instructors — including strength, cardio, yoga, barre, HIIT, cycling, and more. • Explore workout programs tailored to goals like weight loss, strength training, active aging, and healthy habit formation. • Enjoy workouts and fitness plans that adapt to your level and schedule. PERSONALIZED NUTRITION & HEALTH COACHING • Follow nutrition plans and healthy meal guides crafted by certified experts. • Get hyper-personalized workouts curated by L•AI•C—Life Time's intelligent wellness companion—based on your goals, preferences, and lifestyle. • Build sustainable routines that support your body, mind, and lifestyle. MIND & BODY WELLNESS TOOLS • Access guided meditations, breathwork, recovery sessions, and sleep support. • Listen to full episodes of the Life Time Talks podcast for inspiration on health, wellness, mindset, and motivation. • Read exclusive articles from Experience Life Magazine on longevity, stress, mental health, and holistic living. ATHLETIC EVENTS & RACE TOOLS • Find and Register for Events – Discover Life Time's premier athletic events nationwide—marathons, cycling races, triathlons, and more—all in one place. • Race Training & Recovery Plans – Get expert-designed training programs to boost endurance, improve performance, and speed up recovery for your next race. • Digital Race Pass & Easy Check-In – Skip the lines with your digital race pass and check in seamlessly at Life Time events. • Track & Share Race Results – Instantly find, claim, and share your official race results directly in the app. LIFESHOP – WELLNESS & FITNESS ESSENTIALS • Trusted Supplements – Fuel your goals with premium formulas like D.Tox, magnesium, electrolytes, protein, greens, and more. • Activewear & Recovery Gear – Find top-rated apparel and gear for training, performance, and recovery. • Earn Rewards – Get 5% back on every in-app purchase as a Life Time app user. FOR CLUB MEMBERS ENHANCED FEATURES FOR OUR CLUB MEMBERS • Check in to the club and sign up for events. • Reserve classes, camps, and more. • Order from the café, bistro, or book LifeSpa services. • Manage your membership anytime. Download now and start your journey to a stronger, healthier you. Some features may require a Life Time membership. Consult a physician before starting any fitness program.

## :≡ SCAN LOGS

| Timestamp | Event | Error |
|---|---|---|
| 2025-08-31 00:28:28 | Generating Hashes | OK |
| 2025-08-31 00:28:28 | Extracting APK | OK |
| 2025-08-31 00:28:28 | Unzipping | OK |

| | | |
|---|---|---|
| 2025-08-31 00:28:28 | Parsing APK with androguard | OK |
| 2025-08-31 00:29:03 | Extracting APK features using aapt/aapt2 | OK |
| 2025-08-31 00:29:24 | Getting Hardcoded Certificates/Keystores | OK |
| 2025-08-31 00:29:26 | Parsing AndroidManifest.xml | OK |
| 2025-08-31 00:29:26 | Extracting Manifest Data | OK |
| 2025-08-31 00:29:26 | Manifest Analysis Started | OK |
| 2025-08-31 00:29:27 | Performing Static Analysis on: Life Time (com.lifetimefitness.interests.fitness) | OK |
| 2025-08-31 00:29:28 | Fetching Details from Play Store: com.lifetimefitness.interests.fitness | OK |
| 2025-08-31 00:29:30 | Checking for Malware Permissions | OK |
| 2025-08-31 00:29:30 | Fetching icon path | OK |
| 2025-08-31 00:29:30 | Library Binary Analysis Started | OK |

| | | |
|---|---|---|
| 2025-08-31 00:29:30 | Reading Code Signing Certificate | OK |
| 2025-08-31 00:29:31 | Running APKiD 2.1.5 | OK |
| 2025-08-31 00:29:37 | Detecting Trackers | OK |
| 2025-08-31 00:29:39 | Decompiling APK to Java with JADX | OK |
| 2025-08-31 00:59:16 | Decompiling with JADX timed out | TimeoutExpired(['/home/mobsf/.MobSF/tools/jadx/jadx-1.5.0/bin/jadx', '-ds', '/home/mobsf/.MobSF/uploads/9d347ead7644aef247546a694d3c1ce3/java_source', '-q', '-r', '--show-bad-code', '/home/mobsf/.MobSF/uploads/9d347ead7644aef247546a694d3c1ce3/9d347ead7644aef247546a694d3c1ce3.apk'], 999.9999870210886) |
| 2025-08-31 00:59:16 | Converting DEX to Smali | OK |
| 2025-08-31 00:59:16 | Code Analysis Started on - java_source | OK |
| 2025-08-31 00:59:21 | Android SBOM Analysis Completed | OK |
| 2025-08-31 00:59:34 | Android SAST Completed | OK |
| 2025-08-31 00:59:34 | Android API Analysis Started | OK |

| 2025-08-31 00:59:47 | Android API Analysis Completed | OK |
|---|---|---|
| 2025-08-31 00:59:47 | Android Permission Mapping Started | OK |
| 2025-08-31 00:59:46 | Android Permission Mapping Completed | OK |
| 2025-08-31 00:59:47 | Android Behaviour Analysis Started | OK |
| 2025-08-31 01:00:02 | Android Behaviour Analysis Completed | OK |
| 2025-08-31 01:00:02 | Extracting Emails and URLs from Source Code | OK |
| 2025-08-31 01:00:07 | Email and URL Extraction Completed | OK |
| 2025-08-31 01:00:07 | Extracting String data from APK | OK |
| 2025-08-31 01:00:07 | Extracting String data from Code | OK |
| 2025-08-31 01:00:07 | Extracting String values and entropies from Code | OK |
| 2025-08-31 01:00:10 | Performing Malware check on extracted domains | OK |

| 2025-08-31 01:00:17 | Saving to Database | OK |

## Report Generated by - MobSF v4.4.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.