

ANDROID STATIC ANALYSIS REPORT



Texas Health MyChart (11.1.5)

File Name:	org.TexasHealth.TexasHealthMyChart_3239.apk
Package Name:	org.TexasHealth.TexasHealthMyChart
Scan Date:	Sept. 1, 2025, 2:56 p.m.
App Security Score:	44/100 (MEDIUM RISK)
Grade:	
Trackers Detection:	1/432

FINDINGS SEVERITY

≟ HIGH	▲ MEDIUM	i INFO	✓ SECURE	◎ HOTSPOT
4	17	3	1	1

FILE INFORMATION

File Name: org.TexasHealth.TexasHealthMyChart_3239.apk

Size: 40.63MB

MD5: 53d880f7d0315bac1e623d14f6d153c8

SHA1: fe3ac2907eb493ae1a4bd4000804f10bbe70c378

SHA256: ea891b73a8a1681ea116136a3a5ae536f64948f24ee77b97526eab7906da242f

i APP INFORMATION

App Name: Texas Health MyChart

Package Name: org.TexasHealth.TexasHealthMyChart

Main Activity: epic.mychart.android.library.prelogin.SplashActivity

Target SDK: 34 Min SDK: 28 Max SDK:

Android Version Name: 11.1.5

Android Version Code: 3239

EE APP COMPONENTS

Activities: 93 Services: 15 Receivers: 7 Providers: 3

Exported Activities: 2 Exported Services: 2 Exported Receivers: 2 Exported Providers: 0

***** CERTIFICATE INFORMATION

Binary is signed v1 signature: False v2 signature: False v3 signature: True v4 signature: False

X.509 Subject: C=US, ST=Texas, L=Arlington, O=Texas Health Resources

Signature Algorithm: rsassa_pkcs1v15 Valid From: 2016-11-30 23:10:36+00:00 Valid To: 2041-11-24 23:10:36+00:00

Issuer: C=US, ST=Texas, L=Arlington, O=Texas Health Resources

Serial Number: 0x57b8469a Hash Algorithm: sha256

md5: 9749e7f043f1def29237df97fdf16fec

sha1: f048052d8e7bbe9130f1f56f9eaf5d02522d9f51

sha256: a4cfde9b96151de80fb65a4a8230f785dfdeac6e3e35f32572b7bb278d84b82b

sha512; 62f56ee335ee3186ff8508295b5c0c70767fc42e2a47555afe0a3f430338b8201e89b116b14762aec5cb721b4ba1f5185fd18767e5f7585867754e78b5dd39fb

PublicKey Algorithm: rsa

Bit Size: 2048

Fingerprint: f966870b602b805d007e3632df94f207bd919f18c676b1e07d4623e10119ae73

Found 1 unique certificates

⋮ APPLICATION PERMISSIONS

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.INTERNET	normal	full Internet access	Allows an application to create network sockets.
android.permission.CALL_PHONE	dangerous	directly call phone numbers	Allows the application to call phone numbers without your intervention. Malicious applications may cause unexpected calls on your phone bill. Note that this does not allow the application to call emergency numbers.
android.permission.ACCESS_NETWORK_STATE	normal	view network status	Allows an application to view the status of all networks.
android.permission.ACCESS_COARSE_LOCATION		coarse (network-based) location	Access coarse location sources, such as the mobile network database, to determine an approximate phone location, where available. Malicious applications can use this to determine approximately where you are.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.ACCESS_FINE_LOCATION		fine (GPS) location	Access fine location sources, such as the Global Positioning System on the phone, where available. Malicious applications can use this to determine where you are and may consume additional battery power.
android.permission.ACCESS_BACKGROUND_LOCATION	dangerous	access location in background	Allows an app to access location in the background.
android.permission.CAMERA		take pictures and videos	Allows application to take pictures and videos with the camera. This allows the application to collect images that the camera is seeing at any time.
android.permission.RECORD_AUDIO		record audio	Allows application to access the audio record path.
android.permission.MODIFY_AUDIO_SETTINGS		change your audio settings	Allows application to modify global audio settings, such as volume and routing.

PERMISSION	STATUS	INFO	DESCRIPTION
android.permission.RECEIVE_BOOT_COMPLETED		automatically start at boot	Allows an application to start itself as soon as the system has finished booting. This can make it take longer to start the phone and allow the application to slow down the overall phone by always running.
android.permission.FOREGROUND_SERVICE	normal	enables regular apps to use Service.startForeground.	Allows a regular application to use Service.startForeground.
android.permission.FOREGROUND_SERVICE_LOCATION		allows foreground services with location use.	Allows a regular application to use Service.startForeground with the type "location".
android.permission.BLUETOOTH_SCAN		required for discovering and pairing Bluetooth devices.	Required to be able to discover and pair nearby Bluetooth devices.
android.permission.BLUETOOTH_CONNECT		necessary for connecting to paired Bluetooth devices.	Required to be able to connect to paired Bluetooth devices.
android.permission.SCHEDULE_EXACT_ALARM		permits exact alarm scheduling for background work.	Allows an app to use exact alarm scheduling APIs to perform timing sensitive background work.
android.permission.POST_NOTIFICATIONS	dangerous	allows an app to post notifications.	Allows an app to post notifications

PERMISSION		INFO	DESCRIPTION
android.permission.BLUETOOTH		create Bluetooth connections	Allows applications to connect to paired bluetooth devices.
android.permission.WRITE_EXTERNAL_STORAGE	dangerous	read/modify/delete external storage contents	Allows an application to write to external storage.
android.permission.READ_EXTERNAL_STORAGE	dangerous	read external storage contents	Allows an application to read from external storage.
android.permission.VIBRATE		control vibrator	Allows the application to control the vibrator.
android.permission.BLUETOOTH_ADMIN		bluetooth administration	Allows applications to discover and pair bluetooth devices.
android.permission.USE_BIOMETRIC		allows use of device- supported biometric modalities.	Allows an app to use device supported biometric modalities.
android.permission.USE_FINGERPRINT		allow use of fingerprint	This constant was deprecated in API level 28. Applications should request USE_BIOMETRIC instead.
android.permission.WAKE_LOCK	normal	prevent phone from sleeping	Allows an application to prevent the phone from going to sleep.

PERMISSION	STATUS	INFO	DESCRIPTION
com.google.android.c2dm.permission.RECEIVE	normal	recieve push notifications	Allows an application to receive push notifications from cloud.
org.TexasHealth.TexasHealthMyChart.DYNAMIC_RECEIVER_NOT_EXPORTED_PERMISSION	unknown	Unknown permission	Unknown permission from android reference

命 APKID ANALYSIS

FILE	DETAILS		
	FINDINGS	DETAILS	
	yara_issue	yara issue - dex file recognized by apkid but not yara module	
classes.dex	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check	
	Compiler	unknown (please file detection issue!)	

FILE	DETAILS		
	FINDINGS	DETAILS	
classes2.dex	yara_issue Compiler	yara issue - dex file recognized by apkid but not yara module unknown (please file detection issue!)	
	FINDINGS	DETAILS	
classes3.dex	yara_issue	yara issue - dex file recognized by apkid but not yara module	
	Compiler	unknown (please file detection issue!)	
	FINDINGS	DETAILS	
classes4.dex	yara_issue	yara issue - dex file recognized by apkid but not yara module	
	Compiler	unknown (please file detection issue!)	

FILE	DETAILS		
	FINDINGS	DETAILS	
	yara_issue	yara issue - dex file recognized by apkid but not yara module	
classes5.dex	Anti-VM Code	Build.FINGERPRINT check Build.MANUFACTURER check	
	Compiler	unknown (please file detection issue!)	
	FINDINGS	DETAILS	
classes6.dex	yara_issue	yara issue - dex file recognized by apkid but not yara module	
c.assessoraex	Anti-VM Code	Build.MANUFACTURER check	
	Compiler	unknown (please file detection issue!)	

BROWSABLE ACTIVITIES

ACTIVITY	INTENT	
epic.mychart.android.library.prelogin.SplashActivity	Schemes: texashealthmychart://,	

△ NETWORK SECURITY

HIGH: 2 | WARNING: 1 | INFO: 0 | SECURE: 0

NO	SCOPE	SEVERITY	DESCRIPTION
1	*	high	Base config is insecurely configured to permit clear text traffic to all domains.
2	*	warning	Base config is configured to trust system certificates.
3	*	high	Base config is configured to trust user installed certificates.

CERTIFICATE ANALYSIS

HIGH: 0 | WARNING: 0 | INFO: 1

TITLE	SEVERITY	DESCRIPTION
Signed Application	info	Application is signed with a code signing certificate

Q MANIFEST ANALYSIS

HIGH: 0 | WARNING: 7 | INFO: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	DESCRIPTION
1	App can be installed on a vulnerable Android version Android 9, minSdk=28]	warning	This application can be installed on an older version of android that has multiple vulnerabilities. Support an Android version => 10, API 29 to receive reasonable security updates.

NO	ISSUE	SEVERITY	DESCRIPTION

2	App has a Network Security Configuration [android:networkSecurityConfig=@xml/wp_network_security_config]	info	The Network Security Configuration feature lets apps customize their network security settings in a safe, declarative configuration file without modifying app code. These settings can be configured for specific domains and for a specific app.
3	Activity (epic.mychart.android.library.healthlinks.HealthConnectPrivacyPolicyActivity) is not Protected. [android:exported=true]	warning	An Activity is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.
4	Activity-Alias (epic.mychart.android.library.HealthConnectViewPermissionsActivity) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.START_VIEW_PERMISSION_USAGE [android:exported=true]	warning	An Activity-Alias is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
5	Service (androidx.health.platform.client.impl.sdkservice.HealthDataSdkService) is not Protected. [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device.

NO	ISSUE	SEVERITY	DESCRIPTION
6	Service (com.google.android.gms.auth.api.signin.RevocationBoundService) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.gms.auth.api.signin.permission.REVOCATION_NOTIFICATION [android:exported=true]	warning	A Service is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
7	Broadcast Receiver (com.google.firebase.iid.FirebaseInstanceIdReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: com.google.android.c2dm.permission.SEND [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.
8	Broadcast Receiver (androidx.profileinstaller.ProfileInstallReceiver) is Protected by a permission, but the protection level of the permission should be checked. Permission: android.permission.DUMP [android:exported=true]	warning	A Broadcast Receiver is found to be shared with other apps on the device therefore leaving it accessible to any other application on the device. It is protected by a permission which is not defined in the analysed application. As a result, the protection level of the permission should be checked where it is defined. If it is set to normal or dangerous, a malicious application can request and obtain the permission and interact with the component. If it is set to signature, only applications signed with the same certificate can obtain the permission.

</> CODE ANALYSIS

HIGH: 2 | WARNING: 7 | INFO: 1 | SECURE: 0 | SUPPRESSED: 0

NO	ISSUE	SEVERITY	STANDARDS	FILES
				com/epic/patientengagement/core/session/ MyChartOrgToOrgJumpManager.java com/epic/patientengagement/core/ui/Progre ssBar.java com/epic/patientengagement/core/ui/button s/CoreButton.java com/epic/patientengagement/core/ui/button s/CoreButtonUtils.java com/epic/patientengagement/core/ui/stickyh eader/StickyHeaderAdapter.java com/epic/patientengagement/core/ui/tutoria ls/PETutorialFragment.java com/epic/patientengagement/core/ui/tutoria ls/PETutorialFragment.java com/epic/patientengagement/core/webservi ce/WebServiceTask.java com/epic/patientengagement/core/webservi ce/WebServiceTask.java com/epic/patientengagement/onboarding/vi ews/OrgTermsConditionsView.java com/epic/patientengagement/todo/progress /b.java epic/mychart/android/library/api/classes/WP APIFirebaseMessagingService.java epic/mychart/android/library/appointments/ FutureAppointmentFragment.java epic/mychart/android/library/campaigns/f.ja va epic/mychart/android/library/customactivitie s/JavaScriptWebViewActivity.java epic/mychart/android/library/customadapter s/StickyHeaderSectionAdapter/c.java

NO	ISSUE The App logs information. Sensitive	SEVERITY	SWANDARDS nsertion of Sensitive Information into Log File	Result java epic/mychart/android/library/general/DeepL
	information should never be logged.		OWASP MASVS: MSTG-STORAGE-3	inkManager.java epic/mychart/android/library/healthlinks/c.ja va epic/mychart/android/library/location/fragm ents/e.java epic/mychart/android/library/location/servic es/AppointmentArrivalService.java epic/mychart/android/library/pushnotificatio ns/CustomFcmListenerService.java epic/mychart/android/library/trackmyhealth /a.java epic/mychart/android/library/utilities/c0.java epic/mychart/android/library/utilities/e2.jav a epic/mychart/android/library/utilities/f0.java epic/mychart/android/library/utilities/f0.java epic/mychart/android/library/utilities/m1.jav a epic/mychart/android/library/utilities/q0.jav a epic/mychart/android/library/utilities/q0.jav a epic/mychart/android/library/utilities/q0.jav a org/altbeacon/beacon/logging/ApiTrackingLo gger.java org/altbeacon/beacon/logging/InfoAndroidL ogger.java org/altbeacon/beacon/logging/VerboseAndro idLogger.java org/altbeacon/beacon/logging/WarningAndr oidLogger.java org/altbeacon/beacon/service/ScanHelper.ja va org/altbeacon/beacon/service/ScanState.java org/altbeacon/beacon/beacon/service/ScanState.java org/altbeacon/beacon/beacon/utils/EddystoneTelem etryAccessor.java
				com/epic/patientengagement/authentication /login/activities/PreloginInternalWebViewActi

NO	ISSUE	SEVERITY	STANDARDS	vity.java Edut/S pic/patientengagement/authentication /login/activities/PreloginInternalWebViewFra
2	Files may contain hardcoded sensitive information like usernames, passwords, keys etc.	warning	CWE: CWE-312: Cleartext Storage of Sensitive Information OWASP Top 10: M9: Reverse Engineering OWASP MASVS: MSTG-STORAGE-14	gment.java com/epic/patientengagement/authentication /login/activities/SAMLLoginActivity.java com/epic/patientengagement/authentication /login/fragments/EnterPasscodeDialogFragm ent.java com/epic/patientengagement/authentication /login/fragments/LoginFragment.java com/epic/patientengagement/authentication /login/fragments/LongTextDialogFragment.ja va com/epic/patientengagement/authentication /login/fragments/OrgFragment.java com/epic/patientengagement/authentication /login/utilities/LoginHelper.java com/epic/patientengagement/authentication /login/utilities/LoginResultCode.java com/epic/patientengagement/authentication /login/utilities/OrganizationLoginHelper.java com/epic/patientengagement/authentication /login/utilities/SamlSessionManager.java com/epic/patientengagement/core/permissi ons/PermissionProminentDisclosure.java com/epic/patientengagement/homepage/Ho mePageComponentAPI.java com/epic/patientengagement/homepage/on boarding/a.java epic/mychart/android/library/api/classes/WP APIAuthentication.java epic/mychart/android/library/healthlinks/e.j ava org/altbeacon/beacon/service/MonitoringDa ta.java org/altbeacon/beacon/service/RangingData.j ava org/altbeacon/beacon/service/SettingsData.j ava

NO	ISSUE	SEVERITY	STANDARDS	org/altbeacon/beacon/service/StartRMData.j
3	The App uses an insecure Random Number Generator.	warning	CWE: CWE-330: Use of Insufficiently Random Values OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-6	com/epic/patientengagement/homepage/ite mfeed/webservice/items/ZeroStateFeedItem. java com/epic/patientengagement/todo/models/ QuestionnaireSeries.java epic/mychart/android/library/utilities/m1.jav a
4	App creates temp file. Sensitive information should never be written into a temp file.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/epic/patientengagement/core/pdfviewe r/PdfViewModel.java com/epic/patientengagement/core/utilities/fi le/FileUtil.java com/epic/patientengagement/pdfviewer/pdf /PdfFile.java epic/mychart/android/library/customviews/ PdfViewerActivity.java epic/mychart/android/library/utilities/f0.java
5	MD5 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	epic/mychart/android/library/utilities/f0.java
6	The App uses the encryption mode CBC with PKCS5/PKCS7 padding. This configuration is vulnerable to padding oracle attacks.	high	CWE: CWE-649: Reliance on Obfuscation or Encryption of Security-Relevant Inputs without Integrity Checking OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-3	com/epic/patientengagement/core/utilities/E ncryptionUtil.java
7	SHA-1 is a weak hash known to have hash collisions.	warning	CWE: CWE-327: Use of a Broken or Risky Cryptographic Algorithm OWASP Top 10: M5: Insufficient Cryptography OWASP MASVS: MSTG-CRYPTO-4	com/epic/patientengagement/core/utilities/E ncryptionUtil.java

NO	ISSUE	SEVERITY	STANDARDS	FILES
8	Insecure WebView Implementation. Execution of user controlled code in WebView is a critical Security Hole.	warning	CWE: CWE-749: Exposed Dangerous Method or Function OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-PLATFORM-7	com/epic/patientengagement/core/mychart web/MyChartWebViewFragment.java epic/mychart/android/library/prelogin/Accou ntManagementWebViewActivity.java
9	Remote WebView debugging is enabled.	high	CWE: CWE-919: Weaknesses in Mobile Applications OWASP Top 10: M1: Improper Platform Usage OWASP MASVS: MSTG-RESILIENCE-2	com/epic/patientengagement/core/mychart web/MyChartWebViewFragment.java
10	App can read/write to External Storage. Any App can read data written to External Storage.	warning	CWE: CWE-276: Incorrect Default Permissions OWASP Top 10: M2: Insecure Data Storage OWASP MASVS: MSTG-STORAGE-2	com/epic/patientengagement/core/utilities/D eviceUtil.java com/epic/patientengagement/core/utilities/fi le/FileChooserType.java com/epic/patientengagement/core/utilities/fi le/FileUtil.java epic/mychart/android/library/utilities/Device Util.java

■ NIAP ANALYSIS v1.3

NO	IDENTIFIER	REQUIREMENT	FEATURE	DESCRIPTION
----	------------	-------------	---------	-------------



RULE ID	BEHAVIOUR	LABEL	FILES
00089	Connect to a URL and receive input stream from the server	command network	com/epic/patientengagement/core/pdfviewer/PdfViewModel.java com/epic/patientengagement/core/webservice/WebServiceTask.java com/epic/patientengagement/onboarding/views/OrgTermsConditionsView.java epic/mychart/android/library/customactivities/TitledWebViewActivity.java epic/mychart/android/library/utilities/s.java org/altbeacon/beacon/distance/DistanceConfigFetcher.java
00030	Connect to the remote server through the given URL	network	com/epic/patientengagement/core/pdfviewer/PdfViewModel.java com/epic/patientengagement/core/webservice/WebServiceTask.java com/epic/patientengagement/onboarding/views/OrgTermsConditionsView.java epic/mychart/android/library/customactivities/TitledWebViewActivity.java epic/mychart/android/library/utilities/s.java
00109	Connect to a URL and get the response code	network command	com/epic/patientengagement/core/webservice/WebServiceTask.java epic/mychart/android/library/customactivities/TitledWebViewActivity.java org/altbeacon/beacon/distance/DistanceConfigFetcher.java
00013	Read file and put it into a stream	file	com/epic/patientengagement/pdfviewer/utilities/FileUtils.java epic/mychart/android/library/customobjects/StoredFile.java epic/mychart/android/library/customviews/PhotoViewerActivity.java epic/mychart/android/library/utilities/DeviceUtil.java epic/mychart/android/library/utilities/b0.java org/altbeacon/beacon/distance/ModelSpecificDistanceCalculator.java org/altbeacon/beacon/service/MonitoringStatus.java org/altbeacon/beacon/service/ScanState.java

RULE ID	BEHAVIOUR	LABEL	FILES
00063	Implicit intent(view a web page, make a phone call, etc.)	control	com/epic/patientengagement/authentication/login/activities/PreloginInternalWebViewFr agment.java com/epic/patientengagement/authentication/login/activities/SAMLLoginActivity.java com/epic/patientengagement/authentication/login/fragments/LongTextDialogFragment.java com/epic/patientengagement/authentication/login/fragments/OrgFragment.java com/epic/patientengagement/authentication/login/utilities/PreloginDeeplinkManager.java com/epic/patientengagement/core/extensibility/ExtensibilityLaunchManager.java com/epic/patientengagement/core/file/FileViewActivity.java com/epic/patientengagement/core/file/FileViewActivity.java com/epic/patientengagement/core/mychartwebV/MyChartWebViewFragment.java com/epic/patientengagement/core/mychartweb/MyChartWebViewFragment.java com/epic/patientengagement/core/mychartweb/MyChartWebViewFragment.java com/epic/patientengagement/core/utilities/IntentUtil.java com/epic/patientengagement/core/utilities/MebUtil.java epic/mychart/android/library/campaigns/e.java epic/mychart/android/library/campaigns/e.java epic/mychart/android/library/community/WebCommunityManageMyAccountsActivity.java epic/mychart/android/library/customactivities/JavaScriptWebViewActivity.java epic/mychart/android/library/general/DeepLinkManager.java epic/mychart/android/library/general/FDILauncherActivity.java epic/mychart/android/library/general/FDILauncherActivity.java epic/mychart/android/library/healthlinks/f0.java epic/mychart/android/library/insurance/e.java epic/mychart/android/library/personalize/e.java epic/mychart/android/library/personalize/e.java epic/mychart/android/library/personalize/e.java epic/mychart/android/library/personalize/e.java epic/mychart/android/library/springboard/CustomFeature.java epic/mychart/android/library/springboard/SaseFeatureType.java epic/mychart/android/library/springboard/SaseFeatureType.java epic/mychart/android/library/springboard/CustomFeature.java epic/mychart/android/library/springboard/CustomFeature.java epic/mychart/android/library/springboard/SaseFeatureType.java epic/mychar

RULE ID	BEHAVIOUR	LABEL	FILES
00091	Retrieve data from broadcast	collection	com/epic/patientengagement/authentication/login/fragments/LoginFragment.java com/epic/patientengagement/onboarding/views/OrgTermsConditionsView.java epic/mychart/android/library/appointments/FutureAppointmentFragment.java epic/mychart/android/library/billing/PaymentConfirmationActivity.java epic/mychart/android/library/billing/RecentStatementActivity.java epic/mychart/android/library/healthadvisories/HealthAdvisoryMarkCompleteActivity.java a epic/mychart/android/library/medications/MedRefillActivity.java epic/mychart/android/library/messages/ComposeActivity.java epic/mychart/android/library/personalize/PersonalizeFragment.java epic/mychart/android/library/springboard/CustomWebModeJumpActivity.java epic/mychart/android/library/testresults/TestResultDetailActivity.java
00051	Implicit intent(view a web page, make a phone call, etc.) via setData	control	com/epic/patientengagement/authentication/login/activities/PreloginInternalWebViewFr agment.java epic/mychart/android/library/accountsettings/AccountSettingsActivity.java epic/mychart/android/library/springboard/BaseFeatureType.java epic/mychart/android/library/utilities/f0.java
00036	Get resource file from res/raw directory	reflection	epic/mychart/android/library/accountsettings/AccountSettingsActivity.java epic/mychart/android/library/prelogin/WebServer.java epic/mychart/android/library/springboard/BaseFeatureType.java epic/mychart/android/library/springboard/CustomFeature.java epic/mychart/android/library/utilities/f0.java
00108	Read the input stream from given URL	network command	com/epic/patientengagement/core/pdfviewer/PdfViewModel.java epic/mychart/android/library/customobjects/a.java
00202	Make a phone call	control	epic/mychart/android/library/utilities/f0.java
00203	Put a phone number into an intent	control	epic/mychart/android/library/utilities/f0.java

RULE ID	BEHAVIOUR	LABEL	FILES	
00012	Read data and put it into a buffer stream	file	epic/mychart/android/library/utilities/b0.java	
00022	Open a file from given absolute path of the file com/epic/patientengagement/core/utilities/DeviceUtil.java epic/mychart/android/library/customviews/VideoPlayerActivity epic/mychart/android/library/messages/Attachment.java org/altbeacon/beacon/service/ScanState.java		epic/mychart/android/library/customviews/VideoPlayerActivity.java epic/mychart/android/library/messages/Attachment.java	
00096	Connect to a URL and set request method	command network	com/epic/patientengagement/core/pdfviewer/PdfViewModel.java com/epic/patientengagement/core/webview/CoreWebViewDownloadManager\$downloa d\$2.java epic/mychart/android/library/customactivities/TitledWebViewActivity.java epic/mychart/android/library/utilities/s.java	
00153	Send binary data over HTTP	http	epic/mychart/android/library/utilities/s.java	
00094	Connect to a URL and read data from it	command network	com/epic/patientengagement/core/pdfviewer/PdfViewModel.java epic/mychart/android/library/healthlinks/e.java	
00024	Write file after Base64 decoding	reflection file	epic/mychart/android/library/messages/Attachment.java	
00014	Read file into a stream and put it into a JSON object	file	org/altbeacon/beacon/distance/ModelSpecificDistanceCalculator.java	
00072	Write HTTP input stream into a file	command network file	com/epic/patientengagement/core/pdfviewer/PdfViewModel.java com/epic/patientengagement/core/webview/CoreWebViewDownloadManager\$downloa d\$2\$result\$1.java	
00112	Get the date of the calendar event	collection calendar	epic/mychart/android/library/healthlinks/HealthDataSyncService.java epic/mychart/android/library/healthlinks/c.java epic/mychart/android/library/healthlinks/v.java	

RULE ID	BEHAVIOUR	LABEL	FILES
00016	Get location info of the device and put it to JSON object	location collection	epic/mychart/android/library/location/models/MonitoredForArrivalAppointment.java
00125	Check if the given file path exist	file	com/epic/patientengagement/core/pdfviewer/PdfFragment.java com/epic/patientengagement/pdfviewer/PdfViewerFragment.java
00191	Get messages in the SMS inbox	sms	com/epic/patientengagement/core/file/FileViewKt.java

FIREBASE DATABASES ANALYSIS

TITLE	SEVERITY	DESCRIPTION
App talks to a Firebase database	info	The app talks to Firebase database at https://haiku-push-notifications.firebaseio.com
App talks to a Firebase database	info	The app talks to Firebase database at https://fifth-liberty-89719.firebaseio.com
Firebase Remote Config disabled	secure	Firebase Remote Config is disabled for https://firebaseremoteconfig.googleapis.com/v1/projects/706446232476/namespaces/firebase:fetch? key=AlzaSyBv776FvkVLGKyvr4AR_IFvkThhUx18A2s. This is indicated by the response: {'state': 'NO_TEMPLATE'}

***: ::** ABUSED PERMISSIONS

TYPE	MATCHES	PERMISSIONS
Malware Permissions	11/25	android.permission.INTERNET, android.permission.ACCESS_NETWORK_STATE, android.permission.ACCESS_COARSE_LOCATION, android.permission.ACCESS_FINE_LOCATION, android.permission.CAMERA, android.permission.RECORD_AUDIO, android.permission.RECEIVE_BOOT_COMPLETED, android.permission.WRITE_EXTERNAL_STORAGE, android.permission.READ_EXTERNAL_STORAGE, android.permission.VIBRATE, android.permission.WAKE_LOCK
Other Common Permissions	7/44	android.permission.CALL_PHONE, android.permission.ACCESS_BACKGROUND_LOCATION, android.permission.MODIFY_AUDIO_SETTINGS, android.permission.FOREGROUND_SERVICE, android.permission.BLUETOOTH, android.permission.BLUETOOTH_ADMIN, com.google.android.c2dm.permission.RECEIVE

Malware Permissions:

Top permissions that are widely abused by known malware.

Other Common Permissions:

Permissions that are commonly abused by known malware.

• OFAC SANCTIONED COUNTRIES

This app may communicate with the following OFAC sanctioned list of countries.

DOMAIN

Q DOMAIN MALWARE CHECK

DOMAIN	STATUS	GEOLOCATION
--------	--------	-------------

DOMAIN	STATUS	GEOLOCATION
play.google.com	ok	IP: 142.250.74.142 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.w3.org	ok	IP: 104.18.23.19 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
ichart2.epic.com	ok	IP: 199.204.56.101 Country: United States of America Region: Wisconsin City: Madison Latitude: 43.073051 Longitude: -89.401230 View: Google Map
schemas.datacontract.org	ok	IP: 207.46.232.160 Country: Singapore Region: Singapore City: Singapore Latitude: 1.289670 Longitude: 103.850067 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.epic.com	ok	IP: 13.107.246.71 Country: Netherlands Region: Noord-Holland City: Amsterdam Latitude: 52.374031 Longitude: 4.889690 View: Google Map
haiku-push-notifications.firebaseio.com	ok	IP: 35.201.97.85 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
rex.webqa.epic.com	ok	No Geolocation information available.
www.shareeverywhere.com	ok	IP: 199.204.56.202 Country: United States of America Region: Wisconsin City: Madison Latitude: 43.073051 Longitude: -89.401230 View: Google Map
mychart.texashealth.org	ok	IP: 12.50.9.146 Country: United States of America Region: Texas City: Bedford Latitude: 32.844021 Longitude: -97.143066 View: Google Map

DOMAIN	STATUS	GEOLOCATION
www.texashealth.org	ok	IP: 4.156.163.59 Country: United States of America Region: Washington City: Redmond Latitude: 47.682899 Longitude: -122.120903 View: Google Map
mobilepreview.epic.com	ok	IP: 199.204.56.221 Country: United States of America Region: Wisconsin City: Madison Latitude: 43.073051 Longitude: -89.401230 View: Google Map
www.apache.org	ok	IP: 151.101.2.132 Country: United States of America Region: California City: San Francisco Latitude: 37.775700 Longitude: -122.395203 View: Google Map
ichart1.epic.com	ok	IP: 204.187.138.40 Country: United States of America Region: Wisconsin City: Verona Latitude: 42.990845 Longitude: -89.568443 View: Google Map

Т

DOMAIN	STATUS	GEOLOCATION
schemas.microsoft.com	ok	IP: 13.107.246.71 Country: Netherlands Region: Noord-Holland City: Amsterdam Latitude: 52.374031 Longitude: 4.889690 View: Google Map
s3.amazonaws.com	ok	IP: 16.182.42.128 Country: United States of America Region: Washington City: Seattle Latitude: 47.606209 Longitude: -122.332069 View: Google Map
www.googleapis.com	ok	IP: 142.250.74.42 Country: United States of America Region: California City: Mountain View Latitude: 37.405991 Longitude: -122.078514 View: Google Map
www.mychart.org	ok	IP: 13.107.246.71 Country: Netherlands Region: Noord-Holland City: Amsterdam Latitude: 52.374031 Longitude: 4.889690 View: Google Map
schemas.android.com	ok	No Geolocation information available.

DOMAIN	STATUS	GEOLOCATION
altbeacon.github.io	ok	IP: 185.199.111.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map
fifth-liberty-89719.firebaseio.com	ok	IP: 35.190.39.113 Country: United States of America Region: Missouri City: Kansas City Latitude: 39.099731 Longitude: -94.578568 View: Google Map
xmlpull.org	ok	IP: 185.199.109.153 Country: United States of America Region: Pennsylvania City: California Latitude: 40.065632 Longitude: -79.891708 View: Google Map



EMAIL	FILE
ejemplo@ejemplo.com example@example.com	Android String Resource



TRACKER	CATEGORIES	URL
AltBeacon		https://reports.exodus-privacy.eu.org/trackers/219

HARDCODED SECRETS

POSSIBLE SECRETS
"Branding_Google_Client_Secret" : "MdMm-MmRH486TKLSGHIODYmb"
"firebase_database_url" : "https://fifth-liberty-89719.firebaseio.com"
"google_api_key" : "AlzaSyBv776FvkVLGKyvr4AR_IFvkThhUx18A2s"
"google_crash_reporting_api_key" : "AlzaSyBv776FvkVLGKyvr4AR_IFvkThhUx18A2s"
"wp_key_preferences_about" : "wp_preference_about"
"wp_key_preferences_allow_all_locales" : "wp_key_preferences_allow_all_locales"
"wp_key_preferences_app_review_header" : "wp_preferences_app_review_header"
"wp_key_preferences_app_review_mode_switch" : "wp_key_preferences_app_review_mode_switch"
"wp_key_preferences_clear_disc_webview_cache" : "wp_key_preferences_clear_disc_webview_cache"

POSSIBLE SECRETS "wp_key_preferences_clear_ram_webview_cache": "wp_key_preferences_clear_ram_webview_cache" "wp_key_preferences_clear_webview_cache": "wp_key_preferences_clear_webview_cache" "wp_key_preferences_custom_locale": "wp_key_preferences_custom_locale" "wp_key_preferences_custom_phone_book": "wp_preference_custom_phone_book" "wp_key_preferences_custom_server": "wp_preference_custom_server" "wp_key_preferences_custom_server_switch": "wp_preference_custom_server_switch" "wp_key_preferences_enable_webview_cache": "wp_key_preferences_enable_webview_cache" "wp_key_preferences_health_connect_switch": "wp_key_preferences_health_connect_switch" "wp_key_preferences_health_data_debug_switch": "wp_key_preferences_health_data_debug_switch" "wp_key_preferences_screenshots": "wp_preference_screenshots" "wp key preferences testing header": "wp preferences testing header" "wp_key_preferences_tool_tip": "wp_key_preferences_tool_tip" "wp_key_preferences_webivew_cache_header": "wp_preferences_webview_cache_header" "wp_login_password" : "Password" "wp_login_username": "Username"

POSSIBLE SECRETS

"wp_share_everywhere_dismiss_token_button_title": "Dismiss"

"wp_two_factor_authenticate_code_button": "Verify"

"wp two factor authentication success accessibility announcement": "Success!"

"wp_login_password": "Contraseña"

"wp_share_everywhere_dismiss_token_button_title": "Descartar"

"wp_two_factor_authenticate_code_button": "Verificar"

"wp_two_factor_authentication_success_accessibility_announcement": "¡Éxito!"

> PLAYSTORE INFORMATION

Title: Texas Health MyChart

Score: 4.437318 Installs: 100,000+ Price: 0 Android Version Support: Category: Medical Play Store URL: org.TexasHealth.TexasHealthMyChart

Developer Details: Texas Health MyChart, 7085551943975354071, None, https://mychart.texashealth.org/MyChart/, MyChartHelp@TexasHealth.org,

Release Date: Dec 5, 2016 Privacy Policy: Privacy link

Description:

Use your Texas Health MyChart account to manage your health information and communicate with your care team on your mobile devices. With Texas Health MyChart you can: * Review test results, request refills for medications, view your immunization history and more * Stay in touch with your care team * Manage your appointments * Upload health and fitness data when enrolled in self-tracking programs * Access your family's health information * Receive Health Reminders * Complete History Questionnaires If you already have a Texas Health MyChart account, you are ready to begin. If you do not have a Texas Health MyChart account, create one by clicking Sign Up Now. For assistance email MyChartHelp@TexasHealth.org.

⋮≡ SCAN LOGS

Timestamp	Event	Error
2025-09-01 14:56:52	Generating Hashes	ОК
2025-09-01 14:56:52	Extracting APK	OK
2025-09-01 14:56:52	Unzipping	OK
2025-09-01 14:56:52	Parsing APK with androguard	OK
2025-09-01 14:56:53	Extracting APK features using aapt/aapt2	OK
2025-09-01 14:56:53	Getting Hardcoded Certificates/Keystores	OK
2025-09-01 14:56:56	Parsing AndroidManifest.xml	ОК
2025-09-01 14:56:56	Extracting Manifest Data	OK
2025-09-01 14:56:56	Manifest Analysis Started	OK

2025-09-01 14:56:56	Reading Network Security config from wp_network_security_config.xml	ОК
2025-09-01 14:56:56	Parsing Network Security config	ОК
2025-09-01 14:56:56	Performing Static Analysis on: Texas Health MyChart (org.TexasHealth.TexasHealthMyChart)	ОК
2025-09-01 14:56:58	Fetching Details from Play Store: org.TexasHealth.TexasHealthMyChart	ОК
2025-09-01 14:56:59	Checking for Malware Permissions	ОК
2025-09-01 14:56:59	Fetching icon path	OK
2025-09-01 14:56:59	Library Binary Analysis Started	ОК
2025-09-01 14:56:59	Reading Code Signing Certificate	OK
2025-09-01 14:57:00	Running APKiD 2.1.5	OK
2025-09-01 14:57:02	Detecting Trackers	OK
2025-09-01 14:57:06	Decompiling APK to Java with JADX	OK

2025-09-01 14:57:21	Converting DEX to Smali	ОК
2025-09-01 14:57:21	Code Analysis Started on - java_source	ОК
2025-09-01 14:57:25	Android SBOM Analysis Completed	ОК
2025-09-01 14:57:29	Android SAST Completed	ОК
2025-09-01 14:57:29	Android API Analysis Started	ОК
2025-09-01 14:57:34	Android API Analysis Completed	ОК
2025-09-01 14:57:34	Android Permission Mapping Started	ОК
2025-09-01 14:57:39	Android Permission Mapping Completed	ОК
2025-09-01 14:57:39	Android Behaviour Analysis Started	ОК
2025-09-01 14:57:45	Android Behaviour Analysis Completed	OK
2025-09-01 14:57:45	Extracting Emails and URLs from Source Code	ОК

2025-09-01 14:57:50	Email and URL Extraction Completed	ОК
2025-09-01 14:57:50	Extracting String data from APK	ОК
2025-09-01 14:57:50	Extracting String data from Code	ОК
2025-09-01 14:57:50	Extracting String values and entropies from Code	ОК
2025-09-01 14:57:55	Performing Malware check on extracted domains	ОК
2025-09-01 14:57:56	Saving to Database	ОК

Report Generated by - MobSF v4.4.0

Mobile Security Framework (MobSF) is an automated, all-in-one mobile application (Android/iOS/Windows) pen-testing, malware analysis and security assessment framework capable of performing static and dynamic analysis.

@ 2025 Mobile Security Framework - MobSF | <u>Ajin Abraham</u> | <u>OpenSecurity.</u>