

References

1. Erickson, R. W., & Maksimović, D. (2020). *Fundamentals of Power Electronics*.
<https://doi.org/10.1007/978-3-030-43881-4>
2. Chen, Z. (2009). Characterization and modeling of High-Switching-Speed Behavior of SIC active Devices. In *VTechWorks (Virginia Tech)*. <http://hdl.handle.net/10919/30778>
3. Buffolo, M., Favero, D., Marcuzzi, A., De Santi, C., Meneghesso, G., Zanoni, E., & Meneghini, M. (2024). Review and Outlook on GAN and SIC Power Devices: Industrial State-of-the-Art, Applications, and Perspectives. *IEEE Transactions on Electron Devices*, 71(3), 1344–1355. <https://doi.org/10.1109/ted.2023.3346369>
4. Jahdi, S., Alatise, O., Gonzalez, J. a. O., Bonyadi, R., Ran, L., & Mawby, P. (2015). Temperature and switching rate dependence of crosstalk in SI-IGBT and SIC power modules. *IEEE Transactions on Industrial Electronics*, 63(2), 849–863.
<https://doi.org/10.1109/tie.2015.2491880>
5. Zhang, B., & Wang, S. (2019). A survey of EMI research in power electronics systems with Wide-BandGap semiconductor devices. *IEEE Journal of Emerging and Selected Topics in Power Electronics*, 8(1), 626–643. <https://doi.org/10.1109/jestpe.2019.2953730>
6. Narayanasamy, B., & Luo, F. (2019). A survey of active EMI filters for conducted EMI noise reduction in power electronic converters. *IEEE Transactions on Electromagnetic Compatibility*, 61(6), 2040–2049. <https://doi.org/10.1109/temc.2019.2953055>
7. Fang, Z., Jiang, D., & Zhang, Y. (2018). Study of the characteristics and suppression of EMI of inverter with SiC and Si devices. *Chinese Journal of Electrical Engineering*, 4(3), 37–46. <https://doi.org/10.23919/cjee.2018.8471288>

8. Liu, T., Wong, T. T. Y., & Shen, Z. J. (2018). A new characterization technique for extracting parasitic inductances of SiC power MOSFETs in discrete and module packages based on Two-Port S-Parameters measurement. *IEEE Transactions on Power Electronics*, 33(11), 9819–9833. <https://doi.org/10.1109/tpel.2017.2789240>
9. Noppakunkajorn, J., Han, D., & Sarlioglu, B. (2015). Analysis of High-Speed PCB with SiC devices by investigating Turn-Off overvoltage and interconnection inductance influence. *IEEE Transactions on Transportation Electrification*, 1(2), 118–125. <https://doi.org/10.1109/tte.2015.2426503>
10. Liu, B., Li, W., Meng, D., Diao, L., Ma, Y., Qiu, T., & Diao, L. (2020). Low-Stray inductance optimized design for power circuit of SiC-MOSFET-Based inverter. *IEEE Access*, 8, 20749–20758. <https://doi.org/10.1109/access.2020.2964687>
11. Pace, L., Idir, N., Duquesne, T., & De Jaeger, J. (2021). Parasitic loop inductances reduction in the PCB layout in GAN-Based power converters using S-Parameters and EM simulations. *Energies*, 14(5), 1495. <https://doi.org/10.3390/en14051495>
12. Wang, B. (2017). Review of Power Semiconductor Device Reliability for power Converters. *CPSS Transactions on Power Electronics and Applications*, 2(2), 101–117. <https://doi.org/10.24295/cpsstpea.2017.00011>
13. Gurpinar, E., Iannuzzo, F., Yang, Y., Castellazzi, A., & Blaabjerg, F. (2017). Design of Low-Inductance switching power cell for GAN HEMT based inverter. *IEEE Transactions on Industry Applications*, 54(2), 1592–1601. <https://doi.org/10.1109/tia.2017.2777417>

14. He, N., Chen, M., Wu, J., Zhu, N., & Xu, D. (2018). 20-kW Zero-Voltage-Switching SIC-MoSFET grid inverter with 300 KHz switching frequency. *IEEE Transactions on Power Electronics*, 34(6), 5175–5190. <https://doi.org/10.1109/tpel.2018.2866824>
15. Letellier, A., Dubois, M. R., Trovao, J. P. F., & Maher, H. (2018). Calculation of Printed Circuit Board Power-Loop Stray Inductance in GaN or High $\frac{di}{dt}$ Applications. *IEEE Transactions on Power Electronics*, 34(1), 612–623. <https://doi.org/10.1109/tpel.2018.2826920>
16. Iyasu, S., Shimizu, T., & Ishii, K. (2006). A novel inductor loss calculation method on power converters based on dynamic minor loop. *IEEE Transactions on Industry Applications*, 126(7), 1028–1034. <https://doi.org/10.1541/ieejias.126.1028>
17. Han, D., & Sarlioglu, B. (2016). Comprehensive study of the performance of SIC MOSFET-Based Automotive DC–DC Converter under the influence of Parasitic Inductance. *IEEE Transactions on Industry Applications*, 52(6), 5100–5111. <https://doi.org/10.1109/tia.2016.2586463>
18. Wang, J., Chung, H. S., & Li, R. T. (2012). Characterization and experimental assessment of the effects of parasitic elements on the MOSFET switching performance. *IEEE Transactions on Power Electronics*, 28(1), 573–590. <https://doi.org/10.1109/tpel.2012.2195332>
- 19.