

Effective From 21st April, 2026

Product Image	Product Model	Product Description	DPP	MRP
Turbo HD Analog Camera IP/ECO Series				
2MP 	DS-2CE16D0T-EXIPF (2 MP Fixed Mini Bullet Camera)	2MP CMOS Sensor, 12pcs LEDs, 3.6mm LENS Upto 20m IR, Outdoor IR Bullet, ICR 0.02lux/F1.2, 12VDC, IP66,1080p@25fps OSD Menu, 2D DNR, DWDR	Rs.2005	Rs. 2,507
Value Series Turbo HD Analog Camera				
2MP 	DS-2CE16D0T-ITPFS (2 MP Audio Fixed Mini Bullet Camera)	2MP CMOS Sensor, 2.8,3.6, 6mm Lens upto 25m IR, 1080p@30fps, 1920x1080, ICR 0.01lux/F1.2, 12VDC, Smart IR, DWDR,OSD Menu, DNR, Indoor IR Bullet	Rs. 2,496	Rs. 3,120
2MP 	DS-2CE16D0T-EXLPF (2MP Smart Hybrid Light Fixed Mini Bullet)	High quality imaging with 2 MP, 1920 × 1080 resolution,Smart-Hybrid light, optimize your security with flexible lighting options 2.8 mm, 3.6 mm fixed focal lensUp to 20 m IR distance for bright night imaging.	Rs. 2,074	Rs. 3,375
2MP 	DS-2CE76D0T-LPFS (2MP Hybrid Light Audio Turret)	1920x1080 resolution, 2.8 mm, 3.6 mm fixed focal lens, 20 m IR distance, TVI/AHD/CVI/CVBS, 2 MP CMOS image censor, ICR day & ligh, M12 lens mount, Digital WDR, BLC/HLC/Global, 84.6 mm × Ø 85.02 mm (3.33" × Ø 3.35") dimension	Rs.2,199	Rs. 2,900
2MP 	DS-2CE16D0T-LPFS (2MP Hybrid Light Audio Bullet)	2 MP CMOS, 1920 (H) × 1080 (V) max resolution, Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360°, ICR Day and Night, 2.8 mm, 3.6 mm fixed focal lens, IR: Up to 25 m White Light: Up to 20 m, DWDR/BLC /HLC/Global, High-quality audio with audio over coaxial cable, built-in mic, Water and dust resistant (IP67)	Rs.2,399	Rs. 3,100
Turbo HD 5.0 FC-Series ColorVu Camera				
2MP 	DS-2CE70DF0T-PF (2MP Dome)	2MP CMOS Sensor, 2.8/3.6/6mm LENS, BLC, HLC, White-light upto 20m, 3D DNR, OSD, menu color, 0.001lux/F1.0, 12VDC, Full time color 1080p@25fps, True DWDR, smart light	Rs. 3,099	Rs. 4,100
2MP 	DS-2CE70DF0T-PFS (2MP Dome)	2MP CMOS Sensor, 2.8/3.6/6mm LENS, BLC, HLC, White-light upto 20m, 3D DNR, OSD, menu color, 0.001lux/F1.0, 12VDC, Full time color 1080p@25fps, True DWDR, smart light, Built-in microphone for security	Rs. 3,099	Rs. 4,100
2MP 	DS- 2CE10DF0T-PF (2MP Bullet)	2MP CMOS Sensor, 2.8/3.6/6mm LENS, BLC White- light upto 20m, 3D DNR, IP67, OSD menu color, 0.001lux/ F1.0, 12VDC, Full time color, 1080p@25fps/30fps, True DWDR, smart light	Rs. 3,199	Rs. 4,200
2MP 	DS- 2CE10DF0T-PFS (2MP Bullet)	2MP CMOS Sensor, 2.8/3.6/6mm LENS, BLC White- light upto 20m, 3D DNR, IP67, OSD menu color, 0.001lux/ F1.0, 12VDC, Full time color, 1080p@25fps/30fps, True DWDR, smart light, Built-in microphone for real-time audio security	Rs. 3,199	Rs. 4,200
eDVR Series				
	DS-E04HQHI-B (4-ch 4MP Lite 1U H.265 eSSD DVR)	H.265 Pro/H.265 video compression, 4 MP Lite/1080p/720p/WD1/4CIF/QVGA/CIF, Motion Detection 2.0, HDTV/ AHD/CVI/CVBS/IP video inputs, up to 4 MP Lite@15 fps encoding, 1-ch IP Video input, 4-ich analog video input, 12 VDC, Built-in 512 GB eSSD	Rs. 12,056	Rs. 15,070
HD DVR (7100-Series)				
	DS-7104HGHI-M1 (4-Channel Turbo HD DVR)	H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 video compression video compression, 4-ch analog Video output, 1 SATA Interface upto 4 TB capacity for each disk, Support 1080p Lite of all	Rs. 5,000	Rs. 6,500
	DS-7108HGHI- M1 (8-Channel Turbo HD DVR)	H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 video compression, 8-ch analog Video output, 1 SATA interface (up to 4 TB capacity, motion detection 2.0	Rs. 6,500	Rs. 8,500
	DS-7116HGHI- M1 (16-Channel Turbo HD DVR)	H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 video compression, 16-ch analog Video output, 1 SATA Interface upto 10 TB capacity, Hik-Connect & DDNS, Support 1080p Lite of all channels	Rs. 11,700	Rs. 15,000
H.265+ Series HD DVRs (7100-Series)				
	DS-7108HQHI- K1(S) [8-Channel TURBO HD DVR (4MP Lite)]	H.265 Pro+/H.265 Pro/H.265 video compression, Max. 800 m for 1080p and 1200 m for 720p HDTV, up to 6 TB capacity per HDD, Hik-Connect & DDNS	Rs. 11,016	Rs. 13,770


Effective From 21st April, 2026

Product Image	Product Model	Product Description	DPP	MRP
	DS-7232HGHI-M2 (32-Channel)	H.265 Pro+/H.265 Pro/H.265 video compression, HDTVI/AHD/CVI/CVBS/IP video input, Audio via coaxial cable, 32 Kbps to 4 Mbps video bitrate, 128 Mbps bandwidth, 2 SATA interface, up to 10 TB capacity for each disk, 12 VDC, 3.33A power supply, Max. 1200 m for 720p HDTVI signal, upto 18-ch IP camera inputs (up to 5 MP), Upto 1080p Lite@15 fps encoding capability	Rs. 32,000	Rs. 40,000
IP Cameras				
	DS- 2CD1023G0E-I (2MP Bullet)	1/2.7" CMOS, H.265+, 4mm, Upto 30m IR, Fixed IR, Bullet, Smart IR, IP67, ICR 0.01lux/F2.0, 12 VDC, 3DNR, BLC, ONVIF, 1920x1080:25fps(P)/30fps(N) resolution	Rs. 4,699	Rs. 6,100
	DS -2CD1323G0E-I (2MP Dome)	1/2.7" CMOS, H.265+, 3D DNR, IP67, Upto 30m IR, BLC, AGC, HLC, DWDR, Day/Night ICR, 2.8mm Lens, F/1.2 aperture, 12VDC, ONVIF, Smart IR cut Filter, EXIR 2.0, 1920x1080@25fps(P)/30fps(N)	Rs. 4,699	Rs. 6,100
	DS-2CD1023G2-LIU (2MP Bullet)	1/2.9" CMOS, H.265+, 4mm, IR and White Light, Upto 30m Supplement Light, Bullet, IP67, ICR, 0.005lux/F1.6, 12 VDC, 3DNR, BLC, ONVIF, Built-in audio, Motion Detection 2.0	Rs. 5,499	Rs. 7,000
	DS- 2CD1323G2-LIU (2MP Dome)	1/2.9" CMOS, H.265+, 2.8mm, IR and White Light, Upto 30m Supplement Light, Bullet, IP67, ICR, 0.005lux/F1.6, 12 VDC, 3DNR, BLC, ONVIF, Built-in audio, Motion Detection 2.0	Rs. 5,499	Rs. 7,000
	DS-2CD1023G2-LIU/SL (2MP Bullet)	1/2.9" CMOS, 1920 × 1080, IR, White Light, Supplement Light Range Upto 30m, Main Stream : 50 Hz@25 fps @1920 × 1080, audio type: mono sound, environment noise filtering, Digital WDR, BLC, HLC, 3D DNR, IP67, built-in two-way audio	Rs. 6,299	Rs. 8000
	DS-2CD1323G2-LIU/SL (2MP Dome)	1/2.9" CMOS, 1920 × 1080, IR, White Light, Supplement Light Range Upto 30m, Main Stream : 50 Hz@25 fps @1920 × 1080, audio type: mono sound, environment noise filtering, Digital WDR, BLC, HLC, 3D DNR, IP67, built-in two-way	Rs. 6,299	Rs. 8000
	DS-2CD1T23G2-LIU (2MP Bullet)	1/2.9" CMOS, H.265+, 4mm, IR upto 30m, Bullet, IP67, ICR, 0.01lux/F2.0, 12 VDC, 3DNR, BLC, ONVIF, Smart Motion Detection, IP67, 1920x1080@25fps(P)/30fps,	Rs. 6,199	Rs. 8000
	DS- 2CD1123G2-I (2MP Dome)	1/2.9" CMOS, H.265+, 2.8mm, Upto 30m IR, Fixed IR Dome, Smart IR, IP67, ICR 0.01lux/F2.0, 12VDC, 3DNR, BLC, ONVIF, 1920x1080:25fps(P)/30fps, IK10, Vandal Proof, EXIR 2.0	Rs. 5,499	Rs. 7,000
	DS- 2CD1123G2-LIU (2MP Dome)	1/2.9" CMOS, H.265+, 2.8mm, Upto 30m IR, Fixed IR Dome, Smart IR, IP67, ICR 0.01lux/F2.0, 12VDC, 3DNR, BLC, ONVIF, 1920x1080:25fps(P)/30fps, IK10, Vandal Proof, EXIR 2.0, inbuilt microphone	Rs. 6,199	Rs. 8,000
	DS-2CD1043G2-LIU (4MP Bullet)	1/3" CMOS, H.265+, 4mm, IR and White Light, Upto 30m Supplement Light, Bullet, IP67, ICR, 0.005lux/F1.6, 12 VDC, 3DNR, BLC, ONVIF, Built-in audio, Motion Detection 2.0, Built-In SD Card support	Rs. 7,950	Rs. 10,500
	DS- 2CD1343G2-LIU (4MP Dome)	1/3" CMOS, H.265+, 2.8mm, IR and White Light, Upto 30m Supplement Light, Bullet, IP67, ICR, 0.005lux/F1.6, 12 VDC, 3DNR, BLC, ONVIF, Built-in audio, Motion Detection 2.0	Rs. 7,950	Rs. 10,500
	DS-2CD1T43G2-LIU (4 MP Bullet)	1/3" CMOS, H.265+, Upto 50m Supplement Light range, IP67, IR cut filter, 0.005 Lux @ (F1.6, AGC ON), BLC, HLC, 3D DNR, Built-in microphone for real-time audio security, Support Human and Vehicle Detection	Rs. 8,600	Rs. 11,500
	DS-2CD1063G2-LIU (6MP Bullet)	1/2.4" CMOS, H.265+, IR, White Light, supplement light range upto 30m, Mainstream(upto): 60Hz@20fps@3200*1800, audio type: mono sound, environment noise filtering, Day, Night, Auto, Schedule, BLC, HLC, 3D DNR, IP67	Rs. 8,650	Rs. 11,500
	DS-2CD1083G2-LIU (8MP Bullet)	1/2.7" Progressive Scan CMOS, H.265+, IR, White Light, supplement light range upto 30m, 60 Hz: 15 fps@3840 × 2160, audio type: mono sound, environment noise filtering, Day, Night, Auto, Schedule, BLC, HLC, 3D DNR, IP67	Rs. 9,900	Rs. 14,000

ColorVu Lite Network Camera


Effective From 21st April, 2026

Product Image	Product Model	Product Description	DPP	MRP
2MP  	DS-2CD1027G3-LIU(2MP ColorVu Bullet)	1/3" Progressive CMOS, ICR,1920 × 1080: 20fps(P)/(N), H.265+/H.265/H.264+&H.264, DWDR, 3D DNR, BLC, IR or white light range:up to 30m, Built-in microphone, DC12V & PoE, Support mobile monitoring via Hik-Connect; Built-in Microphone	Rs. 6,900	Rs. 9,000
2MP  	DS-2CD1327G3-LIU(2MP ColorVu Turret)	1/3" Progressive CMOS, ICR,1920 × 1080: 20fps(P)/(N), H.265+/H.265/H.264+&H.264, DWDR, 3D DNR, BLC, IR or white light range:up to 30m, Built-in microphone, DC12V & PoE, Support mobile monitoring via Hik-Connect; Built-in Microphone	Rs. 6,900	Rs. 9,000
2MP  	DS-2CD1T27G3-LIU(2MP ColorVu Bullet)	1/3" Progressive CMOS, ICR,1920 × 1080: 25fps(P)/30fps(N), H.265+/H.265/H.264+&H.264, DWDR, 3D DNR, BLC, IR or white light range:up to 30m, Built-in microphone, DC12V & PoE, Support mobile monitoring via Hik-Connect;U: Built-in Microphone	Rs. 7,250	Rs. 9,500
4MP  	DS-2CD1047G3-LIU(4MP ColorVu Bullet)	1/3" Progressive CMOS, ICR,2560 × 1440: 25fps(P)/30fps(N), H.265+/H.265/H.264+&H.264, DWDR, 3D DNR, BLC, IR or white light range:up to 30m, Built-in microphone, DC12V & PoE, Support mobile monitoring via Hik-Connect;Built-in Microphone	Rs. 9,300	Rs. 12,500
4MP  	DS-2CD1347G3-LIU(4MP ColorVu Dome)	1/3" Progressive CMOS, ICR,2560 × 1440: 25fps(P)/30fps(N), H.265+/H.265/H.264+&H.264, DWDR, 3D DNR, BLC, IR or white light range:up to 30m, Built-in microphone, DC12V & PoE, Support mobile monitoring via Hik-Connect;Built-in Microphone	Rs. 9,300	Rs. 12,500
4MP  	DS-2CD1T47G3-LIU(4MP ColorVu Bullet)	1/3" Progressive CMOS, ICR,2560 × 1440: 20fps(P)/(N), H.265+/H.265/H.264+&H.264, DWDR, 3D DNR, BLC, IR or white light range:up to 30m, Built-in microphone, DC12V & PoE, Support mobile monitoring via Hik-Connect;U: Built-in Microphone	Rs. 10,000	Rs. 13,000
ColorVu Network Cameras				
2MP  	DS-2CD2027G2-LU (2MP ColorVu Fixed mini bullet)	1/2.8" Progressive Scan CMOS, H.265+ compression, 24/7 colorful imaging, Water and dust resistant (IP67), WDR: 120dB, 2.8, 4, and 6 mm optional fixed lens, BLC, HLC, 3D DNR, Day/Night Switch, Face capture	Rs. 12,146	Rs. 15,790
4MP  	DS-2CD2047G3-LI(2U)Y (4 MP ColorVu Bullet)	1/1.8" Progressive Scan CMOS, H.265+ compression, 24/7 colorful imaging, 2.8, /4/6 mm optional fixed focal lens, 32 Kbps to 8 Mbps video bit rate, BLC, HLC, 3D DNR, Water and dust resistant (IP67)	Rs. 19,017	Rs. 24,722
 	DS-2CD2347G3-LI2UY (4 MP ColorVu Dome Camera)	1/1.8" Progressive Scan CMOSMax. Resolution 2688 × 1520.Min. Illumination,Color: 0.0001 Lux @ (F1.0, AGC ON),0 Lux with light,Motion detection (support alarm triggering by specified target types (human and vehicle)),video tampering alarm,exception	Rs. 19,017	Rs. 24,722
4MP  	DS-2CD2T47G3-LIY (4 MP ColorVu Fixed Bullet)	1/1.8" Progressive Scan CMOS, 2688 x 1520 max resolution ,60m WLR, BLC, HLC, 3D DNR: 130 dB WDR, in built storage up to 256 GB	Rs. 22,358	Rs. 29,065
4MP  	DS-2CD2T47G3-LIS2UY/SL (4 MP ColorVu Fixed Bullet)	1/1.8" Progressive Scan CMOS, 2688 x 1520 max resolution ,60m WLR, BLC, HLC, 3D DNR: 130 dB WDR, in built storage up to 256 GB	Rs. 23,386	Rs. 30,402
8MP  	DS-2CD2087G3-LIZUY/SL (8MP ColorVu)	1/1.2" Progressive Scan CMOS, Color: 0.0005 Lux @ (F1.0, AGC ON), F1.0, Supplement Light Range: 40 m, H.265/H.264/H.264+/H.265+, WDR, BLC, HLC, 3D DNR	Rs. 28,630	Rs. 37,219
AcuSense Built-in Mic Dome Cameras				
2MP  	DS-2CD2123G2-IU (2 MP Vandal Fixed Dome)	Image Sensor1/2.8" Progressive Scan CMOS, Max. Resolution 1920 × 1080, Lens Type Fixed focal lens, 2.8 and 4 mm optional, Video Compression Mainstream: H.265/H.264/H.264+/H.265	Rs. 13,099	Rs. 17,029
8MP  	DS-2CD2183G2-LIS2U (8MP Turret)	1/2.8" Progressive Scan CMOS, Color: 0.005 Lux @ (F1.6, AGC ON),0 Lux with light, 1/3 s to 1/100,000 s, 3840 × 2160, Fixed focal lens, 2.8 and 4 mm optional, 2.8 mm, horizontal FOV 108°, vertical FOV 59°, diagonal FOV 127°4 mm, horizontal FOV 88°, vertical FOV 44°, diagonal FOV 105°	Rs. 17,014	Rs. 22,118
PT Network Cameras				


Effective From 21st April, 2026

Product Image	Product Model	Product Description	DPP	MRP
2MP 	DS-2DE2C200MWG-E(2MP PT)	1/2.9" CMOS, Color: 0.01 Lux @ (F2.0, AGC ON), IR, White Light, Movement Range (Pan) 0° to 345°, Movement Range (Tilt) 0° to 80°, main stream 50hz:25fps@1920*1080, H.265, H.264, MJPEG,	Rs. 5,550	Rs. 7,200
4MP 	DS-2DE2C400MWG-E(4MP PT)	1/3" Progressive Scan CMOS, 2560 × 1440, Color: 0.01 Lux @ (F2.0, AGC ON), IR, White Light, Movement Range (Pan):0° to 345°, Movement Range (Tilt): 0° to 80, Main Stream: 50Hz@20fps(2560*1440), Digital WDR, BLC, HLC, 3D DNR	Rs. 8,000	Rs. 10,500
TandemVu PT Cameras				
2MP 	DS-2SE2C200MWG-E/12(2MP)	1/2.9" Progressive Scan CMOS, [PTZ channel] 1/2.9Progressive Scan CMOS", Color: 0.01 Lux [PTZ channel]Color: 0.01 Lux @ (F2.0, AGC ON), B/W: 0.01 Lux @ (F2.0, AGC ON), 0 lux with IR@ (F2.0, AGC ON), Digital WDR ≥ 52 dBDay,night,auto,schedule BLC,HLC,3D DNR	Rs. 10,500	Rs. 14,000
4MP 	DS-2SE2C400MWG-E/14(4MP)	1/2.8" Progressive Scan CMOS, [PTZ channel] 1/2.8Progressive Scan CMOS", Color: 0.005 Lux [PTZ channel]Color: 0.005 Lux @ (F2.0, AGC ON), B/W: 0.005 Lux @ (F2.0, AGC ON), 0 lux with IR@ (F2.0, AGC ON), Digital WDR ≥ 52 dBDay,night,auto,schedule BLC,HLC,3D DNR	Rs. 12,000	Rs. 16,000
PTZ Network Cameras				
2MP 	DS-2DE4215IW- DE (2MP PTZ)	H.265+/H.265 video compression, 5- 75mm LENS, Upto 100m IR, optical zoom 15x, digital zoom 16x, Color 0.02lux/F1.5, DWDR, 3D DNR, IP66,	Rs. 37,690	Rs. 48,997
4MP 	DS-2DE4425IWDE (4MP PTZ)	1/2.8" Progressive CMOS, H.265+/H.265 video compression, 3 Streams Upto 100m IR, optical zoom 25x, digital zoom 16x, Color: 0.005Lux @ (F1.6, AGC ON); B/W: 0.001Lux @ (F1.6, AGC ON), Auto- tracking, WDR, HLC 3D DNR, 2560x1440@25fps(P)/30fps(N)	Rs. 52,088	Rs. 67,714
2MP 	DS-2SE4C215MWG-E(12F0)(2MP PTZ) Tandem	1/1.8" Progressive CMOS, H.265+/H.265 video compression, 3 Streams Upto 200m IR, optical zoom 15x, digital zoom 16x, Color: 0.005Lux @ (F1.5, AGC ON); B/W: 0.001Lux @ (F1.5, AGC ON), Auto- tracking, WDR, HLC 3D DNR, 2560x1440 max resolution:25fps(P)/30fps(N)	Rs. 43,189	Rs. 56,146
4MP 	DS-2SE4C425MWG-E(14F0)(4MP PTZ)	1/1.8" Progressive CMOS, H.265+/H.265 video compression, 3 Streams Upto 200m IR, optical zoom 25x, digital zoom 16x, Color: 0.005Lux @ (F1.5, AGC ON); B/W: 0.001Lux @ (F1.5, AGC ON), Auto- tracking, WDR, HLC 3D DNR, 2560x1440 max resolution:25fps(P)/30fps(N)	Rs. 60,726	Rs. 78,944
	DS-2DE54321W-AE (4MP PTZ)	1/2.8" Progressive Scan CMOS, 4 MP resolution, 32× optical zoom, 16× digital zoom, Up to 150 m IR distance, 0 Lux with IR;color: 0.005Lux @ (F1.2, AGC ON) B/W: 0.001Lux @ (F1.2, AGC ON), 4.8 mm to 153 mm, 32× Optical, 32 kbps to 16384 kbps, WDR, HLC, BLC, 3D DNR	Rs. 75,900	Rs. 98,670
4MP AcuSense IR Fixed Turret Network Camera				
4MP 	DS-2CD2346G1-I (4MP Turret)	1/2.7" Progressive CMOS, H.265+, H.264+, H.265, H.264, 2.8 mm/4 mm/6 mm fixed lens, 120db WDR, 2K Upto 50m IR, Max. 2688x1520@30fps, smart IR, IP67 color 0.007lux/F1.6, 3D DNR, BLC, ROI, ONVIF,	Rs. 12,300	Rs. 15,375
Vari-Focal Network Camera				
2MP 	DS-2CD1723G2- LIZU (2MP DOME)	1/2.7" Progressive Scan CMOS, 1920 ×1080, Main stream: H.265+/H.265/H.264+/H.264, 32 Kbps to 8 Mbps video bit rate, BLC, 3D DNR, Auto Schedule, Day- Night, Motion detection, video tampering alarm	Rs. 13,611	Rs. 17,013
4MP 	DS-2CD1743G2- LIZU (4MP DOME)	1/3" Progressive Scan CMOS, 2560 × 1440, Main stream: H.265+/H.265/H.264+/H.264, 32 Kbps to 8 Mbps video bit rate, BLC, 3D DNR, Auto Schedule, Day- Night, Motion detection, video tampering alarm.	Rs. 16,229	Rs. 20,286
2MP 	DS-2CD1623G2- LIZU (2MP VF Bullet Camera)	1/2.7" CMOS Sensor, H.265+, 3D DNR, IP67 Upto 50m IR, BLC, 3D DNR, ROI, DWDR, IR cut Filter, HLC ICR, Color: 0.005 Lux @ (F1.6, AGC ON), 12VDC, M16 Lens, up to 256 GB SD card slot for storage 1920x1080@25fps/30fps, 2.8-8mm motorized varifocal lens	Rs. 13,611	Rs. 17,013


Effective From 21st April, 2026

Product Image	Product Model	Product Description	DPP	MRP
	DS-2CD1643G0-IZ (4MP Bullet)	1/3" Progressive Scan CMOS, H.265+, 3D DNR, IP67, upto 50m, BLC, ROI, IR cut filter, WDR, 3D DNR 2.8- 12mm, 0.005 Lux @ (F1.6, AGC ON), 2560x1440 max resolution @20fps/25fps	Rs. 16,229	Rs. 20,286
	DS-2CD1A23G0-IZU	1/3" Progressive Scan CMOS, H.265+, 3D DNR, IP67, upto 50m, BLC, ROI, IR cut filter, WDR, 3D DNR 2.8- 12mm, 0.005 Lux @ (F1.6, AGC ON), 2560x1440 max resolution @20fps/25fps	Rs. 13,611	Rs. 17,013
USB Camera				
	AE-DC2018-D1 (Dash Camera)	Up to 1080p resolution, with 115°FOV, supports TF card storage (Max.128GB), G-sensor, built-in loudspeaker, 5 VDC, 1080p@25fps (Default);	Rs. 5,945	Rs. 7,431
NVR				
	DS-7104NI-Q1/M (4-Port)	H.265+/H.265/H.264+/H.264 video compression, up to 40/60 Mbps incoming bandwidth, and 60 Mbps outgoing bandwidth. 2-ch@4MP or 4-ch@1080p playback resolution, 1 SATA interface (up to 6 TB capacity per HDD)	Rs. 7000	Rs. 9000
	DS-7108NI-Q1/M (8-Port)	H.265+/H.265/H.264+/H.264 video compression, 1 SATA interface (up to 6 TB capacity per HDD), Up to 40/60Mbps incoming bandwidth, and 60 Mbps outgoing bandwidth, 2-ch@4 MP or 4-ch@1080p	Rs. 7,950	Rs. 10,500
	DS-7604NI-Q1 (4-Port)	Up to 4-ch IP camera inputs, H.265+/H.265/H.264+/H.264 video formats, up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity, 1 SATA interface for HDD connection (up to 8 TB capacity per HDD), 1- ch Motion Detection	Rs. 10,200	Rs. 13,500
	DS-7104NI-Q1/4P (4-Port/PoE Built)	H.265+/H.265/H.264+/H.264 video compression, 2- ch@4 MP or 4-ch@1080p playback resolution, 1 SATA interface (up to 6 TB capacity per HDD), 1 self- adaptive 10/100 Mbps Ethernet	Rs. 10,485	Rs. 13,666
	DS-7608NI-Q1 (8-Port)	Up to 8-ch IP camera inputs, H.265+/H.265/H.264+/H.264 video formats, up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity, 1 SATA interface for HDD connection (up to 8 TB capacity per HDD), 4- ch Motion Detection	Rs. 11,500	Rs. 15,000
	DS-7608NI-Q2 (8-Port)	Up to 8-ch IP camera inputs, H.265+/H.265/H.264+/H.264 video formats, up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity, 4-ch Motion Detection 2.0, 2 SATA interfaces for HDD connection (up to 8 TB capacity per HDD)	Rs. 15,000	Rs. 19,000
	DS-7608NXI-K1 (8-Port)	Up to 8-ch IP camera inputs, H.265+/H.265/H.264+/H.264 video formats, support Motion Detection 2.0, Upto 80 Mbps incoming bandwidth, 1 SATA interfaces, Facial recognition, perimeter protection, 12 VDC, 3.3 A power supply	Rs. 17,500	Rs. 22,500
	DS-7608NXI-K2 (8-Port)	Up to 8-ch IP camera inputs, H.265+/H.265/H.264+/H.264 video formats, support Motion Detection 2.0, Upto 80 Mbps incoming bandwidth, 2 SATA interfaces, Facial recognition, perimeter protection, 12 VDC, 3.3 A power supply	Rs. 21,000	Rs. 27,000
	DS-7608NXI-I2/S (8 Port)	H.265+/H.265/H.264+/H.264 video formats, Up to 32- ch 1080p decoding capability, Facial recognition, perimeter protection, motion detection 2.0-AI by NVR, Upto 4K (3840 × 2160)/30 Hz HDMI output, 2 SATA	Rs. 32,895	Rs. 42,765
	DS-7616NI-Q1 (16-Port)	Up to 16-ch IP camera inputs, H.265+/H.265/H.264+/H.264 video formats, up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity, 1 SATA interface for HDD connection (up to 8 TB capacity per HDD), 4- ch Motion Detection 2.0, 12 VDC	Rs. 12,500	Rs. 16,000
	DS-7616NI-Q2 (16-Port)	Up to 16-ch IP camera inputs, H.265+/H.265/H.264+/H.264 video formats, up to 1-ch@8 MP/3-ch@4 MP/6-ch@1080p decoding capacity, 2 SATA interfaces for HDD connection (up to 8 TB capacity per HDD), 4- ch Motion Detection 2.0	Rs. 17,000	Rs. 22,000
	DS-7616NXI-K1 (16-Port)	H.265+/H.265/H.264+/H.264 video format, up to 2- ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity, 1 SATA interfaces for HDD connection, 12 VDC	Rs. 20,000	Rs. 26,000
	DS-7616NXI-K2 (16-Port)	H.265+/H.265/H.264+/H.264 video format, up to 2- ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity, 2 SATA interfaces for HDD connection, 12	Rs. 23,500	Rs. 30,000
	DS-7632NXI-K2 (32-Port)	H.265+/H.265/H.264+/H.264 video formats, up to 32- ch IP camera inputs, up to 2-ch@8 MP or 4-ch@4 MP or 8-ch@1080p decoding capacity, 2 SATA interfaces	Rs. 32,500	Rs. 42,000

**Effective From 21st April, 2026**

Product Image	Product Model	Product Description	DPP	MRP
	DS-7716NXI-K4 (16-Port)	Up to 16-ch IP camera inputs, H.265+/H.265/H.264+/H.264 video formats, Upto 2- ch@12 MP or 3-ch@8 MP or 6-ch@4 MP or 12-ch@1080p decoding capacity, Upto 160 Mbps incoming bandwidth	Rs. 45,500	Rs. 60,000
	DS-7732NXI-K4 (32-Port)	Up to 32-ch IP camera inputs, H.265+/H.265/H.264+/H.264 video formats, up to 2-ch@8 MP/4-ch@4 MP/8-ch@1080p decoding capacity, 4 SATA interfaces for HDD connection (up to 10 TB capacity per HDD), 16 ch synchronous playback	Rs. 51,500	Rs. 70,000
	DS-7632NI-M2 (32 Port)	Up to 32-ch@1080p decoding capacity, H.265+/H.265/H.264+/H.264 video formats, Upto 8K (7680 × 4320)/30Hz HDMI Output, 2 SATA interfaces, Up to 16 TB capacity for each HDD, Support web access without plug-in	Rs. 52,059	Rs. 68,000
	DS-7732NI-M4 (32 Port)	H.265+/H.265/H.264+/H.264 video formats, up to 16/32-ch IP camera inputs, up to 4 SATA interfaces for HDD connection, 16-ch synchronous playback, Hik-	Rs. 73,750	Rs. 96,000
	DS-7764NI-M4 (64 Port)	Up to 64-ch IP cameras can be connected (up to 32 MP), H.265+ compression, Full channel recording at up to 32MP resolution, up to 4 SATA interfaces for HDD connection, 16-ch synchronous playback at up to 1080p resolution	Rs. 79,535	Rs. 10,4000
	DS-8664NXI-I8/S (64 Port)	Up to 64-ch IP cameras can be connected (up to 32 MP), H.265+ compression, Up to 4-ch facial recognition for video stream, up to 8SATA interfaces for HDD connection, 16-ch synchronous playback at up to 1080p resolution, Engine 1, engine mode is adjustable	Rs. 1,35,935	Rs. 1,77,000