

How do you choose to model the temporary impact $g(x)$? For example, sometimes people try to "linearize" the model $g(x) \approx \beta x$. If you think linear models are gross oversimplifications, how would you model it? Please write a 1-2 page explanation on your model, using data from the 3 tickers provided. We understand that 3 tickers is not enough data so any valid reasoning/conclusions derived from these 3 tickers would be accepted. Please also attach a link to a python notebook or code (preferably uploaded on GitHub) where you conducted your analysis.

Ans.

Mid-price is computed as the average of best bid and best ask for each row in the order book:

$$\text{mid_price} = (\text{best bid} + \text{best ask})/2$$

Market orders of various sizes (0–350 shares) are simulated by sweeping liquidity from the ask side of the book. Slippage is computed as:

$$\text{slippage} = \text{execution cost}/x - \text{mid_price}$$

Given data:



1. 21 snapshots each for FROG, CRWV, and SOUN
2. Up to 9 levels of book depth used

Average slippage values were plotted against order size, and a power-law model was fit:
 $g(x) = \alpha x^\delta$

Ticker	α	δ	Interpretation	
FROG	0.0334	0.1265	Very flat impact curve	
CRWV	0.0438	0.2096	Slightly steeper	
SOUN	0.0156	0.0005	Almost no temporary impact	

Market impact is best modeled using a power-law formulation.
 Across FROG, CRWV, and SOUN:

$$\delta \in [0.0005, 0.21]$$



Colab:

<https://colab.research.google.com/drive/1daPmklfw-AVvzHn9weWDovqFntocd-TR?usp=sharing>

Formulate roughly but rigorously a mathematical framework / algorithm that gives us x_i when we are at time t_i . Make sure that $\sum x_i = S$.

This should be relatively short, at most 2 pages. You don't have to fully solve the problem, but a clear mathematical setup and discourse into the techniques + tools used to solve the problem would be sufficient.

Ans.

We are given total volume S to be executed across N discrete time steps t_1, t_2, \dots, t_N . Let x_i be the trade size at time t_i . The goal is to find $\{x_i\}$ such that:

$$\sum_{i=1}^N x_i = S, \quad x_i \geq 0$$

Cost Model

At each time t_i , the cost of executing x_i shares is:

$$C_i(x_i) = p_i x_i + \alpha_i x_i^\delta, \quad \delta \in (0, 1]$$

Total cost:

$$C = \sum_{i=1}^N C_i(x_i) = \sum_{i=1}^N (p_i x_i + \alpha_i x_i^\delta)$$

Optimization Problem

$$\min_{\{x_i\}} \sum_{i=1}^N (p_i x_i + \alpha_i x_i^\delta) \quad \text{s.t.} \quad \sum x_i = S$$

Lagrangian

$$\mathcal{L} = \sum_{i=1}^N (p_i x_i + \alpha_i x_i^\delta) - \lambda \left(\sum x_i - S \right)$$

First-order condition:

$$p_i + \alpha_i \delta x_i^{\delta-1} = \lambda \quad \Rightarrow \quad x_i = \left(\frac{\lambda - p_i}{\alpha_i \delta} \right)^{\frac{1}{\delta-1}}$$

Enforce constraint:

$$\sum_{i=1}^N x_i = S$$

Solve numerically for λ , then plug in to get each x_i .