BVP INDIA · PORTFOLIO AI PLAYBOOK

Part I

Foundations

From Copy-Paste to Loop

How to install Claude across a company, wire it to every system the team already uses, build the production agents, and lock the guardrails before any of it goes wide.

AUTHORED BY

Ishan Parikh · Bessemer Venture Partners India

INTENDED AUDIENCE

Founders and the named technical owner inside each portfolio company. Read this as if it has been handed personally to the technical owner with a clear starting point for the first session. Part II (Compounding the Advantage) picks up where this leaves off.

May 2026 · Portfolio Internal

Contents

A day spent inside Claude

The shift you are catching up to

What you are building

The setup plan

Projects, skills, and the compounding asset

Recipe 1: the creative asset factory

Recipe 2: the AI customer support agent

Recipe 3: voice and outreach studio

Setting up Claude Enterprise so it does not blow up

What the rollout looks like

When you are ready for Part II

Tools, DPDPA, glossary

WHO READS WHAT

Founder. Read Chapter 1 in full. Skim Chapter 2. Review Chapter 9 with your technical owner at the point marked FOUNDER SIGN-OFF. The rest belongs to your technical owner.

Technical owner. This document is yours. Chapter 1 is the picture you are working toward. Chapters 4 through 9 are the build. Start at Chapter 4.

A day spent inside Claude

Once this is installed, here is an ordinary day at a portfolio company. The head of marketing asks Claude for last week's campaign performance across Meta, Google, and quick commerce, the three biggest movers, and a draft of the Monday readout. It comes back in under two minutes, sourced from the BI tool and the Marketing Project.

The CX lead has Claude read the overnight support tickets, cluster them by issue, and surface the ones that look like a developing pattern. A cluster tied to a shipping-partner change goes to operations before lunch.

The CFO opens the Finance Project for the cash bridge from last month's actuals to this month's forecast, with the variance lines that matter. Claude walks the bridge and drafts the commentary for the board call. What used to take half a day takes twenty minutes.

The technical owner is in Claude Code, rewriting the skill that drafts press releases to match a new tone the founder asked for. It ships to the shared skills library the same day, and the next colleague who runs that skill gets the new tone automatically.

None of them opened a second tool or copied a number between tabs. Each did a full day of work inside one workbench, and that workbench is Claude. The systems the company already runs sit behind it through MCP connectors, function-specific context lives in Projects, and recurring workflows live in a skills library anyone can add to and everyone can call.

Four conditions for this to be true

The picture above is not a wish. It is the steady-state we install. It only holds if four things are true at the same time.

1. **Every employee is on Claude Enterprise.** Anyone who needs to think for a living has it. Not the founder. Not the engineers. Not a pilot cohort. Every single employee whose job involves writing, deciding, analysing, or coordinating.
2. **Every system the company runs is wired through MCP.** Drive, Notion, Slack, the CRM, the BI tool, the payment platform, the analytics tool, the order management tool. If the company runs on it, Claude can read it. Read-only by default. Write access where the workflow needs it.
3. **There is a Project per function with shared knowledge.** Brand, Marketing, PR, Finance, Product, CX, Engineering. Each Project holds its own knowledge base, its own system prompt, and a conversation history visible to that function. Asking a question in the right Project gives a different answer than asking it in a generic chat.
4. **Every team contributes to a skills library.** Anyone can write one. Anyone can call one. Function leads review what goes into the shared library. After enough Steps the library holds fifty skills; with sustained contribution it grows past two hundred and becomes the company's most defensible asset.

If any of the four is missing, the day collapses back into the old shape. The marketer leaves Claude to find the campaign data. The CFO leaves Claude to dig through Drive for last quarter's model. The CX lead asks a colleague where the shipping SLA document lives because the AI does not have access to it. The workbench fails the moment someone has to leave it to do real work.

> **THE TEST FOR WHETHER YOU HAVE INSTALLED THIS**
>
> *Pick any employee at random. Ask them to walk through their morning. If they opened Claude once and stayed there for the whole hour, the installation has taken. If they opened five tabs and copy-pasted between them, it has not.*

The rest of this part is how to get to that morning. Chapter 2 is the shift in how software works that makes the picture above possible at all. Chapter 3 is the three-layer stack you are buying. Chapter 4 is the setup plan. Chapters 5 through 8 are the company-wide installation and the first three production agents. Chapter 9 is the guardrail configuration that keeps the system from blowing up when it does go wide. Chapters 10 and 11 are how to pace the rollout and how to know when you are ready for Part II.

The shift you are catching up to

Andrej Karpathy gave a talk at Y Combinator's AI Startup School in 2025 that is the cleanest framing of the shift this playbook installs. Three claims from that talk matter for what we are about to build.

Software 3.0: English is the new programming language

Software 1.0 is code that humans write. Software 2.0 is the weights of a neural network learned from data. Software 3.0 is the prompt: natural language that instructs a model what to do. The implication for a consumer company is direct. The person who can describe a workflow in clear English is now the person who can build it. The marketer who can write down what a good campaign report looks like can ship that report as a skill before lunch. The CFO who can describe a good investor update can ship that update as a skill before the next board meeting.

LLMs are fallible people spirits

Karpathy's phrase. A large language model behaves like a person with deep general knowledge, broad memory, fluent writing, and specific cognitive deficits: it confabulates, it forgets the last paragraph, it cannot do arithmetic past about four digits without help, and it will defer to a confident user even when it is right. Treat the model as a brilliant colleague with these specific weaknesses. Build the workflows around the weaknesses. The Project knowledge base is how you fix memory. The connector layer is how you fix factual grounding. The eval discipline in Chapter 7 is how you fix the overconfidence.

Iron Man suit, not Iron Man robot

There is a slider between fully manual and fully autonomous. In the early Steps at a portco, the slider sits near the manual end: the agent drafts, the human approves. Once a recipe has proven itself through enough cycles of the eval discipline in Chapter 7, the slider moves toward autonomous: the agent executes, the human reviews. The mistake is starting at the autonomous end. The opposite mistake is staying at the manual end after the agent has earned trust. Both are common. Both are why most AI deployments stall.

> **THE ONE LINE FROM THIS CHAPTER**
>
> *A company's job from here forward is to push the slider one notch at a time, with eval evidence at every notch. Chapter 9 is how you set the rails that let you do this without breaking customers in production.*

What you are building

The AI operating system for a portfolio company has three layers. This is the entire mental model. Everything else in this part is detail.

Layer 1: the workbench

The plumbing. Claude Enterprise for the company. Claude Code for the technical owner. Claude Max sitting on top of Enterprise for the three or four power users who will use Claude an order of magnitude more than everyone else. An API line for the agents in Part II. Single sign-on against the company identity provider. SCIM provisioning so HR adds someone and Claude turns on; HR removes them and Claude turns off. The workbench is what every employee opens. Everything else sits behind it.

Layer 2: the hands

The production agents. The chefs. They write copy, generate images, voice over video, answer support tickets, draft outreach. Part I builds three of them. The creative asset factory in Chapter 6. The customer support agent in Chapter 7. The voice and outreach studio in Chapter 8. Part II expands the fleet to nine and adds the multi-agent coordination patterns. The hands are what customers and operators actually see.

Layer 3: the loop

The improvement machinery. Synthetic personas, eval datasets, overnight runs that try variants of every prompt against held-out cases. The part almost no company builds, which is why almost no company gets compounding returns from AI. Part I gets the loop stubbed in. Chapter 7 builds the eval primer that the customer support agent ships against. Part II is where the loop becomes the most defensible thing the company owns.

The three Claude surfaces

Anthropic ships three surfaces over the same underlying model. Same Claude. Different workspace around it. Picking the right surface for the task matters as much as picking the right tool from a hardware store.

SURFACE	WHEN TO REACH FOR IT	WHY
Chat	A question, a rewrite, a quick brainstorm without leaving the app you are in.	Fast, conversational, no setup. The mobile app and the desktop pop-over both run on this.
Claude Cowork	Research, analysis, or a finished document built from the company's files and systems.	Folder access, connectors, skills, scheduled runs. The default surface for non-technical functions.
Claude Code	Writing, testing, or shipping software. Building skills. Spawning subagents.	Codebase access, diffs, Git, dev environments. The technical owner lives here.

THE HABIT TO INSTALL EARLY

Non-technical employees default to Cowork for any task that touches more than one document or system. They drop into Chat for one-off questions. The technical owner lives in Code. Three surfaces, three muscle memories, one Claude.

The setup plan

Four moves, in order. BUY the right Anthropic configuration. WIRE the connectors. LOCK the guardrails. SWITCH the team onto the workbench. One week of focused work from the technical owner, with the founder available for two decision points: the seat mix in BUY and the connector write-access scopes in LOCK.

BUY · Claude Enterprise, plus Max for the power users, plus an API line

Three line items on the Anthropic contract. Enterprise covers the whole company. Max sits on top of Enterprise for the three or four people who will use Claude an order of magnitude more than everyone else: usually the founder, the technical owner, the head of growth, and one strong builder. The API line is what the agents in Chapters 6 through 8 spend against; it bills usage-based, not per seat.

- **Enterprise covers the workbench.** SCIM provisioning, single sign-on, the company's admin console, audit logs, expanded context window, the connector hub. Every employee gets a seat. No exceptions.
- **Max covers the power users.** Higher rate limits, a personal scratchpad that does not sit on the company tenant, and the ceiling power users need to stay in flow. Layer Max on top of the Enterprise login, not instead of it.
- **The API line covers the agents.** Pay-as-you-go, scoped per agent, capped per agent. Chapter 9 covers the spend controls. Without the API line, the agent recipes in Chapters 6 through 8 cannot run unattended.

> **WHY NOT CLAUDE PRO**
>
> *Pro is the personal plan. It does not give you SCIM, audit logs, or the admin console. Moving a thirty-person company from Pro to Enterprise later means re-permissioning every Project and rebuilding the connector configuration. Pay the premium now. Pro is only appropriate for contractors who should not sit on the company tenant.*

WIRE · Twelve connectors, in this priority order

MCP is Model Context Protocol, the open standard for letting Claude talk to business systems. Anthropic created it and handed it to the Linux Foundation in late 2025, so every major model vendor now builds against it. USB-C for AI: one standard port, every tool with a connector plugs in. Each is a thirty-second OAuth flow. Click a button, log into the source system, confirm the scope, done. The technical owner wires the org-wide connectors. Each employee wires their own personal ones.

SYSTEM	WHY IT MATTERS	WHO CONNECTS IT
Google Drive	Brand book, campaign reports, customer research, financial models, contracts. The single largest unlock for most companies.	Technical owner
Notion	SOPs (Standard Operating Procedures), product specs, internal wikis, meeting notes. Where most consumer companies live day to day.	Each team lead
Slack	Real-time conversation history. Lets agents look up team decisions in context.	Technical owner
GitHub	Source code, pull requests, issues. Required for Claude Code to do non-trivial engineering work.	Technical owner
Gmail or Outlook, Calendar	Email and meetings. Per-user permissions only. Lets agents draft replies and prep founders for upcoming calls.	Each user
Linear, Jira, or Asana	Project management. Pull task lists, update tickets, report on team progress.	Project lead
Zoho, LeadSquared, or HubSpot	CRM (Customer Relationship Management). The customer truth source. Indian D2C (Direct-to-Consumer) runs more on Zoho and LeadSquared than on Salesforce; connect what is already in place.	Sales operations
Easebuzz or Razorpay	Payments, billing, subscription state. Required for any retention or churn agent. Easebuzz is a BVP portfolio company; pick whichever the company already runs on. Razorpay ships an official MCP server (so do Cashfree and PayU), so connecting it is the same OAuth flow as everything else. Easebuzz has no hosted connector yet, so for Easebuzz the technical owner wraps the REST API in a custom MCP server (one afternoon of work).	Finance owner
Mixpanel or Amplitude	Product analytics. Lets agents answer questions about user behaviour without anyone writing SQL by hand.	Data lead

Looker, Tableau, or Hex	BI (Business Intelligence) layer. Lets agents query and surface dashboards on demand.	Data lead
WebEngage or MoEngage	Lifecycle marketing platform. India-built, dominant in Indian D2C.	Lifecycle owner
Shiprocket or Unicommerce	OMS (Order Management System) and shipping. Resolve delivery questions, track inventory.	Operations lead

THE DEFAULT THAT PROTECTS YOU AT THE START

Every connector is read-only by default. Read-only is enough for ninety-five percent of the value. Write access is enabled per-connector, per-team, only after the team has lived with read-only long enough that the function lead can sign off in writing on what specifically the agent should be allowed to change.

LOCK · The guardrail configuration

Eight admin actions, covered in full in Chapter 9. The summary version: identities through SCIM, three permission groups (Standard, Function Lead, Admin), connector scopes read-by-default, six hard guardrails on irreversible actions, spend caps with alerts, audit logging on, data residency confirmed in writing, and an adoption-monitoring view the technical owner shares with the founder weekly. Do not skip ahead to Chapter 5 before LOCK is done. Cleanup costs ten times more than configuration once people are using the system.

SWITCH · Move the team onto the workbench

A thirty-minute company-wide session. The technical owner walks through how to open Cowork, how to start a Project, how to invoke the first three skills the team will share. A one-page cheat sheet pinned in #general. Every function lead takes a follow-up thirty minutes with their own team to walk through the Project for their function. The founder uses Claude in front of the company at least once in the first week. Visible founder use is the strongest adoption signal there is.

IF YOU ONLY REMEMBER ONE LINE FROM THIS CHAPTER

BUY broadly, WIRE generously, LOCK conservatively, SWITCH visibly. In that order. Reversing any of them creates problems that take months to clean up.

Projects, skills, and the compounding asset

The workbench is the room. Projects are the desks. Skills are the playbooks pinned above each desk. Over time, the value of the system is not the room. It is the desks and the playbooks. A competitor can buy the same workbench tomorrow. They cannot copy an accumulated year of Project knowledge and a library of two hundred company-specific skills.

One Project per function

A Project in Claude is a shared workspace with three things: a knowledge base (documents Claude reads as grounding), a system prompt (instructions Claude follows whenever someone is inside this Project), and a conversation history visible to everyone with access. A permanent meeting room with a permanent agenda and reference materials. In Step 2 of the rollout, set up one Project per function. The knowledge base and system prompt for each compound in value with every active use cycle.

PROJECT	KNOWLEDGE BASE	SYSTEM PROMPT FOCUS
Brand	Brand book, voice guide, visual identity, past campaign archive.	Always write in the brand voice. Flag deviations.
Marketing	Twelve months of campaign reports, audience research, creative archive.	Default to data-grounded recommendations. Cite sources.
PR and Comms	Press release archive, media training notes, key journalist relationships, talking points.	Maintain consistent positioning. Surface conflicts with prior statements.
Finance	Board decks, financial models, investor updates, cap table summary, banking documents.	Numerical precision required. Always cite the source document by name and date. If the source is more than thirty days old, flag the date visibly. Never extrapolate figures not present in the source. Format all values in INR crore unless the document uses a different currency. When the answer is uncertain, say so explicitly before giving the number.

Product	PRDs (Product Requirement Documents), roadmap, user research, feature specs, design files.	Connect every recommendation back to a user research insight.
CX	Resolved tickets, FAQ, return policy, shipping SLAs, common edge cases.	Resolve where confident. Ask one clarifying question if uncertain. Escalate when out of scope.
Engineering	Architecture documents, runbooks, post-mortems, on-call rotation, dependency map.	Engineer-to-engineer tone. Code in fenced blocks.

The skills library

A skill is a reusable workflow, written once in plain English, saved to a Git repository called something like company-claude-skills, callable by name from any conversation. The recipe card pinned to the kitchen wall. Anyone writes one. Anyone improves one. The function lead reviews additions to the shared library.

Examples of skills consumer portcos build early on:

- **Weekly marketing readout:** pulls last week's spend and performance across paid, owned, and earned channels and posts a one-page summary to #marketing-leadership on a weekly schedule.
- **Monthly investor update draft:** pulls KPIs from the BI tool, references the prior three updates for tone, drafts the email, and saves a Google Doc for the founder to review.
- **Data room builder:** walks the standard fundraise checklist, finds the most recent version of every artifact across Drive and Notion, produces a coverage report listing what is missing and who owns each gap. Saves a CFO roughly forty hours per fundraise.
- **Contract reader:** reads every contract dropped into the /Legal/ folder, surfaces non-standard clauses against the company's template, flags the redlines that need a lawyer.

The marketer who writes a great skill in the morning makes every other person on the team better at that task by the afternoon. This is the compounding asset.

WHAT A SKILL FILE ACTUALLY LOOKS LIKE

weekly-marketing-readout.md

```
---
name: weekly-marketing-readout
owner: head-of-marketing
version: 1.2
connectors: [statsig, looker, mixpanel, slack]
---
```

Pull last week's spend and performance across Meta, Google, and quick commerce. Surface the three campaigns that moved most (positive or negative) and the two metrics that changed materially week-over-week. Draft a one-page summary in the Marketing Project's tone. Post to #marketing-leadership on Mondays at 9 AM IST. Format: headline, three bullets, one chart link.

The persistence trio: CLAUDE.md, SOUL.md, MEMORY.md

Three plain-text files that sit at the root of every Project and every Claude Code workspace. They are how a portfolio company makes its agents persistent, consistent, and self-aware across sessions. Different epistemic statuses; all three are worth setting up.

CLAUDE.md · the operational manual

The canonical Anthropic pattern, documented in the Founder's Playbook. Claude Code reads it on every session start. Contents: codebase conventions, what to run for tests, how to deploy, what not to touch, key file locations, naming rules. For a non-engineering Project (Marketing, Finance, CX), CLAUDE.md holds the function's tone of voice, the format every output should match, the systems Claude should consult first, and the things Claude should never do unsupervised. The operational manual every contributor agrees to before they ship anything.

SOUL.md · the character file

An emerging convention in the agent-building community, not yet canonical at Anthropic. SOUL.md captures the identity of the Project or agent: voice, values, decision priorities, what to optimise for, what to deprioritise. Distinct from CLAUDE.md, which is operational; SOUL.md is character. The Marketing Project's SOUL.md might read: "We are data-grounded, sceptical of hype, and biased toward small experiments over big bets. When in doubt, ask what an A/B test would say."

SOUL.MD STARTER TEMPLATE

Section 1: Voice. How this Project writes. Adjectives only. Example: direct, sceptical, data-grounded.

Section 2: Values. What this function optimises for. Example, for Marketing: experiments over commitments, data over intuition, short copy over long.

Section 3: What to avoid. Example: never present a recommendation without data. Never hedge with "it depends" unless the next sentence specifies what it depends on.

MEMORY.md · the persistent state

Also a community convention. MEMORY.md is the file the agent itself writes to. What it has learned across sessions, observations about the team, the current state of the function, the decisions that have been made and not yet documented anywhere else. Split it into rolling (current cycle) and durable (always-true facts about the company) sections. In Part II Chapter 9, MEMORY.md grows into the full institutional memory layer (compiled truth plus append-only evidence timeline). For Part I, the seed pattern is enough.

MEMORY.MD STARTER TEMPLATE

Section 1: Rolling (updated each active use cycle). What we are working on right now. Key decisions made this cycle. What is blocked and why.

Section 2: Durable (rarely edited). Always-true facts about this company and this function. Founder's communication style. Things Claude should never suggest here. Key tool names and the IDs or URLs Claude will need to access them.

THE PATTERN, ONE LINE

CLAUDE.md says what the agent does. SOUL.md says who the agent is. MEMORY.md says what the agent has learned. Set all three up on day one. The cost is an hour. The value compounds for the next two years.

Recipe 1: the creative asset factory

The first production agent. The recipe to ship in Step 3 of the rollout for any consumer portco. High visibility, fast payback, low downside risk. Built right, it puts the brand team and the head of growth on the same artefact within a day instead of within a fortnight.

Problem

A consumer brand needs hundreds of creative variants a month for ads, social, and quick-commerce listings. Traditional photoshoots cost between eight lakh and forty lakh rupees per concept and take weeks. Testing is too slow to learn what converts. Every new market means starting from scratch. The brand team becomes a bottleneck on the marketing team's velocity, and the marketing team starts shipping mediocre creative because the brand-approved options ran out three weeks ago.

Tools

- **Midjourney** best in the world at single hero shots. The aesthetic is unmatched. Slow and expensive at scale; use it for the few pieces a quarter that define the look.
- **OpenArt** killer feature is custom-model training. Upload fifty to two hundred brand-approved images, train a model once, every generation looks like the brand without prompt gymnastics. Use it for the volume work that used to go to the agency.
- **Seedance 2.0 (via fal.ai)** short-form video for ad creative. Approximately three hundred rupees per five-second clip at 1080p.
- **ElevenLabs** voice-over in English. Sarvam AI for Hindi, Tamil, Telugu, Kannada, Marathi, Bengali, and Gujarati. Sarvam outperforms global models on Indic speech by a wide margin.
- **Statsig** A/B testing and feature flags. Variant cohorts roll out through here. OpenAI acquired Statsig in 2025; it stays in the stack because it is model-agnostic and still the cleanest experimentation surface for this.

What happens when the skill runs

A marketer types a two-sentence brief into Claude Cowork inside the Brand Project, invokes the creative-brief-to-variants skill. Claude reads the brand book, queries twelve months of campaign performance, generates twenty image prompts across three or four creative angles (price-led, status-led, problem-led, etc.), sends them to Midjourney and OpenArt in parallel, scores the outputs against criteria in the Brand Project, keeps the top five per angle, hands the three strongest to Seedance for five-to-fifteen-second video, adds voice-over via ElevenLabs or Sarvam, pushes the survivors into a Statsig experiment, and posts the link to #marketing-leadership. Wall-clock time: about fifteen minutes. Cost per variant: under four hundred rupees.

The minimum-viable scoring rubric the Brand Project ships with on day one:

1. **Brand palette match:** every survivor uses the approved brand colours; failures auto-rejected.
2. **Product prominence in frame:** the SKU is identifiable in the frame at one-second scrub speed.
3. **Headline legibility at mobile size:** the headline reads cleanly on a 6-inch phone screen at arm's length.
4. **Emotional register matches brief angle:** price-led variants feel like value; status-led feel like aspiration; problem-led feel like relief. The angle is named in the brief; the variant has to land it.

The Brand Project owner edits this rubric after the first run. The rubric is the document, not the output.

What to measure

- **Cost per creative variant:** from forty thousand to two lakh rupees (traditional) to under four hundred rupees (this recipe).
- **Variants tested per quarter:** five to ten times the prior baseline after the recipe is in steady state.
- **CTR** (Click-Through Rate) on new campaigns improves fifteen to thirty percent once enough variants have shipped to be statistically meaningful. Measured on a held-out audience via Statsig A/B test against the prior twelve-month CTR baseline on the same channel. Portfolio observation. Sample size needed: minimum five hundred impressions per variant to reach eighty percent statistical power.

Owner

Head of Brand or Head of Creative. The technical owner ships the skill once. The Brand lead owns the output, the scoring rules in the Brand Project, and the call on which variants get promoted to the always-on Statsig pool.

THE FAMOUS PERSONA TRICK

When defining the personality of any agent inside this skill, give it a famous character reference. Do not write "you are a brand-aware creative director." Write "you are the Don Draper of Mad Men season five, data-respecting but creative-led, allergic to safe creative." Large language models train on enormous quantities of public data. They understand character archetypes more deeply than they understand job titles. A famous persona compresses thousands of training examples of that character's decision style, risk tolerance, and communication norms into two or three words. Better reasoning, free. Part II covers this in full for the multi-agent recipes.

WHAT THIS BECOMES IN PART II

Recipe 1 in Part II: *the creative asset factory becomes the campaign-builder subagent inside the performance marketing agent team (Part II Recipe 4). Same skill, now driven by an Optimiser subagent that decides what to test next based on yesterday's CTR and CAC data. The brand team stops being the bottleneck.*

Recipe 2: the AI customer support agent

The second production agent. The one where evals matter from day one because mistakes are visible to customers. Three behaviours only. Anything more elaborate is how AI support deployments fail in public.

Problem

Customer support costs rise with ticket volume. Quality drops with headcount. Most existing "AI support" is a decision-tree chatbot that customers route around within thirty seconds by typing "agent". The good agent answers more questions than the average human and knows when to hand off.

Tools

- **Reasoning core:** a Claude agent that connects to Zendesk or Freshdesk via MCP, the company's helpdesk knowledge base, the CRM, and Easebuzz or Razorpay for refund and billing context.
- **Channels:** in-app widget, WhatsApp, and email handled by the same agent through a thin shim. Voice handled by Recipe 3.
- **Knowledge:** the CX Project holds twelve months of resolved tickets, the FAQ, return and refund policy, shipping SLAs, and the canonical edge cases. The agent reads from here before the helpdesk on any ambiguous question.

The three behaviours, and only these three

1. **Answer if confident.** If the system prompt allows the agent to act (cancel a subscription, issue a refund within policy), it acts and logs. If not, it drafts the response and waits for a human approval.
2. **Ask one clarifying question if uncertain.** One question. Never two. Customers who get interrogated by a bot churn out of the conversation before the second question lands.
3. **Escalate to a human with full conversation context if out of scope.** Out-of-scope cases get the full conversation context handed to the human, with a one-line summary of where the agent got stuck. The escalation rate is the metric that tells you whether the agent is overreaching.

Almost every published AI support failure traces back to skipping behaviour three. The agent should be measured on resolution quality, not deflection rate. The companies that retreated from over-automated support in 2025 all retreated for the same reason: they measured the agent on tickets closed without escalation rather than on tickets closed well.

Build the taste tester before the kitchen opens

No support agent goes live without an eval discipline in place. This is the pattern, condensed. The full eval factory is Chapter 3 of Part II.

- **The golden fifty.** Take fifty real, resolved tickets from the last six months. For each, record the customer's question, the human agent's response, and the outcome (resolved, escalated, dissatisfied). This is the eval set. Refresh it every quarter.
- **The scoring pass.** Run the candidate agent against the golden fifty. Score every response on three dimensions: factual correctness against the policy, tone match against the brand voice, and appropriate behaviour (answered, asked, escalated). A second Claude instance can run as the LLM-as-judge for the first two; the third is mechanical. The tone rubric is the voice guide from the Brand Project, imported verbatim into the LLM-as-judge prompt. If the Brand Project does not yet have a voice guide, the CX lead writes one before Recipe 2 goes into shadow mode. Three to five sentences is sufficient.
- **The regression bar.** The new version of the agent must score at least as well as the live version on the golden fifty. If it scores worse on any dimension, it does not ship. No exceptions for "but it is so much faster" or "but the new model is better at math."
- **Shadow mode.** Before any new agent version touches a real customer, it runs in parallel with the live version for one full customer-cycle of shadow traffic. One cycle is the time between a typical customer's first and second interaction with the company. The agent's responses are generated and logged but not sent. Compare against the human team's actual responses on the same tickets. Promote only after shadow mode meets the regression bar on live traffic.
- **The promotion gate.** A single named human (usually the Head of CX) approves the promotion from shadow mode to production after reviewing the shadow-mode diff. This is the only manual step in the loop, and it is the one that has to stay manual through Part I and most of Part II.

What to measure

- **Resolution rate:** eighty percent of tickets fully resolved by AI without human escalation once the agent reaches steady state. Resolution is defined as "ticket closed without re-open within seven days" rather than "agent emitted a response." Portfolio observation. Your results will vary by ticket volume and prior resolution rate.
- **CSAT** (Customer Satisfaction Score) at or above the previous human-only baseline. If CSAT drops, the agent ships fewer answers, not more.
- **Cost per ticket:** seventy to ninety percent reduction versus the human-only baseline. Baseline cost is the fully-loaded cost of a human agent resolving one ticket: salary, benefits, and overhead divided by resolved tickets per month. Portfolio observation.
- **Escalation rate:** between five and fifteen percent in steady state. Below five percent means the agent is overreaching. Above fifteen percent means the agent is not earning its keep.

Owner

Head of CX. The technical owner builds the eval pipeline once. The Head of CX maintains the golden fifty, reviews the promotion gate, and owns the metric reporting in the weekly leadership review.

> **WHAT THIS BECOMES IN PART II**
>
> **Recipe 2 in Part II:** *the support agent's eval pipeline becomes the full eval factory (Part II Chapter 3): synthetic personas, LLM-as-judge at scale, shadow mode running continuously, regression bars per agent, and the promotion gate as the single source of truth for what goes to production. Every other agent in the company starts shipping against this factory.*

Recipe 3: voice and outreach studio

The third production agent, in two parts. The part you ship in Part I is the internal voice surface: Wispr Flow for executive and CX dictation. The part you sketch in Part I and build in Part II is the customer-facing voice stack: Sarvam AI, Deepgram, ElevenLabs, and Exotel wired into an outbound dialler for trial nudges, dormant reactivation, and post-purchase follow-up. Part I builds the easier half so the harder half has somewhere to land.

What you ship in Part I: the internal voice surface

Problem

Founders, leads, and CX agents type a lot. Founders type investor updates, strategy memos, draft emails, and meeting notes. CX agents type ticket responses all day. Typing is the slowest part of a knowledge worker's day, and it is where voice substitution buys the most time per rupee spent.

Tools

- **Wispr Flow.** desktop dictation that turns spoken words into clean written prose four times faster than typing. Punctuation, paragraphs, and tone-of-voice corrections happen in the model. The executive speaks the rough draft, edits the polished version. Available across Mac, Windows, iOS, and Android.
- **Claude Cowork integration.** every dictated draft drops into the relevant Project. The Marketing Project for a campaign brief. The Finance Project for an investor update. The next time the same person opens that Project, the draft is grounded in the function's history and voice.

What this changes for a power user

A founder who speaks at one hundred and fifty words per minute and types at sixty gains roughly two hours of writing time per day, recovered into thinking time. Illustrative. The estimate assumes thirty percent of the working day is spent composing text at the keyboard and a 2.5x speaking-to-typing speed ratio. Actual recovery varies by role. The CX team's average ticket response time drops by twenty to thirty percent because typing the boilerplate is no longer the rate-limiting step.

> **WHO INSTALLS WISPR FLOW IN STEP 1**
>
> *The founder, the technical owner, the heads of Marketing, Finance, CX, and PR. Roll out to the rest of the team after the first cohort of usage data (at least twenty active uses per targeted employee) shows it is sticky. Most portcos reach ninety percent active retention after two active use cycles and full team adoption after four to six cycles. Portfolio observation.*

What to measure (internal voice surface)

- **Active dictation users:** count of executive and CX team members who have used Wispr Flow at least once in the prior seven days.
- **Documents dictated into Projects:** count of documents or conversation entries originated via Wispr Flow that landed in a function Project rather than a personal chat. This is the metric that tells you whether dictation is feeding the workbench or feeding personal scratch.
- **Self-reported speed recovery:** a one-question survey to active users after their first two use cycles: "How many minutes of keyboard time did you replace today?"

What you sketch in Part I: the customer-facing voice stack

The full build is Part II Chapter 10. The sketch matters now because most consumer portcos have customers they need to reach by voice or WhatsApp at higher volumes than a call centre can serve economically: trial nudges, dormant reactivation, post-purchase follow-up, especially into Tier 2 and Tier 3 cities. Most AI voice demos sound robotic and the lag kills the conversion. The stack below solves both.

LAYER	TOOL	WHY IT MATTERS
Reasoning	Claude via API. Decides what to say, when to escalate, when to stop.	The same Claude as the workbench, accessed differently.
Listening (English, Hinglish)	Deepgram Nova-3. Streaming speech-to-text optimised for accented and code-switched audio.	Latency under three hundred milliseconds.
Listening + speaking (Indic)	Sarvam AI. Hindi, Tamil, Telugu, Kannada, Marathi, Bengali, Gujarati. Handles both ends in one model.	India-built. Best-in-class on Indic by a wide margin.
Speaking (English)	ElevenLabs. Brand-tuned voices. Streaming output.	Voice cloning available with explicit consent only.
Telephony	Exotel. India-native, handles compliance, recording, and number management.	TRAI-compliant out of the box.

The architectural rule that matters: audio streams phoneme by phoneme, not as a completed file. Without streaming, every AI voice sounds like a 2014 voicemail system and the customer hangs up before the agent finishes its first sentence. Sarvam handles streaming

natively. Deepgram and ElevenLabs both do too. The integration glue is what Part II Chapter 10 walks through.

What to measure (when the customer-facing stack ships)

- **Dormant reactivation:** percentage of called customers who open the app within seven days, against a no-call control group in Statsig.
- **Voice support resolution:** percentage of inbound calls resolved without human handoff, with CSAT held at the human-only baseline.
- **Cost per resolved call:** ten to twenty times lower than a human call centre, calculated against the channel cost matrix in Part II Recipe 5.

Owner

For the internal voice surface in Part I: the technical owner ships Wispr Flow company-wide; each function lead owns adoption inside their team. For the customer-facing voice stack in Part II: Head of CX (support) or Head of Lifecycle Marketing (outreach), with the technical owner doing the integration.

> **WHAT THIS BECOMES IN PART II**
>
> **Recipe 3 in Part II:** *Wispr Flow stays as the internal surface. The customer-facing voice stack in Part II Chapter 10 wires Sarvam, Deepgram, ElevenLabs, and Exotel into a production outbound system. The dormant reactivation team (Part II Recipe 5) uses voice as one of four channels, picked by the Channel Selector subagent based on the user's response history.*

Setting up Claude Enterprise so it does not blow up

Eight actions. One focused admin session. Done by the technical owner, with the CTO or founder available to sign off on the guardrail policy and the spend caps. The whole chapter sits in a single sitting. Skipping any action creates a problem that costs ten times more to fix once the team is using the system in earnest.

1. Provision identities through SCIM

SCIM (System for Cross-domain Identity Management) is the protocol that wires Claude Enterprise to whichever identity provider the company already runs: Okta, Google Workspace, Microsoft Entra, JumpCloud, OneLogin. HR adds someone and Claude provisions a seat in the same hour. HR offboards them and Claude revokes access in the same hour. Never provision Claude seats manually. The cost of forgetting one offboarding is the full audit trail of an ex-employee's access for the next six months until someone notices.

2. Define three permission groups

More than three is over-engineering for a thirty-person company. Fewer than three puts too much trust on too few people. The right cut is:

- **Standard.** every employee. Can use Claude desktop and Cowork, read most Projects, use any published skill, write new skills for review.
- **Function Lead.** heads of function. Can edit their function's Project, approve new skills into the shared library, manage write-scope on connectors for their function.
- **Admin.** the technical owner and the CTO only. Maximum two people. Can deploy unattended agents, change connectors, view audit logs, modify SCIM rules, change spend caps.

A junior engineer is not Admin even if they are the most active builder. A senior marketer is not Admin even if they are the most prolific skill author. Admin is a role about access to the system, not seniority within the company.

3. Configure connectors with read-write scopes

Read by default. Write only where the workflow requires it and the function lead has signed off in writing on which folder, which mailbox, which queue. Examples:

- **Drive:** read everything; write only to the /Marketing/Drafts/ folder.
- **Easebuzz or Razorpay:** read everything; no write.
- **Gmail:** read the user's own inbox; draft replies in the user's drafts folder; no send authority.
- **GitHub:** read all repositories; write only to a /sandbox repository until evals on shipped agents are in place.

- **Slack:** read the public channels the agent is added to; post only to the channels explicitly named in the system prompt.

The principle is the principle of least privilege. Every connector grants only what the workflow specifically needs, and the function lead names what the workflow specifically needs in writing in the agent's system prompt.

4. Lock six hard guardrails

Required-approval actions. No agent and no AI workflow can execute any of these without explicit human approval at the level specified. Function leads can add guardrails. They cannot remove from this list.

ACTION CLASS	APPROVAL REQUIRED
Payments and money movement	Two human approvals. One must be a function lead.
Contracts (signed)	One function-lead approval.
Public posts (social, PR, blog)	One approval (PR lead or marketing lead).
Production code deploys	One engineering-lead approval.
Customer email send	One approval for single sends. Two approvals for bulk above one thousand recipients.
Employee PII access or modification	Two approvals. One must be Admin.

> **FOUNDER SIGN-OFF**
>
> *The six-guardrail table above is the one piece of Chapter 9 that the founder reviews with the technical owner before LOCK is considered complete. Any edits to this list, or to the approval levels next to each action, require the founder's signature. Everything else in this chapter is the technical owner's call.*

What happens when a guardrail fires

- **Detection.** Alert goes to Admin via Slack DM, with the full action attempted, the agent name, and the user or trigger that initiated it.
- **Pause.** The agent pauses and logs the pending action. It does not retry. It does not attempt a softer version. It waits.
- **Approval window.** Admin has a defined window (the technical owner sets this in the agent's system prompt; typical defaults are between two and twenty-four hours by action class) to approve or reject.
- **Timeout.** If no response within the window, the system auto-rejects. The agent logs the timeout and surfaces a summary to the function lead. Auto-reject is the safe default because a forgotten approval should not become an executed action.
- **Approval.** The action proceeds, is logged, and the approval is stored alongside the audit entry. The approver is on the record.
- **Reject.** The action is discarded. If it was triggered by a customer input, the agent returns the conversation to the human review queue with the full context attached.

> **A NOTE ON PROMPT VERSIONING**
>
> *Treat agent prompts as code. Review them. Diff them. Roll them back. Every prompt that drives an action on this list sits in the company-claude-skills Git repository with full version history. The eval discipline in Chapter 7 is the test suite for prompt changes.*

5. Set spend caps

Three layers of spend control. Per-user, per-agent, and org-wide. All three are visible in the admin console and to the founder weekly.

- **Per-user monthly cap.** soft alert at eighty percent of the cap; hard cap at one hundred and fifty percent. The soft alert sits in Slack to the user. The hard cap pauses the seat until the technical owner reviews.
- **Per-agent caps on the API line.** every unattended agent has a daily and monthly cap on the API line. An agent that tries to spend more than ten percent of its monthly cap in a single day pauses for review. No agent can spend more than one percent of its own monthly per-agent cap in a single run without Admin approval. Set per-agent caps so this threshold is meaningful for the recipe's expected run size. For Recipe 1 (creative asset factory), the expected metered cost per full run sits in the ₹6,000 to ₹10,000 range when the run includes twenty image generations, three videos, and voice-over. Set the Recipe 1 per-agent monthly cap to ₹80,000 and the per-run alert threshold to ₹12,000. Size the threshold to the recipe, not to the org total.
- **Daily org-wide alert.** a daily total spend alert posts to a #ai-spend Slack channel every morning with the prior day's spend, the month-to-date trajectory, and the top three agents by spend.

Spend caps are not about cost optimisation. They are about catching a misconfigured agent that has entered an infinite loop or hit a bad input pattern. A well-built agent rarely costs more than a fraction of a human-equivalent. A misconfigured one can burn through a month's budget in an afternoon.

6. Turn on audit logging

Every Claude interaction logs: the prompt, the retrieved context, the model version, the tool calls and their outputs, the final response, the timestamp, and the user identity. Ninety-day minimum retention. Longer for regulated sectors (financial services, healthcare, anything involving children's data). Searchable. The audit log is what the company shows to its auditors, its enterprise customers, its lawyers, and, if it ever happens, its regulators.

7. Confirm data residency

For an India-headquartered portco serving Indian customers, the Enterprise contract must confirm India data residency to support DPDPA (Digital Personal Data Protection Act 2023) compliance. For portcos serving EU customers, the contract must also confirm EU residency for EU workloads. Get both in writing as part of the contract, not as a post-hoc assurance. The appendix has the DPDPA quick reference for the technical owner.

8. Monitor adoption across teams

The technical owner needs a single weekly view that tells the founder which teams are deep in the workbench, which are not, and where to spend the next round of skill-building effort. Five proxies, watched together. No single metric is load-bearing on its own; together they triangulate.

> **THE WEEKLY VIEW THE TECHNICAL OWNER SHARES WITH THE FOUNDER**
>
> *A two-page Notion page. Page one: the five proxies, plotted per team, with a week-over-week delta. Page two: the three teams in the highest quartile (so the founder knows whose skills to surface to everyone else) and the three teams in the lowest quartile (so the founder knows where the next round of training time goes). No leaderboard at the individual level. The unit of accountability is the team.*

PROXY	WHAT IT TELLS YOU	GAMEABILITY
Token usage per employee	The blunt baseline. Fine as a directional read. Gameable at the extreme, so do not turn it into a leaderboard or a performance trigger.	Low resistance to gaming.
Skills authored and shared	Count of skills each employee has written, plus count of other employees who have invoked each skill. An employee whose one skill is used by ten teammates contributes more than an employee with twice the token count.	Moderate resistance.
Projects contributed to	Count of Projects an employee has actively contributed to (queries, document additions, system prompt edits). High participation is the signal that someone is using Claude as the shared workbench, not as a private chatbot.	Moderate resistance.
Connector invocation diversity	Count of distinct MCP connectors each employee invokes in a rolling fourteen-day window. An employee pulling from Drive, Notion, Slack, and the CRM in a typical week is using the workbench. An employee only typing questions into chat is not. Pulled from the admin connector log.	High resistance. Hard to fake without doing the actual cross-system work.
Cross-function Project participation	Count of Projects an employee actively contributed to outside their own function. A marketer contributing to the Product Project is the signal that shared context is replacing siloed work.	High resistance. Junk contributions are visible to the other function and get flagged.

The one-line summary of Chapter 9

Eight actions: SCIM, three permission groups, scoped connectors, six guardrails, spend caps, audit logging, data residency, adoption proxies. One focused admin session. After this is done, the rest of Part I is safe to roll out widely. Before this is done, hold the recipes to a single pilot team.

What the rollout looks like

Five steps. No months. No weeks. No calendar-bound targets. Each portco moves at the pace it can sustain. The sequence below is what cannot be rearranged; the speed is what the portco chooses.

Step 1 · Provision and switch

BUY, WIRE, LOCK, SWITCH from Chapter 4. By the end of Step 1, every employee has a Claude Enterprise seat, the org-wide connectors are wired, the Chapter 9 guardrails are configured, and the team has had its kickoff session. The founder has used Claude visibly at least once. The cheat sheet is pinned in #general.

Step 2 · Projects, skills, and the persistence trio

Chapter 5 in full. One Project per function with seeded knowledge bases and system prompts. CLAUDE.md, SOUL.md, MEMORY.md set up at the root of each Project. The company-claude-skills Git repository created. The first three skills committed (weekly marketing readout, monthly investor update draft, data room builder). Function leads trained on how to review skill additions to the shared library. Adoption check at the end of Step 2: every function lead can name three skills their team would benefit from before Step 3.

Step 3 · Recipe 1 in production

The creative asset factory. The fastest payback recipe. Cost-per-variant data visible to the founder by the end of Step 3. The Brand Project's scoring rules have been edited at least twice based on what Midjourney and OpenArt actually returned. The marketing team is shipping ten times the variants per quarter they did before Step 3, with CTR data starting to differentiate the angles.

Step 4 · Recipes 2 and 3 in production

The customer support agent shipped through shadow mode and promoted to live. The golden fifty is in the CX Project and refreshed. The escalation rate is between five and fifteen percent. Wispr Flow is in use by the executive team and the CX agents. The customer-facing voice stack is sketched in the architecture document but not yet built. Step 5 will not be ready until Recipe 2 has been in production long enough to have shipped at least two prompt revisions through the promotion gate.

Step 5 · Foundations stable, eyes on Part II

Three production agents live. The eval discipline working. The skills library at fifty or more skills, with several authored by non-engineers. The five adoption proxies all in the upper quartile across at least three of the seven functions. The technical owner is no longer the bottleneck on new skill creation. The company is at L2, with one foot in L3. Chapter 11 covers the three signals that say the company is ready for Part II.

> **THE PACE QUESTION**
>
> *A focused portco with a strong technical owner can move from Step 1 through Step 5 quickly. A portco juggling a fundraise, a product launch, and a senior departure should not. The right speed is the speed at which every step lands without being undone by the next one. Slower is fine. Skipping is not.*

When you are ready for Part II

Part II picks up where this ends. It covers multi-agent architectures, the full eval factory, synthetic persona libraries, self-improvement loops, the institutional memory layer, voice-native operations, long-horizon agents, the org chart of an AI-native company, and outcome-based pricing for B2B SaaS portcos. The L3 to L4 transition. Six more production recipes built on top of the three in this part.

Three signals that the company is ready for Part II

1. **Stable foundations.** The Chapter 4 setup is done. The eight guardrail actions in Chapter 9 are configured. Connector scopes are read-by-default with explicit exceptions. The audit log has at least sixty days of clean history. The data residency clause is in writing in the Enterprise contract.
2. **Completed evals on Recipes 1 through 3.** Recipe 1 has shipped to production with cost-per-variant data the founder can quote. Recipe 2 has run shadow mode long enough to pass the regression bar on the golden fifty and been promoted to live with the five-to-fifteen-percent escalation rate band. Recipe 3 has Wispr Flow installed across the executive team. The eval pipeline runs on a regular schedule.
3. **An internal team asking for more.** A function lead or a non-engineering employee has come to the technical owner asking for the next agent. This is the strongest possible signal that Part I has landed. When the demand for the next recipe is pulling from inside the company rather than being pushed from the technical owner outward, the company is ready for Part II.

If any of the three is missing, do not start Part II. Going to L3 with shaky L2 foundations is how AI-native companies become AI-broken companies. The eval factory in Part II Chapter 3 only works if the eval primer in Part I Chapter 7 is already a habit. The multi-agent recipes in Part II Chapters 4 through 6 only work if Recipes 1 through 3 have been running long enough to give the agent fleet something to compound on. The institutional memory layer in Part II Chapter 9 only works if MEMORY.md has been written to consistently for the prior steps.

> **WHY YOUR INVESTORS CARE ABOUT THIS**
>
> *The VC market in 2026 treats AI-native operating maturity as a leading indicator of category leadership. A portco that has installed Part I has a story to tell at the next round: cost-per-creative-variant, CSAT held with seventy percent fewer human hours, twenty percent CAC improvement on the spend under agent management, a skills library that doubles as a moat. A portco that has not has a story about plans. The funding gap between the two widens every quarter.*

Tools, DPDPA, glossary

Tools named in Part I

TOOL	WHAT IT DOES	WHERE
Claude Enterprise	The workbench every employee opens. SSO, admin, expanded context, MCP connectors, audit logs.	anthropic.com/enterprise
Claude Code	Agent runtime. Where the technical owner builds. Reads files, runs commands, calls connectors, spawns subagents, writes skills.	docs.anthropic.com/claude-code
Claude Cowork	Agentic desktop app for non-technical functions. Drives Chrome, Excel, and PowerPoint as tools.	anthropic.com/cowork
Claude Max	Personal-tier plan for power users. Layered on top of Enterprise login, never instead of it.	anthropic.com/max
MCP	Model Context Protocol. Open standard for plugging tools into Claude.	modelcontextprotocol.io
Wispr Flow	Desktop dictation. Four times typing speed for executives and CX.	wisprflow.ai
Midjourney	Image generation. Hero shots.	midjourney.com
OpenArt	Image generation. Custom brand-trained models for volume work.	openart.ai
Seedance 2.0 (via fal.ai)	High-volume short-form video. Approximately three hundred rupees per five-second 1080p clip.	fal.ai/models
ElevenLabs	Voice synthesis. English voice for video and customer-facing voice agents.	elevenlabs.io
Sarvam AI	Indic language voice and text. Hindi, Tamil, Telugu, Kannada, Marathi, Bengali, Gujarati.	sarvam.ai

Deepgram Nova-3	Streaming speech-to-text for English and Hinglish. Latency under three hundred milliseconds.	deepgram.com
Exotel	India-native telephony. TRAI-compliant out of the box.	exotel.com
Statsig	A/B testing and feature flags. The experiment surface for every variant the team ships.	statsig.com
Easebuzz	India-native payments and billing. BVP portfolio company. Default payments connector for India-based portcos that are not already on Razorpay.	easebuzz.in

DPDPA quick reference for the technical owner

The Digital Personal Data Protection Act 2023 is India's data protection law. Its rules are phasing in through 2027, so this is not a fire drill today; build for it now rather than scramble later. The few things that matter for a technical owner setting up Claude Enterprise are below. This is not legal advice; the company's counsel signs off on the specifics.

- **Data residency.** confirm India data residency in writing with Anthropic for any workload that processes Indian personal data. Get it as a contract clause, not a verbal assurance.
- **Accountability.** the audit log in Chapter 9 is the substrate. The portco must be able to demonstrate, for any Indian Data Principal, what data of theirs Claude processed and on what basis.
- **Children's data.** data of users under eighteen requires verifiable parental consent and prohibits behavioural tracking. The CX Project's system prompt must reflect this for any portco with a mixed-age audience.

Glossary of abbreviations introduced in Part I

TERM	FULL FORM / WHAT IT MEANS
API	Application Programming Interface. The metered usage line in the Anthropic contract; what the unattended agents in Chapters 6-8 spend against.
BI	Business Intelligence (Looker, Tableau, Hex)
CAC	Customer Acquisition Cost

CRM	Customer Relationship Management (Zoho, LeadSquared, HubSpot, Salesforce)
CSAT	Customer Satisfaction Score
CTR	Click-Through Rate
CX	Customer Experience (the support function)
D2C	Direct-to-Consumer
DPDPA	Digital Personal Data Protection Act 2023 (India)
DPO	Data Protection Officer
HR	Human Resources
INR	Indian Rupees. Default currency for portfolio financial reporting unless stated otherwise.
IST	India Standard Time (UTC+5:30)
KPI	Key Performance Indicator
L1, L2, L3, L4	The BVP AI fluency ladder: Copy-Paste, Delegate, Loop, Native
LLM	Large Language Model
LLM-as-judge	A pattern in which one LLM instance scores the outputs of another against a written rubric. Used in the Recipe 2 eval primer.
LP	Limited Partner (an investor in a venture fund)
LTV	Lifetime Value (revenue from a customer over their relationship)
MCP	Model Context Protocol (open standard for tool connectors; created by Anthropic, now stewarded by the Linux Foundation)
OMS	Order Management System (Shiprocket, Unicommerce)
PII	Personally Identifiable Information
PRD	Product Requirement Document

SCIM	System for Cross-domain Identity Management
SKU	Stock Keeping Unit (a specific product variant)
SLA	Service Level Agreement
SOP	Standard Operating Procedure
SQL	Structured Query Language
SSO	Single Sign-On
TRAI	Telecom Regulatory Authority of India
VC	Venture Capital

Part II carries this glossary forward and adds the L3-to-L4-specific terms: CAC:LTV, DRI (Directly Responsible Individual), HSM (Highly Structured Message), RevOps, SOC 2, and others.