



Telegram-to-Google-Sheets Live Lead Tracker

Google Apps Script

Telegram Bot API

License: MIT

A lightweight, 100% free automation tool built using **Google Apps Script** and the **Telegram Bot API**. Send client leads, data points, or tracking status updates directly from your mobile phone via Telegram, and instantly append them as structured rows inside your Google Spreadsheet.

🌟 Features

- **Instant Live Logging:** Data updates live via secure HTTPS Webhooks.
- **Fail-Safe Sheet Target:** Automatically targets your spreadsheet's active tab to prevent manual typo crashes.
- **Zero Hosting Costs:** Runs completely within your existing Google Account infrastructure.
- **Smart Input Validation:** Notifies you on Telegram if your input text is missing data fields.

📁 Project Structure

```
├── Code.js           # Core Google Apps Script engine (Keep this credential-free)
├── README.md         # Setup documentation & operational guide
```

🔧 Setup Guide

Step 1: Create a Telegram Bot

1. Search for **@BotFather** on Telegram and open a chat.
2. Send the command `/newbot`.
3. Give your bot a user-friendly name (e.g., `Lead Tracker Bot`) and a unique username ending in `bot` (e.g., `MyLeadDataBot`).
4. **Copy the HTTP API Token** generated by BotFather (looks like `8833221126:AAGpr3hsHyQa...`). *Keep this secret!*

Step 2: Set Up Google Sheets

1. Create a fresh Google Spreadsheet.
2. Define your sheet columns across row 1 matching your workflow:
 - **Column A:** `NAME`
 - **Column B:** `INSTA LINK`
 - **Column C:** `CONTACT NO.`

- **Column D:** STATUS

3. Click on **Extensions** in the top navigation bar, then select **Apps Script**.

Step 3: Add and Configure Code

1. Erase any default boilerplate code inside the script window.
2. Open the `Code.js` file from your repository layout, copy the full codebase, and paste it into your Google Apps Script editor.
3. Modify the `CONFIG` constant block at the very top of the script with your specific credentials:

```
const CONFIG = {  
  TELEGRAM_TOKEN: "YOUR_TELEGRAM_BOT_TOKEN_HERE", // Replace with your BotFather token  
  SHEET_NAME: "Sheet1"                          // Set to match your active tab name  
};
```

4. Click the **Save** icon (floppy disk logo).

Step 4: Deploy as a Web App

1. Click the **Deploy** button located in the upper-right corner and choose **New deployment**.
2. Click the gear settings icon next to *Select type* and pick **Web app**.
3. Apply the authorization rules exactly as described below:
 - **Execute as:** Me (your-email@gmail.com)
 - **Who has access:** Anyone (*Crucial: This lets the secure external Telegram system message your script*).
4. Select **Deploy**.
5. Follow the authorization prompt → Click *Review Permissions* → Choose your Google Account → Click *Advanced* (bottom left) → Click *Go to New Project (unsafe)* → Click **Allow**.

Step 5: Bind the Webhook Connection

1. In the toolbar at the top of your Apps Script editor, toggle the active function dropdown menu from `doPost` to `setWebhook`.
2. Click the **Run** option.
3. Review the **Execution log** at the bottom of the screen. If it ends with a success string stating `{"ok":true,"result":true...}`, your connection is live!

→ Usage Syntax

1. Launch your newly created bot on Telegram and select **Start**.
2. Send tracking entries using a comma-separated format.

Important: Because the script splits parameters by commas, keep commas out of your structural status comments.

Expected Format:

Name, Instagram Link, Contact Number, Status Update

Live Example:

Mukul Kaushik, <https://www.instagram.com/mukul>, 9625333027, interested 2500

Your bot will instantly send a confirmation checkmark message  Added "Mukul Kaushik" to the sheet successfully! , and your spreadsheet will populate live.

Troubleshooting

The Bot isn't responding to /start or inputs

Solution: Check your deployment configurations. Go to **Deploy → Manage Deployments** and verify that **Who has access** is set to **Anyone**. If it is set to *"Only myself"*, Telegram will be blocked from sending messages to your sheet.

Re-running setWebhook returns a 404 Error

Solution: Your `TELEGRAM_TOKEN` in the configuration file has a typo, extra spaces, or is missing entirely. Double-check your token string inside `@BotFather` .

Changing code variables doesn't apply changes to Telegram

Solution: Every single time you alter variables or adjustments inside the script editor, you **must create a new version deployment**. Navigate to **Deploy → Manage deployments → Click the Pencil icon (Edit)** → Under *Version*, select **New version** → Click ****Deploy****. Then, run the `setWebhook` function again.

License

This repository is licensed under the MIT License. Feel free to fork, modify, and build upon it!