

Periodic Table, Periodic Properties and Variations of Properties

SYLLABUS

Periodic properties and variations of properties — Physical and Chemical

- (i) Periodic properties and their variations in groups and periods.

Definitions of following periodic properties and trends in these properties in groups and periods should be studied;

- atomic size
- metallic character
- non-metallic character
- ionisation potential
- electron affinity
- electronegativity

- (ii) Periodicity on the basis of atomic number for elements.

Relation between atomic number for light elements (proton number) and atomic mass for light elements; the modern periodic table up to period 3 (students to be exposed to the complete modern periodic table but no questions will be asked on elements beyond period 3 – Argon); periodicity and other related properties to be described in terms of shells (not orbitals); special reference to the alkali metals and halogen groups.

Note : According to the recommendation of International Union of Pure and Applied Chemistry (IUPAC), the groups are numbered from 1 to 18 replacing the older notation of groups IA VIIA, VIII, IB VIIIB and 0. However, for the examination both notations will be accepted.

Old notation	IA	IIA	IIIB	IVB	VB	VIB	VIIIB	VIII			IB	IIB	IIIA	IVA	VA	VIA	VIIA	0
New notation	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18

1.1 INTRODUCTION

Elements are pure substances made up of one type of atoms. They are the basic units of all types of matter. In order to study elements in an organised manner, they need to be classified.

You have studied in class IX contribution of Dobereiner, Newland and Mendeleev to the classification of elements.

Dobereiner, grouped the elements in three (*triads*).

Newland, observed that when elements are arranged in increasing order of their atomic mass, *every eighth element beginning from any element resembles the first element in its physical and chemical properties*.

Dmitri Mendeleev, a Russian chemist gave the first periodic table of elements base on his law which states that “*the properties of elements are the periodic functions of their atomic masses*”. This arrangement enabled Mendeleev to place 63 elements known at that time in vertical columns (*groups*), and in horizontal rows (*periods*). He

predicted the existence of those elements which were yet to be discovered. *But this method could not explain the positions of certain elements, the rare earth metals and the isotopes.* These defects were removed when **Henry Moseley** put forward the **modern periodic table**. He stated that “**the physical and chemical properties of elements are the periodic functions of their atomic number**”.

Later on Niel Bohr gave the extended form of the table known as *long form of the modern periodic table* given on page 2.

A tabular arrangement of elements in groups (vertical columns) and periods (horizontal rows) highlighting the regular trends in properties of elements is called a PERIODIC TABLE.

1.2 SALIENT FEATURES OF THE MODERN PERIODIC TABLE (SEE PAGE 2)

GROUPS

The modern periodic table has **eighteen vertical columns**. They are known as groups, arranged from left to right in the order.

TABLE 1.1 : THE LONG FORM OF PERIODIC TABLE OF ELEMENTS

GROUPS		Transition Elements							Representative Elements							Noble gases																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
Periods	Atomic number	d - block								p - block						p - block																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
		IA		IIA		IIIB		IVB		VB		VIB		VIIB		VIII		IVA		VA		VIA		VIIA																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
1	1 H	S - block	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	7010	7011	7012	7013	7014	7015	7016	7017	7018	7019	7020	7021	7022	7023	7024	7025	7026	7027	7028	7029	7030	7031	7032	7033	7034	7035	7036	7037	7038	7039	7040	7041	7042	7043	7044	7045	7046	7047	7048	7049	7050	7051	7052	7053	7054	7055	7056	7057	7058	7059	7060	7061	7062	7063	7064	7065	7066	7067	7068	7069	7070	7071	7072	7073	7074	7075	7076	7077	7078	7079	7080	7081	7082	7083	7084	7085	7086	7087	7088	7089	7090	7091	7092	7093	7094	7095	7096	7097	7098	7099	70100	70101	70102	70103	70104	70105	70106	70107	70108	70109	70110	70111	70112	70113	70114	70115	70116	70117	70118	70119	70120	70121	70122	70123	70124	70125	70126	70127	70128	70129	70130	70131	70132	70133	70134	70135	70136	70137	70138	70139	70140	70141	70142	70143	70144	70145	70146	70147	70148	70149	70150	70151	70152	70153	70154	70155	70156	70157	70158	70159	70160	70161	70162	70163	70164	70165	70166	70167	70168	70169	70170	70171	70172	70173	70174	70175	70176	70177	70178	70179	70180	70181	70182	70183	70184	70185	70186	70187	70188	70189	70190	70191	70192	70193	70194	70195	70196	70197	70198	70199	70200	70201	70202	70203	70204	70205	70206	70207	70208	70209	70210	70211	70212	70213	70214	70215	70216	70217	70218	70219	70220	70221	70222	70223	70224	70225	70226	70227	70228	70229	70230	70231	70232	70233	70234	70235	70236	70237	70238	70239	70240	70241	70242	70243	70244	70245	70246	70247	70248	70249	70250	70251	70252	70253	70254	70255	70256	70257	70258	70259	70260	70261	70262	70263	70264	70265	70266	70267	70268	70269	70270	70271	70272	70273	70274	70275	70276	70277	70278	70279	70280	70281	70282	70283	70284	70285	70286	70287	70288	70289	70290	70291	70292	70293	70294	70295	70296	70297	70298	70299	70300	70301	70302	70303	70304	70305	70306	70307	70308	70309	70310	70311	70312	70313	70314	70315	70316	70317	70318	70319	70320	70321	70322	70323	70324	70325	70326	70327	70328	70329	70330	70331	70332	70333	70334	70335	70336	70337	70338	70339	70340	70341	70342	70343	70344	70345	70346	70347	70348	70349	70350	70351	70352	70353	70354	70355	70356	70357	70358	70359	70360	70361	70362	70363	70364	70365	70366	70367	70368	70369	70370	70371	70372	70373	70374	70375	70376	70377	70378	70379	70380	70381	70382	70383	70384	70385	70386	70387	70388	70389	70390	70391	70392	70393	70394	70395	70396	70397	70398	70399	70400	70401	70402	70403	70404	70405	70406	70407	70408	70409	70410	70411	70412	70413	70414	70415	70416	70417	70418	70419	70420	70421	70422	70423	70424	70425	70426	70427	70428	70429	70430	70431	70432	70433	70434	70435	70436	70437	70438	70439	70440	70441	70442	70443	70444	70445	70446	70447	70448	70449	70450	70451	70452	70453	70454	70455	70456	70457	70458	70459	70460	70461	70462	70463	70464	70465	70466	70467	70468	70469	70470	70471	70472	70473	70474	70475	70476	70477	70478	70479	70480	70481	70482	70483	70484	70485	70486	70487	70488	70489	70490	70491	70492	70493	70494	70495	70496	70497	70498	70499	70500	70501	70502	70503	70504	70505	70506	70507	70508	70509	70510	70511	70512	70513	70514	70515	70516	70517	70518	70519	70520	70521	70522	70523	70524	70525	70526	70527	70528	70529	70530	70531	70532	70533	70534	70535	70536	70537	70538	70539	70540	70541	70542	70543	70544	70545	70546	70547	70548	70549	70550	70551	70552	70553	70554	70555	70556	70557	70558	70559	70560	70561	70562	70563	70564	70565	70566	70567	70568	70569	70570	70571	70572	70573	7057

Elements with atomic number 110 and above have been reported but not yet fully authenticated and named.

As of 2005, the table contains 116 chemical elements whose discoveries have been confirmed;

94 are found naturally on earth and the rest are synthetic elements.

Group 1 : These elements are known as **Alkali metals** as they form strong alkalis with water.

Group 2 : **Alkaline earth metals** – They form weaker alkalis as compared to group 1 elements.

Groups 3, 4, 5, 6, 7, 8, 9, 10, 11 and 12 are known as the **transition elements**. They have their *two outermost shells incomplete*.

Group 13 : Boron family – Boron is the first member of the group.

Group 14 : Carbon family.

Group 15 : Nitrogen family.

Group 16 : Oxygen family also known as chalcogens meaning ore forming.

Group 17 : These elements form salts and so known as **Halogen** (meaning – salt former).

Group 18 : (Zero group) – Elements of this group are called the **noble gases or inert gases**.

These elements have their outermost orbit complete. Due to stable electronic configuration they hardly react with other elements.

Note : The elements of groups 1, 2, 13, 14, 15, 16 and 17 are known as the **main group elements** or **representative elements** or **normal elements**.

The outermost shell of all the elements of these groups are incomplete.

PERIODS

There are **seven horizontal rows** in the modern periodic table. They are known as **periods** (see table given below).

The number of shells present in an atom determines its period. For example :

Elements of period one have one shell, elements of period two have two shells, and that of period three have three shells and so on.

Period	Type of period	Number of elements	Atomic no. of elements	No. of shell(s)	Elements in Group								
					1	2	3 - 12	13	14	15	16	17	18
1	Shortest period	2	1 – 2	1	H 1								He 2
2	Short period	8	3 – 10	2	Li 3	Be 4		B 5	C 6	N 7	O 8	F 9	Ne 10
3	Short period	8	11 – 18	3	Na 11	Mg 12		Al 13	Si 14	P 15	S 16	Cl 17	Ar 18
4	Long period	18	19 – 36	4	K 19								Kr 36
5	Long period	18	37 – 54	5	Rb 37								Xe 54
6	Longest period	32	55 – 86	6	Cs 55	La 57 ↔ 80	Hg						Rn 86
7	Longest period	32	87 – 118	7	Fr 87	Ac 89 ↔ 112	Cn						Uuo 118

Note : Lanthanides **Group 3 of the sixth period** and actinides **Group 3 of the seventh period** have similar properties because they belong to the same Group 3. They are shown at the bottom of the periodic table because they are large in number, and if shown in the main body of the table will distort its shape.

The **third period** elements, Na, Mg, Al, Si, P, S and Cl, summarise the properties of their respective groups and are called **typical elements**.

A period is determined by the number of shells and a group is determined by the number of electrons present in the outermost shell. For example : Sodium has atomic number 11 and its electronic configuration is 2, 8, 1. It has three orbits (shells) and has one electron in the outermost orbit hence it is placed in third period and group 1. Similarly, calcium, atomic number 20, electronic configuration 2, 8, 8, 2 is placed in fourth period and group 2.

1.3 PERIODICITY

(1) Number of shells :

The properties that reappear at regular intervals, or in which there is gradual variation (*i.e.* increase or decrease) at regular intervals, are called '*periodic properties*' and the phenomenon is known as the *periodicity of elements*.

Cause of periodicity

The cause of periodicity is the recurrence of similar electronic configuration i.e. having same number of electrons in the outermost orbit.

In a particular group, **electrons in the outermost orbit** remain the same *i.e.* **electronic configuration is similar**. Since **chemical properties of elements depend upon the number of electrons in their outermost shell**, thus elements of the same group have similar properties.

For example in group 17, *i.e.*, halogens, all elements have seven electrons (see electronic configuration given in 1.4) in their respective outermost shells, therefore, they show similar properties, such as:

- they are coloured non-metals.
- they form negative ions carrying a single charge.
For example chloride ions (Cl^-).
- they are very reactive and are, therefore, found in combined state.
- they are only slightly soluble in water, but they dissolve much better in organic solvents like carbon disulphide, chloroform, alcohol, etc.
- their melting and boiling points increase regularly moving down the group.
- they are good oxidising agents.

It is thus concluded that periodicity is due to the same number of electron(s) in the outermost orbit of different elements.

1.4 SHELLS (ORBITS) AND VALENCY

Orbits : Electrons revolve around the nucleus in certain definite circular paths called **orbits** or **shells**.

(a) Down a group, *i.e.*, from top to bottom.

The number of shells increases successively, *i.e.*, one by one, such that the number of shells that an element has, *equals the number of the period* to which that element belongs.

For example, in halogens (Group 17).

Element with atomic numbers	No. of shells	Electronic configuration	Period to which the element belongs
		K L M N O P	
F (9)	2	2, 7	Second
Cl (17)	3	2, 8, 7	Third
Br (35)	4	2, 8, 18, 7	Fourth
I (53)	5	2, 8, 18, 18, 7	Fifth
At (85)	6	2, 8, 18, 32, 18, 7	Sixth

(b) Across a period, *i.e.*, from left to right.

On moving from left to right in a given period, the number of shells remains the same. For example, in the 2nd period, the number of shells remains two, *i.e.*, equal to the number of the period. Similarly in the third period the number of shells remains three and so on.

(2) Valency

Valency denotes the combining capacity of the atom of an element. It is equal to the number of electrons an atom can donate or accept or share.

*On moving down a given group, the number of electrons in the outermost shell, *i.e.*, valence electron, remains the same.* Therefore, **valency**, in a group, also remains the same.

In a given period, the number of electrons in the valence (outermost) shell increases from left to right. But the valency increases only upto Group 14, where it becomes 4, and then it decreases, *i.e.*, in Group 17 it becomes 1.

Note 1 : Valency depends on the number of electrons in the outermost shell (*i.e.* valence shell). If the number of electrons present in the outermost shell are 1, 2, 3 or 4, then their valency

is 1, 2, 3 or 4 respectively. If the number of electrons present in the outermost shell are 5, 6 or 7, then their valency is $8 - 5 = 3$, $8 - 6 = 2$ and $8 - 7 = 1$ respectively.

Note 2 : Valency is the combining capacity so it is always positive.

Groups →	IA 1	IIA 2	IIIA 13	IVA 14	VA 15	VIA 16	VIIA 17	Zero 18
Elements of the 2nd period	Li	Be	B	C	N	O	F	Ne
Atomic No.	3	4	5	6	7	8	9	10
Electronic configuration	K L 2, 1	K L 2, 2	K L 2, 3	K L 2, 4	K L 2, 5	K L 2, 6	K L 2, 7	K L 2, 8
No. of shells	2	2	2	2	2	2	2	2
Valency	1	2	3	4	3	2	1	0
Formula of Hydride	LiH	BeH ₂	BH ₃	CH ₄	NH ₃	H ₂ O	HF	-

In the periodic table

- elements are arranged in order of increasing atomic number (proton number).
- the vertical columns of elements with similar properties are called groups.
- the horizontal rows are called periods.

Intext Questions

- (a) State modern periodic law. Name the scientist who stated the law.
(b) What is a periodic table ? How many groups and periods does modern periodic table have?
- Elements of group 1 and elements of group 17 both have valency 1. Explain.
- What are horizontal rows and vertical columns in a periodic table known as ?
- Periodicity is observed due to the similar (number of valence electrons/atomic number/electronic configuration).
- How does the electronic configuration in atoms change
 - in a period from left to right ?
 - in a group top to bottom ?
- Correct the statements.
 - Elements in the same period have the same valency.
 - Valency depends upon the number of shells in an atom.

- (iii) Copper and zinc are representative elements.
(iv) Transition elements are placed at extreme right of the periodic table.
- Name two elements in each case :

(i) Alkali metals	(ii) Alkaline earth metals
(iii) Halogens	(iv) Inert gas
(v) Transition element	(vi) Lanthanides
(vii) Actinides	
- What do you understand by ?
 - Periodicity
 - Typical elements
 - Orbits
- Name two elements that you would expect to show chemical reactions similar to calcium. What is the basis of your choice ?
- Name the (i) metals (ii) metalloids and (iii) non-metals in the first twenty elements.
- Fluorine, chlorine and Bromine are put in one group on the basis of their similar properties.
(i) What are those similar properties ?
(ii) What is the common name of this group or family ?
- What is the main characteristic of the last element in each period of the Periodic Table ? What is the general name of such elements ?
- According to atomic structure, what determines which element will be the first and which will be the last in a period?
- How does the number of :
 - valence electrons and
 - valency vary on moving from left to right in the second period of the periodic table ?
- Name the type of elements, which have their
 - outermost shell complete
 - outermost shell incomplete
 - two outermost shell incomplete
 - one electron short of octet
 - two electrons in the outermost orbit.
- An element has 2 electrons in its N shell.
(i) What is its atomic number ?
(ii) State its position in periodic table
(iii) Is it metal or non-metal ?
(iv) State the name assigned to this group.
- Answer the following in respect of element $^{32}_{16}\text{S}$.
(i) Give its electronic configuration.
(ii) To which group and period does it belong ?
(iii) What is its valency ?
(iv) Is it metal or non-metal ?
(v) Is it a reducing agent or an oxidising agent ?
(vi) Give its formula with chlorine.

1.5 PERIODIC PROPERTIES

(ii) Nuclear charge


The properties of elements which are directly or indirectly related to their electronic configurations and show a regular gradation as we move across a period, from left to right or down the group from top to bottom, are called **Periodic Properties**.

Important periodic properties are :


- (i) **atomic size** (atomic radius),
- (ii) **metallic character**,
- (iii) **non-metallic character**,
- (iv) **ionisation potential** (ionisation energy),
- (v) **electron affinity**,
- (vi) **electronegativity**.

1.5.1 Atomic size (atomic radius)

It is the distance between the centre of the nucleus of an atom and its outermost shell.



Atomic radius can also be defined as half the inter-nuclear distance between the combined atoms in a molecule.



Unit : Angstrom : $1\text{A} = 10^{-10}\text{ m}$

Picometre : $1\text{ pm} = 10^{-12}\text{ m}$.

Atomic size depends upon :

- (i) number of shells and (ii) nuclear charge.

(i) Number of shells

An increase in the number of shells increases the size of an atom because the distance between the outermost shell and the nucleus increases.

It is the positive charge present in the nucleus of an atom, which is equal to the number of protons in the nucleus, i.e., the atomic number.

An increase in nuclear charge decreases the size of the atom because the electrons are then attracted towards the nucleus with a greater force, thereby bringing the outermost shell closer to the nucleus.

Trends in atomic size (atomic radius)

(a) Down a group :


In a group, the size of an atom increases as one proceeds from top to bottom. This is due to the successive addition of shells (which outweighs the increased nuclear charge) as one moves from one period to the next in a group. For example :

Elements in Group 1

In group 1 the size of hydrogen is smallest.

Elements	Atomic No.	Atomic radius	Electronic configuration K L M N O P	Size
Hydrogen	1	37 pm	1	●
Lithium	3	152 pm	2, 1	●●
Sodium	11	186 pm	2, 8, 1	●●●
Potassium	19	231 pm	2, 8, 8, 1	●●●●
Rubidium	37	244 pm	2, 8, 18, 8, 1	●●●●●
Caesium	55	262 pm	2, 8, 18, 18, 8, 1	●●●●●●

In group 17 the size of fluorine is smallest.




(b) Across a period :

In a period, the size of an atom decreases from left to right. This is because the nuclear charge, i.e., the atomic number increases from left to right in the same period, thereby bringing the outermost shell closer to the nucleus. Therefore, considering the second period given above, it has been found that lithium (Li) has the largest atomic size while fluorine (F) has the smallest.

Trends in atomic size across a period.

Elements	Lithium	Beryllium	Boron	Carbon	Nitrogen	Oxygen	Fluorine
Atomic No.	3	4	5	6	7	8	9
Atomic Radius	152 pm	112 pm	88 pm	77 pm	70 pm	66 pm	64 pm
Electronic configuration	K L 2, 1	K L 2, 2	K L 2, 3	K L 2, 4	K L 2, 5	K L 2, 6	K L 2, 7
Size							

In third period, sodium is largest in size




Note : As an exception the size of the atoms of inert gases are bigger. This is because the outer shell of inert gases is complete. They have the maximum number of electrons in their outer most orbit thus the electronic repulsions are maximum. Hence the size of the atom of an inert gas is bigger.

Note : 1. Cation is always smaller than the parent atom, from which it is formed.

Reason :


Cation is formed by the loss of electron(s), hence proton(s) are more than electron(s) in a cation. So electrons are strongly attracted by the nucleus and are pulled inward. Hence the size decreases.



2. Anion is larger than the parent atom.

Reason : Anion is formed by the gain of electron(s). Thus, the number of electron(s) are more than

proton(s). The effective positive charge in the nucleus is less, so less inward pull is experienced. Hence the size expands.




3. Size of isoelectronic ions i.e. the ions having the same number of electrons depends upon the nuclear charge (no. of protons). Greater is the nuclear charge smaller is the size .

Example :


Isoelectronic ions	Mg^{2+}	Na^+	F^-	O^{2-}
No. of electrons	10	10	10	10
No. of protons	12	11	9	8
Size in A°	0.65	0.95	1.26	1.42

1.5.2 Metallic character

Those elements, which have a tendency to lose their valence electrons (electrons of the outermost orbit) and form a positive ion, are considered metals.



Note : Hydrogen is an element (non metal) which does not have a neutron, it has only one electron and one proton. On losing this electron it forms its cation which has only one proton, therefore its cation can also be called a **proton**. $H - e^- \rightarrow H^+$



Elements which lose electron(s) to complete their octet are **reducing agents**. Metals are good reducing agents. Greater the tendency to lose electron(s) stronger is the reducing agent.

The metallic character of elements depends on:

- (i) atomic size and (ii) nuclear charge.

(i) **Atomic size** : The greater the **atomic size**, the farther the outermost orbit, and thus, lesser the nuclear pull exerted on it. As a result, electron(s) can be removed more easily from the valence shell, thus making the elements more metallic.

(ii) **Nuclear charge** : The greater the **nuclear charge**, the greater is the force exerted by the nucleus on the electron(s) of the outermost orbit. This makes it difficult to remove the electron(s) from the outermost orbit. Thus metallic nature decreases.

Trends in metallic character

Down a group

On moving *down a group*, the atomic size increases and the nuclear charge also increases. The effect of an increased atomic size is greater as compared to the increased nuclear charge. Therefore, ***metallic nature increases as one moves down a group***, i.e., they can lose electrons easily.

Example : In group 1, lithium is the least metallic element.

Note : Francium is radioactive element so its properties are not known.

Metallic nature increases ↓

Table 1.2

Group	GROUP 1	GROUP 2	GROUP 13	GROUP 14	GROUP 15	GROUP 16	GROUP 17	GROUP 18
Element	Na	Mg	Al	Si	P	S	Cl	Ar
Atomic number	11	12	13	14	15	16	17	18
Electronic configuration	K, L, M 2, 8, 1	K, L, M 2, 8, 2	K, L, M 2, 8, 3	K, L, M 2, 8, 4	K, L, M 2, 8, 5	K, L, M 2, 8, 6	K, L, M 2, 8, 7	K, L, M 2, 8, S
Metallic property	Metal	Metal	Metal	Metalloid	Non-metal	Non-metal	Non-metal	Noble gas
Valency	1	2	3	4	3	2	1	0

Across a period

On moving *across a period*, nuclear pull increases due to the increase in atomic number, and thus the atomic size decreases. Hence, elements cannot lose electrons easily.

Therefore, *the metallic nature decreases across a period, moving from left to right.*


Example : In the 2nd period, lithium is the most metallic.

1.5.3 Non-metallic character


Those elements, which have a tendency to gain electrons, in order to attain octet in their outermost orbit, are considered as non-metals.

Non-metals usually have 5, 6 or 7 electrons in their outermost orbits. They can gain 3, 2 or 1 electron respectively, in order to attain octet or to complete their valence shells (outermost orbits) and form an anion.

For example, chlorine (Cl) and oxygen (O) gain 1 and 2 electron(s) respectively to form anions.



In the 3rd period, sodium is the most metallic element



Non-metallic character also depends on :

- (i) atomic size and
 - (ii) nuclear charge.

(i) *Atomic size* : The smaller the **atomic size**, the greater is the nuclear pull and the tendency to gain electrons. Therefore, the element is more non-metallic by nature.

(ii) *Nuclear charge* : The greater the nuclear charge, the greater is the tendency to gain electron(s), hence more non-metallic is the element.

Trends in non-metallic character

Down a group

The atomic size increases, due to the addition of new shells over successive periods. Though the nuclear charge increases, due to an increase in atomic number, the effect of an increasing atomic size is greater. Therefore, ***non-metallic nature decreases down the group.***


Example : Group 14

C	Non metal
Si	Metalloid
Ge	Metalloid
Sn	Metal
Pb	Metal

Across the period (left to right)

On moving across a period, the tendency to gain electron(s) increases due to an increase in nuclear pull and a decrease in the atomic size. Therefore, *non-metallic character increases across a period, i.e., from left to right.*

For example, in the 3rd period,



Note : Non-metals are oxidising agents

The nature of oxides also show periodicity.

Across a period : The oxides of elements in a particular period show decreasing basic nature and finally become acidic. For example, the oxides of the elements of the third period.

Na_2O	MgO	Al_2O_3	SiO_2	P_2O_5	SO_3	Cl_2O_7
Strongly basic	Basic	Amphoteric	Feebly acidic	Acidic	More acidic	Most acidic

Down a group : The basic nature of oxides of metals increases.

Chemical reactivity

The reactivity of elements depend upon their tendency to lose or gain electrons to complete their outermost orbit. Greater the tendency to lose electron(s), greater is the reactivity in the case of metals. Similarly greater the tendency to gain electron(s), greater is the reactivity of non-metals.

Trends in chemical reactivity

Across a period :

On moving from left to right in a period, the chemical reactivity of elements first decreases and then increases.

The group 1 element can lose electrons easily as compared to group 2. Similarly, group 2 elements can also lose electrons easily but only in comparison to group 13 and not at all in comparison to group 1. As the tendency to lose electrons decreases, reactivity also decreases and thus silicon is the least reactive element in third period. As we move from phosphorus to chlorine, the tendency to gain electrons increases, hence reactivity again increases.,
e.g.,

Third period :

Na	Mg	Al	Si	P	S	Cl
Most reactive metal			least reactive			Most reactive
	reactivity decreases			reactivity decreases		
						Non-metal

Down a group

The tendency of loosing electrons increases down the group. Since chemical reactivity in metals depends upon the tendency to lose electrons, thus reactivity increases on going down the group.

The most reactive metal is at the bottom of group 1.

The chemical reactivity of non-metals decreases on going down the group as it depends upon the tendency to gain electrons, which decreases down the group. **The most reactive non-metal is at the top of group 17 i.e., Fluorine.**

Gradation in physical properties

The melting and boiling points of metals decrease on going down the group, e.g.,

Metals	m.p.	b.p.
Li	180.5°C	1347°C
Na	94.5°C	883°C
K	63.5°C	774°C

↓ decreases

The melting and boiling points of non-metals increase on going down the group.

Non-Metals	m.p.	b.p.	Physical state
Fluorine	-219.6°C	-187°C	gas
Chlorine	-101°C	-34.6°C	gas
Bromine	-7.2°C	+58.8°C	liquid
Iodine	+113.6°C	+183°C	solid

↓ increases

Note : Across a period, left to right, melting point and boiling point usually increases upto group 14 (IV A) and then decreases.

Element of 3rd period	Na	Mg	Al	Si	P	S
M.P. (°C)	98	650	660	1410	44.2	115.2

Density of elements across a period increases gradually to maximum and then slight decrease may be noticed.

Element	Na	Mg	Al	Si	P	S
Density g/cc	1.0	1.7	2.7	2.3	1.8	2.1

Down a group density of elements increases gradually.

Element	Li	Na	K	Rb	Cs
Density g/cc	0.54	0.97	0.86	1.53	1.87

Intext Questions

- What do you understand by atomic size ? State its unit.
 - Give the trends in atomic size on moving :
 - down the group,
 - across the period left to right.
 - Arrange the elements of second and third period in increasing order of their atomic size.
 - Why is the size of (i) neon greater than fluorine? (ii) sodium is greater than magnesium ?
 - Which is greater in size ?
 - an atom or a cation
 - an atom or an anion
 - Fe^{2+} or Fe^{3+}
 - Arrange :
 - Be, Li, C, B, N, O, F (in increasing metallic character).
 - Si, Na, Al, Mg, Cl, P, S (in decreasing non-metallic character).
 - State the trend in chemical reactivity :
 - across the period left to right,
 - down the group.
 - A metal M forms an oxide having the formula M_2O_3 . It belongs to third period. Write the atomic number and valency of the metal.
 - An element X belong to 4th period and 17th group, state
 - no. of valence electrons in it.
 - name of the element.
 - name the family to which it belong.
 - write the formula of the compound formed when X reacts with ${}_{13}^{27}\text{Y}$.
 - The given table shows elements with same number of electrons in its valence shell.
- | | | | |
|----------|------|-------|------|
| Elements | A | B | C |
| m.p. | 63.0 | 180.0 | 97.0 |
- State :
- Whether these elements belong to same group or period.
 - Arrange them in order of increasing metallic character.
- Which one of the following has the largest atomic radius ?
 - Sodium
 - Potassium
 - Magnesium
 - Aluminium
 - Which one has the largest size ?
 - Br
 - I
 - I^-
 - Cl

13. The metals of group 2 from top to bottom are Be, Mg, Ca, Sr and Ba
- Which one of these elements will form ions most readily and why ?
 - State the common feature in their electronic configuration.
14. Write the number of protons, neutrons and electronic configuration of $^{39}_{19}\text{K}$, $^{31}_{15}\text{P}$. Also state their position in periodic table.
15. The electronic configuration of an element T is 2, 8, 8, 1.
- What is the group number of T ?
 - What is the period number of T ?
 - How many valence electrons are there in an atom of T ?
 - What is the valency of T ?
 - Is it a metal or a non-metal ?
16. Complete the following sentences choosing the correct word or words from those given in brackets at the end of each sentence :
- The properties of the elements are a periodic function of their _____ (atomic number, mass number, relative atomic mass).
 - Moving across a _____ of the Periodic Table the elements show increasing _____ character (group, period, metallic, non-metallic).
 - The elements at the bottom of a group would be expected to show _____ metallic character than the element at the top (less, more).
 - The similarities in the properties of a group of elements are because they have the same _____ (electronic configuration, number of outer electrons, atomic numbers).
17. Give reasons for the following :
- The size of a Cl^- ion is greater than the size of a Cl atom.
 - Argon atom is bigger than chlorine atom.
 - Ionisation potential of the element increases across a period.
 - Alkali metals are good reducing agents.
18. Name the element which has :
- two shells, both of which are completely filled with electrons ?
 - the electronic configuration 2, 8, 3 ?
 - a total of three shells with five electrons in its valence shell ?
 - a total of four shells with two electrons in its valence shell ?

- twice as many electrons in its second shell as in its first shell ?
19. (i) State the number of elements in Period 1, Period 2, and Period 3 of the periodic table. Name them.
- What is the common feature of the electronic configuration of the elements at the end of Period 2 and Period 3 ?
 - If an element is in Group 17, it is likely to be _____ [metallic/non-metallic] in character, while with one electron in its outermost energy level (shell), then it is likely to be _____ [metallic/non-metallic].

1.5.4 Ionisation potential or Ionisation energy (I.E.) or ionisation enthalpy

We know that the electrons in an atom are attracted by the positively charged nucleus. So, if we want to remove an electron from an atom, some energy has to be supplied to overcome the strong attraction of the nucleus. And after the electron gets removed from the atom, the atom then acquires one unit positive charge and becomes a positive ion (or cation).

The energy required to remove an electron from a neutral isolated gaseous atom and convert it into a positively charged gaseous ion is called ionisation potential (I.P.) or ionisation energy (I.E.) or first ionisation energy (IE_1).



M can be any element.

Unit : I.E. is measured in electron volts per atom (eV/atom) and its S.I. unit is kilojoule per mole (kJ mol^{-1}).

Ionisation energy depends on :

- atomic size
- nuclear charge

- Atomic size :** The greater the atomic size, the lesser the force of attraction. Since the electrons of the outermost shell lie further away from the nucleus, thus make their removal easier, i.e., the ionisation energy required is less.
- Nuclear charge :** The greater the nuclear charge, greater is the attraction for the electrons of the outermost shell. Therefore, the electrons

in the outermost shell are more firmly held because of which greater energy is required to remove the electron(s).

Trends in ionisation energy

Across a period

The ionisation energy tends to increase as one moves from left to right across a period (with exceptions), because the atomic size decreases due to an increase in the nuclear charge, and thus, more energy is required to remove the electron(s).

The elements of the 2nd period	Li	Be	B	C	N	O	F	Ne
Ionisation energy in kJ mol^{-1}	520	899*	801	1088	1402*	1314	1681	2080

The elements of the 3rd period	Na	Mg	Al	Si	P	S	Cl	Ar
I.E. in kJ mol^{-1}	496	737*	577	786	1011*	999	1256	1520

Down a group

There is an increase in atomic number (nuclear charge) and atomic size down the group due to the addition of extra shells. This increase in the atomic size overcomes the effect of an increase in the nuclear charge.

Therefore, ionisation energy decreases with an increase in the atomic size, i.e., it decreases as one moves down a group.

The elements of Group 1	Ionisation energy in kJ mol^{-1}
H	1312
Li	520
Na	498
K	419
Rb	403
Cs	375

* Exceptions

The elements of Group 17	Ionisation energy in kJ mol^{-1}
F	1681
Cl	1256
Br	1143
I	1008


Note : • Helium will have the highest ionisation energy 2372.0 kJ mol^{-1} while caesium (Cs) will have the lowest ionisation energy of 375.0 kJ mol^{-1} (I.E. of Fr is not determined correctly as it is radioactive).

- Metals usually have low I.E. whereas non-metals have high I.E.

1.5.5 Electron Affinity (E.A.) or Electron Gain Enthalpy


We have just studied that to remove an electron from an atom, energy is required. Similarly, when an extra electron is added to an atom, energy is released.

The amount of energy released while converting a neutral gaseous isolated atom into a negatively charged gaseous ion (anion) by the addition of electron is called Electron Affinity (E.A.).



X is any element taken in its gaseous state.

Unit : electron volts per atom ($e\text{V}/\text{atom}$) or kJ mol^{-1} . Electron affinity is represented by negative sign [-] e.g.,



Therefore, electron affinity of chlorine is - 349 KJ/mol.

Electron affinity depends on :

- atomic size and (ii) nuclear charge.
- Atomic size :** The smaller the atomic size, the greater the electron affinity, because the effective attractive force between the nucleus and the valence electrons is greater in smaller atoms, and so the electrons are held firmly.
- Nuclear charge :** The greater the nuclear charge, greater is the electron affinity, because increase in nuclear charge increases the effective attractive force on the valence electrons.

Variation (Trends) in electron affinity

In a period, i.e., from left to right in a horizontal row of the periodic table, the atomic size decreases and the nuclear charge increases, so the

electron affinity increases. Thus electron affinity (E.A.) is the highest for group 17 elements (halogens) and the least for group 1 (alkali metals).

Electron Affinity Values in KJ mol⁻¹

	IA (1)	IIA (2)	IIIA (13)	IVA (14)	VA (15)	VIA (16)	VIIA (17)	Zero (18)
I	H -72.8							He*
II	Li -59.8	Be* -59.8	B -88.0	C -122	N* -140.9	O -327.9	F	Ne*
III	Na -53.1	Mg* -50.0	Al -119	Si -74	P -200	S -349	Cl Ar*	

Down a group

Moving from the top to the bottom in a group, the atomic size increases more than the nuclear charge, thereby causing a net decrease in E.A.

Note : In group 17 fluorine has lower E.A. than chlorine and in group 16 oxygen has lower E.A. than sulphur. This is because the size of Fluorine and oxygen atom is very small. As a result, there are strong inter electronic repulsions and thus incoming electron does not feel much attraction.

1.5.6 Electronegativity (E.N.)

The tendency of an atom in a molecule to attract the shared pair of electrons towards itself is called its **electronegativity**.

Electronegativity is a *dimensionless property*, since it is only a tendency. It only indicates the net result of the tendencies of different elements to attract the bond-forming electron pair.

Electronegativity is measured on several scales. The most widely used scale of electronegativity was devised by **Linus Pauling** (1932) in which the highest value of electronegativity [for fluorine] is taken as 4.0 and the lowest one [for caesium] as 0.7.

* Inert gases have zero electron affinity due to their stable electronic configuration.

Groups 2 and 15 do not show negative values. They are exceptions.

	ELECTRONEGATIVITY VALUES											
	1	2	13	14	15	16	17					
D	H											
E	2.1											
C	Li	Be	B	C	N	O	F					
R	1.0	1.5	2.0	2.5	3.0	3.5	4					
E	Na	Mg	Al	Si	P	S	Cl					
A	0.9	1.2	1.5	1.8	2.1	2.5	3.0					
S	K	Ca	Ga	Ge	As	Se	Br					
I	0.8	1.0	1.6	1.8	2.0	2.4	2.8					
N	Rb	Sr	In	Sn	Sb	Te	I					
G	0.8	1.0	1.7	1.8	1.9	2.1	2.5					
	Cs	Ba	Tl	Pb	Bi	Po	At					
	0.7	0.9	1.8	1.9	1.9	2.0	2.2					
	↓	I	N	C	R	E	A	S	I	N	G	→

Electronegativity values too depend on :

- (i) size of atom and
- (ii) nuclear charge.

- (i) **Atomic size** : *The greater the size of the atom, the lesser the electronegativity*, since the electrons being farther away from the nucleus, experience a lesser force of attraction.
- (ii) **Nuclear charge** : *The greater the nuclear charge, the greater the electronegativity*, because increase in nuclear charge causes electron attraction with a greater force.

Trends in electronegativity

Across a period

Since the nuclear charge increases due to an increase in atomic number, **electronegativity increases from left to right in a period**.

For example, in the second period, electronegativity increases from lithium to fluorine.

Down a group

There is an increase in atomic number down a group, i.e., nuclear charge increases, but due to the addition of extra shells, the atomic size increases. The effect of an increase in the atomic size overcomes the effect of an increase in the nuclear charge, hence **electronegativity decreases down a group**.

For example, in the first group, it significantly decreases from lithium downwards to francium.

Note : 1. Generally, metals show lower electronegativity as compared to non-metals. Thus metals are electropositive and non-metals are electronegative.

2. The elements of second period differs in properties from their respective groups. This is due to small size of the atom and their high electronegativity.

Diagonal relationship : The elements of the **second period** show resemblance in properties with the elements of the next group of the **third period**, due to very less electronegativity difference. This leads to a **diagonal relationship**, viz. Li & Mg, Be & Al, B & Si. These elements are called **bridge elements**.

Group →	1	2	13	14
Period 2	Li	Be	B	C
Period 3	Na	Mg	Al	Si

Noble gases have complete octet so they do not have tendency to attract electrons.

Note : Greater the value of electron affinity easier it is to gain electron(s) and more non metallic or more electronegative or more oxidising is the element.

Intext Questions

- (a) Define the term 'ionisation potential'. (2010)
(b) Represent it in the form of an equation. In which unit it is measured?
- Ionisation Potential values depends on (a) atomic size
(b) nuclear pull. Explain.
- State the trends in ionisation energy :
(a) across the period, (b) down the group.
- Name the elements with highest and lowest ionisation energies in first three periods.
- Arrange the elements of second and third period in increasing order of ionisation energy.
- (a) Define the term 'electron affinity'. State its unit.
(2010)
(b) Arrange the elements of second period in increasing order of their electron affinity. Name the elements which do not follow the trend in this period.
- Electron affinity values generally across the period left to right and down the group top to bottom.

- (a) Define the term 'Electronegativity'. State its unit.
(b) Among the elements given below, the element with least Electronegativity is :
(i) Lithium (ii) Boron (iii) Carbon (iv) Fluorine
- Explain the following :
 - Group 17 elements are strong non-metals, while group I elements are strong metals.
 - Metallic character of elements decreases from left to right in a period while it increases in moving down a group.
 - Halogens have a high electron affinity.
 - The reducing power of element increases down in the group while decreases in a period.
 - Size of atoms progressively becomes smaller when we move from sodium (Na) to chlorine (Cl) in the third period of the Periodic Table.

- Name the periodic property which relates to the :
 - amount of energy required to remove an electron from an isolated gaseous atom,
 - character of element which loses one or more electrons when supplied with energy,
 - tendency of an atom to attract the shared pair of electron.

- This question refers to the elements of the Periodic Table with atomic numbers from 3 to 18. Some of the elements are shown by letters, but the letters are not the usual symbols of the elements.

3	4	5	6	7	8	9	10
A	B	C	D	E	F	G	H
11	12	13	14	15	16	17	18
I	J	K	L	M	N	O	P

Which of these :

- are most electronegative element.
- is a halogen ?
- is an alkali metal ?
- is an element with valency 4 ?
- have least Ionisation Energy.
- have least atomic size in period 3.

1.6 RELATION BETWEEN ATOMIC NUMBER AND MASS NUMBER OF LIGHT ELEMENTS

Atomic number (Z)

The atomic number of an element is equal to the number of protons in the nucleus. Atomic number is the unique property of an element, because no two elements have the same atomic number.

The significance of atomic number (Z)

1. Atomic number = Number of protons.
= Number of electrons.
2. It distinguishes an element from other elements, because no two elements have the same atomic number.
3. It gives the electronic configuration of an element, e.g., an element with atomic number 13 will have electronic configuration 2, 8, 3.
4. It helps us in finding the position of an element in the periodic table.

For example, the element with atomic number 17 will have electronic configuration 2, 8, 7. This element will be placed in the 3rd period of Group 17 i.e., VIIA, because it has : (i) three energy shells and (ii) seven electrons in its outermost shell.

Table 1.4 : Arrangement of electrons, protons and neutrons of elements from atomic number 1 to 20

Elements	Symbol	Atomic No. (Z) No. of protons (or electrons)	Mass No. (A) or Protons + neutrons	No. of neutrons (A – Z)
Hydrogen	H	1	1	—
Helium	He	2	4	2
Lithium	Li	3	7	4
Beryllium	Be	4	9	5
Boron	B	5	11	6
Carbon	C	6	12	6
Nitrogen	N	7	14	7
Oxygen	O	8	16	8
Fluorine	F	9	19	10
Neon	Ne	10	20	10
Sodium	Na	11	23	12
Magnesium	Mg	12	24	12
Aluminium	Al	13	27	14

Silicon	Si	14	28	14
Phosphorus	P	15	31	16
Sulphur	S	16	32	16
Chlorine	Cl	17	35, 37	18, 20
Argon	Ar	18	40	22
Potassium	K	19	39	20
Calcium	Ca	20	40	20

Mass number (A)

The mass number of an element is the sum of the number of protons and neutrons in the nucleus of the atom of that element.

$$\text{Mass number (A)} = \text{No. of protons (p)} \\ + \text{No. of neutrons (n)}$$

A close look at the electronic configurations of lighter elements reveals that those elements which have an even number of protons, for example, atomic numbers like ${}^4_2\text{He}$, ${}^{12}_6\text{C}$, etc., have their mass numbers twice the atomic numbers except ${}^9_4\text{Be}$ and ${}^{40}_{18}\text{Ar}$.

Elements which have an odd number of protons like ${}^7_3\text{Li}$, ${}^{11}_5\text{B}$, ${}^{19}_9\text{F}$, ${}^{23}_{11}\text{Na}$, etc., have their mass numbers twice the atomic numbers +1 ($A = 2Z + 1$) except ${}^{14}_7\text{N}$ and ${}^1_1\text{H}$.

Note : (i) Elements with n/p (neutron/proton) ratio around 1 are stable, e.g., light metals like sodium, potassium, calcium, etc.

(ii) Elements with n/p ratio 1.5 and above are radioactive, i.e., they emit radiations. They are unstable elements, e.g., heavy metals like uranium.

1.7 COMPARISON OF ALKALI METALS AND HALOGENS

Alkali metals [Group 1]		Halogens [Group 17]
Elements	Li, Na, K, Rb, Cs, Fr	F, Cl, Br, I, At
Occurrence	Combined state. Due to their reactive nature.	Combined state as salts. Due to their reactive nature.
Physical state	Shining white solid metals. Soft, and can be cut with a knife. Lithium is the hardest. They are shiny when freshly cut but soon becomes dull as they react with air.	Non-metals; diatomic in the gaseous state. Flourine (very reactive poisonous yellow gas) chlorine (poisonous yellow green gas) Bromine (poisonous red brown volatile liquid) Iodine (dark grey crystalline solid).

Valence electrons	Possess <i>one</i> valence electron and therefore show similar properties.	Possess <i>seven</i> valence electrons each and therefore show similar properties.
Conduction Nature	<i>Good conductors</i> of electricity. Highly reactive, <i>electropositive</i> metals. Metallic character, <i>increases</i> from lithium (Li) to francium (Fr).	<i>Non-conductors</i> of electricity. Highly reactive, <i>electronegative</i> non-metals. Non-metallic character, decreases from fluorine (F) to iodine (I).
Melting point and boiling point	Decreases down the group.	Increases down the group.
Atomic size	They have the largest atomic size in their period (except inert gases). The atomic size further increases down the group.	They have the smallest atomic size in their period. Atomic size increases down the group.
Ionisation energy	They have lowest I.E. in their period. It decreases down the group.	They have high I.E. (lower than noble gases) in their period.
Electron affinity	They have low E.A. values which further decrease down the group.	They have high E.A. values. They too decrease down the group.
Electronegativity	They have the lowest E.N. in their period. E.N. decreases down the group.	They have high E.N. highest in their period.
Reactivity	They are reactive metals. Reactivity further <i>increases</i> down the group.	They are reactive non-metals. The reactivity <i>decreases</i> down the group.
Reaction with water and acids	They react vigorously with water and acids liberating hydrogen. Reactivity further increases down the group.	Generally they do not react with dil. acids and water.
Reducing/ oxidising agents	Strong <i>reducing agents</i> as they lose electrons to complete their octet.	Strong <i>oxidising agents</i> as they accept electrons to complete their octet.
Compound formation	Form <i>electrovalent</i> compounds with non-metals. Example : NaCl, KBr.	Form <i>electrovalent compounds</i> with metals. <i>e.g.</i> , KCl, CaCl ₂ . Form <i>covalent compounds</i> with hydrogen and other non-metals, <i>e.g.</i> , HBr, HCl, HI, CCl ₄ .

Period No.	Type of period	No. of elements	Atomic number	1 IA	2 IIA													13 IIIA	14 IVA	15 VA	16 VIA	17 VIIA	18 O
1	Shortest	2	1 and 2	H ₁ 1														He ₂ 2					
2.	Short	8	3 to 10	Li ₃ 2,1	Be ₄ 2,2												B ₅ 2,3	C ₆ 2,4	N ₇ 2,5	O ₈ 2,6	F ₉ 2,7	Ne ₁₀ 2,8	
3.	Short	8	11 to 18	Na ₁₁ 2,8,1	Mg ₁₂ 2,8,2	3 IIIB	4 IVB	5 VB	6 VIB	7 VIIIB	8 VIII	9 IB	10 IIB	11 IB	12 IIB	Al ₁₃ 2,8,3	Si ₁₄ 2,8,4	P ₁₅ 2,8,5	S ₁₆ 2,8,6	Cl ₁₇ 2,8,7	Ar ₁₈ 2,8,8		
4.	Long	18	19 to 36	K ₁₉ 2,8,8,1	Ca ₂₀ 2,8,8,2													Br ₃₅	Kr ₃₆				
5.	Long	18	37 to 54	Rb ₃₇														I ₅₃	Xe ₅₄				
6.	Longest	32	55 to 86	Cs ₅₅	La ₅₇												At ₈₅	Rn ₈₆					
7.	Incomplete		87 to	Fr ₈₇	Ac ₈₉												Uus ₁₁₇	Uuo ₁₁₈					

Group 1 are Alkali metals (except hydrogen)
 Group 2 Alkaline earth metals
 Group 3 to 12 Transition elements
 Group 17 Halogens
 Group 18 Inert gases
 Group IIIB 6th period Lanthanides
 Group IIIB 7th period Actinides

Lanthanide series	Ce ₅₈																		Lu ₇₁
Actinide series	Th ₉₀																		Lr ₁₀₃

Inner Transition Elements

Properties	Across the period (Left to right)	Down the group (Top to bottom)
No. of valence electrons	Increases	Remains same
Atomic size (radius)	Decreases	Increases
Ionisation energy	Increases	Decreases
Metallic character	Decreases	Increases
Non-metallic character	Increases	Decreases
Electron affinity	Increases	Decreases
Electronegativity	Increases	Decreases
Basic nature of oxides	Decreases	Increases
Melting point	Increases from group I to group IV and then decreases	Group I and II decreases Group III and IV decreases Group V to VII increases
Boiling point	Increases from group I to group IV and then decreases	Group I and II decreases Group III and IV decreases Group V to VII increases
Oxidising nature	increases	Decreases
Reducing nature	decreases	Increases

EXERCISE

- An element Barium has atomic number 56. Look up its position in the Periodic Table and answer the following questions.
 - Is it a metal or a non-metal ?
 - Is it more or less reactive than calcium ?
 - What is its valency ?
 - What will be the formula of its phosphate ?
 - Is it larger or smaller than caesium (Cs) in size ?
- Choose the most appropriate answer from
[SO₂, SiO₂, Al₂O₃, CO, MgO, Na₂O]
 - A covalent oxide of a metalloid.
 - An oxide which when dissolved in water form acid.
 - A basic oxide.
 - An amphoteric oxide.
- In group I of the Periodic Table, three elements X, Y and Z have ionic radii 1.33 Å, 0.95 Å and 0.60 Å respectively. Giving a reason, arrange them in the order of increasing atomic numbers in the group.
- Arrange the following as per **instructions** given in the brackets.
 - Mg, Cl, Na, S, Si (increasing order of atomic size)
 - K, Na, Cl, S, Si (increasing non-metallic character)
 - Na, K, Cl, S, Si (increasing ionisation potential)
 - Cl, F, Br, I (increasing electron affinity)
 - Cs, Na, Li, K, Rb (decreasing electronegativity)
- Name
 - An alkali metal in period 3 and halogen in period 2.
 - The noble gas with 3 shells.
 - The non-metals present in period 2 and metals in period 3.
 - The element of period 3 with valency 4.
 - The element in period 3 which does not form oxide.
 - The element of lower nuclear charge out of Be and Mg.
 - Which has higher E.A., Fluorine or Neon.
 - Which has maximum metallic character Na, Li or K.
- Chlorine in the Periodic Table is surrounded by the elements with atomic number 9, 16, 18 and 35.
 - Which of these have Physical and Chemical properties resembling chlorine.
 - Which is more electronegative than chlorine.
- First ionisation enthalpy of two elements X and Y are 500 kJ mol⁻¹ and 375 kJ mol⁻¹ respectively. Comment about their relative position in a group as well as in a period.
- Explain why are the following statements not correct :
 - All groups contain metals and non metals.
 - Atoms of elements in the same group have the same number of electron(s).
 - Non-metallic character decreases across a period with increase in atomic number.

- (d) Reactivity increases with atomic number in a group as well as in a period.
- 9.** Arrange the following in order of increasing radii :
- (a) Cl⁻, Cl (b) Mg²⁺, Mg, Mg⁺ (c) N, O, P
- 10.** Which element from the following has the highest ionisation energy ?
- (a) P, Na, Cl (b) F, O, Ne (c) Ne, He, Ar
Explain your choice.
- 11.** The electronegativities (according to Pauling) of the elements in Period 3 of the Periodic Table are as follows with the elements arranged in alphabetical order:

Al	Cl	Mg	Na	P	S	Si
1.5	3.0	1.2	0.9	2.1	2.5	1.8

Arrange the elements in the order in which they occur in the Periodic Table from left to right.

(The group 1 element first, followed by the group 2 element and so on, up to group 7).

- 12.** Choose the word or phrase from the brackets which correctly completes each of the following statements :-
- (a) The element below sodium in the same group would be expected to have a (lower/higher) electro-negativity than sodium and the element above chlorine would be expected to have a (lower/higher) ionization potential than chlorine.
- (b) On moving from left to right in a given period, the number of shells (remains the same/increases/decreases).
- (iii) On moving down a group, the number of valence electrons (remains the same/increases/decreases).
- (iv) Metals are good (oxidising agent/reducing agent) because they are electron (acceptors/donors). (2016)

- 13.** Parts (a) to (e) refer to changes in the properties of elements on moving from left to right across a period of the Periodic Table. For each property, choose the correct answer.

- (a) The non-metallic character of the elements :
- (i) decreases, (ii) increases,
 - (iii) remains the same, (iv) depends on the period
- (b) The electronegativity :
- (i) depends on the number of valence electrons,
 - (ii) remains the same,
 - (iii) decreases,
 - (iv) increases.
- (c) The ionization potential :
- (i) goes up and down (ii) decreases
 - (iii) increases (iv) remains the same

- (d) The atomic size :
- (i) decreases,
 - (ii) increases,
 - (iii) remains the same,
 - (iv) sometimes increases and sometimes decreases.
- (e) The electron affinity of the elements in groups 1 to 7 :
- (i) goes up and then down.
 - (ii) decreases and then increases,
 - (iii) increases,
 - (iv) decreases.

- 14.** The elements of one short period of the Periodic Table are given below in order from left to right :

Li Be B C O F Ne

- (a) To which period do these elements belong ?
- (b) One element of this period is missing. Which is the missing element and where should it be placed ?
- (c) Which one of the elements in this period shows the property of catenation ?
- (d) Place the three elements fluorine, beryllium and nitrogen in the order of increasing electronegativity.
- (e) Which one of the above elements belongs to the halogen series ?

2007

A group of elements in the Periodic Table are given below (boron is the first member of the group and Thallium is the last).

Boron, Aluminium, Gallium, Indium, Thallium

Answer the following questions in relation to the above group of elements :

- (a) Which element has the most metallic character ?
- (b) Which element would be expected to have the highest electronegativity ?
- (c) If the electronic configuration of aluminium is 2, 8, 3, how many electrons are there in the outer shell of thallium ?
- (d) The atomic number of boron is 5. Write the chemical formula of the compound formed when boron reacts with chlorine.
- (e) Will the elements in the group to the right of this boron group be more metallic or less metallic in character ? Justify your answer.

2008

Select the correct answer from the choices A, B, C, D which are given. Write down only the letter corresponding to the correct answer.

With reference to the variation of properties in the Periodic Table, which of the following is generally true?

- (a) Atomic size increases from left to right across a period.

(b) Ionization potential increases from left to right across a period.

(c) Electron affinity increases going down a group.

(d) Electro-negativity increases going down a group.

2009

- (a) Among period 2 elements A, B, C and D, the one which has high electron affinity is
A. Lithium B. Carbon
C. Fluorine D. Neon

(b) Group No.'s

IA	IIA	IIIA	IVA	VA	VIA	VIIA	O
1	2	13	14	15	16	17	18
Li		D			O	J	Ne
A	Mg	E	Si		H	K	
B	C		F	G			L

Select from the table

- (i) Which is most electronegative.
 - (ii) How many valence electrons are present in G.
 - (iii) Write the formula of the compound between B and H.
 - (iv) In the compound between F and J what type of bond will be formed.
 - (v) Draw the electron dot structure for the compound formed between C and K.

2010

- (a) The number of electrons in the valence shell of a halogen is A – 1, B – 3, C – 5, D – 7.

(b) Electronegativity across the period [increases/decreases].

(c) Non-metallic character down the group [increase/decreases].

(d) Atomic number of an element is 16. State

 - to which period it belongs
 - the number of valence electron in the element
 - is the element metal or non-metal.

2011

- (a) Give reasons – The oxidising power of elements increases from left to right along a period.

(b) Select the correct answer –

(i) Across a period, the ionization potential
[increase, decreases, remains same]

(ii) Down the group, electron affinity
[increases, decreases, remains same].

- (c) Choose the correct answer from the choice given :

 - (i) In the periodic table alkali metals are placed in the group – A : 1, B : 11, C : 17, D : 18.
 - (ii) Which of the following properties do not match with elements of the halogen family –
 - A. They have seven electrons in their valence shell.
 - B. They are highly reactive chemically.
 - C. They are metallic in nature.
 - D. They are diatomic in their molecular form.
 - (d) State the group and period, of the element having three shells with three electron in valence shell.

2012

- (a) Choose the correct answer from the option : An element in period 3 whose electrons affinity is zero.

A. Neon B. Sulphur
C. Sodium D. Argon

(b) Give reason :

(i) Ionisation potential of the element increases across a period.
(ii) Alkali metals are good reducing agents.

(c) There are three elements E, F, G with atomic numbers 19, 8 and 17 respectively –
Classify the above elements as metals and non-metals.

(d) Name : A metal present in period 3, group I of the periodic table.

2013

- (a) Among the period 2 elements, the element which has high electron affinity is

A. Lithium B. Carbon
C. Chlorine D. Fluorine

Group No.	1-1A	2-IIA	13-III A	14-IV A	15-V A	16-VIA	17-VIIA	18-O
2nd period	Li		D			O	I	Ne
3rd period	A	Mg	E	Si		H	M	
4th period	R	T	I		Q	U		Y

In the above table H does not represent hydrogen. Some elements are given in their own symbol and position in the periodic table while others are shown with a letter. Answer the following questions.

- (i) Identify the most electronegative element.
 - (ii) Identify the most reactive element of group I.
 - (iii) Identify the element from period 3 with least atomic size.
 - (iv) How many valence electrons are present in Q.

- (v) Which element from group 2 would have the least ionization energy.
- (vi) Identify the noble gas of the fourth period.
- (vii) In the compound between A and H what type of bond is formed and give its molecular formula.
- (c) Identify : The element which has the highest ionization potential.

2014

- (a) Choose the correct answer from the choice given :
 - (i) Ionisation potential increases over a period from left to right because the :
 - A. Atomic radius and nuclear charge increases
 - B. Atomic radius and nuclear charge decreases
 - C. Atomic radius increases and nuclear charge decreases
 - D. Atomic radius decreases and nuclear charge increases
 - (ii) An element A belonging to period 3 and group II will have,
 - A. 3 shells and 2 valence electrons
 - B. 2 shells and 3 valence electrons
 - C. 3 shells and 3 valence electrons
 - D. 2 shells and 2 valence electrons

- (b) Atomic number of an element Z is 16. Answer the following :
 - (i) State the period and group to which Z belongs.
 - (ii) Is Z a metal or a non-metal.
- (c) State the formula of the compound between Z and hydrogen. What kind of compound is this formula M_2O when dissolved in water forms the corresponding hydroxide which is a good conductor of element in the above context answer the following :
 - (i) What kind of combination exists between M and O.
 - (ii) State the number of electrons in the outermost shell of M.
 - (iii) Name the group to which M belongs.
- (d) Give one word or phrase for : The amount of energy *released* when an atom in the gaseous state accepts an electron to form an anion.
- (e) Match the option A and B with the statements (i) and (ii) :

A. metal	(i) The metal that forms two types of ion
B. iron	(ii) An element with electronic configuration 2, 8, 8, 3