Индивидуальный прект. Этап 2: Установка DVWA

Отчет

Анна Александровна Глушенок

Содержание

1 Цель работы **4**

2 Выполнение лабораторной работы **5**

3 Выводы **11**

Список иллюстраций

2.1 Задание 1 5
2.2 Задание 2 6
2.3 Задание 3 7
2.4 Задание 4 7
2.5 Задание 5 7
2.6 Задание 6 7
2.7 Задание 7 8
2.8 Задание 8 8
2.9 Задание 8 8
2.10 Задание 9 8
2.11 Задание 10 9
2.12 Задание 11 9
2.13 Задание 11 9
2.14 Задание 12 10
2.15 Задание 12 10

1 Цель работы

Выполнить установку DVWA.

2 Выполнение лабораторной работы

1. Переходим в репозиторий на GitHub по ссылке из материалов: https://github.com/digininja/DVWA.

Рис. 2.1: Задание 1

2. В файле README.md находим раздел Installstion -> One liner и копируем команду для установки.

README GPL-3.0 license Security

Note: This script requires root privileges and is tailored for Debian-based systems. Ensure you are running it as the root user.

Installation Requirements

- **Operating System:** Debian-based system (Kali, Ubuntu, Kubuntu, Linux Mint, Zorin OS)
- **Privileges:** Execute as root user

Installation Steps

One-Liner

This will download an install script written by @IamCarron and run it automatically. This would not be included here if we did not trust the author and the script as it was when we reviewed it, but there is always the chance of someone going rogue, and so if you don't feel safe running someone else's code without reviewing it yourself, follow the manual process and you can review it once downloaded.

```
sudo bash -c "$(curl --fail --show-error --silent --locatio
```

Copied!

Рис. 2.2: Задание 2

3. Вставляем скопированную команду в терминал. Получаем ошибку, связанную с использованием apt. Я выполняю индивидуальный проект на Linux Rocky 9 (вместо указанной Linux Kali), из-за чего и возникает ошибка.

Рис. 2.3: Задание 3

4. Начинаем выполнять ручную установку DVWA. Выполняем установку необходимых пакетов.



Рис. 2.4: Задание 4

5. Осуществляем запуск сервисов.



Рис. 2.5: Задание 5

6. Настраиваем БД.

Рис. 2.6: Задание 6

7. Скачиваем DVWA.

```
[aaglushenok@aaglushenok ~]$ cd /var/www/html/
[aaglushenok@aaglushenok html]$ sudo git clone https://github.com/digininja/DVWA.git
fatal: целевой путь «DVWA» уже существует и не является пустым каталогом.
[aaglushenok@aaglushenok html]$ sudo rm -rf DVWA
[aaglushenok@aaglushenok html]$ sudo git clone https://github.com/digininja/DVWA.git
Клонирование в «DVWA»...
remote: Enumerating objects: 5676, done.
remote: Counting objects: 100% (25/25), done.
remote: Compressing objects: 100% (12/12), done.
remote: Total 5676 (delta 19), reused 13 (delta 13), pack-reused 5651 (from 2)
Получение объектов: 100% (5676/5676), 2.73 МиБ | 6.68 МиБ/с, готово.
Определение изменений: 100% (2828/2828), готово.
[aaglushenok@aaglushenok html]$ sudo mv DVWA dvwa
[aaglushenok@aaglushenok html]$
```

Рис. 2.7: Задание 7

8. Выполняем настройку файла конфигурации (через редактор nano), задаем пароль.

```
[aaglushenok@aaglushenok html]$ cd dvwa
[aaglushenok@aaglushenok dvwa]$ sudo cp config/config.inc.php.dist config/config.inc.php
[aaglushenok@aaglushenok dvwa]$ sudo nano config/config.inc.php
```

Рис. 2.8: Задание 8

```
  GNU nano 5.6.1                                   config/config.inc.php
<?php

# If you are having problems connecting to the MySQL database and all of the variables below are correct
# try changing the 'db_server' variable from localhost to 127.0.0.1. Fixes a problem due to sockets.
#   Thanks to @digininja for the fix.

# Database management system to use
$DBMS = getenv('DBMS') ?: 'MySQL';
#$DBMS = 'PGSQL'; // Currently disabled

# Database variables
#   WARNING: The database specified under db_database WILL BE ENTIRELY DELETED during setup.
#   Please use a database dedicated to DVWA.
#
# If you are using MariaDB then you cannot use root, you must use create a dedicated DVWA user.
#   See README.md for more information on this.
$_DVWA = array();
$_DVWA[ 'db_server' ]   = getenv('DB_SERVER') ?: '127.0.0.1';
$_DVWA[ 'db_database' ] = getenv('DB_DATABASE') ?: 'dvwa';
$_DVWA[ 'db_user' ]     = getenv('DB_USER') ?: 'dvwa';
$_DVWA[ 'db_password' ] = getenv('DB_PASSWORD') ?: 'jg44JHFDc8766H';
$_DVWA[ 'db_port']      = getenv('DB_PORT') ?: '3306';
```

Рис. 2.9: Задание 8

9. Настраиваем права доступа (даем все разрешения).

```
[aaglushenok@aaglushenok dvwa]$ sudo chown -R apache:apache /var/www/html/dvwa/
[aaglushenok@aaglushenok dvwa]$ sudo chmod 777 /var/www/html/dvwa/config/
[aaglushenok@aaglushenok dvwa]$ sudo chmod 777 /var/www/html/dvwa/hackable/uploads/
[aaglushenok@aaglushenok dvwa]$
```

Рис. 2.10: Задание 9

10. Настраиваем SELinux и Firewall.



Рис. 2.11: Задание 10

11. Выводим IP-адрес, добавляем его в ссылку и вставляем ее в браузер.



Рис. 2.12: Задание 11



Рис. 2.13: Задание 11

12. Входим в систему (логин - admin, пароль - password), и нажимаем на кнопку “create/reset database”.

Рис. 2.14: Задание 12



Рис. 2.15: Задание 12

3 Выводы

В ходе выполнгения второго этапа индивидуального проекта, мне удалось выполнить установку DVWA.