

Republic of the Philippines
HOUSE OF REPRESENTATIVES
Quezon City

EIGHTEENTH CONGRESS
First Regular Session



COMMITTEE REPORT NO. 146

Submitted by the Committee on Public Works and Highways and the Committee on Appropriations on DEC 18 2019

Re : **House Bill No. 5850**

Recommending its approval in substitution of House Bill No. 290

Sponsors : Representatives Eleandro Jesus F. Madrona, Isidro T. Ungab and Estrellita B. Suansing

Mr. Speaker:

The Committee on Public Works and Highways and the Committee on Appropriations to which was referred House Bill No. 290, introduced by Representative Estrellita B. Suansing, entitled:

"AN ACT CONVERTING THE GUIMBA-TALUGTUG-UMINGAN PROVINCIAL ROAD IN THE MUNICIPALITIES OF GUIMBA AND TALUGTUG, ALL IN THE PROVINCE OF NUEVA ECIJA AND THE MUNICIPALITY OF UMINGAN, PROVINCE OF PANGASINAN INTO A NATIONAL ROAD AND APPROPRIATING FUNDS THEREFOR"

5850

have considered the same and recommend the approval of attached House Bill No. , entitled:

"AN ACT CONVERTING THE GUIMBA-TALUGTUG-UMINGAN PROVINCIAL ROAD IN THE MUNICIPALITIES OF GUIMBA AND TALUGTUG, ALL IN THE PROVINCE OF NUEVA ECIJA AND THE MUNICIPALITY OF UMINGAN, PROVINCE OF PANGASINAN INTO A NATIONAL ROAD AND APPROPRIATING FUNDS THEREFOR"

in substitution of House Bill No. 290 with Representatives Estrellita B. Suansing, Eleandro Jesus F. Madrona, and Isidro T. Ungab as authors thereof.

ISIDRO T. UNGAB

Chairman

Committee on Appropriations

Respectfully submitted:

ELEANDRO JESUS F. MADRONA

Chairman

Committee on Public Works and

Highways

THE HONORABLE SPEAKER
HOUSE OF REPRESENTATIVES
Quezon City



Republic of the Philippines
HOUSE OF REPRESENTATIVES
Quezon City, Metro Manila

EIGHTEENTH CONGRESS

First Regular Session

5850

HOUSE BILL NO.

(In substitution of House Bill No. 290)

INTRODUCED BY REPRESENTATIVES ESTRELLITA B. SUANSING,
ELEANDRO JESUS F. MADRONA AND ISIDRO T. UNGAB

AN ACT

**CONVERTING THE GUIMBA-TALUGTUG-UMINGAN PROVINCIAL ROAD IN
THE MUNICIPALITIES OF GUIMBA AND TALUGTUG, ALL IN THE PROVINCE
OF NUEVA ECIJA AND THE MUNICIPALITY OF UMINGAN, PROVINCE OF
PANGASINAN INTO A NATIONAL ROAD AND APPROPRIATING FUNDS
THEREFOR**

Be it enacted by the Senate and House of Representatives of the Philippines in Congress assembled:

1 **SECTION 1.** The Guimba-Talugtug-Umingan Provincial Road, connecting the
2 municipalities of Guimba and Talugtug in the Province of Nueva Ecija and Umingan in the
3 Province of Pangasinan, is hereby converted into a national road.

4 **SEC 2.** The technical description of the road is as follows:

5 ROAD LOT 1. From the Bureau of Lands Land Monument No. 1 (BLLM1) of the
6 Municipality of Guimba, Province of Nueva Ecija thence to point marked one (1) of the road
7 with a distance of 369.33 meters, bearing S 22°52' E, with the following lines, bearings and
8 distances, to wit:

9	10	11	12	13	14	15	16	17	18	19	10 – 11	LINES	BEARINGS	DISTANCES	meters
												1 – 2	N 13°04' E	10.08	
												2 – 3	N 04°41' E	172.50	
												3 – 4	N 02°45' E	62.96	
												4 – 5	N 02°45' E	35.31	
												5 – 6	N 03°50' E	5.71	
												6 – 7	N 04°04' E	72.59	
												7 – 8	N 02°57' E	54.15	
												8 – 9	N 03°47' E	72.44	
												9 – 10	N 02°54' E	9.81	
												10 – 11	N 02°54' E	35.56	

1	11 – 12	N 03°28' E	75.32	meters
2	12 – 13	N 03°15' E	81.40	meters
3	13 – 14	N 03°02' E	57.73	meters
4	14 – 15	N 03°02' E	34.75	meters
5	15 – 16	N 05°25' E	24.22	meters
6	16 – 17	N 08°13' E	29.73	meters
7	17 – 18	N 11°08' E	35.68	meters
8	18 – 19	N 10°38' E	126.04	meters
9	19 – 20	S 79°22' E	6.10	meters
10	20 – 21	S 10°38' W	126.07	meters
11	21 – 22	S 11°08' W	35.55	meters
12	22 – 23	S 08°13' W	29.42	meters
13	23 – 24	S 05°25' W	23.94	meters
14	24 – 25	S 03°02' W	34.62	meters
15	25 – 26	S 03°02' W	57.74	meters
16	26 – 27	S 03°15' W	81.42	meters
17	27 – 28	S 03°28' W	75.30	meters
18	28 – 29	S 02°54' W	35.53	meters
19	29 – 30	S 02°54' W	9.86	meters
20	30 – 31	S 03°47' W	72.44	meters
21	31 – 32	S 02°57' W	54.17	meters
22	32 – 33	S 04°04' W	72.64	meters
23	33 – 34	S 03°50' W	5.64	meters
24	34 – 35	S 02°45' W	35.25	meters
25	35 – 36	S 02°45' W	63.06	meters
26	36 – 37	S 04°41' W	173.05	meters
27	37 – 38	S 13°04' W	18.35	meters
28	38 – 1	N 24°54' W	9.91	meters

ROAD LOT 2. From the Bureau of Lands Land Monument No. 1 (BLLM1) of the
 Municipality of Guimba, Province of Nueva Ecija thence to point marked one (1) of the road
 with a distance of 690.25 meters, bearing N 19°31' E, with the following lines, bearings and
 distances, to wit:

33	LINES	BEARINGS	DISTANCES	
34	1 – 2	N 10°38' E	47.48	meters
35	2 – 3	N 10°33' E	131.54	meters
36	3 – 4	N 10°34' E	70.98	meters
37	4 – 5	N 10°34' E	89.79	meters
38	5 – 6	N 10°37' E	160.21	meters
39	6 – 7	N 10°37' E	19.42	meters
40	7 – 8	N 10°35' E	134.31	meters
41	8 – 9	N 10°41' E	76.82	meters
42	9 – 10	N 10°35' E	19.45	meters
43	10 – 11	N 10°35' E	132.35	meters
44	11 – 12	N 10°33' E	117.65	meters
45	12 – 13	S 79°27' E	6.10	meters
46	13 – 14	S 10°33' W	117.65	meters
47	14 – 15	S 10°35' W	132.35	meters
48	15 – 16	S 10°35' W	19.46	meters
49	16 – 17	S 10°41' W	76.82	meters

1	17 – 18	S 10°35' W	134.30	meters
2	18 – 19	S 10°37' W	19.42	meters
3	19 – 20	S 10°37' W	160.21	meters
4	20 – 21	S 10°34' W	89.78	meters
5	21 – 22	S 10°34' W	70.98	meters
6	22 – 23	S 10°33' W	131.55	meters
7	23 – 24	S 10°38' W	47.48	meters
8	24 – 1	N 79°22' W	6.10	meters

ROAD LOT 3. From the Bureau of Lands Land Monument No. 1 (BLLM1) of the Municipality of Guimba, Province of Nueva Ecija thence to point marked one (1) of the road with a distance of 1685.28 meters, bearing N 14°14' E, with the following lines, bearings and distances, to wit:

LINES	BEARINGS	DISTANCES
1 – 2	N 10°33' E	60.64 meters
2 – 3	N 10°48' E	159.13 meters
3 – 4	N 10°45' E	30.24 meters
4 – 5	N 10°45' E	0.61 meters
5 – 6	N 10°31' E	249.37 meters
6 – 7	N 10°31' E	250.00 meters
7 – 8	N 10°31' E	6.53 meters
8 – 9	N 09°58' E	151.43 meters
9 – 10	N 10°47' E	92.05 meters
10 – 11	S 79°13' E	6.10 meters
11 – 12	S 10°47' W	92.01 meters
12 – 13	S 09°58' W	151.42 meters
13 – 14	S 10°31' W	6.56 meters
14 – 15	S 10°31' W	250.00 meters
15 – 16	S 10°31' W	249.39 meters
16 – 17	S 10°45' W	0.63 meters
17 – 18	S 10°45' W	30.24 meters
18 – 19	S 10°48' W	159.12 meters
19 – 20	S 10°33' W	60.62 meters
20 – 1	N 79°27' W	6.10 meters

ROAD LOT 4. From the Bureau of Lands Land Monument No. 1 (BLLM1) of the Municipality of Guimba, Province of Nueva Ecija thence to point marked one (1) of the road with a distance of 2683.96 meters, bearing N 12°51' E, with the following lines, bearings and distances, to wit:

LINES	BEARINGS	DISTANCES
1 – 2	N 10°47' E	250.00 meters
2 – 3	N 10°47' E	2.78 meters
3 – 4	N 10°35' E	247.21 meters
4 – 5	N 10°35' E	249.87 meters
5 – 6	N 10°36' E	0.13 meters
6 – 7	N 10°36' E	250.00 meters
7 – 8	S 79°24' E	6.10 meters
8 – 9	S 10°36' W	250.00 meters
9 -10	S 10°36' W	0.13 meters

1	10 – 11	S 10°35' W	249.87	meters
2	11 – 12	S 10°35' W	247.22	meters
3	12 – 13	S 10°47' W	2.79	meters
4	13 – 14	S 10°47' W	250.00	meters
5	14 – 1	N 79°13' W	6.10	meters

ROAD LOT 5. From the Bureau of Lands Land Monument No. 1 (BLLM1) of the
Municipality of Guimba, Province of Nueva Ecija thence to point marked one (1) of the road
with a distance of 3683.40 meters, bearing N 12°15' E, with the following lines, bearings and
distances, to wit:

LINES	BEARINGS	DISTANCES
1 – 2	N 10°36' E	250.09 meters
2 – 3	N 10°35' E	249.91 meters
3 – 4	N 10°35' E	250.00 meters
4 – 5	N 10°44' E	1.76 meters
5 – 6	N 10°44' E	248.25 meters
6 – 7	S 79°16' E	6.10 meters
7 – 8	S 10°44' W	248.24 meters
8 – 9	S 10°35' W	1.75 meters
9 – 10	S 10°35' W	250.00 meters
10 – 11	S 10°35' W	249.91 meters
11 – 12	S 10°36' W	250.09 meters
12- 1	S 79°24' W	6.10 meters

ROAD LOT 6. From the Bureau of Lands Land Monument No. 1 (BLLM1) of the
Municipality of Guimba, Province of Nueva Ecija thence to point marked one (1) of the road
with a distance of 4683.09 meters, bearing N 11°54' E, with the following lines, bearings and
distances, to wit:

LINES	BEARINGS	DISTANCES
1 – 2	N 10°44' E	250.00 meters
2 – 3	N 10°44' E	3.68 meters
3 – 4	N 10°46' E	246.32 meters
4 – 5	N 10°46' E	92.56 meters
5 – 6	N 10°50' E	67.86 meters
6 – 7	N 09°16' E	47.09 meters
7 – 8	N 08°05' E	42.35 meters
8 – 9	N 08°05' E	47.35 meters
9 – 10	N 07°55' E	202.11 meters
10 – 11	S 82°05' E	6.10 meters
11 – 12	S 07°55' W	202.11 meters
12 – 13	S 08°05' W	47.89 meters
13 – 14	S 08°05' W	42.41 meters
14 – 15	S 09°16' W	47.24 meters
15 – 16	S 10°50' W	67.94 meters
16 – 17	S 10°46' W	92.56 meters
17 – 18	S 10°46' W	246.32 meters
18 – 19	S 10°44' W	3.68 meters
19 – 20	S 10°44' W	250.00 meters
20 – 1	N 79°16' W	6.10 meters

1 ROAD LOT 7. From the Bureau of Lands Land Monument No. 1 (BLLM1) of the
2 Municipality of Guimba, Province of Nueva Ecija thence to point marked one (1) of the road
3 with a distance of 5682.19 meters, bearing N 11°33' E, with the following lines, bearings and
4 distances, to wit:

5	LINES	BEARINGS	DISTANCES	
6	1 – 2	N 07°55' E	197.67	meters
7	2 – 3	N 08°31' E	52.36	meters
8	3 – 4	N 08°31' E	250.00	meters
9	4 – 5	N 08°31' E	97.61	meters
10	5 – 6	N 07°41' E	26.48	meters
11	6 – 7	N 13°37' E	28.07	meters
12	7 – 8	N 15°02' E	98.19	meters
13	8 – 9	N 15°02' E	34.83	meters
14	9 – 10	N 15°16' E	215.18	meters
15	10 – 11	S 74°44' E	6.10	meters
16	11 – 12	S 15°16' W	215.17	meters
17	12 – 13	S 15°02' W	34.82	meters
18	13 – 14	S 15°02' W	98.11	meters
19	14 – 15	S 13°37' W	27.68	meters
20	15 – 16	S 07°41' W	26.21	meters
21	16 – 17	S 08°31' W	97.65	meters
22	17 – 18	S 08°31' W	250.00	meters
23	18 – 19	S 08°31' W	52.33	meters
24	19 – 20	S 08°55' W	197.64	meters
25	20 – 1	N 82°05' W	6.10	meters

26 ROAD LOT 8. From the Bureau of Lands Land Monument No. 1 (BLLM1) of the
27 Municipality of Guimba, Province of Nueva Ecija thence to point marked one (1) of the road
28 with a distance of 6680.86 meters, bearing N 11°26' E, with the following lines, bearings and
29 distances, to wit:

30	LINES	BEARINGS	DISTANCES	
31	1 – 2	N 15°16' E	80.95	meters
32	2 – 3	N 15°29' E	61.95	meters
33	3 – 4	N 15°55' E	107.14	meters
34	4 – 5	N 15°55' E	50.19	meters
35	5 – 6	N 15°16' E	199.77	meters
36	6 – 7	N 15°16' E	155.55	meters
37	7 – 8	S 74°55' E	6.10	meters
38	8 – 9	S 15°16' W	155.57	meters
39	9 – 10	S 15°16' W	199.81	meters
40	10 – 11	S 15°55' W	50.23	meters
41	11 – 12	S 15°55' W	107.12	meters
42	12 – 13	S 15°29' W	61.91	meters
43	13 – 14	S 15°16' W	80.93	meters
44	14 – 1	N 74°44' W	6.10	meters

45 ROAD LOT 9. From the Bureau of Lands Land Monument No. 1 (BLLM1) of the
46 Municipality of Cuyapo, Province of Nueva Ecija thence to point marked one (1) of the road

1 with a distance of 13932.42 meters, bearing S 64°21' E, with the following lines, bearings and
2 distances, to wit:

	LINES	BEARINGS	DISTANCES	
3	1 – 2	N 14°55' E	97.32	meters
4	2 – 3	N 15°04' E	247.12	meters
5	3 – 4	N 15°04' E	250.00	meters
6	4 – 5	N 15°04' E	2.91	meters
7	5 – 6	N 15°27' E	104.05	meters
8	6 – 7	N 15°06' E	143.04	meters
9	7 – 8	S 74°54' E	6.10	meters
10	8 – 9	S 15°06' W	143.06	meters
11	9 – 10	S 15°27' W	104.05	meters
12	10 – 11	S 15°04' W	2.89	meters
13	11 – 12	S 15°04' W	250.00	meters
14	12 – 13	S 15°04' W	247.12	meters
15	13 – 14	S 14°55' W	97.33	meters
16	14 – 1	N 74°55' W	6.10	meters
17				

18 ROAD LOT 10. From the Bureau of Lands Land Monument No. 1 (BLLM1) of the
19 Municipality of Cuyapo, Province of Nueva Ecija thence to point marked one (1) of the road
20 with a distance of 13802.85 meters, bearing S 67°48' E, with the following lines, bearings and
21 distances, to wit:

	LINES	BEARINGS	DISTANCES	
22	1 – 2	N 15°06' E	250.00	meters
23	2 – 3	N 15°06' E	7.34	meters
24	3 – 4	N 15°10' E	242.66	meters
25	4 – 5	N 15°10' E	250.00	meters
26	5 – 6	N 15°10' E	22.26	meters
27	6 – 7	N 15°13' E	227.75	meters
28	7 – 8	S 74°47' E	6.10	meters
29	8 – 9	S 15°13' W	227.75	meters
30	9 – 10	S 15°10' W	22.25	meters
31	10 – 11	S 15°10' W	250.00	meters
32	11 – 12	S 15°10' W	242.66	meters
33	12 – 13	S 15°06' W	7.34	meters
34	13 – 14	S 15°06' W	250.00	meters
35	14 – 1	N 74°54' W	6.10	meters
36				

37 ROAD LOT 11. From the Bureau of Lands Land Monument No. 1 (BLLM1) of the
38 Municipality of Cuyapo, Province of Nueva Ecija thence to point marked one (1) of the road
39 with a distance of 13716.17 meters, bearing S 71°57' E, with the following lines, bearings and
40 distances, to wit:

	LINES	BEARINGS	DISTANCES	
41	1 – 2	N 15°13' E	250.00	meters
42	2 – 3	N 15°13' E	4.73	meters
43	3 – 4	N 15°16' E	197.50	meters
44	4 – 5	N 15°30' E	47.79	meters
45	5 – 6	N 15°30' E	250.00	meters
46				

1	6 – 7	N 15°30' E	30.23	meters
2	7 – 8	N 15°25' E	159.67	meters
3	8 – 9	N 15°18' E	60.08	meters
4	9 – 10	S 74°42' E	6.10	meters
5	10 – 11	S 15°18' W	60.09	meters
6	11 – 12	S 15°25' W	159.68	meters
7	12 – 13	S 15°30' W	30.24	meters
8	13 – 14	S 15°30' W	250.00	meters
9	14 – 15	S 15°30' W	47.78	meters
10	15 – 16	S 15°16' W	197.48	meters
11	16 – 17	S 15°13' W	4.72	meters
12	17 – 18	S 15°13' W	250.00	meters
13	18 – 1	N 74°47' W	6.10	meters

ROAD LOT 12. From the Bureau of Lands Land Monument No. 1 (BLLM1) of the
 Municipality of Cuyapo, Province of Nueva Ecija thence to point marked one (1) of the road
 with a distance of 13705.57 meters, bearing S 76°07' E, with the following lines, bearings and
 distances, to wit:

18	LINES	BEARINGS	DISTANCES	
19	1 – 2	N 15°18' E	72.89	meters
20	2 – 3	N 16°03' E	177.15	meters
21	3 – 4	N 16°03' E	3.02	meters
22	4 – 5	N 15°26' E	246.94	meters
23	5 – 6	N 15°26' E	68.80	meters
24	6 – 7	N 15°45' E	181.21	meters
25	7 – 8	N 15°45' E	3.25	meters
26	8 – 9	N 15°44' E	246.75	meters
27	9 – 10	S 74°16' E	6.10	meters
28	10 – 11	S 15°44' W	246.75	meters
29	11 – 12	S 15°45' W	3.25	meters
30	12 – 13	S 15°45' W	181.20	meters
31	13 – 14	S 15°26' W	68.79	meters
32	14 – 15	S 15°26' W	246.98	meters
33	15 – 16	S 16°03' W	3.06	meters
34	16 – 17	S 16°03' W	177.11	meters
35	17 – 18	S 15°18' W	72.85	meters
36	18 – 1	N 74°42' W	6.10	meters

ROAD LOT 13. From the Bureau of Lands Land Monument No. 1 (BLLM1) of the
 Municipality of Cuyapo, Province of Nueva Ecija thence to point marked one (1) of the road
 with a distance of 13773.12 meters, bearing S 80°17' E, with the following lines, bearings and
 distances, to wit:

41	LINES	BEARINGS	DISTANCES	
42	1 – 2	N 15°44' E	249.53	meters
43	2 – 3	N 15°52' E	0.48	meters
44	3 – 4	N 15°52' E	77.62	meters
45	4 – 5	N 17°11' E	28.34	meters
46	5 – 6	N 20°32' E	26.55	meters
47	6 – 7	N 22°23' E	82.37	meters

1	7 – 8	N 25°53' E	20.22	meters
2	8 – 9	N 28°08' E	10.75	meters
3	9 – 10	N 31°24' E	4.98	meters
4	10 – 11	N 31°24' E	11.58	meters
5	11 – 12	N 34°35' E	238.59	meters
6	12 – 13	N 34°35' E	1.58	meters
7	13 – 14	N 34°32' E	248.42	meters
8	14 – 15	N 34°32' E	122.87	meters
9	15 – 16	N 34°07' E	81.99	meters
10	16 – 17	N 33°50' E	18.09	meters
11	17 – 18	N 34°20' E	33.97	meters
12	18 – 19	S 55°40' E	6.10	meters
13	19 – 20	S 34°20' W	33.95	meters
14	20 – 21	S 33°50' W	18.08	meters
15	21 – 22	S 34°07' W	82.03	meters
16	22 – 23	S 34°32' W	122.89	meters
17	23 – 24	S 34°32' W	248.42	meters
18	24 – 25	S 34°35' W	1.58	meters
19	25 – 26	S 34°35' W	238.42	meters
20	26 – 27	S 31°24' W	11.41	meters
21	27 – 28	S 31°24' W	4.81	meters
22	28 – 29	S 28°08' W	10.46	meters
23	29 – 30	S 25°53' W	19.91	meters
24	30 – 31	S 22°23' W	82.09	meters
25	31 – 32	S 20°32' W	26.27	meters
26	32 – 33	S 17°11' W	28.10	meters
27	33 – 34	S 15°52' W	77.55	meters
28	34 – 35	S 15°52' W	0.47	meters
29	35 – 36	S 15°44' W	249.52	meters
30	36 – 1	N 74°16' W	6.10	meters

ROAD LOT 14. From the Bureau of Lands Land Monument No. 1 (BLLM1) of the Municipality of Cuyapo, Province of Nueva Ecija thence to point marked one (1) of the road with a distance of 14206.24 meters, bearing S 85°01' E, with the following lines, bearings and distances, to wit:

35	LINES	BEARINGS	DISTANCES	
36	1 – 2	N 03°39' W	121.34	meters
37	2 – 3	N 03°04' W	44.99	meters
38	3 – 4	N 03°40' W	80.64	meters
39	4 – 5	N 03°40' W	70.01	meters
40	5 – 6	N 05°56' W	50.00	meters
41	6 – 7	N 08°42' W	21.68	meters
42	7 – 8	N 18°41' W	12.77	meters
43	8 – 9	N 22°42' W	21.75	meters
44	9 – 10	N 24°52' W	27.32	meters
45	10 – 11	N 32°22' W	15.07	meters
46	11 – 12	N 36°51' W	29.61	meters
47	12 – 13	N 36°51' W	39.32	meters
48	13 – 14	N 40°25' W	64.11	meters
49	14 – 15	N 31°35' W	84.36	meters

1	15 – 16	N 28°35' W	43.95	meters
2	16 – 17	N 27°00' W	18.79	meters
3	17 – 18	N 63°00' E	6.10	meters
4	18 – 19	S 27°00' E	18.71	meters
5	19 – 20	S 28°35' E	43.71	meters
6	20 – 21	S 31°35' E	83.73	meters
7	21 – 22	S 40°25' E	63.82	meters
8	22 – 23	S 36°51' E	39.51	meters
9	23 – 24	S 36°51' E	29.85	meters
10	24 – 25	S 32°22' E	15.71	meters
11	25 – 26	S 24°52' E	27.84	meters
12	26 – 27	S 22°42' E	22.08	meters
13	27 – 28	S 18°41' E	13.52	meters
14	28 – 29	S 08°42' E	22.36	meters
15	29 – 30	S 05°56' E	50.27	meters
16	30 – 31	S 03°40' E	70.14	meters
17	31 – 32	S 03°40' E	80.67	meters
18	32 – 33	S 03°04' E	44.99	meters
19	33 – 34	S 03°39' E	113.50	meters
20	34 – 1	S 34°20' W	9.91	meters

ROAD LOT 15. From the Bureau of Lands Land Monument No. 1 (BLLM1) of the Municipality of Cuyapo, Province of Nueva Ecija thence to point marked one (1) of the road with a distance of 13946.39 meters, bearing S 87°46' E, with the following lines, bearings and distances, to wit:

LINES	BEARINGS	DISTANCES
1 – 2	N 27°00' W	47.71 meters
2 – 3	N 29°54' W	54.98 meters
3 – 4	N 29°53' W	14.88 meters
4 – 5	N 34°21' W	120.13 meters
5 – 6	N 33°29' W	11.96 meters
6 – 7	N 33°29' W	19.05 meters
7 – 8	N 30°26' W	74.76 meters
8 – 9	N 23°58' W	16.51 meters
9 – 10	N 08°37' W	17.31 meters
10 – 11	N 00°36' W	12.68 meters
11 – 12	N 04°13' E	111.70 meters
12 – 13	N 04°13' E	85.80 meters
13 – 14	N 01°04' E	65.56 meters
14 – 15	N 03°08' W	44.10 meters
15 – 16	N 07°34' W	53.92 meters
16 – 17	N 07°34' W	146.66 meters
17 – 18	N 04°51' W	96.97 meters
18 – 19	N 09°21' W	6.28 meters
19 – 20	N 80°39' E	6.10 meters
20 – 21	S 09°21' E	6.52 meters
21 – 22	S 04°51' E	97.06 meters
22 – 23	S 07°34' E	146.51 meters
23 – 24	S 07°34' E	54.16 meters
24 – 25	S 03°08' E	44.56 meters

1	25 – 26	S 01°04' W	65.95	meters
2	26 – 27	S 04°13' W	85.97	meters
3	27 – 28	S 04°13' W	111.44	meters
4	28 – 29	S 00°36' E	12.00	meters
5	29 – 30	S 08°37' E	16.06	meters
6	30 – 31	S 23°58' E	15.34	meters
7	31 – 32	S 30°26' E	74.26	meters
8	32 – 33	S 33°29' E	18.88	meters
9	33 – 34	S 33°29' E	11.91	meters
10	34 – 35	S 34°21' E	120.32	meters
11	35 – 36	S 29°53' E	15.11	meters
12	36 – 37	S 29°54' E	55.14	meters
13	37 – 38	S 27°00' E	47.87	meters
14	38 – 1	S 63°00' E	6.10	meters

ROAD LOT 16. From the Bureau of Lands Land Monument No. 1 (BLLM1) of the Municipality of Cuyapo, Province of Nueva Ecija thence to point marked one (1) of the road with a distance of 13730.72 meters, bearing N 88°19' E, with the following lines, bearings and distances, to wit:

LINES	BEARINGS	DISTANCES	
1 – 2	N 09°21' W	23.16	meters
2 – 3	N 14°20' W	37.05	meters
3 – 4	N 18°43' W	48.89	meters
4 – 5	N 11°55' W	21.80	meters
5 – 6	N 07°06' W	32.87	meters
6 – 7	N 01°33' W	39.98	meters
7 – 8	N 02°34' E	40.36	meters
8 – 9	N 07°40' E	6.80	meters
9 – 10	N 07°40' E	42.55	meters
10 – 11	N 03°27' E	46.09	meters
11 – 12	N 12°19' E	22.51	meters
12 – 13	N 23°34' E	18.23	meters
13 – 14	N 35°41' E	61.71	meters
14 – 15	N 30°08' E	22.18	meters
15 – 16	N 19°37' E	21.91	meters
16 – 17	N 10°33' E	14.00	meters
17 – 18	N 00°02' E	0.41	meters
18 – 19	N 00°02' E	21.62	meters
19 – 20	N 13°39' W	19.11	meters
20 – 21	N 25°36' W	27.19	meters
21 – 22	N 10°15' W	35.67	meters
22 – 23	N 03°57' W	38.53	meters
23 – 24	N 06°00' E	25.23	meters
24 – 25	N 16°31' E	53.13	meters
25 – 26	N 15°01' E	21.44	meters
26 – 27	N 06°48' E	8.43	meters
27 – 28	N 06°48' E	10.22	meters
28 – 29	N 07°58' W	21.59	meters
29 – 30	N 24°33' W	19.21	meters
30 – 31	N 31°14' W	24.77	meters

1	31 – 32	N 26°20' W	57.53	meters
2	32 – 33	N 22°05' W	31.63	meters
3	33 – 34	N 14°34' W	30.27	meters
4	34 – 35	N 09°41' W	44.47	meters
5	35 – 36	N 15°22' W	9.12	meters
6	36 – 37	N 74°38' E	6.10	meters
7	37 – 38	S 15°22' E	9.42	meters
8	38 – 39	S 09°41' E	44.51	meters
9	39 – 40	S 14°34' E	29.61	meters
10	40 – 41	S 22°05' E	31.00	meters
11	41 – 42	S 26°20' E	57.04	meters
12	42 – 43	S 31°14' E	24.87	meters
13	43 – 44	S 24°33' E	20.46	meters
14	44 – 45	S 07°58' E	23.27	meters
15	45 – 46	S 06°48' W	11.02	meters
16	46 – 47	S 06°48' W	8.86	meters
17	47 – 48	S 15°01' W	21.96	meters
18	48 – 49	S 16°31' W	52.65	meters
19	49 – 50	S 06°00' W	24.14	meters
20	50 – 51	S 03°57' E	37.67	meters
21	51 – 52	S 10°15' E	34.51	meters
22	52 – 53	S 25°36' E	27.01	meters
23	53 – 54	S 13°39' E	20.48	meters
24	54 – 55	S 00°02' W	22.35	meters
25	55 – 56	S 00°02' W	0.97	meters
26	56 – 57	S 10°33' W	15.05	meters
27	57 – 58	S 19°37' W	22.95	meters
28	58 – 59	S 30°08' W	23.03	meters
29	59 – 60	S 35°41' W	61.36	meters
30	60 – 61	S 23°34' W	16.98	meters
31	61 – 62	S 12°19' W	21.44	meters
32	62 – 63	S 03°27' W	45.84	meters
33	63 – 64	S 07°40' W	42.78	meters
34	64 – 65	S 07°40' W	6.53	meters
35	65 – 66	S 02°34' W	39.87	meters
36	66 – 67	S 01°33' E	39.47	meters
37	67 – 68	S 07°06' E	32.31	meters
38	68 – 69	S 11°55' E	21.18	meters
39	69 – 70	S 18°43' E	48.76	meters
40	70 – 71	S 14°20' E	37.55	meters
41	71 – 72	S 09°21' E	23.43	meters
42	72 – 1	S 80°39' W	6.10	meters

ROAD LOT 17. From the Bureau of Lands Land Monument No. 1 (BLLM1) of the Municipality of Cuyapo, Province of Nueva Ecija thence to point marked one (1) of the road with a distance of 13755.31 meters, bearing N 84°21' E, with the following lines, bearings and distances, to wit:

47	LINES	BEARINGS	DISTANCES	
48	1 – 2	N 15°22' W	11.25	meters
49	2 – 3	N 21°40' W	9.43	meters

1	3 – 4	N 25°14' W	23.23	meters
2	4 – 5	N 33°15' W	51.75	meters
3	5 – 6	N 43°12' W	26.14	meters
4	6 – 7	N 48°46' W	37.44	meters
5	7 – 8	N 38°24' W	19.11	meters
6	8 – 9	N 21°46' W	15.74	meters
7	9 – 10	N 03°25' E	45.28	meters
8	10 – 11	N 05°07' W	11.20	meters
9	11 – 12	N 05°07' W	11.24	meters
10	12 – 13	N 09°11' W	144.75	meters
11	13 – 14	N 05°26' W	27.36	meters
12	14 – 15	N 03°15' E	58.66	meters
13	15 – 16	N 01°57' E	8.37	meters
14	16 – 17	N 01°57' E	35.70	meters
15	17 – 18	N 02°37' W	65.03	meters
16	18 – 19	N 03°07' E	32.54	meters
17	19 – 20	N 07°50' E	42.05	meters
18	20 – 21	N 30°23' E	24.11	meters
19	21 – 22	N 48°44' E	45.58	meters
20	22 – 23	N 33°43' E	6.71	meters
21	23 – 24	N 33°43' E	12.27	meters
22	24 – 25	N 04°24' E	20.01	meters
23	25 – 26	N 15°50' W	44.28	meters
24	26 – 27	N 07°29' W	37.99	meters
25	27 – 28	N 02°22' W	108.89	meters
26	28 – 29	N 06°10' W	24.40	meters
27	29 – 30	N 83°50' E	6.10	meters
28	30 – 31	S 06°10' E	24.60	meters
29	31 – 32	S 02°22' E	108.82	meters
30	32 – 33	S 07°29' E	37.27	meters
31	33 – 34	S 15°50' E	44.92	meters
32	34 – 35	S 04°24' W	22.70	meters
33	35 – 36	S 33°43' W	13.86	meters
34	36 – 37	S 33°43' W	7.51	meters
35	37 – 38	S 48°44' W	45.40	meters
36	38 – 39	S 30°23' W	21.91	meters
37	39 – 40	S 07°50' W	40.58	meters
38	40 – 41	S 03°07' W	31.98	meters
39	41 – 42	S 02°37' E	64.97	meters
40	42 – 43	S 01°57' W	35.94	meters
41	43 – 44	S 01°57' W	8.44	meters
42	44 – 45	S 03°15' W	58.27	meters
43	45 – 46	S 05°26' E	26.70	meters
44	46 – 47	S 09°11' E	144.76	meters
45	47 – 48	S 05°07' E	11.45	meters
46	48 – 49	S 05°07' E	11.65	meters
47	49 – 50	S 03°25' W	44.38	meters
48	50 – 51	S 38°24' E	13.49	meters
49	51 – 52	S 38°24' E	17.66	meters
50	52 – 53	S 48°46' E	37.18	meters
51	53 – 54	S 43°12' E	26.97	meters

1	54 – 55	S 33°15' E	52.71	meters
2	55 – 56	S 25°14' E	23.84	meters
3	56 – 57	S 21°40' E	9.96	meters
4	57 – 58	S 15°22' E	11.59	meters
5	58 – 1	S 74°38' W	6.10	meters

ROAD LOT 18. From the Bureau of Lands Land Monument No. 1 (BLLM1) of the Municipality of Cuyapo, Province of Nueva Ecija thence to point marked one (1) of the road with a distance of 13790.40 meters, bearing N 80°26' E, with the following lines, bearings and distances, to wit:

LINES	BEARINGS	DISTANCES	
1 – 2	N 06°10' W	85.57	meters
2 – 3	N 08°22' W	87.29	meters
3 – 4	N 05°17' W	48.20	meters
4 – 5	N 05°46' E	28.57	meters
5 – 6	N 05°46' E	4.33	meters
6 – 7	N 12°41' E	106.77	meters
7 – 8	N 09°10' E	76.99	meters
8 – 9	N 09°02' E	40.77	meters
9 – 10	N 27°31' E	22.31	meters
10 – 11	S 62°29' E	6.10	meters
11 – 12	S 27°31' W	21.31	meters
12 – 13	S 09°02' W	39.79	meters
13 – 14	S 09°10' W	77.18	meters
14 – 15	S 12°41' W	106.59	meters
15 – 16	S 05°46' W	3.96	meters
16 – 17	S 05°46' W	28.98	meters
17 – 18	S 05°17' E	47.45	meters
18 – 19	S 08°22' E	87.25	meters
19 – 20	S 06°10' E	85.69	meters
20 – 1	S 83°50' W	6.10	meters

ROAD LOT 19. From the Bureau of Lands Land Monument No. 1 (BLLM1) of the Municipality of Cuyapo, Province of Nueva Ecija thence to point marked one (1) of the road with a distance of 13909.78 meters, bearing N 78°27' E, with the following lines, bearings and distances, to wit:

LINES	BEARINGS	DISTANCES	
1 – 2	N 27°31' E	3.21	meters
2 – 3	N 45°58' E	47.52	meters
3 – 4	N 52°32' E	49.12	meters
4 – 5	N 55°55' E	52.12	meters
5 – 6	N 69°08' E	33.00	meters
6 – 7	S 87°43' E	26.43	meters
7 – 8	S 72°21' E	42.90	meters
8 – 9	S 72°21' E	35.46	meters
9 – 10	S 74°35' E	40.31	meters
10 – 11	S 83°46' E	84.95	meters
11 – 12	S 85°14' E	52.72	meters
12 – 13	N 55°48' E	16.67	meters

1	13 – 14	N 24°13' E	15.34	meters
2	14 – 15	S 65°47' E	6.10	meters
3	15 – 16	S 24°13' W	17.06	meters
4	16 – 17	S 55°48' W	20.55	meters
5	17 – 18	N 85°14' W	54.95	meters
6	18 – 19	N 83°46' W	85.52	meters
7	19 – 20	N 74°35' W	40.91	meters
8	20 – 21	N 72°21' W	35.57	meters
9	21 – 22	N 72°21' W	42.08	meters
10	22 – 23	N 87°43' W	24.35	meters
11	23 – 24	S 69°08' W	31.04	meters
12	24 – 25	S 55°55' W	51.23	meters
13	25 – 26	S 52°32' W	48.59	meters
14	26 – 27	S 45°58' W	46.18	meters
15	27 – 28	S 27°31' W	2.22	meters
16	28 – 1	N 62°29' W	6.10	meters

ROAD LOT 20. From the Bureau of Lands Land Monument No. 1 (BLLM1) of the
 Municipality of Cuyapo, Province of Nueva Ecija thence to point marked one (1) of the road
 with a distance of 14362.59 meters, bearing N 78°29' E, with the following lines, bearings
 and distances, to wit:

LINES	BEARINGS	DISTANCES	
1 – 2	N 24°13' E	1.03	meters
2 – 3	N 06°03' E	36.54	meters
3 – 4	N 09°32' E	38.33	meters
4 – 5	N 18°40' E	112.58	meters
5 – 6	N 24°10' E	61.50	meters
6 – 7	N 24°10' E	13.44	meters
7 – 8	N 12°42' E	21.58	meters
8 – 9	N 01°57' W	45.21	meters
9 – 10	N 07°25' W	39.67	meters
10 – 11	N 02°02' W	28.24	meters
11 – 12	N 17°36' W	64.18	meters
12 – 13	N 12°59' W	31.78	meters
13 – 14	N 07°05' W	4.23	meters
14 – 15	N 82°55' E	6.10	meters
15 – 16	S 07°05' E	3.91	meters
16 – 17	S 12°59' E	6.10	meters
17 – 18	S 17°36' E	64.77	meters
18 – 19	S 02°02' E	28.79	meters
19 – 20	S 07°25' E	39.67	meters
20 – 21	S 01°57' E	46.28	meters
21 – 22	S 12°42' W	22.97	meters
22 – 23	S 24°10' W	14.05	meters
23 – 24	S 24°10' W	61.21	meters
24 – 25	S 18°40' W	111.80	meters
25 – 26	S 09°32' W	37.66	meters
26 – 27	S 06°03' W	37.33	meters
27 – 28	S 24°13' W	2.01	meters
28 – 1	N 65°47' W	6.10	meters

1 ROAD LOT 21. From the Bureau of Lands Land Monument No. 1 (BLLM1) of the
2 Municipality of Cuyapo, Province of Nueva Ecija thence to point marked one (1) of the road
3 with a distance of 14512.15 meters, bearing N 76°40' E, with the following lines, bearings
4 and distances, to wit:

5	LINES	BEARINGS	DISTANCES	
6	1 – 2	N 07°05' W	20.40	meters
7	2 – 3	N 00°18' E	64.55	meters
8	3 – 4	N 06°09' E	20.69	meters
9	4 – 5	N 26°04' E	16.46	meters
10	5 – 6	N 41°16' E	22.92	meters
11	6 – 7	N 52°27' E	22.24	meters
12	7 – 8	N 59°43' E	160.67	meters
13	8 – 9	N 61°51' E	104.45	meters
14	9 – 10	N 60°23' E	59.40	meters
15	10 – 11	N 61°35' E	11.90	meters
16	11 – 12	N 61°35' E	109.27	meters
17	12 – 13	N 59°41' E	31.68	meters
18	13 – 14	N 50°00' E	43.11	meters
19	14 – 15	N 38°15' E	36.59	meters
20	15 – 16	N 44°11' E	52.31	meters
21	16 – 17	N 43°34' E	21.81	meters
22	17 – 18	N 48°31' E	12.49	meters
23	18 – 19	S 41°29' E	6.10	meters
24	19 – 20	S 48°31' W	12.23	meters
25	20 – 21	S 43°34' W	21.58	meters
26	21 – 22	S 44°11' W	52.03	meters
27	22 – 23	S 38°15' W	36.90	meters
28	23 – 24	S 50°00' W	44.25	meters
29	24 – 25	S 59°41' W	32.30	meters
30	25 – 26	S 61°35' W	109.37	meters
31	26 – 27	S 61°35' W	11.84	meters
32	27 – 28	S 60°23' W	59.41	meters
33	28 – 29	S 61°51' W	104.41	meters
34	29 – 30	S 59°43' W	160.17	meters
35	30 – 31	S 52°27' W	21.25	meters
36	31 – 32	S 41°16' W	21.51	meters
37	32 – 33	S 26°04' W	14.58	meters
38	33 – 34	S 06°09' W	19.30	meters
39	34 – 35	S 00°18' W	63.85	meters
40	35 – 36	S 07°05' E	20.01	meters
41	36 – 1	S 82°55' W	6.10	meters
42				

43 **SEC 3.** The Secretary of Public Works and Highways shall include in the
44 Department's program the improvement, repair and maintenance of said roads, the funding of
45 which shall be included in the annual General Appropriations Act.

46 **SEC 4.** This Act shall take effect fifteen (15) days after its publication in the *Official*
47 *Gazette* or in a newspaper of general circulation.

48 Approved,