

Priority for ICU admission									
SOFA (Please circle)	1	2	3	1	2	3	1	2	3
Advanced comorbidities (Please circle)	0	0	3	0	0	3	0	0	3
Clinical Frailty Scale (Please circle)	1	2	3	1	2	3	1	2	3
TOTAL SCORE (Please circle)	<4	4-5	>5	<4	4-5	>5	<4	4-5	>5
PRIORITY LEVEL	1	2	3	1	2	3	1	2	3
Limitation of therapy									
	Yes	No	Unsure	Yes	No	Unsure	Yes	No	Unsure
Airway management									
Inotropic support									
Hydration/ nutrition									
Medications (including antibiotics)									
Investigations (including blood taking, radiology)									
Procedures (including surgical procedures)									
Direction of Care (select only 1)									
Priority 1 with active resuscitation									
Priority 2 with active resuscitation									
Priority 3 with limitation of therapy									
Priority 3 with best supportive care and palliation									
Priority 3 for withdrawal of therapy									
Withdrawal of therapy									
Direction of care, DIL and/ or limitation of therapy explained to families									
Name of next of kin									
Name of doctor									
Name of specialist									

Clinical pathway **for assessment of resuscitation status and limitation of therapy for hospitalised patients** is a tool used to translate clinical practice guideline recommendations/consensus into standardised clinical processes of care. It should be used as a guide and should be followed with repeated assessment when there is a change in patient clinical status.



This work was commissioned by Advanced Acute Internal Medicine Society (Pertubuhan Perubatan Akut Malaysia) and is licensed under a [Creative Commons Attribution-NonCommercial 4.0 International License](https://creativecommons.org/licenses/by-nc/4.0/)