

| Priority for ICU admission                |          |          |          |          |          |          |          |          |          |
|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| SOFA<br>(Please circle)                   | 1        | 2        | 3        | 1        | 2        | 3        | 1        | 2        | 3        |
| Advanced comorbidities<br>(Please circle) | 1        | 2        | 3        | 1        | 2        | 3        | 1        | 2        | 3        |
| Clinical Frailty Scale<br>(Please circle) | 1        | 2        | 3        | 1        | 2        | 3        | 1        | 2        | 3        |
| <b>TOTAL SCORE</b><br>(Please circle)     | <4       | 4-5      | >5       | <4       | 4-5      | >5       | <4       | 4-5      | >5       |
| <b>PRIORITY LEVEL</b>                     | <b>1</b> | <b>2</b> | <b>3</b> | <b>1</b> | <b>2</b> | <b>3</b> | <b>1</b> | <b>2</b> | <b>3</b> |

  

| Limitation of therapy                              |     |    |        |     |    |        |     |    |        |
|--|-----|----|--------|-----|----|--------|-----|----|--------|
|  | Yes | No | Unsure | Yes | No | Unsure | Yes | No | Unsure |
| Airway management                                  |     |    |        |     |    |        |     |    |        |
| Inotropic support                                  |     |    |        |     |    |        |     |    |        |
| Hydration/ nutrition                               |     |    |        |     |    |        |     |    |        |
| Medications (including antibiotics)                |     |    |        |     |    |        |     |    |        |
| Investigations (including blood taking, radiology) |     |    |        |     |    |        |     |    |        |
| Procedures (including surgical procedures)         |     |    |        |     |    |        |     |    |        |

  

| Direction of Care (select only 1)  |  |  |  |
|--|--|--|--|
| Priority 1 with active resuscitation                                       |  |  |  |
| Priority 2 with active resuscitation                                       |  |  |  |
| Priority 3 with limitation of therapy                                      |  |  |  |
| Priority 3 with best supportive care and palliation                        |  |  |  |
| Priority 3 for withdrawal of therapy                                       |  |  |  |
| Withdrawal of therapy  |  |  |  |
| Direction of care, DIL and/ or limitation of therapy explained to families |  |  |  |
| Name of next of kin  |  |  |  |
| Name of doctor   |  |  |  |
| Name of specialist   |  |  |  |

Clinical pathway **for assessment of resuscitation status and limitation of therapy for hospitalised patients** is a tool used to translate clinical practice guideline recommendations/consensus into standardised clinical processes of care. It should be used as a guide and should be followed with repeated assessment when there is a change in patient clinical status.



This work was commissioned by Advanced Acute Internal Medicine Society (Pertubuhan Perubatan Akut Malaysia) and is licensed under a [Creative Commons Attribution-NonCommercial 4.0 International License](https://creativecommons.org/licenses/by-nc/4.0/)