Q1. Which of the following is true regarding the execution of subqueries?

a) The main query executes first

b) The subquery executes first

c) Both execute simultaneously

d) Subqueries are never executed if the main query has a WHERE clause

Q2. Which operator is used to find a match within a set of values returned by a subquery?

a) =

b) BETWEEN

c) IN

d) LIKE

Q3. What will the following query return?

```
SELECT ROUND(55.726, -1) FROM dual;
```

a) 55.73

b) 56

c) 60

d) 50

Sample Questions

Q4. A relationship where an entity is related to itself (e.g., an Employee manages another Employee) is called:

a) Binary Relationship

b) Ternary Relationship

c) Unary Relationship

d) Primary Relationship

Q5. Which clause is used to restrict the results of a GROUP BY based on an aggregate condition?

a) WHERE

b) ORDER BY

c) HAVING

d) LIMIT

Q6. What is the result of any arithmetic expression containing a NULL value?

a) 0

b) The non-null value

c) NULL

d) Error

Sample Questions

Q7. Which operator means "Compare with every value in the list"?

a) ANY

b) ALL

c) IN

d) EXISTS

Q8. Which integrity rule states that a Foreign Key must either match a Primary Key in another table or be NULL?

a) Entity Integrity

b) Domain Integrity

c) Referential Integrity

d) User-defined Integrity

Q9. To remove duplicate rows from the output of a SELECT statement, use:

a) UNIQUE

b) DISTINCT

c) SINGLE

d) ONLY

Sample Questions

Q10. What is wrong with this statement?

```
DROP Employees;
```

a) Missing TABLE keyword

b) Table name must be lowercase

c) DROP is not a valid command

d) Missing column list

Q11. Which function is used to replace a NULL value with a specific string or number?

a) SUBSTR

b) INSTR

c) NVL

d) TRUNC

Q12. In Relational Algebra, selecting specific columns is known as:

a) Selection

b) Projection

c) Join

d) Intersection

Sample Questions

Q13. Which character is the wildcard for "zero or more characters" in a LIKE pattern?

a) _ (Underscore)

b) * (Asterisk)

c) % (Percent)

d)? (Question Mark)

Q14. What is the default sort order for the ORDER BY clause?

a) Descending (DESC)

b) Ascending (ASC)

c) Random

d) Case-sensitive

Q15. Which function returns the remainder of a division?

a) DIV

b) REM

c) MOD

d) CEIL

Q16. Which integrity constraint ensures that a column cannot have values outside a specific defined set?

a) Entity Integrity

b) Referential Integrity

c) Domain Integrity

Sample Questions

d) Physical Integrity

Q17. A subquery that returns multiple rows but is used with a single-row operator (=, >, <) will result in:

a) An error at runtime

b) The average of the returned rows

c) Only the first row being compared

d) A NULL result

Q18. What does SELECT COUNT(*) return?

a) The sum of all values in a column

b) The number of rows in a table or group

c) The number of unique values only

d) The total number of columns

Q19. Which command is used to add a new column to an existing table?

a) UPDATE TABLE

b) ALTER TABLE

c) ADD COLUMN

d) INSERT INTO

Q20. Which of the following is the DML command?

a) SELECT

b) INSERT

c) ALTER

d) None of the Above

Sample Questions