


ข้อ 10

Snap SPARQL Query: 


```
PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX uni: <http://www.university.com#>

SELECT *
WHERE { uni:ST949318 uni:supervises ?class
}
```

Execute

?class
uni:487688776
uni:498766888
uni:495677755

3 results

Snap SPARQL Query: 

```
PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX uni: <http://www.university.com#>
SELECT *
WHERE { uni:487688776 rdf:type ?class
}
```

Execute

?class
uni:Student
uni:GraduateStudent
owl:Thing
uni:AcademicStaff

4 results

Snap SPARQL Query:



```
PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX uni: <http://www.university.com#>
```

```
SELECT *
WHERE {
    uni:495677755 rdf:type ?class
}
```

Execute

?class
uni:Student
uni:GraduateStudent
owl:Thing
uni:AcademicStaff

4 results

Snap SPARQL Query:



```
PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX uni: <http://www.university.com#>
```

```
SELECT *
WHERE {
    uni:498766888 rdf:type ?class
}
```

Execute

?class

uni:Student
uni:GraduateStudent
owl:Thing
uni:AcademicStaff

4 results

Snap SPARQL Query:



```
PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX uni: <http://www.university.com#>
```

```
SELECT *
WHERE { uni:ST243443 rdf:type ?class
}
```

Execute

?class

uni:Student
owl:Thing
uni:AcademicStaff

3 results

Snap SPARQL Query: ⏏ ≡ 🔍 ✕

```

PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX uni: <http://www.university.com#>
SELECT *
WHERE{ ?who rdf:type uni:Professor
}

```

Execute

?who
uni:ST949318
uni:ST345433
uni:ST432222

3 results

ข้อ 11

Snap SPARQL Query: ⏏ ≡ 🔍 ✕

```

PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX uni: <http://www.university.com#>
SELECT *
WHERE{ uni:ST949318 rdf:type ?class
}


```

Execute

?class
uni:Professor
uni:AcademicStaff
owl:Thing

3 results

ข้อ 12

Snap SPARQL Query: 

```

PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX uni: <http://www.university.com#>
SELECT ?who1
WHERE {
  ?who1 owl:sameAs ?who2
}

```

Execute

?who1
uni:DavidLee
uni:ST949318
uni:49778888

3 results

ข้อ 13

Snap SPARQL Query: 

```

PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX per: <http://www.Person.com#>

SELECT ?who1
WHERE {
  ?who1 owl:sameAs ?who2
}
|


```

Execute

?who1
per:Pissamai
per:Somsak
per:Wichai
per:Wilai
per:396886666
per:39789766
per:398777667

7 results

ข้อ 14

Snap SPARQL Query: 

```
PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX sub: <http://www.subjects.com#>
PREFIX dcterms: <http://purl.org/dc/terms/>

SELECT * WHERE{
  sub:CS10001 dcterms:title ?value
}
```

Execute

?value
Semantic Web^^xsd:string

1 results

ข้อ 15

Snap SPARQL Query:

```
PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX per: <http://www.Person.com#>

SELECT *
WHERE {
  per:3168812422 rdf:type ?class
}
```

Execute

?class
per:Woman
owl:Thing

2 results

Snap SPARQL Query: ⏏ ⏏ ⏏ ⏏

```

PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX per: <https://www.Person.com#>

SELECT * WHERE{
?Who rdf:type per:Mother
}

```

Execute

?Who
per:3168812422

1 results

ข้อ 16

Snap SPARQL Query: ⏏ ⏏ ⏏ ⏏

```

PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX per: <http://www.Person.com#>
SELECT *
WHERE {
?who rdf:type per:Woman
}

```

Execute

?who
per:Jane
per:Katty
per:Mary
per:Rose

4 results

Snap SPARQL Query: ⏏ ⏏ ⏏ ⏏

```

PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX per: <http://www.Person.com#>
SELECT *
WHERE {
  ?who rdf:type per:Man
}

```

Execute

?who
per:David

Snap SPARQL Query: ⏏ ⏏ ⏏ ⏏

```

PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX per: <http://www.Person.com#>
SELECT *
WHERE {
  ?who rdf:type per:Parent
}

```

Execute

?who
per:Mary
per:David
per:Rose

Snap SPARQL Query: ⏏ ⏏ ⏏ ⏏

```

PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX per: <http://www.Person.com#>
SELECT *
WHERE {
  ?who rdf:type per:Mother
}

```

Execute

?who
per:Mary
per:Rose

ข้อ 17

Snap SPARQL Query:

```
PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX per: <http://www.Person.com#>
SELECT *
WHERE {
?who rdf:type per:Parent
}
```

Execute

?who
per:Jane
per:Willy
per:Mary
per:David

ข้อ 18

Snap SPARQL Query:



```
PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX Sp: <http://www.Sport.com#>
```

```
SELECT *
WHERE {
  ?who rdf:type Sp:GroupPeople1
}
```

Execute

?who

Sp:Katty
 Sp:Cataryn
 Sp:Peter
 Sp:Nancy
 Sp:Randy
 Sp:Smith
 Sp:Harry
 Sp:Robert
 Sp:Willy
 Sp:Patty

10 results

Snap SPARQL Query:

```
PREFIX owl: <http://www.w3.org/2002/07/owl#>  
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>  
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>  
PREFIX Sp: <http://www.Sport.com#>
```

```
SELECT *  
WHERE {  
  ?who rdf:type Sp:GroupPeople2  
}
```

Execute

?who
Sp:Katty
Sp:Peter
Sp:Nancy
Sp:Randy
Sp:Smith
Sp:Harry
Sp:Robert
Sp:Willy
Sp:Marry
Sp:John

10 results

Snap SPARQL Query:

PREFIX owl: <http://www.w3.org/2002/07/owl#>

PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>

PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>

PREFIX Sp: <http://www.Sport.com#>

SELECT *

WHERE {

?who

rdfs:type


Sp:GroupPeople3

}

Execute

?who
Sp:Katty
Sp:Peter
Sp:Randy
Sp:Smith
Sp:Harry
Sp:Willy

6 results

Snap SPARQL Query: 


```
PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX uni: <http://www.uni.com#>

SELECT * WHERE {
  uni:ST949318 owl:sameAs ?Who
}
```

Execute

?Who
uni:DavidBillington
uni:ST949318

2 results

Snap SPARQL Query: 

```
PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX uni: <http://www.uni.com#>

SELECT * WHERE {
  uni:ST949318 uni:address ?Class
}
```

Execute

?Class
NA,USA ^{xs} d:string

1 results

Snap SPARQL Query: 🔍 📄 🔗 🔧

```

PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX uni: <http://www.uni.com#>

SELECT * WHERE {
uni:ST949318 uni:dataOfBirth ?Class
}

```

Execute

?Class
Jan 12,1966 ^{^^xsd:string}

1 results

ข้อ 20

Snap SPARQL Query: 🔍 📄 🔗 🔧

```

PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX mym: <http://www.mydomain.com/person/#>

SELECT * WHERE {
?Who rdf:type mym:AdultFemaleHuman
}

```

Execute

?Who
mym:388888888
mym:488888888
mym:3287789999
mym:3168812422

4 results

Snap SPARQL Query: ⏏ ⏏ ⏏ ⏏

```

PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX mym: <http://www.mydomain.com/person/#>

SELECT * WHERE {
  ?Who rdf:type mym:Woman
}

```

Execute

?Who
mym:388888888
mym:488888888
mym:3287789999
mym:3168812422

4 results

ข้อ 21

Snap SPARQL Query: ⏏ ⏏ ⏏ ⏏

```

PREFIX owl: <http://www.w3.org/2002/07/owl#>
PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>
PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>
PREFIX per: <http://www.per.com#>

SELECT * WHERE{
  ?Who rdf:type per:Younger
}

```

Execute

?Who
per:John
per:Willy

2 results

Snap SPARQL Query:

PREFIX owl: <http://www.w3.org/2002/07/owl#>

PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>

PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>

PREFIX per: <http://www.per.com#>

SELECT * WHERE{

?Who rdf:type per:Adult

}

Execute

?Who

per:Smith

per:Marry

per:David

3 results

Snap SPARQL Query:

PREFIX owl: <http://www.w3.org/2002/07/owl#>

PREFIX rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#>

PREFIX rdfs: <http://www.w3.org/2000/01/rdf-schema#>

PREFIX per: <http://www.per.com#>

SELECT * WHERE{

?Who rdf:type per:Older

}

Execute

?Who

per:Bob

per:Max

2 results