



HOUSE PRICE PREDICTION

Submitted by:

AKANKSHA MISHRA

BATCH NO. 1840

ACKNOWLEDGMENT

I would like to thank my mentors at Data Trained, who taught me the concepts of Data Analysis, building a machine learning model, and tuning the parameters for best outcomes.

For this particular task, I referred the following websites and articles when stuck:

- <https://towardsdatascience.com/a-common-mistake-to-avoidwhen-encoding-ordinal-features-79e402796ab4>
- <https://stackoverflow.com/questions/43590489/gridsearchcvrandom-forest-regressor-tuning-best-params>
- <https://www.codegrepper.com/codeexamples/delphi/scikit+pca+preserve+column+names+pca+pipeline>
- <https://stackoverflow.com/questions/22984335/recoveringfeatures-names-of-explained-variance-ratio-in-pca-with-sklearn>

I would also like to thank my mentor in Fliprobo, Khusboo Garg , for providing me with the dataset and problem statement for performing this wonderful task.

INTRODUCTION

Business Problem Framing

The objective was to model the price of houses with the available independent variables. This model can then be used by the management to understand how exactly the prices vary with the variables. They can accordingly manipulate the strategy of the firm and concentrate on areas that will yield high returns. Further, the model will be a good way for the management to understand the pricing dynamics of a new market.

Conceptual Background of the Domain Problem

Houses are one of the necessary need of each and every person around the globe and therefore housing and real estate market is one of the markets which is one of the major contributors in the world's economy. It is a very large market and there are various companies working in the domain. Data science comes as a very important tool to solve problems in the domain to help the companies increase their overall revenue, profits, improving their marketing strategies and focusing on changing trends in house sales and purchases. Predictive modelling, Market mix modelling, recommendation systems are some of the machine learning techniques used for achieving the business goals for housing companies. Our problem is related to one such housing company.

A US-based housing company named Surprise Housing has decided to enter the Australian market. The company uses data analytics to purchase houses at a price below their actual values and flip them at a higher price. For the same purpose, the company has collected a data set from the sale of houses in Australia. The data is provided in the CSV file below. The company is looking at prospective properties to buy houses to enter the market. I was required to build a model using Machine Learning in order to predict the actual value of the prospective properties and decidewhether to invest in them or not. For this company wants to know:

- Which variables are important to predict the price of variable?
- How do these variables describe the price of the house?

Technical Requirements:

- Data contains 1460 entries each having 81 variables.
- Data contains Null values. You need to treat them using the domain knowledge and your own understanding.

- Extensive EDA has to be performed to gain relationships of important variable and price.
- Data contains numerical as well as categorical variable. You need to handle them accordingly.
- Need to build Machine Learning models, apply regularization and determine the optimal values of Hyper Parameters.
- Need to find important features which affect the price positively or negatively.

Analytical Problem Framing

- Mathematical/ Analytical Modeling of the Problem

This is a Regression problem, where our end goal is to predict the Prices of House based on given data. I will be dividing my data into **Training** and **Testing** parts. A Regression Model will be built and trained using the Training data and the Test data will be used to predict the outcomes. This will be compared with available test results to find how well the model has performed.

The 'r2' score will be used to determine the best model among,

- Linear Regression with Lasso, Ridge
- Random Forest Regression
- XGBoost
- The best results were obtained using Lasso Regression. So, let's understand a little about it.

In a simple regression problem (a single x and a single y), the form of the model would be:

$y = B_0 + B_1 * x$, where B_0 —

intercept B_1 —coefficient x

—independent variable x

—output or the

dependent variable y

In higher dimensions when we have more than one input (x),

The General equation for a Multiple linear regression with p — independent variables:

$$Y = B_0 + B_1 * X_1 + B_2 * X_2 + \dots + B_p * X_p + E(\text{Random Error or Noise})$$

Multiple Linear Regression




Image Source: <https://morioh.com/p/0d9b2bedf683>

Let's consider a regression scenario where 'y' is the predicted vector and 'x' is the feature matrix. Basically in any regression problem, we try to minimize the squared error. Let ' β ' be the vector of parameters (weights of importance of features) and 'p' be the number of features

Now, let's discuss the case of **lasso regression**, which is also called L1 regression since it uses the L1 norm for regularization. In lasso regression, we try to solve the below minimization problem:

$$\text{Min}_{\beta} L_1 = (y - x\beta)^2 + \lambda \sum_{i=1}^p |\beta_i|$$

For simplicity, let $p=1$ and $\beta_i = \beta$. Now,

$$\begin{aligned} L_1 &= (y - x\beta)^2 + \lambda|\beta| \\ &= y^2 - 2xy\beta + x^2\beta^2 + \lambda|\beta| \end{aligned}$$

Example: Suppose we are building a linear model out of two features, we'll have two coefficients (β_1 and β_2). For better understanding let $\beta_1 = 10$ and $\beta_2 = 1000$. In lasso

regression, the L1 penalty would look like,

$$L1p = |\beta_1| + |\beta_2|$$

Shrinking β_1 to 8 and β_2 to 100 would minimize the penalty to 108 from 1010, which means in this case the change is not so significant just by shrinking the larger quantity. So, in the case of the L₁ penalty, both the coefficients have to be shrunk to extremely

small values, in order to achieve regularization. And in this whole process, some coefficients may shrink to zero. ¹ [Ref: URL for the above explanation in the foot note]

Assumptions:

There are four assumptions associated with a linear regression model:

1. **Linearity**: The relationship between X and the mean of Y is linear.
2. **Homoscedasticity**: The variance of residual is the same for any value of X.
3. **Independence**: Observations are independent of each other.
4. **Normality**: For any fixed value of X, Y is normally distributed.

Data Sources and their formats

A US-based housing company named Surprise Housing has decided to enter the Australian market. The company uses data analytics to purchase houses at a price below their actual values and flip them at a higher price. For the same purpose, the company has collected a data set from the sale of houses in Australia. The data is provided in the CSV file Here's how the top 10 rows of the data looks like:

```
# Rows, Columns  
df.shape
```

```
(1460, 81)
```

	Id	MSSubClass	MSZoning	LotFrontage	LotArea	Street	Alley	LotShape	LandContour	Utilities	LotConfig	LandSlope	Neighborhood	Condition1
0	1	60	RL	65.0	8450	Pave	NaN	Reg	Lvl	AllPub	Inside	Gtl	CollgCr	Norm
1	2	20	RL	80.0	9600	Pave	NaN	Reg	Lvl	AllPub	FR2	Gtl	Veenker	Feedr
2	3	60	RL	68.0	11250	Pave	NaN	IR1	Lvl	AllPub	Inside	Gtl	CollgCr	Norm
3	4	70	RL	60.0	9550	Pave	NaN	IR1	Lvl	AllPub	Corner	Gtl	Crawfor	Norm
4	5	60	RL	84.0	14260	Pave	NaN	IR1	Lvl	AllPub	FR2	Gtl	NoRidge	Norm
5	6	50	RL	85.0	14115	Pave	NaN	IR1	Lvl	AllPub	Inside	Gtl	Mitchel	Norm
6	7	20	RL	75.0	10084	Pave	NaN	Reg	Lvl	AllPub	Inside	Gtl	Somerst	Norm
7	8	60	RL	NaN	10382	Pave	NaN	IR1	Lvl	AllPub	Corner	Gtl	NWAmes	PosN
8	9	50	RM	51.0	6120	Pave	NaN	Reg	Lvl	AllPub	Inside	Gtl	OldTown	Artery
9	10	190	RL	50.0	7420	Pave	NaN	Reg	Lvl	AllPub	Corner	Gtl	BrkSide	Artery

¹ <https://www.analyticsvidhya.com/blog/2020/11/lasso-regression-causes-sparsity-while-ridge-regression-doesnt-unfolding-the-math/>

Condition2	BldgType	HouseStyle	OverallQual	OverallCond	YearBuilt	YearRemodAdd	RoofStyle	RoofMatl	Exterior1st	Exterior2nd	MasVnrType
Norm	1Fam	2Story	7	5	2003	2003	Gable	CompShg	VinylSd	VinylSd	BrkFace
Norm	1Fam	1Story	6	8	1976	1976	Gable	CompShg	MetalSd	MetalSd	None
Norm	1Fam	2Story	7	5	2001	2002	Gable	CompShg	VinylSd	VinylSd	BrkFace
Norm	1Fam	2Story	7	5	1915	1970	Gable	CompShg	Wd Sdng	Wd Shng	None
Norm	1Fam	2Story	8	5	2000	2000	Gable	CompShg	VinylSd	VinylSd	BrkFace
Norm	1Fam	1.5Fin	5	5	1993	1995	Gable	CompShg	VinylSd	VinylSd	None
Norm	1Fam	1Story	8	5	2004	2005	Gable	CompShg	VinylSd	VinylSd	Stone
Norm	1Fam	2Story	7	6	1973	1973	Gable	CompShg	HdBoard	HdBoard	Stone
Norm	1Fam	1.5Fin	7	5	1931	1950	Gable	CompShg	BrkFace	Wd Shng	None
Artery	2fmCon	1.5Unf	5	6	1939	1950	Gable	CompShg	MetalSd	MetalSd	None

ExterQual	ExterCond	Foundation	BsmtQual	BsmtCond	BsmtExposure	BsmtFinType1	BsmtFinSF1	BsmtFinType2	BsmtFinSF2	BsmtUnfSF	TotalBsmtSF
Gd	TA	PConc	Gd	TA	No	GLQ	706	Unf	0	150	856
TA	TA	CBlock	Gd	TA	Gd	ALQ	978	Unf	0	284	1262
Gd	TA	PConc	Gd	TA	Mn	GLQ	486	Unf	0	434	920
TA	TA	BrkTil	TA	Gd	No	ALQ	216	Unf	0	540	756
Gd	TA	PConc	Gd	TA	Av	GLQ	655	Unf	0	490	1145
TA	TA	Wood	Gd	TA	No	GLQ	732	Unf	0	64	796
Gd	TA	PConc	Ex	TA	Av	GLQ	1369	Unf	0	317	1686
TA	TA	CBlock	Gd	TA	Mn	ALQ	859	BLQ	32	216	1107
TA	TA	BrkTil	TA	TA	No	Unf	0	Unf	0	952	952
TA	TA	BrkTil	TA	TA	No	GLQ	851	Unf	0	140	991

Heating	HeatingQC	CentralAir	Electrical	1stFlrSF	2ndFlrSF	LowQualFinSF	GrLivArea	BsmtFullBath	BsmtHalfBath	FullBath	HalfBath	BedroomAbvGr
GasA	Ex	Y	SBrkr	856	854	0	1710	1	0	2	1	3
GasA	Ex	Y	SBrkr	1262	0	0	1262	0	1	2	0	3
GasA	Ex	Y	SBrkr	920	866	0	1786	1	0	2	1	3
GasA	Gd	Y	SBrkr	961	756	0	1717	1	0	1	0	3
GasA	Ex	Y	SBrkr	1145	1053	0	2198	1	0	2	1	4
GasA	Ex	Y	SBrkr	796	566	0	1362	1	0	1	1	1
GasA	Ex	Y	SBrkr	1694	0	0	1694	1	0	2	0	3
GasA	Ex	Y	SBrkr	1107	983	0	2090	1	0	2	1	3
GasA	Gd	Y	FuseF	1022	752	0	1774	0	0	2	0	2
GasA	Ex	Y	SBrkr	1077	0	0	1077	1	0	1	0	2

KitchenAbvGr	KitchenQual	TotRmsAbvGrd	Functional	Fireplaces	FireplaceQu	GarageType	GarageYrBlt	GarageFinish	GarageCars	GarageArea	GarageQual
1	Gd	8	Typ	0	NaN	Attchd	2003.0	RFn	2	548	TA
1	TA	6	Typ	1	TA	Attchd	1976.0	RFn	2	460	TA
1	Gd	6	Typ	1	TA	Attchd	2001.0	RFn	2	608	TA
1	Gd	7	Typ	1	Gd	Detchd	1998.0	Unf	3	642	TA
1	Gd	9	Typ	1	TA	Attchd	2000.0	RFn	3	836	TA
1	TA	5	Typ	0	NaN	Attchd	1993.0	Unf	2	480	TA
1	Gd	7	Typ	1	Gd	Attchd	2004.0	RFn	2	636	TA
1	TA	7	Typ	2	TA	Attchd	1973.0	RFn	2	484	TA
2	TA	8	Min1	2	TA	Detchd	1931.0	Unf	2	468	Fa
2	TA	5	Typ	2	TA	Attchd	1939.0	RFn	1	205	Gd

GarageCond	PavedDrive	WoodDeckSF	OpenPorchSF	EnclosedPorch	3SsnPorch	ScreenPorch	PoolArea	PoolQC	Fence	MiscFeature	MiscVal	MoSold
TA	Y	0	61	0	0	0	0	NaN	NaN	NaN	0	2
TA	Y	298	0	0	0	0	0	NaN	NaN	NaN	0	5
TA	Y	0	42	0	0	0	0	NaN	NaN	NaN	0	9
TA	Y	0	35	272	0	0	0	NaN	NaN	NaN	0	2
TA	Y	192	84	0	0	0	0	NaN	NaN	NaN	0	12
TA	Y	40	30	0	320	0	0	NaN	MnPrv	Shed	700	10
TA	Y	255	57	0	0	0	0	NaN	NaN	NaN	0	8
TA	Y	235	204	228	0	0	0	NaN	NaN	Shed	350	11
TA	Y	90	0	205	0	0	0	NaN	NaN	NaN	0	4
TA	Y	0	4	0	0	0	0	NaN	NaN	NaN	0	1

YrSold	SaleType	SaleCondition	SalePrice
2008	WD	Normal	208500
2007	WD	Normal	181500
2008	WD	Normal	223500
2006	WD	Abnorml	140000
2008	WD	Normal	250000
2009	WD	Normal	143000
2007	WD	Normal	307000
2009	WD	Normal	200000
2008	WD	Abnorml	129900
2008	WD	Normal	118000

The last Feature: SalePrice is the target variable. The above Snapshots show all the features and the top 10 rows. As mentioned earlier, there are 1460 rows and 81 columns.

Data Description:

MSSubClass: Identifies the type of dwelling involved in the sale.

20	1-STORY 1946 & NEWER ALL STYLES	75	2-1/2 STORY ALL AGES	30	1-STORY 1945 & OLDER	80	
SPLIT OR MULTI-LEVEL	40	1-STORY W/FINISHED ATTIC ALL AGES	85	SPLIT FOYER	45	1-1/2 STORY - UNFINISHED ALL AGES	90
DUPLEX - ALL STYLES AND AGES	50	1-1/2 STORY FINISHED ALL AGES	150	1-1/2 STORY PUD - ALL AGES	60	2-STORY 1946 & NEWER	180
NEWER	160	2-STORY PUD - 1946 & NEWER	70	2-STORY 1945 & OLDER	180	PUD - ALL STYLES AND AGES	190
MULTILEVEL - INCL SPLIT LEV/FOYER	120	1-STORY PUD (Planned Unit Development) - 1946 & NEWER	190	2 FAMILY CONVERSION - ALL STYLES AND AGES			

MSZoning: Identifies the general zoning classification of the sale.

A:Agriculture C:Commercial FV:Floating Village Residential I:Industrial RH:Residential High Density
RL:Residential Low Density RP:Residential Low Density Park RM:Residential Medium Density

LotFrontage: Linear feet of street connected to property

LotArea: Lot size in square feet

Street: Type of road access to property

Grvl:Gravel Pave:Paved

Alley: Type of alley access to property

Grvl: Gravel Pave:Paved NA:No alley access

LotShape: General shape of property

Reg: Regular IR1: Slightly irregular IR2:Moderately Irregular IR3: Irregular

LandContour: Flatness of the property

Lvl: Near Flat/Level Bnk: Banked - Quick and significant rise from street grade to building
HLS Hillside - Significant slope from side to side Low: Depression

Utilities: Type of utilities available

AllPub: All public Utilities (E,G,W,& S) NoSewr: Electricity, Gas, and Water (Septic Tank)
NoSeWa: Electricity and Gas Only ELO: Electricity only

LotConfig: Lot configuration

Inside: Inside lot Corner: Corner lot CulDSac: Cul-de-sac FR2: Frontage on 2 sides of property FR3 Frontage on 3 sides of property

LandSlope: Slope of property

Gtl: Gentle slope Mod: Moderate Slope Sev: Severe Slope

Neighborhood: Physical locations within Ames city limits

Blmngtn: Bloomington Heights Blueste: Bluestem BrDale: Briardale BrkSide: Brookside
ClearCr: Clear Creek CollgCr: College Creek Crawfor : Crawford Edwards:Edwards
Gilbert: Gilbert IDOTRR: Iowa DOT and Rail Road MeadowV: Meadow Village Mitchel:Mitchell
Names: North Ames NoRidge: Northridge NPkVill: Northpark Villa NridgHt: Northridge Heights
NWAmes: Northwest Ames OldTown : Old Town SWISU: South & West of Iowa State University
Sawyer: Sawyer SawyerW: Sawyer West Somerst: Somerset StoneBr: Stone Brook
Timber: Timberland Veenker: Veenker

Condition1: Proximity to various conditions

Artery: Adjacent to arterial street Feedr: Adjacent to feeder street Norm: Normal
 RRNn: Within 200' of North-South Railroad RRAn: Adjacent to North-South Railroad
 PosN: Near positive off-site feature--park, greenbelt, etc.
 PosA: Adjacent to postive off-site feature RRNe: Within 200' of East-West Railroad
 RRAe: Adjacent to East-West Railroad

Condition2: Proximity to various conditions (if more than one is present)

Artery: Adjacent to arterial street Feedr: Adjacent to feeder street Norm: Normal
 RRNn: Within 200' of North-South Railroad RRAn: Adjacent to North-South Railroad
 PosN: Near positive off-site feature--park, greenbelt, etc. PosA: Adjacent to postive off-site feature
 RRNe: Within 200' of East-West Railroad RRAe: Adjacent to East-West Railroad

BldgType: Type of dwelling

1Fam: Single-family Detached 2FmCon: Two-family Conversion; originally built as one-family dwelling
 Duplx: Duplex Twnhse: Townhouse End Unit Twnhsl: Townhouse Inside Unit

HouseStyle: Style of dwelling

1Story:One story 1.5Fin:One and one-half story: 2nd level finished
 1.5Unf:One and one-half story: 2nd level unfinished 2Story:Two story
 2.5Fin: Two and one-half story: 2nd level finished 2.5Unf: Two and one-half story: 2nd level unfinished
 SFoyer Split Foyer SLvl Split Level

OverallQual: Rates the overall material and finish of the house

10	Very Excellent	9	Excellent	8	Very Good	7	Good	6	Above Average
5	Average	4	Below Average	3	Fair	2	Poor	1	Very Poor

OverallCond: Rates the overall condition of the house

10	Very Excellent	9	Excellent	8	Very Good	7	Good	6	Above Average
5	Average	4	Below Average	3	Fair	2	Poor	1	Very Poor

YearBuilt: Original construction date**YearRemodAdd:** Remodel date (same as construction date if no remodeling or additions)**RoofStyle:** Type of roof

Flat: Flat Gable: Gable Gambrel: Gabrel (Barn) Hip: Hip Mansard: Mansard Shed : Shed

RoofMatl: Roof material

ClyTile: Clay or Tile CompShg: Standard (Composite) Shingle Membran: Membrane
 Metal: Metal Roll: Roll Tar&Grv: Gravel & Tar WdShake: Wood Shakes WdShngl: Wood Shingles

Exterior1st: Exterior covering on house

AsbShng Asbestos Shingles AsphShn Asphalt Shingles BrkComm Brick Common
 BrkFace: Brick Face CBlock: Cinder Block CemntBd Cement Board HdBoard: Hard Board
 ImStucc: Imitation Stucco MetalSd Metal Siding Other Other Plywood Plywood
 PreCast PreCast Stone: Stone Stucco: Stucco VinylSd: Vinyl Siding
 Wd Sdng Wood Siding WdShng Wood Shingles

Exterior2nd: Exterior covering on house (if more than one material)

AsbShng	Asbestos Shingles	AsphShn	Asphalt Shingles	BrkComm	Brick Common		
BrkFace: Brick Face	CBlock: Cinder Block	CemntBd	Cement Board	HdBoard	Hard Board		
ImStucc	Imitation Stucco	MetalSd	Metal Siding	Other: ther	Plywood	Plywood	PreCast
PreCast	Stone Stone	Stucco Stucco	VinylSd: Vinyl Siding	Wd Sdng	Wood Siding	WdShing	Wood Shingles

MasVnrType: Masonry veneer type

BrkCmn	Brick Common	BrkFace	Brick Face	CBlock	Cinder Block	None	None
Stone	Stone						

MasVnrArea: Masonry veneer area in square feet

ExterQual: Evaluates the quality of the material on the exterior

Ex	Excellent	Gd	Good	TA	Average/Typical	Fa	Fair	Po	Poor
----	-----------	----	------	----	-----------------	----	------	----	------

ExterCond: Evaluates the present condition of the material on the exterior

Ex	Excellent	Gd	Good	TA	Average/Typical	Fa	Fair	Po	Poor
----	-----------	----	------	----	-----------------	----	------	----	------

Foundation: Type of foundation

BrkTil	Brick & Tile	CBlock	Cinder Block	PConc	Poured Contrete		
Slab	Slab	Stone	Stone	Wood	Wood		

BsmtQual: Evaluates the height of the basement

Ex	Excellent (100+ inches)	Gd	Good (90-99 inches)	TA	Typical	(80-89	inches)
Fa	Fair (70-79 inches)	Po	Poor (<70 inches)	NA	No Basement		

BsmtCond: Evaluates the general condition of the basement

Ex	Excellent (100+ inches)	Gd	Good (90-99 inches)	TA	Typical	(80-89	inches)
Fa	Fair (70-79 inches)	Po	Poor (<70 inches)	NA	No Basement		

BsmtExposure: Refers to walkout or garden level walls

Gd	Good Exposure	Av	Average Exposure (split levels or foyers typically score average or above)		
Mn	Mimimum Exposure	No	No Exposure	NA	No Basement

BsmtFinType1: Rating of basement finished area

GLQ	Good Living Quarters	ALQ	Average Living Quarters	BLQ	Below Average Living Quarters		
Rec	Average Rec Room	LwQ	Low Quality	Unf	Unfinished	NA	No Basement

BsmtFinSF1: Type 1 finished square feet

BsmtFinType2: Rating of basement finished area (if multiple types)

GLQ	Good Living Quarters	ALQ	Average Living Quarters	BLQ	Below Average Living Quarters		
Rec	Average Rec Room	LwQ	Low Quality	Unf	Unfinished	NA	No Basement

BsmtFinSF2: Type 2 finished square feet

BsmtUnfSF: Unfinished square feet of basement area

TotalBsmtSF: Total square feet of basement area

Heating: Type of heating

Floor:	Floor Furnace	GasA:	Gas forced warm air furnace	GasW:	Gas hot water or steam heat
Grav	Gravity furnace	OthW:	Hot water or steam heat other than gas	Wall	Wall furnace

HeatingQC: Heating quality and condition

Ex	Excellent	Gd	Good	TA	Average/Typical	Fa	Fair	Po	Poor
----	-----------	----	------	----	-----------------	----	------	----	------

CentralAir: Central air conditioning

N No Y Yes

Electrical: Electrical system

SBrkr Standard Circuit Breakers & Romex
FuseA Fuse Box over 60 AMP and all Romex wiring (Average)
FuseF 60 AMP Fuse Box and mostly Romex wiring (Fair)
FuseP 60 AMP Fuse Box and mostly knob & tube wiring (poor)
Mix Mixed

1stFlrSF: First Floor square feet

2ndFlrSF: Second floor square feet

LowQualFinSF: Low quality finished square feet (all floors)

GrLivArea: Above grade (ground) living area square feet

BsmtFullBath: Basement full bathrooms

BsmtHalfBath: Basement half bathrooms

FullBath: Full bathrooms above grade

HalfBath: Half baths above grade

Bedroom: Bedrooms above grade (does NOT include basement bedrooms)

Kitchen: Kitchens above grade

KitchenQual: Kitchen quality

Ex Excellent Gd Good TA Typical/Average Fa Fair Po Poor

TotRmsAbvGrd: Total rooms above grade (does not include bathrooms)

Functional: Home functionality (Assume typical unless deductions are warranted)

Typ Typical Functionality

Min1: Minor Deductions 1

Min2: Minor Deductions 2

Mod: Moderate Deductions

Maj1: Major Deductions 1

Maj2: Major Deductions 2

Sev: Severely Damaged

Sal: Salvage only

Fireplaces: Number of fireplaces

FireplaceQu: Fireplace quality

Ex Excellent - Exceptional Masonry Fireplace

Gd Good - Masonry Fireplace in main level

TA Average - Prefabricated Fireplace in main living area or Masonry Fireplace in basement

Fa Fair - Prefabricated Fireplace in basement

Po Poor - Ben Franklin Stove NA No Fireplace

GarageType: Garage location

2Types More than one type of garage

Attchd Attached to home Basment Basement Garage

BuiltIn Built-In (Garage part of house - typically has room above garage)

CarPort Car Port Detchd Detached from home NA No Garage

GarageYrBlt: Year garage was built

GarageFinish: Interior finish of the garage

Fin Finished

RFn Rough Finished

Unf

Unfinished

NA

No Garage

GarageCars: Size of garage in car capacity **GarageArea:**

Size of garage in square feet

GarageQual: Garage quality

Ex:Excellent Gd:Good TA:Typical/Average Fa:Fair Po:Poor NA: No Garage

GarageCond: Garage condition

Ex:Excellent Gd:Good TA:Typical/Average Fa:Fair Po:Poor NA:No Garage

PavedDrive: Paved driveway

Y Paved P Partial Pavement N Dirt/Gravel

WoodDeckSF: Wood deck area in square feet

OpenPorchSF: Open porch area in square feet

EnclosedPorch: Enclosed porch area in square feet

3SsnPorch: Three season porch area in square feet

ScreenPorch: Screen porch area in square feet

PoolArea: Pool area in square feet

PoolQC: Pool quality

Ex Excellent Gd Good TA Average/Typical Fa Fair NA No Pool

Fence: Fence quality

GdPrv Good Privacy MnPrv Minimum Privacy
GdWo Good Wood MnWw Minimum Wood/Wire NA No Fence

MiscFeature: Miscellaneous feature not covered in other categories

Elev Elevator Gar2 2nd Garage (if not described in garage section)
Othr Other Shed Shed (over 100 SF) TenC Tennis Court NA None

MiscVal: \$Value of miscellaneous feature

MoSold: Month Sold (MM)

YrSold: Year Sold (YYYY)


SaleType: Type of sale

WD Warranty Deed - Conventional CWD Warranty Deed - Cash
VWD Warranty Deed - VA Loan New Home just constructed and sold
COD Court Officer Deed/Estate Con Contract 15% Down payment regular terms
ConLw Contract Low Down payment and low interest ConLI Contract Low Interest
ConLD Contract Low Down Oth Other

SaleCondition: Condition of sale

Normal Normal Sale Abnorml Abnormal Sale - trade, foreclosure, short sale
AdjLand Adjoining Land Purchase
Alloca Allocation - two linked properties with separate deeds, typically condo with a garage unit
Family Sale between family members
Partial Home was not completed when last assessed (associated with New Homes)

Data Preprocessing



The above heatmap shows there are many Null Values, which can't be processed. One Observation here is that a lot of variables have been labelled at NaN, but they are actually not null values and have certain meaning.

For Example,

- NA in feature 'Alley' means No_Alley
- in case of PoolQC, NA means 'No Pool' (* Refer Data Description at the end of the notebook)

I've replaced them with actual variables before going further.

First let us handle Categorical features which are missing; based on domain knowledge and given explanation. The percentage of Null values in Categorical features:

```
Alley: 0.9377% missing values
MasVnrType: 0.0055% missing values
BsmtQual: 0.0253% missing values
BsmtCond: 0.0253% missing values
BsmtExposure: 0.026% missing values
BsmtFinType1: 0.0253% missing values
BsmtFinType2: 0.026% missing values
FireplaceQu: 0.4726% missing values
```

GarageType: 0.0555% missing values
GarageFinish: 0.0555% missing values
GarageQual: 0.0555% missing values
GarageCond: 0.0555% missing values
PoolQC: 0.9952% missing values
Fence: 0.8075% missing values
MiscFeature: 0.963% missing values

Then I replaced all other categorical missing values with a new label 'Missing'. The numerical missing values will be imputed during feature engineering.

Numerical variables

```
# list of numerical variables
numerical_features = [feature for feature in df.columns if df[feature].dtypes != 'O']

print('Number of numerical variables: ', len(numerical_features))

# visualise the numerical variables
df[numerical_features].head()
```

```
Number of numerical variables: 37
```

Identified all features that were numerical

Year Features


```
# (identified features with Year using key words 'year' or 'yr' in column headers)
year_feature = [feature for feature in numerical_features if 'Yr' in feature or 'Year' in feature]

year_feature

['YearBuilt', 'YearRemodAdd', 'GarageYrBlt', 'YrSold']
```




```
# Analyzing Prices of House vs Year Built
df.groupby('YrSold')['SalePrice'].mean().plot()
plt.title("Mean House Price vs YearSold")

Text(0.5, 1.0, 'Mean House Price vs YearSold')
```



There seems to be a peak in House Prices, but a sharp drop in between 2007 to 2008. This can be due to Economic Crash. "Economies worldwide slowed during this period since credit tightened and international trade declined. Housing markets suffered and unemployment soared, resulting in evictions and foreclosures."

Let's see the scatterplot between All years features with SalePrice



Obs 1: The Houses built recently have Higher Sales Price.

Obs 2: The Houses remodelled recently have Higher Sales Price.



Obs 3: The Houses whose Garages were built recently have Higher Sales Price.

Identifying Discrete Variables

The following 17 features were identified as discrete variables:

```
['MSSubClass', 'OverallQual', 'OverallCond', 'LowQualFinSF', 'BsmtFullBath', 'BsmtHalfBath', 'FullBath', 'HalfBath', 'BedroomAbvGr', 'KitchenAbvGr', 'TotRmsAbvGrd', 'Fireplaces', 'GarageCars', '3SsnPorch', 'PoolArea', 'MiscVal', 'MoSold']
```

Plotted Bar Plots like these to understand relations with Sale Price




Similarly, plotted for all discrete values, and observed features.

Identifying Continuous Features


```
continuous_feature=[feature for feature in numerical_features if feature not in discrete_feature+year_feature+['Id']]
print("Continuous feature Count",len(continuous_feature))
```

Continuous feature Count 16

I've plotted Histograms for all 16 features like the following



As clear from above a lot of features were not normally distributed. Let's I did log transformation, plotted the scatterplots to see the trends.



Categorical Features


```
categorical_features=[feature for feature in df.columns if df[feature].dtypes=='O']
```

Identified total unique categories in each feature:

- MSZoning has 5 categories
- Street has 2 categories
- Alley has 3 categories
- LotShape has 4 categories
- LandContour has 4 categories
- Utilities has 2 categories
- LotConfig has 5 categories
- LandSlope has 3 categories
- Neighborhood has 25 categories
- Condition1 has 9 categories
- Condition2 has 8 categories
- BldgType has 5 categories
- HouseStyle has 8 categories
- RoofStyle has 6 categories
- RoofMatl has 8 categories
- Exterior1st has 15 categories

Exterior2nd has 16 categories
MasVnrType has 5 categories
ExterQual has 4 categories
ExterCond has 5 categories
Foundation has 6 categories
BsmtQual has 5 categories
BsmtCond has 5 categories
BsmtExposure has 5 categories
BsmtFinType1 has 7 categories
BsmtFinType2 has 7 categories
Heating has 6 categories
HeatingQC has 5 categories
CentralAir has 2 categories
Electrical has 6 categories
KitchenQual has 4 categories
Functional has 7 categories
FireplaceQu has 6 categories
GarageType has 7 categories
GarageFinish has 4 categories
GarageQual has 6 categories
GarageCond has 6 categories
PavedDrive has 3 categories
PoolQC has 4 categories
Fence has 5 categories
MiscFeature has 5 categories
SaleType has 9 categories
SaleCondition has 6 categories

Plotted all Categorical variables vs SalesPrice as shown below



Feature Engineering

I had already treated all Null Values in categorical Features, Now I will check for numerical variables. Imputed the numerical null values with medians.

Now, as there were some features(Temporal) which contained year values. Differences:

	YearBuilt	YearRemodAdd	GarageYrBlt
0	5	5	5.0
1	31	31	31.0
2	7	6	7.0
3	91	36	8.0
4	8	8	8.0

Handling Rare Categorical Feature

We will remove categorical variables that are present less than 1% of the observations

```
for feature in categorical_features:
    temp=df.groupby(feature)['SalePrice'].count()/len(df)
    temp_df=temp[temp>0.01].index
    df[feature]=np.where(df[feature].isin(temp_df),df[feature],'Rare_var')
```

Label Encoding the Categorical Features For Machine to understand

```
from sklearn.preprocessing import LabelEncoder
le = LabelEncoder()
for i in categorical_features:
    df[i]=le.fit_transform(df[i])
```

Skewness in some Continuous Variables

There are a lot of skewed variables. I have treated them with log1 transformation.

Before Treating Skewness, Splitting into train and test set to avoid data leakage


```
from sklearn.model_selection import train_test_split
df_train,df_test = train_test_split(df,train_size=0.8,test_size=0.2,random_state=42)
```

80% data will be used for training and 20% for Testing


Reducing Skewness

```
for col in df_train[continuous_feature].columns:
    if df_train.skew().loc[col]>0.55 and col!='SalePrice':
        df_train[col]=np.log1p(df_train[col])
```


As seen in the below examples, I've treated all the features.



Before Treating for Skewness



After Treating for Skewness

Scaling the dataset

Splitting Dependent and Independent Features

```
y_train = df_train.pop('SalePrice')  
X_train = df_train
```

```
y_test = df_test.pop('SalePrice')  
X_test = df_test
```

```
#Lets scale the parameters  
from sklearn.preprocessing import StandardScaler  
sc=StandardScaler()  
X_train=sc.fit_transform(X_train)  
X_train=pd.DataFrame(X_train,columns=df_train.columns)  
X_train.head()
```

```
#Lets scale the test parameters  
X_test=sc.fit_transform(X_test)  
X_test=pd.DataFrame(X_test,columns=df_test.columns)  
X_test.head()
```

I've used Standard Scalar to make all the data comparable.

Modelling

1. Random Forest Regressor with PCA

```
# Selecting 70 features, as it explains 99% of data
```

```
pca = PCA(n_components=70)
x=pca.fit_transform(x)
x_t=X_test.copy()
x_t=pca.fit_transform(x_t)
```

```
from sklearn.ensemble import RandomForestRegressor
from sklearn.model_selection import RandomizedSearchCV
parameters={'bootstrap': [True, False],
            'max_depth': [10, 20, 30, 40, 50, 60, 70, 80, 90, 100, None],
            'max_features': ['auto', 'sqrt'],
            'min_samples_leaf': [1, 2, 4],
            'min_samples_split': [2, 5, 10],
            'n_estimators': [200, 400, 600, 800, 1000, 1200, 1400, 1600, 1800, 2000]}
rfr=RandomForestRegressor()
rand = RandomizedSearchCV(estimator = rfr, param_distributions = parameters,
                          n_iter = 100, cv = 3, verbose=2, random_state=42, n_jobs = -1,scoring='r2')
rand.fit(x,y_train)
rand.best_params_
```

Fitting 3 folds for each of 100 candidates, totalling 300 fits

```
[Parallel(n_jobs=-1)]: Using backend LokyBackend with 8 concurrent workers.
[Parallel(n_jobs=-1)]: Done 25 tasks      | elapsed: 54.6s
[Parallel(n_jobs=-1)]: Done 146 tasks    | elapsed: 6.9min
[Parallel(n_jobs=-1)]: Done 300 out of 300 | elapsed: 18.9min finished
```

```
rfr=RandomForestRegressor(n_estimators =1800,
                          min_samples_split= 5,
                          min_samples_leaf= 4,
                          max_features= 'auto',
                          max_depth= 80,
                          bootstrap= True)
```

```
rfr.fit(x,y_train)
y_pred = rfr.predict(x_t)
from sklearn.metrics import r2_score
from sklearn.metrics import mean_squared_error
print("RMSE is: ",np.sqrt(mean_squared_error(y_test,y_pred)))
print("r2_score is: ",r2_score(y_test,y_pred))
```

Results: Top 10 Features and R2 Score

	Features	Gini-Importance
0	MSSubClass	0.801095
1	LotFrontage	0.058321
2	LotShape	0.005449
3	Alley	0.005347
4	LotArea	0.005258
5	Utilities	0.002516
6	MSZoning	0.002034
7	Street	0.001795
8	LandContour	0.001484
9	LotConfig	0.001342

RMSE is: 41621.690289391634

r2_score is: 0.7741471411055758

2. XGBoost Regressor with PCA

```
params = {
    'min_child_weight': [1, 5, 10],
    'gamma': [0.5, 1, 1.5, 2, 5],
    'subsample': [0.6, 0.8, 1.0],
    'colsample_bytree': [0.6, 0.8, 1.0],
    'max_depth': [3, 4, 5]
}
```

```
xg = XGBRegressor(learning_rate=0.02, n_estimators=600,
                  silent=True, nthread=1)
```

```
skf = StratifiedKFold(n_splits=5, shuffle = True, random_state = 1001)
```

```
random_search = RandomizedSearchCV(xg, param_distributions=params, n_iter=5, scoring='r2',
                                   n_jobs=4, cv=skf.split(x,y_train), verbose=3, random_state=1001 )
```

```
random_search.fit(x,y_train)
random_search.best_params_
```

Fitting 5 folds for each of 5 candidates, totalling 25 fits

```
[Parallel(n_jobs=4)]: Using backend LokyBackend with 4 concurrent workers.
[Parallel(n_jobs=4)]: Done 25 out of 25 | elapsed: 45.1s finished
```

```
xg = XGBRegressor(learning_rate=0.02, n_estimators=600,
                  silent=True, nthread=1, subsample = 0.8,
                  min_child_weight= 1, max_depth = 4, gamma = 1,
                  colsample_bytree = 1.0)
```

```
xg.fit(x,y_train)
y_pred = xg.predict(x_t)
from sklearn.metrics import r2_score
from sklearn.metrics import mean_squared_error
print("RMSE is: ", np.sqrt(mean_squared_error(y_test,y_pred)))
print("r2_score is: ", r2_score(y_test,y_pred))
```

Results:

```
RMSE is: 43960.40768938855
r2_score is: 0.7480527695932312
```

The score was way less than Random Forest, so I've rejected this model. Then I checked with the following models

3. Linear Regression with RFE

a. Lasso b. Ridge

Preparing the Data by reducing features using RFE

```
rfe_scores = pd.DataFrame(list(zip(X_train.columns,rfe.support_,rfe.ranking_)))
rfe_scores.columns = ['Column_Names','Status','Rank']
rfe_sel_columns = list(rfe_scores[rfe_scores.Status==True].Column_Names)
```

Lets filter the train and test set for the RFE selected columns

```
X_train_lm = X_train[rfe_sel_columns]
X_test_lm = X_test[rfe_sel_columns]
```

```
X_train_lm.shape
```

```
(1168, 49)
```



Final Model

```
lasso = Lasso(alpha=20)
lasso.fit(X_train_lm,y_train)

y_train_pred = lasso.predict(X_train_lm)
y_test_pred = lasso.predict(X_test_lm)

print(r2_score(y_true=y_train,y_pred=y_train_pred))
print(r2_score(y_true=y_test,y_pred=y_test_pred))
```

```
0.8413407167403752
0.8115457630494485
```

The R2 score is almost equal for both training and test data.

```
print("RMSE is: ",np.sqrt(mean_squared_error(y_test,y_pred)))
```

```
RMSE is: 43960.40768938855
```

CONCLUSION

- Key Findings and Conclusions of the Study:

- MS Sub Class seems to have the biggest impact on House Prices, followed by Basement Full Bath and Basement Half Bath
- Other than the Basement related features, Condition 2, Exterior Quality and Lot Area are some of the other important features.

• Learning Outcomes of the Study in respect of Data Science

- Got to understand about the concept of Data Leakage. All transformation must be done after splitting the data to test and train, otherwise the parameters are affected.
- Used RFE for the first time. It is a great technique for Feature Selection.
- Learned about the usage of Lasso and Ridge Regression.

• Limitations of this work and Scope for Future Work

The `biggest limitation I observed was that not all categories of a particular feature were available in the training data. So, if there is a new category in the test data/new data, the model would not be able to identify the new categories.

Example: All 8 categories in MSZoning are:

`MSZoning: Identifies the general zoning classification of the sale.`

A	Agriculture
C	Commercial
FV	Floating Village Residential
I	Industrial
RH	Residential High Density
RL	Residential Low Density
RP	Residential Low Density Park
RM	Residential Medium Density

However, in the dataset, MSZoning only has 5 categories available. So, if the other 3 categories are present in the test set, it would become difficult for the machine to identify.