



CHIS 2005 DATA DICTIONARY

Public Use File
Adult Survey
November 2012



CHIS 2005 DATA DICTIONARY

Adult Survey

Public Use File

November 2012

adult.sas7bdat

Contact:
California Health Interview Survey
UCLA Center for Health Policy Research
10960 Wilshire Blvd., Suite 1550
Los Angeles, CA 90024
Email: chis@ucla.edu

Copyright © 2012 The Regents of the University of California. All Rights Reserved.

Suggested Citation:

California Health Interview Survey. CHIS 2005 Adult Survey. UCLA Center for Health Policy Research. Los Angeles, CA: November 2012.

TABLE OF CONTENTS

1. Introduction	3
1.1 CHIS 2005 Adult Survey Data File	3
1.2 Accompanying Files	3
2. CHIS 2005 Design and Methodology Summary.....	3
2.1 Overview	3
2.2 Sample Design Objectives.....	4
2.3 Data Collection	6
2.4 Response Rates	8
2.5 Weighting the Sample	8
2.6 Imputation Methods.....	9
3. How to Use the Data Dictionary.....	11
4. Sample Code Using Sample Design Information	12
4.1 Mean Calculation.....	13
4.2 Frequency Calculation.....	14
4.3 Linear Regression	15
4.4 Logistic Regression	16
5. Data Dictionary Variable Listings	17
A. Variable Name (alphabetical)	17
B. Variable name (by Location in CHIS 2005 Adult Questionnaire)	31
C. Restricted Variables.....	45
6. Data Dictionary.....	46
Section S: Screening Information.....	46
Section A: Demographic Information, Part 1, Race & Ethnicity	48
Section B: General Health and Health Conditions	60
Section C: Health Behaviors.....	80
Section D: General Health, Disability, and Sexual Health.....	131
Section E: Women's Health	142
Section F: Cancer History and Prevention	158
Section G: Demographic Information, Part 2, Language/Citizenship & Work.....	182
Section H: Health Insurance	197
Section I: Health Care Utilization and Access, Mental Health	225
Section J: Employment, Income and Poverty Status	237
Section K: Public Program Participation.....	245

Section L: Food Insecurity and Hunger.....	250
Section M: Demographic Information, Part 3, Geographic Information	255
Section N: Full Design and Replicate Weight Series 0-80.....	258
Section O: Appendix: Census Classifications	285

1. Introduction

1.1 CHIS 2005 Adult Survey Data File

The 2005 California Health Interview Survey (CHIS 2005) Adult Data File consists of individual records from the Adult component of CHIS 2005.

The UCLA-Center for Health Policy Research (UCLA-CHPR) is responsible for maintaining consistent standards to protect respondent confidentiality as specified in approved protocols by the UCLA IRB (09-05-103-02) and the California Committee for the Protection of Human Subjects (00-04-04). Organizations that receive CHIS data are required to complete a data sharing agreement with UCLA-CHPR. The data files listed below must be maintained in accordance with the provisions of the data sharing agreement between the California Department of Public Health (CDPH) and UCLA-CHPR. In order to protect respondent confidentiality, UCLA-CHPR maintains the most confidential and sensitive CHIS data only in its files at the Data Access Center located at UCLA-CHPR. If researchers would like access to the latitude and longitude data in the CHIS 2005 data file by special request, or require access to other highly sensitive variables, please contact dacchpr@ucla.edu. Limited technical assistance is also available from CHIS – please send email to chis@ucla.edu

1.2 Accompanying Files

The following describes multiple files included in the package along with the data file. Some are not necessary for data analysis but add convenience in utilizing the main data.

- a. **Data file:** adult.sas7bdat, adult.sav, adult.dta
- b. **Proc format file:** ADULT_PROC_FORMAT.SAS
- c. **Format file:** ADULT_FORMAT.SAS
- d. **Label file:** ADULT_LABEL.SAS
For sample codes using Proc format, format and label files, see Section 4.
- e. **Imputation flag file:** adultf.sas7bdat, adultf.sav, adultf.dta
See Section 2.6 for descriptions of imputation flag variables and values.
- f. **Others:** ADULT.XPT, ADULTF.XPT

2. CHIS 2005 Design and Methodology Summary

2.1 Overview

The California Health Interview Survey (CHIS) is a population-based telephone survey of California's population conducted every other year since 2001. CHIS is the largest health survey conducted in any state and one of the largest health surveys in the nation. CHIS is conducted by the UCLA Center for Health Policy Research (UCLA-CHPR) in collaboration with the California Department of Public Health, the Department of Health Care Services, California Department of Mental Health, First 5 California, The California Endowment, the National Cancer Institute, and

Kaiser Permanente. CHIS collects extensive information for all age groups on health status, health conditions, health-related behaviors, health insurance coverage, access to health care services, and other health and health related issues. Within each household, separate interviews are conducted with a randomly selected adult (age 18 and over), adolescents (ages 12-17), and parents of children (ages 0 to 11). CHIS 2005 is the third CHIS data collection cycle and was conducted between July 2005 and April 2006.

CHIS data and results are used extensively by federal and State agencies, local public health agencies and organizations, advocacy and community organizations, other local agencies, hospitals, community clinics, health plans, foundations, and researchers. The data are used for analyses and publications to assess public health and health care needs, to develop and advocate policies to meet those needs, and to plan and budget health care coverage and services. Many researchers throughout California and the nation use CHIS data files to further their understanding of a wide range of health-related issues (for many examples of these studies, visit the CHIS Research Clearinghouse: <http://www.chis.ucla.edu/rc>).

2.2 Sample Design Objectives

The CHIS sample is designed to meet two objectives: (1) provide estimates for most counties and groups of counties with small populations; and (2) provide estimates for California's overall population, major racial and ethnic groups, and for several smaller ethnic subgroups as well. To achieve these objectives, CHIS employed a multi-stage sample design. First, the state was divided into 44 geographic sampling strata, 41 single-county strata and 3 multi-county strata comprised of the 17 remaining counties. Second, within each geographic stratum, households were selected through random-digit dial (RDD), and within each household, one adult (age 18 and over) respondent was randomly selected. In addition, in those households with adolescents (ages 12-17) and/or children (under age 12), one adolescent was randomly selected for interview and one child was selected; the most knowledgeable adult about the child's health completed the child interview.

Table 1-1 shows the 44 sampling strata for CHIS 2005. A sufficient number of adult interviews were allocated to each stratum to support the first sample design objective. These strata were revised from those used in previous CHIS cycles, increasing the number of individual counties from 33 to 41.

Table 1-1. California County and County-Group Strata in CHIS 2005 Sample Design

1. Los Angeles	16. Sonoma	31. Napa
2. San Diego	17. Stanislaus	32. Kings
3. Orange	18. Santa Barbara	33. Madera
4. Santa Clara	19. Solano	34. Monterey
5. San Bernardino	20. Tulare	35. Humboldt
6. Riverside	21. Santa Cruz	36. Nevada
7. Alameda	22. Marin	37. Mendocino
8. Sacramento	23. San Luis Obispo	38. Sutter
9. Contra Costa	24. Placer	39. Yuba
10. Fresno	25. Merced	40. Lake
11. San Francisco	26. Butte	41. San Benito
12. Ventura	27. Shasta	42. Colusa, Glen, Tehama
13. San Mateo	28. Yolo	43. Plumas, Sierra, Siskiyou, Lassen,
14. Kern	29. El Dorado	Modoc, Trinity, Del Norte
15. San Joaquin	30. Imperial	44. Mariposa, Mono, Tuolumne,
		Alpine, Amador, Calaveras, Inyo

Source: UCLA Center for Health Policy Research, 2005 California Health Interview Survey.

The samples in Marin, Humboldt, and Solano Counties were enhanced with additional funding. Additional samples were also selected statewide and in San Diego County to increase the number of child interviews; telephone numbers selected in these two additional samples were screened to identify households with children ages 0 to 11. All supplemental samples were implemented with and incorporated into the original statewide RDD sample.

The main RDD CHIS sample size is sufficient to accomplish the second objective. To increase the precision of estimates for Koreans and Vietnamese, areas with relatively high concentrations of these groups were sampled at higher rates; these geographically targeted oversamples were supplemented by phone numbers for group-specific surnames drawn from listed telephone directories to further increase the sample size for Koreans and Vietnamese.

2.3 Data Collection

To capture the rich diversity of the California population, interviews were conducted in five languages: English, Spanish, Chinese (Mandarin and Cantonese dialects), Vietnamese, and Korean. These languages were chosen based on analysis of 2000 Census data to identify the languages that would cover the largest number of Californians in the CHIS sample that either did not speak English or did not speak English well enough to participate otherwise.

Westat, a private firm that specializes in statistical research and large-scale sample surveys, conducted the CHIS 2005 data collection. Westat staff interviewed one randomly selected adult in each sampled household and adolescents and children if present in the household and associated with the sampled adult. Up to three interviews could have been completed in each sampled household. In households with children where the sampled adult was not the screener respondent, children and adolescents could be sampled as part of the screening interview, and the extended child (and adolescent) interviews could be completed before the adult interview. This “child-first” procedure was new for CHIS 2005 and substantially increased the yield of child interviews. While numerous subsequent attempts were made to complete the adult interview, there were 2,629 completed child and/or adolescent interviews in households for which an adult interview was not completed. Table 1-2 shows the number of completed adult, child, and adolescent interviews in CHIS 2005, by the type of sample (RDD or supplemental sample).

Proxy interviews were allowed for frail and ill persons over the age of 65. For 139 elderly adults, either the spouse/partner or adult child of these elderly adults completed a proxy interview. Only a subset of questions identified as appropriate for a proxy respondent were administered.

Prior to the interview contact, telephone numbers for which addresses could be found were mailed advance letters to inform household members about the survey. For the first time, CHIS 2005 advance letters included a \$2 bill as prepaid monetary incentives.

Table 1-2. Number of Completed CHIS 2005 Interviews by Type of Sample Instrument

Type of sample	Adult	Child	Adolescent
RDD			
Base plus county supplements	41,074	9,605	3,739
Statewide child supplement	525	511	84
San Diego child supplement	1,143	1,160	186
Supplemental samples:			
Korean	199	60	14
Vietnamese	79	22	6
Total RDD + supplemental cases	43,020	11,358	4,029

Source: UCLA Center for Health Policy Research, 2005 California Health Interview Survey.

Interviews in all languages were administered using Westat’s computer-assisted telephone interviewing (CATI) system. The average adult interview took 35 minutes to complete. The average child and adolescent interviews took 15 minutes and 20 minutes, respectively. For “child-

first” interviews, additional household information asked as part of the child interview averaged almost 8 minutes. Interviews in the non-English languages generally took longer to complete. Just over 10 percent of the adult interviews were completed in a language other than English, as were 18 percent of all child (parent proxy) interviews and 7 percent of all adolescent interviews.

2.4 Response Rates

The overall response rate for CHIS 2005 is a composite of the screener completion rate (i.e., success in introducing the survey to a household and randomly selecting an adult to be interviewed), and the extended interview completion rate (i.e., success in getting one or more selected persons to complete the extended interview).

The CHIS response rates were calculated using the American Association for Public Opinion Research (AAPOR) methods. The CHIS 2005 screener completion rate was 49.8 percent, and the rate was higher for those households that could be sent the advance letter. The extended interview completion rate varied across the adult, child and adolescent interviews. Multiplying the screener and extended rates gives an overall response rate for each type of interview. We calculate the percentage of households completing one or more of the extended interviews (adult, child, and/or adolescent) at the household level. It is a useful summary of the overall success of the study. The 2005 survey is the first time that a household response rate has been reported because in earlier cycles the adult interview had to be completed before the child or the adolescent interview (i.e., the household rate equaled the adult rate). For CHIS 2005, the household response rate was 29.5 percent (the product of the screener response rate and the completion rate at the household level of 59.3 percent). The adult extended completion rate for 2005 was 54.0 percent, resulting in an overall adult response rate of 26.9 percent for adults. All of the household and person level response rates vary by sampling stratum.

The CHIS response rate is comparable to response rates of other scientific telephone surveys in California, such as the 2005 California Behavioral Risk Factor Surveillance System (BRFSS) survey with an overall response rate of 29.2 percent. California as a whole and the state's urban areas in particular are among the most difficult parts of the nation in which to conduct telephone interviews. Survey response rates tend to be lower in California than nationally, and over the past decade response rates have been declining both nationally and in California.

2.5 Weighting the Sample

To produce population estimates using the CHIS data, weights must be applied to the sample data to represent the non-institutionalized population of California and compensate for a variety of factors, some directly resulting from the design and administration of the survey. The weighting procedure used for CHIS 2005 accomplishes the following objectives:

- Compensate for differential probabilities of selection for households and persons;
- Reduce biases occurring because nonrespondents may have different characteristics than respondents;
- Adjust, to the extent possible, for undercoverage in the sampling frames and in the conduct of the survey; and
- Reduce the variance of the estimates by using auxiliary information.

Sample codes for applying weights and design information in analyses for different software packages are given in Section 4.

2.6 Imputation Methods

There are two imputation procedures used by Westat to fill in missing responses for items in CHIS 2005 that are essential for weighting the data. The first imputation technique was a completely random selection from the observed distribution of respondents. This method was used only for a few data items when the percentage of the items missing was very small. For example, when imputing the missing values for self-reported age which had a very low item non-response rate, the distributions of the responses for age by type of interview (adult, child, or adolescent) were used to randomly assign an age using probabilities associated with these distributions.

The second technique is hot deck imputation without replacement. The hot deck approach is probably the most commonly used method for assigning values for missing responses in large-scale household surveys. With a hot deck, a value reported by a respondent for a particular item is assigned or donated to a “similar” person who did not respond to that item. The characteristics defining “similar” vary for different variables. To carry out hot deck imputation, the respondents to an item form a pool of donors, while the nonrespondents are a group of recipients. A recipient is matched to the subset pool of donors based on household and individual characteristics. A value for the recipient is then randomly imputed from one of the donors in the pool. Once a donor is used, it is removed from the pool of donors for that variable. Hot deck imputation was used to impute the same items in CHIS 2003 and CHIS 2005; that is race, ethnicity, home ownership, and education.

The UCLA Center for Health Policy Research imputed missing values for nearly every variable in the data files other than those handled by Westat and some sensitive variables in which nonresponse had its own meaning. Overall, item nonresponse rates in CHIS 2005 were modest, with most variables missing valid responses for less than 2% of the sample. However, there were a few exceptions where item nonresponse rate was greater than 20%, such as household income.

The imputation process conducted by UCLA started with data editing, sometimes referred to as logical or relational imputation: for any missing value, a valid replacement value was sought based on known values of other variables of the same respondent or other sample(s) from the same household. For the remaining missing values, hierarchical sequential hot-deck imputation with donor replacement was used. This method replaces a missing value for one respondent using a valid response from another respondent with similar characteristics as defined by a set of control variables. The control variables were ranked in order from the most to the least important. This procedure allowed control variables to be dropped if certain conditions (such as the minimal number of donors) were not met. The control variables were dropped sequentially, starting from the variable ranked least important. Once a responding case was used as a donor, it was dropped from the donor pool preventing using one donor multiple times.

Control variables always included the following: gender, age group, race/ethnicity, poverty level (based on household income), educational attainment (more detailed than Westat impute educational attainment), and region. Other control variables were also used depending on the nature of the imputed variables. Among the control variables, gender, age, race/ethnicity and regions were imputed by Westat. Household income and educational attainment were imputed first in order to

impute other variables. Household income, for example, was imputed using the hot-deck method within ranges from a set of auxiliary variables such as income range and/or poverty level.

The imputation order of the other variables followed the questionnaire. After all imputation was done, logical checks and edits were performed once again to ensure consistency between the imputed and non-imputed values on a case-by-case basis.

In addition to the main data file, a data file including variables flagging the imputation status of all variables subject to imputation provided. CHIS data users who wish to exclude imputed values may apply the imputation flags to the main data. This is done by merging the main data file with the imputation flag file.

Imputation flag variables starting with **I** followed by variable names are flags for weighting variables (e.g., **ISRAGE**). The remainder of imputation flag variables begin with variable names and end with **X** (e.g., **AB1_X**). For both types of imputation flag variables, the value of “-10” in the imputation flag file indicates that there was no imputation done on the corresponding variable for that respondent. For the weighting variable imputation flags, “-9” indicates that the value in the data file was imputed but does not provide the original value. The values in the imputation flags for non-weighting variables (other than “-10” indicating no imputation) represent the original responses. In most cases, the values of the original responses are: Don't Know (-8), Refused (-7), or Not Ascertained (-9). In a few cases, the values of the original responses have been edited; the imputation flag file contains the original positive value.

Methodology Report Series

A series of five methodology reports are available with more detail about the methods used in CHIS 2005:

- Report 1 – Sample Design;
- Report 2 – Data Collection Methods;
- Report 3 – Data Processing Procedures;
- Report 4 – Response Rates; and
- Report 5 – Weighting and Variance Estimation.

For further information on CHIS data and the methods used in the survey, visit the California Health Interview Survey Web site at <http://www.chis.ucla.edu/methods.html>.

3. How to Use the Data Dictionary

This Data Dictionary describes the variables in the CHIS 2005 Adult PUF. The index of the data dictionary lists variables by the alphabetical order and by the order in the adult survey questionnaire. Please note that identical variable names appearing in the CHIS 2001, CHIS 2003 and CHIS 2005 data files does not guarantee identical question wording, response categories or universe; please consult the questionnaires and data dictionaries to assess comparability across cycles. A printable version of the adult questionnaire can be found on the CHIS web site at <http://www.chis.ucla.edu/topics.html>.

The data dictionary contains the following fields:

- **VARNAME:** The names of the variables.
- **QNAME05:** The names of the 2005 survey items. A blank field means the variable is constructed with survey items shown in the **INPUT VAR** field.
- **QPAGENUM:** Location of the question in the CHIS 2005 questionnaire.
- **QNAME03:** The names of 2003 survey items identical or similar to the 2005 items.
- **QNAME01:** The names of 2001 survey items identical or similar to the 2005 items.
- **LABEL:** A description (or label) of the variable which is the same as what is included in the label file described in Section 1.2.
- **VALUE:** Response categories and their sample distributions of categorical variables. The following negative values are used for all variables:
 - 1: INAPPLICABLE.
 - 2: PROXY SKIPPED.
 - 5: ADULT/HOUSEHOLD INFORMATION NOT COLLECTED FOR TEEN AND CHILD INTERVIEWS.
 - 7: REFUSED.
 - 8: DON'T KNOW.
 - 9: NOT ASCERTAINED.
- **MEAN STATISTICS:** Sample distributions of continuous variables.
- **UNIVERSE:** The scope of eligible respondents for the corresponding item. For some questions and variables, certain respondents become ineligible due to skip patterns or other restrictions (e.g., age and sex).
- **INPUT VAR:** Source variables used to construct the one in the **VARNAME** field.
- **NOTES:** Additional information about the variable.

4. Sample Code Using Sample Design Information

The California Health Interview Survey (CHIS) employs a two-stage geographically stratified random digit-dial (RDD) sample design. This complex design requires proper weighting and variance (or its square root– standard error) calculation of the estimates. Most statistical software packages calculate variance assuming that the data are from a simple random sample; this underestimates the variance of estimates produced from the CHIS complex sample design. In order to accurately estimate variance without jeopardizing data confidentiality and respondent privacy, CHIS Public Use Files (PUFs) provide 80 replicate weights (rakedw1, ..., rakedw80) in addition to the final weight (rakedw0).

These weights fulfill different functions. The final weight (rakedw0) accounts for the sample selection probabilities and statistical adjustments for potential undercoverage and nonresponse biases. When this weight is applied, it ensures that estimates from the CHIS sample are an unbiased representation of the California population. The replicate weights (rakedw1, ..., rakedw80) are specially designed for valid variance estimation in the absence of the geographical sample design information (excluded from the CHIS PUFs). These 80 different weights provide variance estimates computed with 80 replications.

When using replicate weights in conjunction with the final weight, the estimates and their variance estimation are unbiased. When analyzing data from the CHIS PUFs, if the final weight is applied without the replicate weights unbiased estimates will be produced, but their variability will be underestimated due to the incorrect assumption that the sample is a simple random sample.

This document illustrates how the CHIS PUFs can be analyzed to produce valid variance estimates using SAS/STAT 9.2 or higher, SUDAAN, and Stata V.9 or higher. (Note SAS/STAT 9.2 is a new version that was released in 2009.) These are three main software packages capable of incorporating replicate weights. The main difference in operating these software packages is that the sample design information is specified within each procedure for SAS/STAT and SUDAAN, whereas Stata requires sample design specification in a separate step preceding the analyses.

For SAS users, the following code can be used to apply PROC FORMAT, FORMAT and LABEL files described in Section 1.2.

SAS:

```
LIBNAME libraryname "folder location";
%INC "folder location/PROCFORMATfilename.sas";

DATA data;
SET libraryname.datafilename;
%INC "folder location/FORMATfilename.sas";a
%INC "folder location/LABELfilename.sas";
RUN;
```

^a. Unless the PROCFORMAT file is commanded beforehand, the FORMAT file will not function properly.

This section illustrates sample codes for a number of different types of analyses: for continuous variables, we present calculation of means and linear regression analysis; and for categorical

variables, we demonstrate calculation of frequencies and logistic regression analysis. Sample codes for all four software packages are provided for each analysis. Throughout all analyses, we find that the estimates and their standard errors are identical across all software packages examined in this document.

For illustration purposes, Body Mass Index (bmi_p) is presented as a continuous dependent variable and current asthma status (astcur) as a categorical dependent variable. These variables are examined in relation to race (racehpr2), sex (srsex) and age (srage_p). CHIS data users who wish to replicate the analysis presented here may copy the sample codes and generate the same results.

4.1 Mean Calculation

In the sample code that follows, the distribution of BMI (bmi_p) is examined by race (racehpr2) and by the interaction between race and sex (racehpr2*srsex).

SAS:

```
PROC SORT DATA = data;
BY racehpr2 srsex;
RUN;
PROC SURVEYMEANS DATA = data VARMETHOD=JACKKNIFE;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
VAR bmi_p;
BY racehpr2 srsex; a
RUN;
```

^a This produces just racehpr2*srsex grouping.

SUDAAN:

```
PROC DESCRIPT DATA = data FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
VAR bmi_p;
TABLES racehpr2 racehpr2*srsex;
SUBGROUP racehpr2 srsex;
LEVELS 7 2;
RUN;
```

Stata:

***Sample design specification step* ^a**

```
use "DATASET LOCATION"
svyset [pw=rakedw0], jkrw(rakedw1-rakedw80, multiplier(1)) vce(jack) mse
```

Analysis

```
svy: mean bmi_p, over(racehpr2)
svy: mean bmi_p, over(srsex racehpr2)
```

^a **Sample design specification step** should be included before any analysis in SPSS and Stata.

4.2 Frequency Calculation

In the following sample code, the percentage of people who have asthma currently (astcur) is examined by race (racehpr2) and by the interaction between race and sex (racehpr2*srsex).

SAS:

```
PROC SORT DATA = data;
BY racehpr2 srsex;
RUN;
PROC SURVEYMEANS DATA = data VARMETHOD=JACKKNIFE;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
VAR astcur;
CLASS astcur;
BY racehpr2 srsex; a
RUN;
```

Alternatively, PROC SURVEYFREQ may be useful especially for the variables with more than two categories. One caveat in creating multiple tables in one PROC SURVEYFREQ procedure is that the procedure takes the smallest applicable sample sizes among all variables. We recommend creating one table per one PROC SURVEYFREQ procedure as follows:

```
PROC SURVEYFREQ DATA = data VARMETHOD=JACKKNIFE;;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
TABLE racehpr2*astcur /row;
RUN;
PROC SURVEYFREQ DATA = data VARMETHOD=JACKKNIFE;;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
TABLE srsex*racehpr2*astcur/row;
RUN;
```

^a This produces just racehpr2*srsex grouping.

SUDAAN:

```
PROC CROSSTAB DATA = data FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
TABLES astcur*racehpr2 racehpr2*astcur*srsex;
SUBGROUP astcur racehpr2 srsex;
LEVELS 2 7 2;
RUN;
```

Stata:

```
svy: tabulate astcur racehpr2, col se ci

gen racesex=1 if racehpr2 ==1 & srsex ==1 a
replace racesex=2 if racehpr2 ==1 & srsex ==2
replace racesex=3 if racehpr2 ==2 & srsex ==1
```

```

replace racesex=4 if racehpr2 ==2 & srsex ==2
replace racesex=5 if racehpr2 ==3 & srsex ==1
replace racesex=6 if racehpr2 ==3 & srsex ==2
replace racesex=7 if racehpr2 ==4 & srsex ==1
replace racesex=8 if racehpr2 ==4 & srsex ==2
replace racesex=9 if racehpr2 ==5 & srsex ==1
replace racesex=10 if racehpr2 ==5 & srsex ==2
replace racesex=11 if racehpr2 ==6 & srsex ==1
replace racesex=12 if racehpr2 ==6 & srsex ==2
replace racesex=13 if racehpr2 ==7 & srsex ==1
replace racesex=14 if racehpr2 ==7 & srsex ==2
label variable racesex "Race x Sex"
label define racesexf 1 "latin male" 2 "latin fem" 3 "pi male" 4 "pi fem" 5 "na
male" 6 "na female" 7 "asian mal" 8 "asian fem" 9 "aa male" 10 "aa fem" 11
"white mal" 12 "white fem" 13 "others mal" 14 "others fem"
label values racesex racesexf
svy: tabulate astcur racesex, col se ci

```

^a **Generating a new variable is recommended, as Stata creates overlapping categories when crossing variables.**

4.3 Linear Regression

The following example examines Body Mass Index (bmi) in relation to sex (srsex) and age (srage_p) while controlling for each other. Note srsex is a categorical variable; and Male (srsex=1) are used as their reference categories.

SAS:

```

DATA newdata;SET data;
IF SRSEX=1 THEN FEMALE=0;ELSE FEMALE=1; a
RUN;

PROC SURVEYREG DATA = newdata VARMETHOD=JACKKNIFE;
WEIGHT RAKEDW0;
REPWEIGHT RAKEDW1--RAKEDW80;
MODEL BMI_P = FEMALE SRAGE_P;
RUN;

```

^a For categorical variable, we need to create indicator variable for each category except the reference category.

SUDAAN:

```

PROC REGRESS DATA = data FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
SUBGROUP srsex;
LEVELS 2;
REFLEVEL srsex=1;
MODEL bmi_p = srsex srage_p;
RUN;

```

Stata:

```

xi: svy: regress bmi_p i.srsex srage_p

```

4.4 Logistic Regression

The following sample programming code examines current asthma status (*astcur*) among adults in California, controlling for race (*racehpr2*), sex (*srsex*), and age (*srage_p*). As SUDAAN and Stata require the dependent variables coded as 0 and 1 for logistic regression, we create a new dependent variable *ast* and assign 1 where *astcur*=1 (“Current asthma”) and 0 where *astcur*=2 (“No current asthma”). The category, “No current asthma,” is used as the reference in the analysis.

SAS:

```
PROC SURVEYLOGISTIC DATA = data VARMETHOD=JACKKNIFE;
FORMAT astcur astcurf. racehpr2 racehprf. srsex srsex.;
WEIGHT rakedw0;
REPWEIGHT rakedw1--rakedw80;
CLASS astcur (REF="NO CURRENT ASTHMA"); CLASS racehpr2(REF="WHITE")
srsex(REF="MALE")/PARAM = REF;
MODEL astcur = racehpr2 srsex srage;
RUN;
```

^a. When the values are formatted either in the data step or in the procedure, SAS automatically picks the category of the categorical variables whose label is in the last alphabetical order as a reference group. In PROC SURVEYLOGISTIC, the reference category of the independent and dependent variables may be specified in a CLASS statement.

SUDAAN:

```
DATA newdata;
SET data;
IF astcur=1 THEN ast=1;
ELSE IF astcur=2 THEN ast=0;
RUN;

PROC RLOGIST data = newdata FILETYPE = SAS DESIGN = JACKKNIFE;
WEIGHT rakedw0;
JACKWGTS rakedw1--rakedw80/adjjack=1;
SUBGROUP racehpr2 srsex;
LEVELS 7 2;
REFLEVEL racehpr2 = 6 srsex = 1;
MODEL ast = racehpr2 srsex srage_p;
RUN;
```

Stata:

```
recode astcur (2=0) (1=1) (-9=.), gen (ast)

xi: svy: logit ast srage_p i.race i.srsex a
xi: svy: logistic ast srage_p i.race i.srsex b
```

^a. This statement produces parameter estimates.

^b. This statement produces odds ratios.

Stata automatically chooses the lowest value of the categorical variable as the reference group for the independent and dependent variables.

5. Data Dictionary Variable Listings

A. Variable Name (alphabetical)

VARIABLE	LABEL	PAGE
AA5C	ENROLLED MEMBER IN RECOGNIZED TRIBE	DD-7
AB1	GENERAL HEALTH CONDITION	DD-15
AB17	DOCTOR EVER TOLD HAVE ASTHMA	DD-15
AB18	TAKING DAILY MEDICATION TO CONTROL ASTHMA	DD-19
AB19	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMA	DD-17
AB22	DOCTOR EVER TOLD HAVE DIABETES	DD-22
AB23_P	AGE FIRST TOLD HAVE DIABETES (PUF RECODE)	DD-23
AB24	CURRENTLY TAKING INSULIN	DD-24
AB25	CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR	DD-24
AB26	# OF TIMES R/R'S FAMILY/R'S FRIEND CHECK BLOOD FOR GLUCOSE	DD-25
AB26UNT	# OF TIMES CHECK BLOOD FOR GLUCOSE - UNIT	DD-26
AB27	# OF TIMES DOC CHECKED FOR HEMOGLOBIN A OR C LAST YR	DD-27
AB28	# OF TIMES DOC CHECKED FEET FOR SORES LAST YR	DD-27
AB29	DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE	DD-28
AB30	CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE	DD-29
AB34	DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE	DD-30
AB35	LAST HAD BLOOD CHOLESTEROL CHECKED	DD-29
AB36	DOCTOR TOLD HAVE HIGH BLOOD CHOLESTEROL LAST VISIT	DD-30
AB40	STILL HAS ASTHMA	DD-16
AB41	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	DD-16
AB42	WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS	DD-21
AB43	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	DD-21
AB51	TOLD HAVE TYPE I OR TYPE II DIABETES	DD-23
AB52	DOCTOR EVER TOLD HAVE HEART FAILURE	DD-31
AB53	DOCTOR EVER TOLD HAVE SEIZURE DISORDER OR EPILEPSY	DD-32
AB54	CURRENTLY TAKE MEDICINE TO CONTROL SEIZURE DISORDER/EPILEPSY	DD-33
AB56	EXTENT EPILEPSY INTERFERED WITH NORMAL ACTIVITY IN PAST MONTH	DD-34
AB62	EVER TOLD HAVE LUNG DISEASE OTHER THAN ASTHMA	DD-22
AB63	LAST EYE EXAM DILATED PUPILS	DD-28
AB64	EVER TOLD HAVE ARTHRITIS,GOUT, ETC	DD-32
AB65	SEEN SPECIALIST FOR EPILEPSY LAST YR	DD-33
AB66	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMA	DD-19
AB67	ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: PREVIOUS ASTHMA	DD-20

AC11	# OF TIMES DRANK SODA LAST MONTH	DD-67
AC11UNT	# OF TIMES DRANK SODA LAST MONTH - UNIT	DD-67
AC12	# OF TIMES DRANK FRUIT-FLAV LAST MONTH	DD-70
AC12UNT	# OF TIMES DRANK FRUIT-FLAV LAST MONTH - UNIT	DD-70
AC13	# OF TIMES ATE CAKE/PIE/COOKIES LAST MONTH	DD-71
AC13UNT	# OF TIMES ATE CAKE/PIE/COOKIES LAST MONTH - UNIT	DD-72
AC14	# OF TIMES ATE ICE CREAM/FROZEN DESSERTS LAST MONTH	DD-73
AC14UNT	# OF TIMES ATE ICE CREAM/FROZEN DESSERTS LAST MONTH - UNIT	DD-73
AC15A	CURRENTLY TAKE ASPIRIN, BAYER, ETC AT LEAST 3 TIMES A WEEK	DD-74
AC15B	CURRENTLY TAKE ADVIL, IBUPROFEN, ETC AT LEAST 3 TIMES A WEEK	DD-75
AC15C	CURRENTLY TAKE ALEVE, NAPROSYN, ETC AT LEAST 3 TIMES A WEEK	DD-75
AC16	TAKEN ASPIRIN ETC REGULARLY FOR LAST 3 MOS	DD-76
AC17	SMOKING EVER ALLOWED INSIDE HOME	DD-80
AC20	# OF DAYS STRENGTHENED MUSCLES IN LAST WEEK	DD-45
AC6	DOCTOR EVER TOLD HAD A STROKE	DD-31
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-181
AD1	AGE WHEN PERIOD STARTED	DD-97
AD10	MOST IMPORTANT REASON FOR NO PAP SMEAR IN PAST 3 YRS	DD-103
AD11	DOCTOR RECOMMENDED PAP SMEAR?	DD-102
AD12	EVER HAD A HYSTERECTOMY	DD-99
AD12A	HAD AN OPERATION TO HAVE OVARIES REMOVED	DD-99
AD13	CURRENTLY PREGNANT	DD-100
AD14	EVER HAD A MAMMOGRAM	DD-104
AD16	# OF MAMMOGRAMS IN LAST 6 YRS	DD-105
AD17	HOW LONG SINCE MOST RECENT MAMMOGRAM	DD-105
AD18	MAIN REASON FOR HAVING MAMMOGRAM	DD-106
AD19	EVER HAD MAMMOGRAM W/ ABNORMAL RESULTS?	DD-107
AD2	EVER GIVEN BIRTH TO LIVE INFANT	DD-98
AD20	EVER HAD OPERATION TO REMOVE LUMP FROM BREAST	DD-107
AD21	DID THE LUMP TURN OUT TO BE CANCER?	DD-108
AD22	# OF BREAST OPERATIONS TO REMOVE NONCANCER	DD-108
AD23	TESTS/SURGERY WHEN MAMMOGRAM ABNORMAL	DD-109
AD25	MAIN REASON FOR HAVING NO MAMMOGRAM	DD-110
AD26	DOCTOR RECOMMENDED MAMMOGRAM IN PAST YR	DD-109
AD28	CURRENTLY TAKING HORMONE REPLACEMENT SUPPLEMENTS FOR MENOPAUSE	DD-111
AD32	# OF CIGARETTES PER DAY	DD-78
AD34	# OF DAYS PER WEEK ANY SMOKING INSIDE HOME	DD-80
AD37	WALKED AT LEAST 10 MINS FOR TRANSPORTATION IN PAST 7 DAYS	DD-35

AD38	# OF DAYS WALKED AT LEAST 10 MINS FOR TRANSPORT PAST 7 DAYS	DD-35
AD39	LENGTH OF TIME WALKED FOR TRANSPORTATION	DD-36
AD39MIN	AVG LENGTH OF TIME WALKED FOR TRANSPORTATION	DD-37
AD39UNT	LENGTH OF TIME WALKED FOR TRANSPORTATION - UNIT	DD-36
AD3_P	AGE WHEN FIRST CHILD WAS BORN (PUF RECODE)	DD-98
AD4	EVER HAD A PAP SMEAR	DD-100
AD40	WALKED AT LEAST 10 MINS FOR FUN IN PAST 7 DAYS	DD-38
AD41	# OF DAYS WALKED AT LEAST 10 MINS FOR FUN IN PAST 7 DAYS	DD-38
AD42	LENGTH OF TIME WALKED FOR FUN	DD-39
AD42MIN	AVG LENGTH OF TIME WALKED FOR FUN/EXERCISE	DD-40
AD42UNT	LENGTH OF TIME WALKED FOR FUN - UNIT	DD-39
AD47	TESTED FOR STD IN PAST 12 MOS	DD-97
AD5	# OF PAP SMEARS IN LAST 6 YRS	DD-101
AD50	BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM	DD-94
AD51	HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING	DD-95
AD52	HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND	DD-95
AD53	HAS DIFFICULTY GOING OUTSIDE HOME ALONE	DD-95
AD54	HAS DIFFICULTY WORKING AT A JOB	DD-96
AD57	CONDITION LIMITS BASIC PHYS ACTIVITY	DD-94
AD6	HOW LONG SINCE MOST RECENT PAP SMEAR	DD-101
AE1	# TIMES DRANK 100% FRUIT JUICE IN PAST MO	DD-68
AE11	HAD AT LEAST ONE ALCOHOLIC DRINK IN PAST 30 DAYS	DD-81
AE12	# OF DAYS HAD ALCOHOLIC DRINK IN PAST 30 DAYS	DD-82
AE12UNT	DAYS HAD ALCOHOL IN PAST MONTH: UNIT	DD-82
AE13	# OF ALCOHOLIC DRINKS PER DAY	DD-83
AE14	# OF TIMES HAD 5 OR MORE ALCOHOLIC DRINKS AT ONCE PAST 30 DAYS	DD-84
AE14A	# OF TIMES HAD 4 OR MORE ALCOHOLIC DRINKS AT ONCE PAST 30 DAYS	DD-84
AE15	SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME	DD-76
AE15A	SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL	DD-77
AE16	# OF CIGARETTES PER DAY	DD-79
AE1UNT	# OF TIMES DRANK 100% FRUIT JUICE IN PAST MO - UNIT	DD-69
AE2	# TIMES ATE FRUIT IN PAST MO	DD-48
AE22	SIT, STAND, OR WALK AT WORK MOST OF DAY	DD-149
AE24	HARD/VIGOROUS EXERCISE IN PAST 7 DAYS	DD-43
AE25	# DAYS DID VIGOROUS PHYSICAL ACTIVITY IN PAST WEEK	DD-43
AE25A	TIME PER DAY OF VIGOROUS PHYSICAL ACTIVITY	DD-44
AE25AMIN	AVG LENGTH OF VIGOROUS ACTIVITY PER DAY	DD-45
AE25AUNT	TIME PER DAY OF VIGOROUS PHYS ACTIVITY - UNIT	DD-44
AE26	MODERATE PHYSICAL ACTIVITIES IN PAST 7 DAYS	DD-40
AE27	# DAYS MODERATE PHYSICAL ACTIVITY IN PAST WEEK	DD-41

AE27A	TIME PER DAY OF MODERATE PHYSICAL ACTIVITY	DD-41
AE27AMIN	AVG LENGTH OF MODERATE ACTIVITY PER DAY	DD-42
AE27AUNT	TIME PER DAY OF MODERATE PHYS ACTIVITY - UNIT	DD-42
AE2UNT	# OF TIMES ATE FRUIT IN PAST MO - UNIT	DD-49
AE3	# TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO	DD-52
AE30	FLU SHOT IN PAST 12 MOS	DD-34
AE31	# OF DAYS PHYSICAL HEALTH NOT GOOD IN PAST 30 DAYS	DD-86
AE32	# OF DAYS MENTAL HEALTH NOT GOOD IN PAST 30 DAYS	DD-87
AE33	# OF DAYS POOR HEALTH PROHIBITED NORMAL ACTIVITIES	DD-88
AE3UNT	# TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO- UNIT	DD-52
AE4	# OF TIMES ATE OTHER POTATOES IN PAST MO	DD-53
AE4UNT	# OF TIMES ATE OTHER POTATOES IN PAST MO - UNIT	DD-54
AE5	# OF TIMES ATE BEANS IN PAST MO	DD-55
AE50	MOST RECENT MAMMOGRAM RECOMENDED BY DOCT	DD-111
AE51	CURRENTLY TAKING TAMOXIFEN OR MALVADEX	DD-112
AE52	CURRENTLY TAKING RALOXIFEN OR EVISTA	DD-112
AE5UNT	# OF TIMES ATE BEANS IN PAST MO - UNIT	DD-55
AE6	# OF TIMES ATE GREEN SALAD IN PAST MO	DD-50
AE6UNT	# OF TIMES ATE GREEN SALAD IN PAST MO - UNIT	DD-50
AE7	# OF TIMES ATE OTHER VEGETABLES IN PAST MO	DD-56
AE7UNT	# OF TIMES ATE OTHER VEGETABLES IN PAST MO - UNIT	DD-57
AE_BEANS	# OF TIMES EATING BEANS PER WEEK	DD-56
AE_CAKE	# OF TIMES EATING CAKE/PIE/COOKIES PER WEEK	DD-72
AE_DAYDR	# OF TIMES DRINKING ALCOHOLIC BEVERAGES PER MONTH	DD-83
AE_FLAV	# OF TIMES DRINK FRUIT-FLAVORED DRINKS PER WEEK	DD-71
AE_FRIES	# OF TIME EATING FRIES PER WEEK	DD-53
AE_FROZ	# OF TIMES EATING ICE CREAM/FROZEN DESSERTS PER WEEK	DD-74
AE_FRUIT	# OF TIMES EATING FRUIT PER WEEK	DD-49
AE_JUICE	# OF TIMES DRINKING 100% FRUIT JUICES PER WEEK	DD-69
AE_POTAT	# OF TIMES EATING POTATOES PER WEEK	DD-54
AE_SALAD	# OF TIMES EATING SALAD PER WEEK	DD-51
AE_SODA	# OF TIMES DRINKING SODA PER WEEK	DD-68
AE_VEGI	# OF TIMES EATING VEGETABLES PER WEEK	DD-57
AF1	DOCTOR EVER TOLD HAVE CANCER	DD-113
AF14	EVER HAD SIGMOIDOSCOPY, COLONOSCOPY, OR PROCTOSCOPY	DD-126
AF16	HOW LONG SINCE LAST SIGMOIDOSCOPY, COLONOSCOPY, PROCTOSCOPY	DD-126
AF20	MAIN REASON NO SIGMOID/COLONOSCOPY IN PAST 10 YRS	DD-128
AF21	DOCTOR RECOMMENDED SIGMOID/COLONOSCOPY IN PAST 12 MOS	DD-128
AF22	EVER HAD HOME BLOOD STOOL TEST	DD-129
AF24	WHEN WAS MOST RECENT HOME BLOOD STOOL TEST	DD-129
AF28	MAIN REASON NO HOME BLOOD STOOL TEST IN PAST 12 MOS	DD-134

AF29	DOCTOR RECOMMENDED HOME BLOOD STOOL TEST IN PAST 12 MOS	DD-133
AF30	EVER HEARD OF PSA TEST	DD-135
AF31	EVER HAD A PSA TEST	DD-135
AF33	WHEN WAS MOST RECENT PSA TEST	DD-136
AF37	DOCTOR EXAMINED BREASTS FOR LUMPS PAST 12 MOS	DD-104
AF3_P	AGE AT CANCER DIAGNOSIS (PUF RECODE)	DD-117
AF52	BREAST CANCER DIAGNOSED EARLY OR LATE STAGE	DD-116
AF61	MOST RECENT EXAM SIGMOIDOSCOPY OR COLONOSCOPY	DD-127
AFCANCR1	TYPE OF CANCER	DD-116
AFSCAN1	SKIN CANCER TYPE - SELF	DD-117
AG10	RESPONDENT USUALLY WORKS	DD-148
AG11	SPOUSE USUALLY WORKS	DD-151
AG4	FREQUENCY OF BEING TREATED BADLY BECAUSE OF RACE OR ETHNICITY	DD-140
AG8	WORK STATUS OF SPOUSE LAST WEEK	DD-150
AG9	TYPE OF EMPLOYER OF SPOUSE'S MAIN JOB	DD-151
AH1	HAVE USUAL SOURCE OF HEALTH CARE	DD-152
AH12	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	DD-185
AH13A	ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: CURRENT ASTHMA	DD-18
AH2	MAIN REASON FOR NOT HAVING USUAL SOURCE OF HEALTH CARE	DD-153
AH3	KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE	DD-153
AH33NEW	BORN IN U.S.	DD-137
AH34NEW	MOTHER BORN IN U.S.	DD-137
AH35NEW	FATHER BORN IN U.S.	DD-139
AH37	HOW WELL YOU SPEAK ENGLISH	DD-141
AH43A	LIVING WITH A PARENT	DD-144
AH44	SPOUSE LIVING IN SAME HOUSEHOLD	DD-143
AH44A	USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MOS	DD-144
AH49	MEDICARE COVERAGE PROVIDED THROUGH HMO	DD-155
AH5	# TIMES SAW MD IN PAST 12 MOS	DD-180
AH50_P	NAME OF MEDICARE HMO PLAN (PUF RECODE)	DD-155
AH52	SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE	DD-156
AH6	HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH	DD-182
AHCHLDC	AMOUNT SPENT ON CHILD CARE PER WEEK	DD-145
AHEDUC	EDUCATIONAL ATTAINMENT	DD-145
AI15	MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN	DD-157
AI15A	MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	DD-158
AI22A_P	NAME OF HEALTH PLAN (PUF RECODE)	DD-161
AI22C	MAIN HEALTH PLAN IS HMO	DD-162
AI22DMOS	# OF MOS ON CURRENT HEALTH PLAN	DD-162
AI22DYRS	# OF YEARS ON CURRENT HEALTH PLAN	DD-163
AI25	COVERED FOR PRESCRIPTION DRUGS	DD-163

AI25NEW	RX COVERAGE EDITED FOR MEDICAL/HF	DD-164
AI28	HOW LONG SINCE LAST HAD HEALTH INS	DD-165
AI37A	SPOUSE COVERED BY MEDICARE SUPPL POLICY	DD-158
AI4	COVERED BY MEDICARE SUPPL POLICY	DD-156
AI45	MAIN REASON SPOUSE NOT IN EMPLOYER'S HEALTH PLAN	DD-159
AI45A	MAIN REASON SPOUSE INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	DD-160
AJ1	INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS	DD-190
AJ10	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR	DD-183
AJ11	WHO HELPED YOU UNDERSTAND DOCTOR	DD-184
AJ17	WOULD HAVE GOTTEN BETTER MEDICAL CARE IF DIFFERENT RACE/ETHNIC	DD-184
AJ18	HOW LONG AGO WAS CARE DISCRIMINATORY BECAUSE OF RACE/ETHNICITY	DD-185
AJ2	NEEDED HELP FOR EMOT OR MNTL HLTH PROBLEM IN PAST 12 MOS	DD-190
AJ27	DOC TALK ABOUT DIET LAST 12 MOS	DD-191
AJ28	DOC TALK ABOUT EXERCISE LAST 12 MOS	DD-192
AJ29	FEEL NERVOUS PAST 30 DAYS	DD-186
AJ30	FEEL HOPELESS PAST 30 DAYS	DD-187
AJ31	FEEL RESTLESS PAST 30 DAYS	DD-187
AJ32	FEEL DEPRESSED PAST 30 DAYS	DD-188
AJ33	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	DD-188
AJ34	FEEL WORTHLESS PAST 30 DAYS	DD-189
AJ6	DIFFICULTIES/DELAYS GETTING MNTL HLTH TREATMENT PAST 12 MOS	DD-191
AJ8	HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT	DD-182
AJ9	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND	DD-183
AK1	WORK STATUS LAST WEEK	DD-146
AK10A_P	SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)	DD-196
AK10_P	RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)	DD-195
AK2	MAIN REASON FOR NOT WORKING LAST WEEK	DD-147
AK20	# OF HRS PER WEEK SPOUSE USUALLY WORKS	DD-196
AK22_P	HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE)	DD-197
AK23	LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME	DD-197
AK25	OWN OR RENT HOME	DD-198
AK28	HOW OFTEN FEEL SAFE IN NEIGHBORHOOD	DD-199
AK3	# OF USUAL HRS WORKED PER WEEK	DD-192
AK4	TYPE OF EMPLOYER AT MAIN JOB	DD-149
AK7	LENGTH OF TIME WORKING AT MAIN JOB	DD-193
AK7UNT	TIME AT MAIN JOB: UNIT OF TIME	DD-193
AK8	HOW MANY PEOPLE WORK FOR EMPLOYER/YOU	DD-195
AKWKLN	TIME AT MAIN JOB	DD-194

AL15	RECVD ALIMONY/CHILD SUPPORT/MONEY FROM GOVT LAST MONTH	DD-202
AL16_P	TOTAL RECVD FROM ALIMONY/CHILD SUPPORT/GOVT (PUF RECODE)	DD-202
AL17	PAID ALIMONY OR CHILD SUPPORT LAST MONTH	DD-203
AL18A	RECVD SOCIAL SECURITY OR PENSION LAST MONTH	DD-204
AL18B_P	TOTAL SOCIAL SECURITY/PENSION RECVD LAST MONTH (PUF RECODE)	DD-204
AL18_P	TOTAL ALIMONY/CHILD SUPPORT PAID LAST MONTH (PUF RECODE)	DD-203
AL2	CURRENTLY ON TANF OR CALWORKS	DD-200
AL22	RECEIVING SOCIAL SECURITY DISABILITY INS	DD-148
AL5	RECEIVING FOOD STAMP BENEFITS	DD-200
AL6	RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)	DD-201
AL7	CURRENTLY ON WIC	DD-201
AM1	HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS	DD-206
AM2	HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS	DD-206
AM3	ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-207
AM3A	HOW OFTEN ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-207
AM4	ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS	DD-208
AM5	HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS	DD-208
AOAL11	LEVEL OF ACTIVITY ON TYPICAL DAY	DD-150
ASIAN9	ASIAN SUBTYPES - 9 TYPES (PUF RECODE)	DD-10
ASNHPR_P	ASIAN GROUP - UCLA CHPR DEFINITION (PUF RECODE)	DD-10
ASTCUR	CURRENT ASTHMA STATUS	DD-17
ASTS	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA	DD-20
ASTYR	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA	DD-18
BINGE_F	FEMALE BINGE DRINKING -4+ DRINKS	DD-85
BINGE_M	MALE BINGE DRINKING - 5+ DRINKS	DD-85
BINGE_MF	BINGE DRINKING - 5+ DRINKS (MALE), 4+ DRINKS (FEMALE)	DD-86
BMI_P	BODY MASS INDEX (PUF RECODE)	DD-93
BRCAN	EVER TOLD HAVE BREAST CANCER	DD-113
CATRIBE	CALIFORNIA TRIBE	DD-7
CERVIX	EVER TOLD HAD CERVICAL CANCER	DD-114
CITIZEN2	CITIZENSHIP STATUS - 3 LEVELS	DD-142
CNTRYF	COUNTRY FATHER BORN	DD-139
CNTRYM	COUNTRY MOTHER BORN	DD-138
CNTRYB	COUNTRY BORN	DD-138
CRC_SCRN	COMPLIANCE W/COLONOSCOPY/SIG/FOBT SCREEN TEST	DD-127
DIABCK	# OF TIMES CHECKING FOR GLUCOSE/SUGAR PER MONTH	DD-26
DIAMED	TAKING INSULIN OR PILLS	DD-25
DISABLE	DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION	DD-96

DISTRESS	SERIOUS PSYCHOLOGICAL DISTRESS	DD-189
DOCT_YR	VISITED DOCTOR IN PAST 12 MOS	DD-181
DXCOL	EVER TOLD HAVE COLON CANCER	DD-114
DXPROS	EVER TOLD HAVE PROSTATE CANCER	DD-115
DXSKIN	EVER TOLD HAVE SKIN CANCER	DD-115
ELIGPRG3	MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED	DD-177
ER	ER VISIT WITHIN THE PAST YEAR	DD-186
FAM1CAN	1ST DEGREE RELATIVE EVER HAD CANCER	DD-118
FAM1FEBR	# OF 1ST DEGREE FEMALE RELATIVES KNOWN TO HAVE BREAST CANCER	DD-118
FAM1FECO	# OF 1ST DEGREE FEMALE RELATIVES KNOWN TO HAVE COLON CANCER	DD-119
FAM1FEOV	# OF 1ST DEGREE FEMALE RELATIVES KNOWN TO HAVE OVARIAN CANCER	DD-119
FAM1FEUT	# OF 1ST DEGREE FEMALE RELATIVES KNOWN TO HAVE UTERINE CANCER	DD-120
FAM1MABR	# OF 1ST DEGREE MALE RELATIVES KNOWN TO HAVE BREAST CANCER	DD-120
FAM1MACO	# OF 1ST DEGREE MALE RELATIVES KNOWN TO HAVE COLON CANCER	DD-121
FAM1MAPR	# OF 1ST DEGREE MALE RELATIVES KNOWN TO HAVE PROSTATE CANCER	DD-121
FAM2CAN	2ND DEGREE RELATIVE EVER HAD CANCER	DD-122
FAM2FEBR	# OF 2ND DEGREE FEMALE RELATIVES KNOWN TO HAVE BREAST CANCER	DD-122
FAM2FECO	# OF 2ND DEGREE FEMALE RELATIVES KNOWN TO HAVE COLON CANCER	DD-123
FAM2FEOV	# OF 2ND DEGREE FEMALE RELATIVES KNOWN TO HAVE OVARIAN CANCER	DD-123
FAM2FEUT	# OF 2ND DEGREE FEMALE RELATIVES KNOWN TO HAVE UTERINE CANCER	DD-124
FAM2MABR	# OF 2ND DEGREE MALE RELATIVES KNOWN TO HAVE BREAST CANCER	DD-124
FAM2MACO	# OF 2ND DEGREE MALE RELATIVES KNOWN TO HAVE COLON CANCER	DD-125
FAM2MAPR	# OF 2ND DEGREE MALE RELATIVES KNOWN TO HAVE PROSTATE CANCER	DD-125
FAMT4	FAMILY TYPE - 4 LVLS	DD-179
FAMTYP_P	FAMILY TYPE (PUF RECODE)	DD-178
FAM_TYPE	FAMILY TYPE	DD-178
FOBT2	BLOOD STOOL TEST PAST 2 YEARS	DD-130
FRALL5	CANCER RISK BASED ON FAMILIAL HISTORY OF 5 COMMON CANCERS	DD-130
FRBRST	FAMILIAL RISK OF BREAST CANCER	DD-131
FRCOL	FAMILIAL RISK OF COLORECTAL CANCER	DD-133
FREND0	FAMILIAL RISK OF ENDOMETRIAL CANER	DD-132
FROVAR	FAMILIAL RISK OF OVARIAN CANCER	DD-131
FRPROS	FAMILIAL RISK OF PROSTATE CANCER	DD-132

FSLEV	FOOD SECURITY STATUS LEVEL	DD-209
FSLEVCB	FOOD SECURITY STATUS - 2 LVLS	DD-209
FV	DAILY SERVINGS OF FRUITS & VEGETABLES	DD-58
FVCAD	VARIANCE-ADJUSTED DAILY CUP EQUIV OF FRUITS & VEGETABLES	DD-63
FVCE	DAILY CUP EQUIVALENTS OF FRUITS & VEGETABLES	DD-63
FVCNB	DAILY CUP EQUIV OF FRUITS/VEGS EXCEPT BEANS	DD-64
FVCNBAD	VARIANCE-ADJUSTED DAILY CUP EQUIV OF FRUITS/VEGS EXCEPT BEANS	DD-64
FVCNF	DAILY CUP EQUIV OF FRUITS/VEGS EXCEPT FRENCH FRIES	DD-65
FVCNFAD	VARIANCE-ADJUSTED DAILY CUP EQUIV OF FRUITS/VEGS EXCEPT FRENCH FR	DD-65
FVCNFB	DAILY CUP EQUIV OF FRUITS/VEGS EXCEPT FRENCH FRIES AND BEANS	DD-66
FVCNFBAD	VARIANCE-ADJUSTED DAILY CUP EQUIV OF FRUITS/VEGS EXC FRIES AND BE	DD-66
FVNB	DAILY SERVINGS OF FRUITS & VEGETABLES EXCEPT BEANS	DD-58
FVNB_ADJ	VARIANCE-ADJUSTED DAILY SERV OF FRUITS & VEGETABLES EXCEPT BEANS	DD-59
FVNF	DAILY SERVINGS OF FRUITS & VEGETABLES EXCEPT FRENCH FRIES	DD-59
FVNFB	DAILY SERV OF FRUITS & VEG EXCEPT FRENCH FRIES AND BEANS	DD-60
FVNFB_AD	VARIANCE-ADJUSTED DAILY SERV OF FRUITS & VEG EXC FRIES AND BEANS	DD-60
FVNF_ADJ	VARIANCE-ADJUSTED DAILY SERV OF FRUITS & VEG EXCEPT FRENCH FRIES	DD-61
FV_5PLUS	CONSUME 5+ FRUITS/VEGS PER DAY	DD-51
FV_ADJ	VARIANCE-ADJUSTED DAILY SERVINGS OF FRUITS & VEGETABLES	DD-61
HEIGHM_P	HEIGHT: METERS - UCLA (PUF RECODE)	DD-90
HGHTI_P	HEIGHT: INCHES (PUF RECODE)	DD-89
HGHTM_P	HEIGHT: METERS (PUF RECODE)	DD-89
HHSIZE_P	HOUSEHOLD SIZE (PUF RECODE)	DD-1
HHSMK	HOUSEHOLD SMOKING	DD-81
HRQOL	# OF UNHEALTHY DAYS	DD-87
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-165
IHS_S	SPOUSE COVERED BY INDIAN HEALTH SERVICES	DD-172
INDMAIN	MAIN INDUSTRY - RECODE	DD-241
INS	CURRENTLY INSURED	DD-166
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	DD-166
INS64S_P	SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)	DD-173
INS64_P	CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)	DD-167
INS65	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+	DD-167
INS65_S	TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+	DD-173
INSANY	ANY INS IN LAST 12 MOS	DD-168
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-168

INSEM_S	SPOUSE COVERED BY EMPLOYER-BASED PLANS	DD-174
INSMC	COVERED BY MEDICARE	DD-170
INSMC_S	SPOUSE COVERED BY MEDICARE	DD-174
INSMD	COVERED BY MEDI-CAL	DD-170
INSMD_S	SPOUSE COVERED BY MEDI-CAL	DD-175
INSOG	COVERED BY OTHER GOVT PLANS	DD-170
INSOG_S	SPOUSE COVERED BY OTHER GOVT PLANS	DD-175
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-171
INSPR_S	SPOUSE COVERED BY PLANS PURCHASED ON OWN	DD-176
INSPS	PRIMARY OR SECONDARY COVERAGE	DD-172
INSPS_S	SPOUSE PRIMARY OR SECONDARY COVERAGE	DD-176
INSTYP_P	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES(PUF RECODE)	DD-171
INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	DD-169
INS_S	SPOUSE CURRENTLY INSURED	DD-177
INTVLANG	LANGUAGE OF INTERVIEW	DD-2
LANGHOME	LANGUAGE SPOKEN AT HOME	DD-140
LATIN9TP	LATIN/HISPANIC SUBTYPES - 9 LVLS	DD-4
MAM_SCRN	MAMMOGRAM IN PAST 2 YRS	DD-106
MARIT	MARITAL STATUS- 3 CATEGORIES	DD-13
MARIT2	MARITAL STATUS- 4 CATEGORIES	DD-14
MARIT_45	MARITAL STATUS - AGE 45 AND OLDER	DD-14
MODACTLE	MODERATE LEISURE ACTIVITY FOR 5 DAYS/WK AND 30 MIN/DAY (EXCL WALK	DD-46
MODPA	MODERATE LEISURE ACTIVITY FOR 5 DAYS/WK AND 30 MIN/DAY (INCL WALK	DD-47
NUMCIG	# OF CIGARETTES PER DAY	DD-79
OCCMAIN	MAIN OCCUPATION - RECODE	DD-242
OFFTK	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS	DD-157
OFFTK_S	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE	DD-159
OMBSRASO	OMB S-R NONHISPANIC ASIAN GROUP (ONLY)	DD-11
OMBSRREO	OMB/CURRENT DOF RACE - ETHNICITY	DD-13
OVRWT	OVERWEIGHT OR OBESE	DD-94
PAP_SCRN	PAP SCREEN PAST 3 YRS	DD-102
PCTLF_P	PERCENT LIFE IN US (PUF RECODE)	DD-143
POVGWD_P	FAMILY POVERTY THRESHOLD LEVEL(PUF RECODE)	DD-179
POVLL	POVERTY LEVEL	DD-212
POVLL2_P	POVERTY LEVEL - 100% FPL (PUF RECODE)	DD-212
PROXY	A PROXY INTERVIEW	DD-2
PSA_SCRN	PROSTATE SCREENING PAST YEAR	DD-136
PUF_ID	PUBLIC USE FILE ID	DD-1
RACECEN	RACE - CENSUS 2000 DEFINITION	DD-12
RACEDOF	FORMER DOF RACE - ETHNICITY	DD-12

RACEHPR	RACE - UCLA CHPR DEFINITION	DD-11
RAKEDW0	CHIS2005 RAKED WEIGHT - FULL SAMPLE	DD-213
RAKEDW1	CHIS2005 RAKED WEIGHT - REPLICATE 1	DD-213
RAKEDW10	CHIS2005 RAKED WEIGHT - REPLICATE 10	DD-216
RAKEDW11	CHIS2005 RAKED WEIGHT - REPLICATE 11	DD-217
RAKEDW12	CHIS2005 RAKED WEIGHT - REPLICATE 12	DD-217
RAKEDW13	CHIS2005 RAKED WEIGHT - REPLICATE 13	DD-217
RAKEDW14	CHIS2005 RAKED WEIGHT - REPLICATE 14	DD-218
RAKEDW15	CHIS2005 RAKED WEIGHT - REPLICATE 15	DD-218
RAKEDW16	CHIS2005 RAKED WEIGHT - REPLICATE 16	DD-218
RAKEDW17	CHIS2005 RAKED WEIGHT - REPLICATE 17	DD-219
RAKEDW18	CHIS2005 RAKED WEIGHT - REPLICATE 18	DD-219
RAKEDW19	CHIS2005 RAKED WEIGHT - REPLICATE 19	DD-219
RAKEDW2	CHIS2005 RAKED WEIGHT - REPLICATE 2	DD-214
RAKEDW20	CHIS2005 RAKED WEIGHT - REPLICATE 20	DD-220
RAKEDW21	CHIS2005 RAKED WEIGHT - REPLICATE 21	DD-220
RAKEDW22	CHIS2005 RAKED WEIGHT - REPLICATE 22	DD-220
RAKEDW23	CHIS2005 RAKED WEIGHT - REPLICATE 23	DD-221
RAKEDW24	CHIS2005 RAKED WEIGHT - REPLICATE 24	DD-221
RAKEDW25	CHIS2005 RAKED WEIGHT - REPLICATE 25	DD-221
RAKEDW26	CHIS2005 RAKED WEIGHT - REPLICATE 26	DD-222
RAKEDW27	CHIS2005 RAKED WEIGHT - REPLICATE 27	DD-222
RAKEDW28	CHIS2005 RAKED WEIGHT - REPLICATE 28	DD-222
RAKEDW29	CHIS2005 RAKED WEIGHT - REPLICATE 29	DD-223
RAKEDW3	CHIS2005 RAKED WEIGHT - REPLICATE 3	DD-214
RAKEDW30	CHIS2005 RAKED WEIGHT - REPLICATE 30	DD-223
RAKEDW31	CHIS2005 RAKED WEIGHT - REPLICATE 31	DD-223
RAKEDW32	CHIS2005 RAKED WEIGHT - REPLICATE 32	DD-224
RAKEDW33	CHIS2005 RAKED WEIGHT - REPLICATE 33	DD-224
RAKEDW34	CHIS2005 RAKED WEIGHT - REPLICATE 34	DD-224
RAKEDW35	CHIS2005 RAKED WEIGHT - REPLICATE 35	DD-225
RAKEDW36	CHIS2005 RAKED WEIGHT - REPLICATE 36	DD-225
RAKEDW37	CHIS2005 RAKED WEIGHT - REPLICATE 37	DD-225
RAKEDW38	CHIS2005 RAKED WEIGHT - REPLICATE 38	DD-226
RAKEDW39	CHIS2005 RAKED WEIGHT - REPLICATE 39	DD-226
RAKEDW4	CHIS2005 RAKED WEIGHT - REPLICATE 4	DD-214
RAKEDW40	CHIS2005 RAKED WEIGHT - REPLICATE 40	DD-226
RAKEDW41	CHIS2005 RAKED WEIGHT - REPLICATE 41	DD-227
RAKEDW42	CHIS2005 RAKED WEIGHT - REPLICATE 42	DD-227
RAKEDW43	CHIS2005 RAKED WEIGHT - REPLICATE 43	DD-227
RAKEDW44	CHIS2005 RAKED WEIGHT - REPLICATE 44	DD-228
RAKEDW45	CHIS2005 RAKED WEIGHT - REPLICATE 45	DD-228
RAKEDW46	CHIS2005 RAKED WEIGHT - REPLICATE 46	DD-228

RAKEDW47	CHIS2005 RAKED WEIGHT - REPLICATE 47	DD-229
RAKEDW48	CHIS2005 RAKED WEIGHT - REPLICATE 48	DD-229
RAKEDW49	CHIS2005 RAKED WEIGHT - REPLICATE 49	DD-229
RAKEDW5	CHIS2005 RAKED WEIGHT - REPLICATE 5	DD-215
RAKEDW50	CHIS2005 RAKED WEIGHT - REPLICATE 50	DD-230
RAKEDW51	CHIS2005 RAKED WEIGHT - REPLICATE 51	DD-230
RAKEDW52	CHIS2005 RAKED WEIGHT - REPLICATE 52	DD-230
RAKEDW53	CHIS2005 RAKED WEIGHT - REPLICATE 53	DD-231
RAKEDW54	CHIS2005 RAKED WEIGHT - REPLICATE 54	DD-231
RAKEDW55	CHIS2005 RAKED WEIGHT - REPLICATE 55	DD-231
RAKEDW56	CHIS2005 RAKED WEIGHT - REPLICATE 56	DD-232
RAKEDW57	CHIS2005 RAKED WEIGHT - REPLICATE 57	DD-232
RAKEDW58	CHIS2005 RAKED WEIGHT - REPLICATE 58	DD-232
RAKEDW59	CHIS2005 RAKED WEIGHT - REPLICATE 59	DD-233
RAKEDW6	CHIS2005 RAKED WEIGHT - REPLICATE 6	DD-215
RAKEDW60	CHIS2005 RAKED WEIGHT - REPLICATE 60	DD-233
RAKEDW61	CHIS2005 RAKED WEIGHT - REPLICATE 61	DD-233
RAKEDW62	CHIS2005 RAKED WEIGHT - REPLICATE 62	DD-234
RAKEDW63	CHIS2005 RAKED WEIGHT - REPLICATE 63	DD-234
RAKEDW64	CHIS2005 RAKED WEIGHT - REPLICATE 64	DD-234
RAKEDW65	CHIS2005 RAKED WEIGHT - REPLICATE 65	DD-235
RAKEDW66	CHIS2005 RAKED WEIGHT - REPLICATE 66	DD-235
RAKEDW67	CHIS2005 RAKED WEIGHT - REPLICATE 67	DD-235
RAKEDW68	CHIS2005 RAKED WEIGHT - REPLICATE 68	DD-236
RAKEDW69	CHIS2005 RAKED WEIGHT - REPLICATE 69	DD-236
RAKEDW7	CHIS2005 RAKED WEIGHT - REPLICATE 7	DD-215
RAKEDW70	CHIS2005 RAKED WEIGHT - REPLICATE 70	DD-236
RAKEDW71	CHIS2005 RAKED WEIGHT - REPLICATE 71	DD-237
RAKEDW72	CHIS2005 RAKED WEIGHT - REPLICATE 72	DD-237
RAKEDW73	CHIS2005 RAKED WEIGHT - REPLICATE 73	DD-237
RAKEDW74	CHIS2005 RAKED WEIGHT - REPLICATE 74	DD-238
RAKEDW75	CHIS2005 RAKED WEIGHT - REPLICATE 75	DD-238
RAKEDW76	CHIS2005 RAKED WEIGHT - REPLICATE 76	DD-238
RAKEDW77	CHIS2005 RAKED WEIGHT - REPLICATE 77	DD-239
RAKEDW78	CHIS2005 RAKED WEIGHT - REPLICATE 78	DD-239
RAKEDW79	CHIS2005 RAKED WEIGHT - REPLICATE 79	DD-239
RAKEDW8	CHIS2005 RAKED WEIGHT - REPLICATE 8	DD-216
RAKEDW80	CHIS2005 RAKED WEIGHT - REPLICATE 80	DD-240
RAKEDW9	CHIS2005 RAKED WEIGHT - REPLICATE 9	DD-216
RBMI	BMI DESCRIPTIVE	DD-93
REGACTLE	REGULAR, SOME OR NO PHYSICAL ACTIVITY (EXCL WALK)	DD-47
REGPA	REGULAR, SOME OR NO PHYSICAL ACTIVITY (INCL WALK)	DD-48
RSN_NOMC	REASONS FOR NOT HAVING MEDI-CAL (MEDICAID)	DD-205

RSN_UNIN	REASON UNINSURED	DD-164
SECTION A	DEMOGRAPHIC INFORMATION, PART 1, RACE & ETHNICITY	DD-3
SECTION B	GENERAL HEALTH AND HEALTH CONDITIONS	DD-15
SECTION C	HEALTH BEHAVIORS	DD-35
SECTION D	GENERAL HEALTH, DISABILITY, AND SEXUAL HEALTH	DD-86
SECTION E	WOMEN'S HEALTH	DD-97
SECTION F	CANCER HISTORY AND PREVENTION	DD-113
SECTION G	DEMOGRAPHIC INFORMATION, PART 2, LANGUAGE/CITIZENSHIP & WORK	DD-137
SECTION H	HEALTH INSURANCE	DD-152
SECTION I	HEALTH CARE UTILIZATION AND ACCESS, MENTAL HEALTH	DD-180
SECTION J	EMPLOYMENT, INCOME, AND POVERTY STATUS	DD-192
SECTION K	PUBLIC PROGRAM PARTICIPATION	DD-200
SECTION L	FOOD INSECURITY AND HUNGER	DD-205
SECTION M	DEMOGRAPHIC INFORMATION, PART 3, GEOGRAPHIC INFORMATION	DD-210
SECTION N	FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80	DD-213
SECTION O	APPENDIX: CENSUS CLASSIFICATIONS	DD-240
SECTION S	SCREENING INFORMATION	DD-1
SMKCUR	CURRENT SMOKER	DD-78
SMOKING	CURRENT SMOKING HABITS	DD-77
SPK_ENG	ENGLISH USE AND PROFICIENCY	DD-141
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-6
SRAGE_P	AGE (PUF RECODE)	DD-3
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-5
SRAS	SELF-REPORTED ASIAN	DD-5
SRASO	OMB SELF-REPORTED OTHER ASIAN GROUP	DD-9
SRCH	OMB SELF-REPORTED CHINESE	DD-8
SRH	SELF-REPORTED LATINO/HISPANIC	DD-4
SRKR	OMB SELF-REPORTED KOREAN	DD-8
SRO	SELF-REPORTED OTHER RACE	DD-6
SRPH	OMB SELF-REPORTED FILIPINO	DD-8
SRPI	SELF-REPORTED PI AND NTV HW	DD-5
SRSEX	GENDER	DD-3
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	DD-198
SRVT	OMB SELF-REPORTED VIETNAMESE	DD-9
SRW	SELF-REPORTED WHITE	DD-6
SUG	TEASPOONS OF ADDED SUGAR CONSUMED PER DAY	DD-62
SUG_ADJ	VARIANCE-ADJUSTED DAILY TEASPOONS OF ADDED SUGAR	DD-62
TIMEAD	LENGTH OF TIME LIVED AT CURRENT ADDRESS	DD-199
UNINSANY	UNINSURED IN PAST 12 MOS	DD-169
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-210
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-210
UR_IHS	RURAL AND URBAN - IHS	DD-211

UR_OMB	RURAL AND URBAN - OMB	DD-211
UR_RHP	RURAL AND URBAN - RHP	DD-211
USOC	USUAL SOURCE OF CARE OTHER THAN ER	DD-152
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	DD-154
USUAL5TP	USUAL SOURCE OF CARE - 5 LVLS	DD-88
USUAL_TP	USUAL SOURCE OF CARE - 7 LVLS	DD-154
VIGACTLE	VIGOROUS LEISURE ACTIVITY FOR 3 DAYS/WK AND 20 MIN/DAY (EXCL WALK	DD-46
WEIGHK_P	WEIGHT: KG - UCLA (PUF RECODE)	DD-92
WGHTK_P	WEIGHT: KG (PUF RECODE)	DD-90
WGHTP_P	WEIGHT: LBS (PUF RECODE)	DD-91
WLKANY	ANY WALKING FOR TRANSPORT OR FUN/EXERCISE	DD-37
WRKST	WORKING STATUS	DD-146
WRKST_S	SPOUSE WORKING STATUS	DD-147
WT18K_P	WEIGHT AT 18: KILOS (PUF RECODE)	DD-91
WT18P_P	WEIGHT AT 18: LBS (PUF RECODE)	DD-92
YRUS	YEARS LIVED IN THE U.S.	DD-142

B. Variable name (by Location in CHIS 2005 Adult Questionnaire)

VARIABLE	LABEL	PAGE
SECTION S	SCREENING INFORMATION	DD-1
PUF_ID	PUBLIC USE FILE ID	DD-1
HHSIZE_P	HOUSEHOLD SIZE (PUF RECODE)	DD-1
INTVLANG	LANGUAGE OF INTERVIEW	DD-2
PROXY	A PROXY INTERVIEW	DD-2
SECTION A	DEMOGRAPHIC INFORMATION, PART 1, RACE & ETHNICITY	DD-3
SRAGE_P	AGE (PUF RECODE)	DD-3
SRSEX	GENDER	DD-3
SRH	SELF-REPORTED LATINO/HISPANIC	DD-4
LATIN9TP	LATIN/HISPANIC SUBTYPES - 9 LVLS	DD-4
SRPI	SELF-REPORTED PI AND NTV HW	DD-5
SRAI	SELF-REPORTED AMERICAN INDIAN	DD-5
SRAS	SELF-REPORTED ASIAN	DD-5
SRAA	SELF-REPORTED AFRICAN AMERICAN	DD-6
SRW	SELF-REPORTED WHITE	DD-6
SRO	SELF-REPORTED OTHER RACE	DD-6
CATRIBE	CALIFORNIA TRIBE	DD-7
AA5C	ENROLLED MEMBER IN RECOGNIZED TRIBE	DD-7
SRPH	OMB SELF-REPORTED FILIPINO	DD-8
SRKR	OMB SELF-REPORTED KOREAN	DD-8
SRCH	OMB SELF-REPORTED CHINESE	DD-8
SRVT	OMB SELF-REPORTED VIETNAMESE	DD-9
SRASO	OMB SELF-REPORTED OTHER ASIAN GROUP	DD-9
ASIAN9	ASIAN SUBTYPES - 9 TYPES (PUF RECODE)	DD-10
ASNHPR_P	ASIAN GROUP - UCLA CHPR DEFINITION (PUF RECODE)	DD-10
OMBSRASO	OMB S-R NONHISPANIC ASIAN GROUP (ONLY)	DD-11
RACEHPR	RACE - UCLA CHPR DEFINITION	DD-11
RACECEN	RACE - CENSUS 2000 DEFINITION	DD-12
RACEDOF	FORMER DOF RACE - ETHNICITY	DD-12
OMBSRREO	OMB/CURRENT DOF RACE - ETHNICITY	DD-13
MARIT	MARITAL STATUS- 3 CATEGORIES	DD-13
MARIT2	MARITAL STATUS- 4 CATEGORIES	DD-14
MARIT_45	MARITAL STATUS - AGE 45 AND OLDER	DD-14
SECTION B	GENERAL HEALTH AND HEALTH CONDITIONS	DD-15
AB1	GENERAL HEALTH CONDITION	DD-15
AB17	DOCTOR EVER TOLD HAVE ASTHMA	DD-15
AB40	STILL HAS ASTHMA	DD-16
AB41	ASTHMA EPISODE/ATTACK IN PAST 12 MOS	DD-16
ASTCUR	CURRENT ASTHMA STATUS	DD-17

AB19	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMA	DD-17
ASTYR	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA	DD-18
AH13A	ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: CURRENT ASTHMA	DD-18
AB18	TAKING DAILY MEDICATION TO CONTROL ASTHMA	DD-19
AB66	FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMA	DD-19
ASTS	ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA	DD-20
AB67	ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: PREVIOUS ASTHMA	DD-20
AB42	WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS	DD-21
AB43	HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN	DD-21
AB62	EVER TOLD HAVE LUNG DISEASE OTHER THAN ASTHMA	DD-22
AB22	DOCTOR EVER TOLD HAVE DIABETES	DD-22
AB23_P	AGE FIRST TOLD HAVE DIABETES (PUF RECODE)	DD-23
AB51	TOLD HAVE TYPE I OR TYPE II DIABETES	DD-23
AB24	CURRENTLY TAKING INSULIN	DD-24
AB25	CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR	DD-24
DIAMED	TAKING INSULIN OR PILLS	DD-25
AB26	# OF TIMES R/R'S FAMILY/R'S FRIEND CHECK BLOOD FOR GLUCOSE	DD-25
AB26UNT	# OF TIMES CHECK BLOOD FOR GLUCOSE - UNIT	DD-26
DIABCK	# OF TIMES CHECKING FOR GLUCOSE/SUGAR PER MONTH	DD-26
AB27	# OF TIMES DOC CHECKED FOR HEMOGLOBIN A OR C LAST YR	DD-27
AB28	# OF TIMES DOC CHECKED FEET FOR SORES LAST YR	DD-27
AB63	LAST EYE EXAM DILATED PUPILS	DD-28
AB29	DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE	DD-28
AB30	CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE	DD-29
AB35	LAST HAD BLOOD CHOLESTEROL CHECKED	DD-29
AB36	DOCTOR TOLD HAVE HIGH BLOOD CHOLESTEROL LAST VISIT	DD-30
AB34	DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE	DD-30
AB52	DOCTOR EVER TOLD HAVE HEART FAILURE	DD-31
AC6	DOCTOR EVER TOLD HAD A STROKE	DD-31
AB64	EVER TOLD HAVE ARTHRITIS,GOUT, ETC	DD-32
AB53	DOCTOR EVER TOLD HAVE SEIZURE DISORDER OR EPILEPSY	DD-32
AB54	CURRENTLY TAKE MEDICINE TO CONTROL SEIZURE DISORDER/EPILEPSY	DD-33
AB65	SEEN SPECIALIST FOR EPILEPSY LAST YR	DD-33
AB56	EXTENT EPILEPSY INTERFERED WITH NORMAL ACTIVITY IN PAST MONTH	DD-34
AE30	FLU SHOT IN PAST 12 MOS	DD-34
SECTION C	HEALTH BEHAVIORS	DD-35

AD37	WALKED AT LEAST 10 MINS FOR TRANSPORTATION IN PAST 7 DAYS	DD-35
AD38	# OF DAYS WALKED AT LEAST 10 MINS FOR TRANSPORT PAST 7 DAYS	DD-35
AD39	LENGTH OF TIME WALKED FOR TRANSPORTATION	DD-36
AD39UNT	LENGTH OF TIME WALKED FOR TRANSPORTATION - UNIT	DD-36
AD39MIN	AVG LENGTH OF TIME WALKED FOR TRANSPORTATION	DD-37
WLKANY	ANY WALKING FOR TRANSPORT OR FUN/EXERCISE	DD-37
AD40	WALKED AT LEAST 10 MINS FOR FUN IN PAST 7 DAYS	DD-38
AD41	# OF DAYS WALKED AT LEAST 10 MINS FOR FUN IN PAST 7 DAYS	DD-38
AD42	LENGTH OF TIME WALKED FOR FUN	DD-39
AD42UNT	LENGTH OF TIME WALKED FOR FUN - UNIT	DD-39
AD42MIN	AVG LENGTH OF TIME WALKED FOR FUN/EXERCISE	DD-40
AE26	MODERATE PHYSICAL ACTIVITIES IN PAST 7 DAYS	DD-40
AE27	# DAYS MODERATE PHYSICAL ACTIVITY IN PAST WEEK	DD-41
AE27A	TIME PER DAY OF MODERATE PHYSICAL ACTIVITY	DD-41
AE27AUNT	TIME PER DAY OF MODERATE PHYS ACTIVITY - UNIT	DD-42
AE27AMIN	AVG LENGTH OF MODERATE ACTIVITY PER DAY	DD-42
AE24	HARD/VIGOROUS EXERCISE IN PAST 7 DAYS	DD-43
AE25	# DAYS DID VIGOROUS PHYSICAL ACTIVITY IN PAST WEEK	DD-43
AE25A	TIME PER DAY OF VIGOROUS PHYSICAL ACTIVITY	DD-44
AE25AUNT	TIME PER DAY OF VIGOROUS PHYS ACTIVITY - UNIT	DD-44
AE25AMIN	AVG LENGTH OF VIGOROUS ACTIVITY PER DAY	DD-45
AC20	# OF DAYS STRENGTHENED MUSCLES IN LAST WEEK	DD-45
MODACTLE	MODERATE LEISURE ACTIVITY FOR 5 DAYS/WK AND 30 MIN/DAY (EXCL WALK	DD-46
VIGACTLE	VIGOROUS LEISURE ACTIVITY FOR 3 DAYS/WK AND 20 MIN/DAY (EXCL WALK	DD-46
MODPA	MODERATE LEISURE ACTIVITY FOR 5 DAYS/WK AND 30 MIN/DAY (INCL WALK	DD-47
REGACTLE	REGULAR, SOME OR NO PHYSICAL ACTIVITY (EXCL WALK)	DD-47
REGPA	REGULAR, SOME OR NO PHYSICAL ACTIVITY (INCL WALK)	DD-48
AE2	# TIMES ATE FRUIT IN PAST MO	DD-48
AE2UNT	# OF TIMES ATE FRUIT IN PAST MO - UNIT	DD-49
AE_FRUIT	# OF TIMES EATING FRUIT PER WEEK	DD-49
AE6	# OF TIMES ATE GREEN SALAD IN PAST MO	DD-50
AE6UNT	# OF TIMES ATE GREEN SALAD IN PAST MO - UNIT	DD-50
AE_SALAD	# OF TIMES EATING SALAD PER WEEK	DD-51
FV_5PLUS	CONSUME 5+ FRUITS/VEGS PER DAY	DD-51
AE3	# TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO	DD-52
AE3UNT	# TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO- UNIT	DD-52
AE_FRIES	# OF TIME EATING FRIES PER WEEK	DD-53
AE4	# OF TIMES ATE OTHER POTATOES IN PAST MO	DD-53

AE4UNT	# OF TIMES ATE OTHER POTATOES IN PAST MO - UNIT	DD-54
AE_POTAT	# OF TIMES EATING POTATOES PER WEEK	DD-54
AE5	# OF TIMES ATE BEANS IN PAST MO	DD-55
AE5UNT	# OF TIMES ATE BEANS IN PAST MO - UNIT	DD-55
AE_BEANS	# OF TIMES EATING BEANS PER WEEK	DD-56
AE7	# OF TIMES ATE OTHER VEGETABLES IN PAST MO	DD-56
AE7UNT	# OF TIMES ATE OTHER VEGETABLES IN PAST MO - UNIT	DD-57
AE_VEGI	# OF TIMES EATING VEGETABLES PER WEEK	DD-57
FV	DAILY SERVINGS OF FRUITS & VEGETABLES	DD-58
FVNB	DAILY SERVINGS OF FRUITS & VEGETABLES EXCEPT BEANS	DD-58
FVNB_ADJ	VARIANCE-ADJUSTED DAILY SERV OF FRUITS & VEGETABLES EXCEPT BEANS	DD-59
FVNF	DAILY SERVINGS OF FRUITS & VEGETABLES EXCEPT FRENCH FRIES	DD-59
FVNFB	DAILY SERV OF FRUITS & VEG EXCEPT FRENCH FRIES AND BEANS	DD-60
FVNFB_AD	VARIANCE-ADJUSTED DAILY SERV OF FRUITS & VEG EXC FRIES AND BEANS	DD-60
FVNF_ADJ	VARIANCE-ADJUSTED DAILY SERV OF FRUITS & VEG EXCEPT FRENCH FRIES	DD-61
FV_ADJ	VARIANCE-ADJUSTED DAILY SERVINGS OF FRUITS & VEGETABLES	DD-61
SUG	TEASPOONS OF ADDED SUGAR CONSUMED PER DAY	DD-62
SUG_ADJ	VARIANCE-ADJUSTED DAILY TEASPOONS OF ADDED SUGAR	DD-62
FVCAD	VARIANCE-ADJUSTED DAILY CUP EQUIV OF FRUITS & VEGETABLES	DD-63
FVCE	DAILY CUP EQUIVALENTS OF FRUITS & VEGETABLES	DD-63
FVCNB	DAILY CUP EQUIV OF FRUITS/VEGS EXCEPT BEANS	DD-64
FVCNBAD	VARIANCE-ADJUSTED DAILY CUP EQUIV OF FRUITS/VEGS EXCEPT BEANS	DD-64
FVCNF	DAILY CUP EQUIV OF FRUITS/VEGS EXCEPT FRENCH FRIES	DD-65
FVCNFBAD	VARIANCE-ADJUSTED DAILY CUP EQUIV OF FRUITS/VEGS EXCEPT FRENCH FR	DD-65
FVCNFB	DAILY CUP EQUIV OF FRUITS/VEGS EXCEPT FRENCH FRIES AND BEANS	DD-66
FVCNFBAD	VARIANCE-ADJUSTED DAILY CUP EQUIV OF FRUITS/VEGS EXC FRIES AND BE	DD-66
AC11	# OF TIMES DRANK SODA LAST MONTH	DD-67
AC11UNT	# OF TIMES DRANK SODA LAST MONTH - UNIT	DD-67
AE_SODA	# OF TIMES DRINKING SODA PER WEEK	DD-68
AE1	# TIMES DRANK 100% FRUIT JUICE IN PAST MO	DD-68
AE1UNT	# OF TIMES DRANK 100% FRUIT JUICE IN PAST MO - UNIT	DD-69
AE_JUICE	# OF TIMES DRINKING 100% FRUIT JUICES PER WEEK	DD-69
AC12	# OF TIMES DRANK FRUIT-FLAV LAST MONTH	DD-70
AC12UNT	# OF TIMES DRANK FRUIT-FLAV LAST MONTH - UNIT	DD-70
AE_FLAV	# OF TIMES DRINK FRUIT-FLAVORED DRINKS PER WEEK	DD-71
AC13	# OF TIMES ATE CAKE/PIE/COOKIES LAST MONTH	DD-71

AE_CAKE	# OF TIMES EATING CAKE/PIE/COOKIES PER WEEK	DD-72
AC13UNT	# OF TIMES ATE CAKE/PIE/COOKIES LAST MONTH - UNIT	DD-72
AC14	# OF TIMES ATE ICE CREAM/FROZEN DESSERTS LAST MONTH	DD-73
AC14UNT	# OF TIMES ATE ICE CREAM/FROZEN DESSERTS LAST MONTH - UNIT	DD-73
AE_FROZ	# OF TIMES EATING ICE CREAM/FROZEN DESSERTS PER WEEK	DD-74
AC15A	CURRENTLY TAKE ASPIRIN, BAYER, ETC AT LEAST 3 TIMES A WEEK	DD-74
AC15B	CURRENTLY TAKE ADVIL, IBUPROFEN, ETC AT LEAST 3 TIMES A WEEK	DD-75
AC15C	CURRENTLY TAKE ALEVE, NAPROSYN, ETC AT LEAST 3 TIMES A WEEK	DD-75
AC16	TAKEN ASPIRIN ETC REGULARLY FOR LAST 3 MOS	DD-76
AE15	SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME	DD-76
AE15A	SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL	DD-77
SMOKING	CURRENT SMOKING HABITS	DD-77
SMKCUR	CURRENT SMOKER	DD-78
AD32	# OF CIGARETTES PER DAY	DD-78
AE16	# OF CIGARETTES PER DAY	DD-79
NUMCIG	# OF CIGARETTES PER DAY	DD-79
AC17	SMOKING EVER ALLOWED INSIDE HOME	DD-80
AD34	# OF DAYS PER WEEK ANY SMOKING INSIDE HOME	DD-80
HHSMK	HOUSEHOLD SMOKING	DD-81
AE11	HAD AT LEAST ONE ALCOHOLIC DRINK IN PAST 30 DAYS	DD-81
AE12	# OF DAYS HAD ALCOHOLIC DRINK IN PAST 30 DAYS	DD-82
AE12UNT	DAYS HAD ALCOHOL IN PAST MONTH: UNIT	DD-82
AE_DAYDR	# OF TIMES DRINKING ALCOHOLIC BEVERAGES PER MONTH	DD-83
AE13	# OF ALCOHOLIC DRINKS PER DAY	DD-83
AE14	# OF TIMES HAD 5 OR MORE ALCOHOLIC DRINKS AT ONCE PAST 30 DAYS	DD-84
AE14A	# OF TIMES HAD 4 OR MORE ALCOHOLIC DRINKS AT ONCE PAST 30 DAYS	DD-84
BINGE_F	FEMALE BINGE DRINKING -4+ DRINKS	DD-85
BINGE_M	MALE BINGE DRINKING - 5+ DRINKS	DD-85
BINGE_MF	BINGE DRINKING - 5+ DRINKS (MALE), 4+ DRINKS (FEMALE)	DD-86
SECTION D	GENERAL HEALTH, DISABILITY, AND SEXUAL HEALTH	DD-86
AE31	# OF DAYS PHYSICAL HEALTH NOT GOOD IN PAST 30 DAYS	DD-86
AE32	# OF DAYS MENTAL HEALTH NOT GOOD IN PAST 30 DAYS	DD-87
HRQOL	# OF UNHEALTHY DAYS	DD-87
AE33	# OF DAYS POOR HEALTH PROHIBITED NORMAL ACTIVITIES	DD-88
USUAL5TP	USUAL SOURCE OF CARE - 5 LVLS	DD-88
HGHTI_P	HEIGHT: INCHES (PUF RECODE)	DD-89
HGHTM_P	HEIGHT: METERS (PUF RECODE)	DD-89
HEIGHM_P	HEIGHT: METERS - UCLA (PUF RECODE)	DD-90
WGHTK_P	WEIGHT: KG (PUF RECODE)	DD-90

WGHTP_P	WEIGHT: LBS (PUF RECODE)	DD-91
WT18K_P	WEIGHT AT 18: KILOS (PUF RECODE)	DD-91
WT18P_P	WEIGHT AT 18: LBS (PUF RECODE)	DD-92
WEIGHK_P	WEIGHT: KG - UCLA (PUF RECODE)	DD-92
BMI_P	BODY MASS INDEX (PUF RECODE)	DD-93
RBMI	BMI DESCRIPTIVE	DD-93
OVRWT	OVERWEIGHT OR OBESE	DD-94
AD50	BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM	DD-94
AD57	CONDITION LIMITS BASIC PHYS ACTIVITY	DD-94
AD51	HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING	DD-95
AD52	HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND	DD-95
AD53	HAS DIFFICULTY GOING OUTSIDE HOME ALONE	DD-95
AD54	HAS DIFFICULTY WORKING AT A JOB	DD-96
DISABLE	DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION	DD-96
AD47	TESTED FOR STD IN PAST 12 MOS	DD-97
SECTION E	WOMEN'S HEALTH	DD-97
AD1	AGE WHEN PERIOD STARTED	DD-97
AD2	EVER GIVEN BIRTH TO LIVE INFANT	DD-98
AD3_P	AGE WHEN FIRST CHILD WAS BORN (PUF RECODE)	DD-98
AD12	EVER HAD A HYSTERECTOMY	DD-99
AD12A	HAD AN OPERATION TO HAVE OVARIES REMOVED	DD-99
AD13	CURRENTLY PREGNANT	DD-100
AD4	EVER HAD A PAP SMEAR	DD-100
AD5	# OF PAP SMEARS IN LAST 6 YRS	DD-101
AD6	HOW LONG SINCE MOST RECENT PAP SMEAR	DD-101
PAP_SCRN	PAP SCREEN PAST 3 YRS	DD-102
AD11	DOCTOR RECOMMENDED PAP SMEAR?	DD-102
AD10	MOST IMPORTANT REASON FOR NO PAP SMEAR IN PAST 3 YRS	DD-103
AF37	DOCTOR EXAMINED BREASTS FOR LUMPS PAST 12 MOS	DD-104
AD14	EVER HAD A MAMMOGRAM	DD-104
AD16	# OF MAMMOGRAMS IN LAST 6 YRS	DD-105
AD17	HOW LONG SINCE MOST RECENT MAMMOGRAM	DD-105
MAM_SCRN	MAMMOGRAM IN PAST 2 YRS	DD-106
AD18	MAIN REASON FOR HAVING MAMMOGRAM	DD-106
AD19	EVER HAD MAMMOGRAM W/ ABNORMAL RESULTS?	DD-107
AD20	EVER HAD OPERATION TO REMOVE LUMP FROM BREAST	DD-107
AD21	DID THE LUMP TURN OUT TO BE CANCER?	DD-108
AD22	# OF BREAST OPERATIONS TO REMOVE NONCANCER	DD-108
AD23	TESTS/SURGERY WHEN MAMMOGRAM ABNORMAL	DD-109
AD26	DOCTOR RECOMMENDED MAMMOGRAM IN PAST YR	DD-109
AD25	MAIN REASON FOR HAVING NO MAMMOGRAM	DD-110
AE50	MOST RECENT MAMMOGRAM RECOMENDED BY DOCT	DD-111

AD28	CURRENTLY TAKING HORMONE REPLACEMENT SUPPLEMENTS FOR MENOPAUSE	DD-111
AE51	CURRENTLY TAKING TAMOXIFEN OR MALVADEX	DD-112
AE52	CURRENTLY TAKING RALOXIFEN OR EVISTA	DD-112
SECTION F	CANCER HISTORY AND PREVENTION	DD-113
AF1	DOCTOR EVER TOLD HAVE CANCER	DD-113
BRCAN	EVER TOLD HAVE BREAST CANCER	DD-113
CERVIX	EVER TOLD HAD CERVICAL CANCER	DD-114
DXCOL	EVER TOLD HAVE COLON CANCER	DD-114
DXPROS	EVER TOLD HAVE PROSTATE CANCER	DD-115
DXSKIN	EVER TOLD HAVE SKIN CANCER	DD-115
AFCANCR1	TYPE OF CANCER	DD-116
AF52	BREAST CANCER DIAGNOSED EARLY OR LATE STAGE	DD-116
AFSCAN1	SKIN CANCER TYPE - SELF	DD-117
AF3_P	AGE AT CANCER DIAGNOSIS (PUF RECODE)	DD-117
FAM1CAN	1ST DEGREE RELATIVE EVER HAD CANCER	DD-118
FAM1FEBR	# OF 1ST DEGREE FEMALE RELATIVES KNOWN TO HAVE BREAST CANCER	DD-118
FAM1FECO	# OF 1ST DEGREE FEMALE RELATIVES KNOWN TO HAVE COLON CANCER	DD-119
FAM1FEOV	# OF 1ST DEGREE FEMALE RELATIVES KNOWN TO HAVE OVARIAN CANCER	DD-119
FAM1FEUT	# OF 1ST DEGREE FEMALE RELATIVES KNOWN TO HAVE UTERINE CANCER	DD-120
FAM1MABR	# OF 1ST DEGREE MALE RELATIVES KNOWN TO HAVE BREAST CANCER	DD-120
FAM1MACO	# OF 1ST DEGREE MALE RELATIVES KNOWN TO HAVE COLON CANCER	DD-121
FAM1MAPR	# OF 1ST DEGREE MALE RELATIVES KNOWN TO HAVE PROSTATE CANCER	DD-121
FAM2CAN	2ND DEGREE RELATIVE EVER HAD CANCER	DD-122
FAM2FEBR	# OF 2ND DEGREE FEMALE RELATIVES KNOWN TO HAVE BREAST CANCER	DD-122
FAM2FECO	# OF 2ND DEGREE FEMALE RELATIVES KNOWN TO HAVE COLON CANCER	DD-123
FAM2FEOV	# OF 2ND DEGREE FEMALE RELATIVES KNOWN TO HAVE OVARIAN CANCER	DD-123
FAM2FEUT	# OF 2ND DEGREE FEMALE RELATIVES KNOWN TO HAVE UTERINE CANCER	DD-124
FAM2MABR	# OF 2ND DEGREE MALE RELATIVES KNOWN TO HAVE BREAST CANCER	DD-124
FAM2MACO	# OF 2ND DEGREE MALE RELATIVES KNOWN TO HAVE COLON CANCER	DD-125
FAM2MAPR	# OF 2ND DEGREE MALE RELATIVES KNOWN TO HAVE PROSTATE CANCER	DD-125
AF14	EVER HAD SIGMOIDOSCOPY, COLONOSCOPY, OR PROCTOSCOPY	DD-126
AF16	HOW LONG SINCE LAST SIGMOIDOSCOPY, COLONOSCOPY, PROCTOSCOPY	DD-126
CRC_SCRN	COMPLIANCE W/COLONOSCOPY/SIG/FOBT SCREEN TEST	DD-127

AF61	MOST RECENT EXAM SIGMOIDOSCOPY OR COLONOSCOPY	DD-127
AF21	DOCTOR RECOMMENDED SIGMOID/COLONOSCOPY IN PAST 12 MOS	DD-128
AF20	MAIN REASON NO SIGMOID/COLONOSCOPY IN PAST 10 YRS	DD-128
AF22	EVER HAD HOME BLOOD STOOL TEST	DD-129
AF24	WHEN WAS MOST RECENT HOME BLOOD STOOL TEST	DD-129
FOBT2	BLOOD STOOL TEST PAST 2 YEARS	DD-130
FRALL5	CANCER RISK BASED ON FAMILIAL HISTORY OF 5 COMMON CANCERS	DD-130
FRBRST	FAMILIAL RISK OF BREAST CANCER	DD-131
FROVAR	FAMILIAL RISK OF OVARIAN CANCER	DD-131
FREND0	FAMILIAL RISK OF ENDOMETRIAL CANER	DD-132
FRPROS	FAMILIAL RISK OF PROSTATE CANCER	DD-132
FRCOL	FAMILIAL RISK OF COLORECTAL CANCER	DD-133
AF29	DOCTOR RECOMMENDED HOME BLOOD STOOL TEST IN PAST 12 MOS	DD-133
AF28	MAIN REASON NO HOME BLOOD STOOL TEST IN PAST 12 MOS	DD-134
AF30	EVER HEARD OF PSA TEST	DD-135
AF31	EVER HAD A PSA TEST	DD-135
AF33	WHEN WAS MOST RECENT PSA TEST	DD-136
PSA_SCRN	PROSTATE SCREENING PAST YEAR	DD-136
SECTION G	DEMOGRAPHIC INFORMATION, PART 2, LANGUAGE/CITIZENSHIP & WORK	DD-137
AH33NEW	BORN IN U.S.	DD-137
AH34NEW	MOTHER BORN IN U.S.	DD-137
CNTRYM	COUNTRY MOTHER BORN	DD-138
CNTRY5	COUNTRY BORN	DD-138
AH35NEW	FATHER BORN IN U.S.	DD-139
CNTRYF	COUNTRY FATHER BORN	DD-139
AG4	FREQUENCY OF BEING TREATED BADLY BECAUSE OF RACE OR ETHNICITY	DD-140
LANGHOME	LANGUAGE SPOKEN AT HOME	DD-140
AH37	HOW WELL YOU SPEAK ENGLISH	DD-141
SPK_ENG	ENGLISH USE AND PROFICIENCY	DD-141
CITIZEN2	CITIZENSHIP STATUS - 3 LEVELS	DD-142
YRUS	YEARS LIVED IN THE U.S.	DD-142
PCTLF_P	PERCENT LIFE IN US (PUF RECODE)	DD-143
AH44	SPOUSE LIVING IN SAME HOUSEHOLD	DD-143
AH43A	LIVING WITH A PARENT	DD-144
AH44A	USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MOS	DD-144
AHCHLDC	AMOUNT SPENT ON CHILD CARE PER WEEK	DD-145
AHEDUC	EDUCATIONAL ATTAINMENT	DD-145
AK1	WORK STATUS LAST WEEK	DD-146
WRKST	WORKING STATUS	DD-146
WRKST_S	SPOUSE WORKING STATUS	DD-147
AK2	MAIN REASON FOR NOT WORKING LAST WEEK	DD-147

AG10	RESPONDENT USUALLY WORKS	DD-148
AL22	RECEIVING SOCIAL SECURITY DISABILITY INS	DD-148
AK4	TYPE OF EMPLOYER AT MAIN JOB	DD-149
AE22	SIT, STAND, OR WALK AT WORK MOST OF DAY	DD-149
AOAL11	LEVEL OF ACTIVITY ON TYPICAL DAY	DD-150
AG8	WORK STATUS OF SPOUSE LAST WEEK	DD-150
AG11	SPOUSE USUALLY WORKS	DD-151
AG9	TYPE OF EMPLOYER OF SPOUSE'S MAIN JOB	DD-151
SECTION H	HEALTH INSURANCE	DD-152
AH1	HAVE USUAL SOURCE OF HEALTH CARE	DD-152
USOC	USUAL SOURCE OF CARE OTHER THAN ER	DD-152
AH2	MAIN REASON FOR NOT HAVING USUAL SOURCE OF HEALTH CARE	DD-153
AH3	KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE	DD-153
USUAL	HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE	DD-154
USUAL_TP	USUAL SOURCE OF CARE - 7 LVLS	DD-154
AH49	MEDICARE COVERAGE PROVIDED THROUGH HMO	DD-155
AH50_P	NAME OF MEDICARE HMO PLAN (PUF RECODE)	DD-155
AI4	COVERED BY MEDICARE SUPPL POLICY	DD-156
AH52	SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE	DD-156
OFFTK	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS	DD-157
AI15	MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN	DD-157
AI15A	MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	DD-158
AI37A	SPOUSE COVERED BY MEDICARE SUPPL POLICY	DD-158
OFFTK_S	OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE	DD-159
AI45	MAIN REASON SPOUSE NOT IN EMPLOYER'S HEALTH PLAN	DD-159
AI45A	MAIN REASON SPOUSE INELIGIBLE FOR EMPLOYER'S HEALTH PLAN	DD-160
AI22A_P	NAME OF HEALTH PLAN (PUF RECODE)	DD-161
AI22C	MAIN HEALTH PLAN IS HMO	DD-162
AI22DMOS	# OF MOS ON CURRENT HEALTH PLAN	DD-162
AI22DYRS	# OF YEARS ON CURRENT HEALTH PLAN	DD-163
AI25	COVERED FOR PRESCRIPTION DRUGS	DD-163
AI25NEW	RX COVERAGE EDITED FOR MEDICAL/HF	DD-164
RSN_UNIN	REASON UNINSURED	DD-164
AI28	HOW LONG SINCE LAST HAD HEALTH INS	DD-165
IHS	COVERED BY INDIAN HEALTH SERVICES	DD-165
INS	CURRENTLY INSURED	DD-166
INS12M	MOS COVERED BY HEALTH PLANS LAST 12 MOS	DD-166
INS64_P	CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)	DD-167
INS65	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+	DD-167
INSANY	ANY INS IN LAST 12 MOS	DD-168
INSEM	COVERED BY EMPLOYER-BASED PLANS	DD-168

INST_12	HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS	DD-169
UNINSANY	UNINSURED IN PAST 12 MOS	DD-169
INSMC	COVERED BY MEDICARE	DD-170
INSMD	COVERED BY MEDI-CAL	DD-170
INSOG	COVERED BY OTHER GOVT PLANS	DD-170
INSPR	COVERED BY PLANS PURCHASED ON OWN	DD-171
INSTYP_P	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES(PUF RECODE)	DD-171
INSPS	PRIMARY OR SECONDARY COVERAGE	DD-172
IHS_S	SPOUSE COVERED BY INDIAN HEALTH SERVICES	DD-172
INS64S_P	SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)	DD-173
INS65_S	TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+	DD-173
INSEM_S	SPOUSE COVERED BY EMPLOYER-BASED PLANS	DD-174
INSMC_S	SPOUSE COVERED BY MEDICARE	DD-174
INSMD_S	SPOUSE COVERED BY MEDI-CAL	DD-175
INSOG_S	SPOUSE COVERED BY OTHER GOVT PLANS	DD-175
INSPR_S	SPOUSE COVERED BY PLANS PURCHASED ON OWN	DD-176
INSPS_S	SPOUSE PRIMARY OR SECONDARY COVERAGE	DD-176
INS_S	SPOUSE CURRENTLY INSURED	DD-177
ELIGPRG3	MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED	DD-177
FAM_TYPE	FAMILY TYPE	DD-178
FAMTYP_P	FAMILY TYPE (PUF RECODE)	DD-178
POVGWD_P	FAMILY POVERTY THRESHOLD LEVEL(PUF RECODE)	DD-179
FAMT4	FAMILY TYPE - 4 LVLS	DD-179
SECTION I	HEALTH CARE UTILIZATION AND ACCESS, MENTAL HEALTH	DD-180
AH5	# TIMES SAW MD IN PAST 12 MOS	DD-180
ACMDNUM	# OF DOCTOR VISITS PAST YEAR	DD-181
DOCT_YR	VISITED DOCTOR IN PAST 12 MOS	DD-181
AH6	HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH	DD-182
AJ8	HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT	DD-182
AJ9	MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND	DD-183
AJ10	NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR	DD-183
AJ11	WHO HELPED YOU UNDERSTAND DOCTOR	DD-184
AJ17	WOULD HAVE GOTTEN BETTER MEDICAL CARE IF DIFFERENT RACE/ETHNIC	DD-184
AJ18	HOW LONG AGO WAS CARE DISCRIMINATORY BECAUSE OF RACE/ETHNICITY	DD-185
AH12	VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS	DD-185
ER	ER VISIT WITHIN THE PAST YEAR	DD-186
AJ29	FEEL NERVOUS PAST 30 DAYS	DD-186
AJ30	FEEL HOPELESS PAST 30 DAYS	DD-187
AJ31	FEEL RESTLESS PAST 30 DAYS	DD-187
AJ32	FEEL DEPRESSED PAST 30 DAYS	DD-188

AJ33	FEEL EVERYTHING AN EFFORT PAST 30 DAYS	DD-188
AJ34	FEEL WORTHLESS PAST 30 DAYS	DD-189
DISTRESS	SERIOUS PSYCHOLOGICAL DISTRESS	DD-189
AJ2	NEEDED HELP FOR EMOT OR MNTL HLTH PROBLEM IN PAST 12 MOS	DD-190
AJ1	INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS	DD-190
AJ6	DIFFICULTIES/DELAYS GETTING MNTL HLTH TREATMENT PAST 12 MOS	DD-191
AJ27	DOC TALK ABOUT DIET LAST 12 MOS	DD-191
AJ28	DOC TALK ABOUT EXERCISE LAST 12 MOS	DD-192
SECTION J	EMPLOYMENT, INCOME, AND POVERTY STATUS	DD-192
AK3	# OF USUAL HRS WORKED PER WEEK	DD-192
AK7	LENGTH OF TIME WORKING AT MAIN JOB	DD-193
AK7UNT	TIME AT MAIN JOB: UNIT OF TIME	DD-193
AKWKLNG	TIME AT MAIN JOB	DD-194
AK8	HOW MANY PEOPLE WORK FOR EMPLOYER/YOU	DD-195
AK10_P	RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)	DD-195
AK20	# OF HRS PER WEEK SPOUSE USUALLY WORKS	DD-196
AK10A_P	SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)	DD-196
AK22_P	HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE)	DD-197
AK23	LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME	DD-197
AK25	OWN OR RENT HOME	DD-198
SRTENR	SELF-REPORTED HOUSEHOLD TENURE (HH)	DD-198
TIMEAD	LENGTH OF TIME LIVED AT CURRENT ADDRESS	DD-199
AK28	HOW OFTEN FEEL SAFE IN NEIGHBORHOOD	DD-199
SECTION K	PUBLIC PROGRAM PARTICIPATION	DD-200
AL2	CURRENTLY ON TANF OR CALWORKS	DD-200
AL5	RECEIVING FOOD STAMP BENEFITS	DD-200
AL6	RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)	DD-201
AL7	CURRENTLY ON WIC	DD-201
AL15	RECVD ALIMONY/CHILD SUPPORT/MONEY FROM GOVT LAST MONTH	DD-202
AL16_P	TOTAL RECVD FROM ALIMONY/CHILD SUPPORT/GOVT (PUF RECODE)	DD-202
AL17	PAID ALIMONY OR CHILD SUPPORT LAST MONTH	DD-203
AL18_P	TOTAL ALIMONY/CHILD SUPPORT PAID LAST MONTH (PUF RECODE)	DD-203
AL18A	RECVD SOCIAL SECURITY OR PENSION LAST MONTH	DD-204
AL18B_P	TOTAL SOCIAL SECURITY/PENSION RECVD LAST MONTH (PUF RECODE)	DD-204
RSN_NOMC	REASONS FOR NOT HAVING MEDI-CAL (MEDICAID)	DD-205
SECTION L	FOOD INSECURITY AND HUNGER	DD-205
AM1	HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS	DD-206
AM2	HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS	DD-206

AM3	ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-207
AM3A	HOW OFTEN ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY	DD-207
AM4	ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS	DD-208
AM5	HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS	DD-208
FSLEV	FOOD SECURITY STATUS LEVEL	DD-209
FSLEVCB	FOOD SECURITY STATUS - 2 LVLS	DD-209
SECTION M	DEMOGRAPHIC INFORMATION, PART 3, GEOGRAPHIC INFORMATION	DD-210
UR_CLRT	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)	DD-210
UR_CLRT2	RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)	DD-210
UR_IHS	RURAL AND URBAN - IHS	DD-211
UR_OMB	RURAL AND URBAN - OMB	DD-211
UR_RHP	RURAL AND URBAN - RHP	DD-211
POVLL	POVERTY LEVEL	DD-212
POVLL2_P	POVERTY LEVEL - 100% FPL (PUF RECODE)	DD-212
SECTION N	FULL DESIGN AND REPLICATE WEIGHT SERIES 0-80	DD-213
RAKEDW0	CHIS2005 RAKED WEIGHT - FULL SAMPLE	DD-213
RAKEDW1	CHIS2005 RAKED WEIGHT - REPLICATE 1	DD-213
RAKEDW2	CHIS2005 RAKED WEIGHT - REPLICATE 2	DD-214
RAKEDW3	CHIS2005 RAKED WEIGHT - REPLICATE 3	DD-214
RAKEDW4	CHIS2005 RAKED WEIGHT - REPLICATE 4	DD-214
RAKEDW5	CHIS2005 RAKED WEIGHT - REPLICATE 5	DD-215
RAKEDW6	CHIS2005 RAKED WEIGHT - REPLICATE 6	DD-215
RAKEDW7	CHIS2005 RAKED WEIGHT - REPLICATE 7	DD-215
RAKEDW8	CHIS2005 RAKED WEIGHT - REPLICATE 8	DD-216
RAKEDW9	CHIS2005 RAKED WEIGHT - REPLICATE 9	DD-216
RAKEDW10	CHIS2005 RAKED WEIGHT - REPLICATE 10	DD-216
RAKEDW11	CHIS2005 RAKED WEIGHT - REPLICATE 11	DD-217
RAKEDW12	CHIS2005 RAKED WEIGHT - REPLICATE 12	DD-217
RAKEDW13	CHIS2005 RAKED WEIGHT - REPLICATE 13	DD-217
RAKEDW14	CHIS2005 RAKED WEIGHT - REPLICATE 14	DD-218
RAKEDW15	CHIS2005 RAKED WEIGHT - REPLICATE 15	DD-218
RAKEDW16	CHIS2005 RAKED WEIGHT - REPLICATE 16	DD-218
RAKEDW17	CHIS2005 RAKED WEIGHT - REPLICATE 17	DD-219
RAKEDW18	CHIS2005 RAKED WEIGHT - REPLICATE 18	DD-219
RAKEDW19	CHIS2005 RAKED WEIGHT - REPLICATE 19	DD-219
RAKEDW20	CHIS2005 RAKED WEIGHT - REPLICATE 20	DD-220
RAKEDW21	CHIS2005 RAKED WEIGHT - REPLICATE 21	DD-220
RAKEDW22	CHIS2005 RAKED WEIGHT - REPLICATE 22	DD-220
RAKEDW23	CHIS2005 RAKED WEIGHT - REPLICATE 23	DD-221
RAKEDW24	CHIS2005 RAKED WEIGHT - REPLICATE 24	DD-221
RAKEDW25	CHIS2005 RAKED WEIGHT - REPLICATE 25	DD-221

RAKEDW26	CHIS2005 RAKED WEIGHT - REPLICATE 26	DD-222
RAKEDW27	CHIS2005 RAKED WEIGHT - REPLICATE 27	DD-222
RAKEDW28	CHIS2005 RAKED WEIGHT - REPLICATE 28	DD-222
RAKEDW29	CHIS2005 RAKED WEIGHT - REPLICATE 29	DD-223
RAKEDW30	CHIS2005 RAKED WEIGHT - REPLICATE 30	DD-223
RAKEDW31	CHIS2005 RAKED WEIGHT - REPLICATE 31	DD-223
RAKEDW32	CHIS2005 RAKED WEIGHT - REPLICATE 32	DD-224
RAKEDW33	CHIS2005 RAKED WEIGHT - REPLICATE 33	DD-224
RAKEDW34	CHIS2005 RAKED WEIGHT - REPLICATE 34	DD-224
RAKEDW35	CHIS2005 RAKED WEIGHT - REPLICATE 35	DD-225
RAKEDW36	CHIS2005 RAKED WEIGHT - REPLICATE 36	DD-225
RAKEDW37	CHIS2005 RAKED WEIGHT - REPLICATE 37	DD-225
RAKEDW38	CHIS2005 RAKED WEIGHT - REPLICATE 38	DD-226
RAKEDW39	CHIS2005 RAKED WEIGHT - REPLICATE 39	DD-226
RAKEDW40	CHIS2005 RAKED WEIGHT - REPLICATE 40	DD-226
RAKEDW41	CHIS2005 RAKED WEIGHT - REPLICATE 41	DD-227
RAKEDW42	CHIS2005 RAKED WEIGHT - REPLICATE 42	DD-227
RAKEDW43	CHIS2005 RAKED WEIGHT - REPLICATE 43	DD-227
RAKEDW44	CHIS2005 RAKED WEIGHT - REPLICATE 44	DD-228
RAKEDW45	CHIS2005 RAKED WEIGHT - REPLICATE 45	DD-228
RAKEDW46	CHIS2005 RAKED WEIGHT - REPLICATE 46	DD-228
RAKEDW47	CHIS2005 RAKED WEIGHT - REPLICATE 47	DD-229
RAKEDW48	CHIS2005 RAKED WEIGHT - REPLICATE 48	DD-229
RAKEDW49	CHIS2005 RAKED WEIGHT - REPLICATE 49	DD-229
RAKEDW50	CHIS2005 RAKED WEIGHT - REPLICATE 50	DD-230
RAKEDW51	CHIS2005 RAKED WEIGHT - REPLICATE 51	DD-230
RAKEDW52	CHIS2005 RAKED WEIGHT - REPLICATE 52	DD-230
RAKEDW53	CHIS2005 RAKED WEIGHT - REPLICATE 53	DD-231
RAKEDW54	CHIS2005 RAKED WEIGHT - REPLICATE 54	DD-231
RAKEDW55	CHIS2005 RAKED WEIGHT - REPLICATE 55	DD-231
RAKEDW56	CHIS2005 RAKED WEIGHT - REPLICATE 56	DD-232
RAKEDW57	CHIS2005 RAKED WEIGHT - REPLICATE 57	DD-232
RAKEDW58	CHIS2005 RAKED WEIGHT - REPLICATE 58	DD-232
RAKEDW59	CHIS2005 RAKED WEIGHT - REPLICATE 59	DD-233
RAKEDW60	CHIS2005 RAKED WEIGHT - REPLICATE 60	DD-233
RAKEDW61	CHIS2005 RAKED WEIGHT - REPLICATE 61	DD-233
RAKEDW62	CHIS2005 RAKED WEIGHT - REPLICATE 62	DD-234
RAKEDW63	CHIS2005 RAKED WEIGHT - REPLICATE 63	DD-234
RAKEDW64	CHIS2005 RAKED WEIGHT - REPLICATE 64	DD-234
RAKEDW65	CHIS2005 RAKED WEIGHT - REPLICATE 65	DD-235
RAKEDW66	CHIS2005 RAKED WEIGHT - REPLICATE 66	DD-235
RAKEDW67	CHIS2005 RAKED WEIGHT - REPLICATE 67	DD-235
RAKEDW68	CHIS2005 RAKED WEIGHT - REPLICATE 68	DD-236

RAKEDW69	CHIS2005 RAKED WEIGHT - REPLICATE 69	DD-236
RAKEDW70	CHIS2005 RAKED WEIGHT - REPLICATE 70	DD-236
RAKEDW71	CHIS2005 RAKED WEIGHT - REPLICATE 71	DD-237
RAKEDW72	CHIS2005 RAKED WEIGHT - REPLICATE 72	DD-237
RAKEDW73	CHIS2005 RAKED WEIGHT - REPLICATE 73	DD-237
RAKEDW74	CHIS2005 RAKED WEIGHT - REPLICATE 74	DD-238
RAKEDW75	CHIS2005 RAKED WEIGHT - REPLICATE 75	DD-238
RAKEDW76	CHIS2005 RAKED WEIGHT - REPLICATE 76	DD-238
RAKEDW77	CHIS2005 RAKED WEIGHT - REPLICATE 77	DD-239
RAKEDW78	CHIS2005 RAKED WEIGHT - REPLICATE 78	DD-239
RAKEDW79	CHIS2005 RAKED WEIGHT - REPLICATE 79	DD-239
RAKEDW80	CHIS2005 RAKED WEIGHT - REPLICATE 80	DD-240
SECTION O	APPENDIX: CENSUS CLASSIFICATIONS	DD-240
INDMAIN	MAIN INDUSTRY - RECODE	DD-241
OCCMAIN	MAIN OCCUPATION - RECODE	DD-242

C. Restricted Variables

The following geographic variables are not located in the source files, but may be accessible upon request and IRB approval (UCLA & CHPS). These variables are restricted due to their identifiable nature.

VARIABLE	LABEL	NOTE
LATITUDE	LATITUDE	GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING.
LONGIT	LONGITUDE	GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING.
CBLK	CENSUS BLOCK INCLUDING CENSUS TRACT	SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH CENSUS DATA; USED FOR MULTILEVEL MODELING, NEIGHBORHOOD ANALYSIS.

Teen and child restricted variables

VARIABLE	LABEL	NOTE
SCH_BLK	SCHOOL CENSUS TRACT INCLUDING BLOCK	
SCH_CDS	STATE SCHOOL ID NUMBER	
SCH_LAT	SCHOOL LATITUDE	
SCH_LON	SCHOOL LONGITUDE	

6. Data Dictionary

2005 CALIFORNIA HEALTH INTERVIEW SURVEY ADULT SURVEY DATA DICTIONARY

Section S: Screening Information

VARNAME: PUF_ID QNAME05: NA QPAGENUM: NA
 QNAME03: NA QNAME01: NA
 LABEL: PUBLIC USE FILE ID
 VALUE: 0-HIGH PERSON # FREQ %
43020 100.00
 UNIVERSE: ALL ADULTS
 INPUT VAR:
 NOTES:

VARNAME: HH_SIZE_P QNAME05: NA QPAGENUM: NA
 QNAME03: NA QNAME01: NA
 LABEL: HOUSEHOLD SIZE (PUF RECODE)

MEAN STATISTICS	
N	43020
MIN	1
MAX	10
MEAN	2.67

 UNIVERSE: ALL ADULTS
 INPUT VAR: HH_SIZE
 NOTES: TOPCODE=10

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INTVLANG QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: LANGUAGE OF INTERVIEW

VALUE:			FREQ	%
1	ENGLISH		38476	89.44
2	SPANISH		3141	7.30
3	VIETNAMESE		371	0.86
4	KOREAN		430	1.00
5	CANTONESE		269	0.63
6	MANDARIN		333	0.77

UNIVERSE: ALL ADULTS

INPUT VAR: ENGLSPAN

NOTES:

VARNAME: PROXY QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: A PROXY INTERVIEW

VALUE:			FREQ	%
1	YES		141	0.33
2	NO		42879	99.67

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section A: Demographic Information, Part 1, Race & Ethnicity

VARNAME: SRAGE_P QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA

LABEL: AGE (PUF RECODE)

MEAN STATISTICS

N	43020
MIN	18
MAX	85
MEAN	50.77

UNIVERSE: ALL ADULTS

INPUT VAR: SRAGE

NOTES: TOPCODE=85

VARNAME: SRSEX QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA

LABEL: GENDER

VALUE:		FREQ	%
1	MALE	17472	40.61
2	FEMALE	25548	59.39

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SRH QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: SELF-REPORTED LATINO/HISPANIC

VALUE:			FREQ	%
1	YES		8036	18.68
2	NO		34984	81.32

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: LATIN9TP QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: LATIN/HISPANIC SUBTYPES - 9 LVLS

VALUE:			FREQ	%
-1	NON-LATINO		34984	81.32
1	MEXICAN		6089	14.15
2	SALVADORAN		329	0.76
3	GUATEMALAN		203	0.47
4	CENTRAL AMERICAN		150	0.35
5	PUERTO RICAN		142	0.33
6	LATINO EUROPEAN		326	0.76
7	SOUTH AMERICAN		248	0.58
8	OTHER LATINO		133	0.31
9	2+ LATINO TYPES		416	0.97

UNIVERSE: ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR: AA5, SRH

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SRPI QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: SELF-REPORTED PI AND NTV HW

VALUE:			FREQ	%
1	YES		220	0.51
2	NO		42800	99.49

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRAI QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: SELF-REPORTED AMERICAN INDIAN

VALUE:			FREQ	%
1	YES		1845	4.29
2	NO		41175	95.71

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRAS QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: SELF-REPORTED ASIAN

VALUE:			FREQ	%
1	YES		4208	9.78
2	NO		38812	90.22

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SRAA QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: SELF-REPORTED AFRICAN AMERICAN

VALUE:			FREQ	%
1	YES		2178	5.06
2	NO		40842	94.94

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRW QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: SELF-REPORTED WHITE

VALUE:			FREQ	%
1	YES		31771	73.85
2	NO		11249	26.15

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRO QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: SELF-REPORTED OTHER RACE

VALUE:			FREQ	%
1	YES		4258	9.90
2	NO		38762	90.10

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: CATRIBE QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: CALIFORNIA TRIBE

VALUE:			FREQ	%
-9	UNKNOWN TRIBAL HERITAGE		362	0.84
-1	INAPPLICABLE		41175	95.71
1	CALIFORNIA TRIBAL HERITAGE		162	0.38
2	NON-CALIFORNIA TRIBAL HERITAGE		1321	3.07

UNIVERSE: ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR: AA5B, SRAI, AA5BOS, AA5DOS

NOTES:

VARNAME: AA5C QNAME05: QA05_A10 QPAGENUM: A-4

QNAME03: QA03_9 QNAME01: AA5C

LABEL: ENROLLED MEMBER IN RECOGNIZED TRIBE

VALUE:			FREQ	%
-9	NOT ASCERTAINED		57	0.13
-8	DON'T KNOW		23	0.05
-7	REFUSED		1	0.00
-1	INAPPLICABLE		41252	95.89
1	YES		226	0.53
2	NO		1461	3.40

UNIVERSE: ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME :	SRPH	QNAME05 :	NA	QPAGENUM :	NA
		QNAME03 :	NA	QNAME01 :	NA
LABEL :	OMB SELF-REPORTED FILIPINO				
VALUE :	1	YES		FREQ	%
	2	NO		723	1.68
				42297	98.32
UNIVERSE :	ALL ADULTS				
INPUT VAR :					
NOTES :					

VARNAME :	SRKR	QNAME05 :	NA	QPAGENUM :	NA
		QNAME03 :	NA	QNAME01 :	NA
LABEL :	OMB SELF-REPORTED KOREAN				
VALUE :	1	YES		FREQ	%
	2	NO		645	1.50
				42375	98.50
UNIVERSE :	ALL ADULTS				
INPUT VAR :	AA5E_10				
NOTES :					

VARNAME:	SRCH	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	OMB SELF-REPORTED CHINESE				
				FREQ	%
VALUE:	1	YES		1383	3.21
	2	NO		41637	96.79
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SRVT QNAME05: NA QPAGENUM: NA

 QNAME03: NA QNAME01: NA

LABEL: OMB SELF-REPORTED VIETNAMESE

VALUE:			FREQ	%
1	YES		528	1.23
2	NO		42492	98.77

UNIVERSE: ALL ADULTS

INPUT VAR: AA5E_17

NOTES:

VARNAME: SRASO QNAME05: NA QPAGENUM: NA

 QNAME03: NA QNAME01: NA

LABEL: OMB SELF-REPORTED OTHER ASIAN GROUP

VALUE:			FREQ	%
1	YES		1082	2.52
2	NO		41938	97.48

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:   ASIAN9                      QNAME05:   NA                      QPAGENUM: NA
                                                QNAME03:   NA                      QNAME01:   NA

LABEL:     ASIAN SUBTYPES - 9 TYPES (PUF RECODE)

VALUE:     -1      NON-ASIAN                      FREQ      %
           1      CHINESE                      38846     90.30
           2      JAPANESE                     1301      3.02
           3      KOREAN                       422       0.98
           4      FILIPINO                     627       1.46
           5      SOUTH ASIAN                  666       1.55
           6      VIETNAMESE                   409       0.95
           7      SOUTHEAST ASIAN              483       1.12
           8      CAMBODIAN /OTHER ASIAN       85        0.20
           9      TWO OR MORE ASIAN TYPES     39        0.09
                                           142       0.33
-----
```

UNIVERSE: ADULTS WHO ARE ASIAN

INPUT VAR: AA5E

NOTES:

```
-----
VARNAME:   ASNHPR_P                      QNAME05:   NA                      QPAGENUM: NA
                                                QNAME03:   NA                      QNAME01:   NA

LABEL:     ASIAN GROUP - UCLA CHPR DEFINITION (PUF RECODE)

VALUE:     -1      NON-ASIAN                      FREQ      %
           1      CHINESE                      39079     90.84
           2      FILIPINO                     1280      2.98
           3      SOUTH ASIAN                  607       1.41
           4      JAPANESE                     400       0.93
           5      KOREAN                       374       0.87
           6      VIETNAMESE                   616       1.43
           7      CAMBODIAN/OTHER SINGLE/MULTI ASIAN TYPE 495       1.15
                                           169       0.39
-----
```

UNIVERSE: ADULTS WHO ARE ASIAN

INPUT VAR: ASIANHPR

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: OMBSRASO QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: OMB S-R NONHISPANIC ASIAN GROUP (ONLY)

VALUE:			FREQ	%
1	NONHISPANIC CHINESE ONLY		1206	2.80
2	NONHISPANIC KOREAN ONLY		614	1.43
3	NONHISPANIC FILIPINO ONLY		550	1.28
4	NONHISPANIC VIETNAMESE ONLY		487	1.13
5	NONHISPANIC OTHER OR NON-ASIAN		40163	93.36

UNIVERSE: ALL ADULTS

INPUT VAR: OMBSRREO, ASIAN10

NOTES:

VARNAME: RACEHPR QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: RACE - UCLA CHPR DEFINITION

VALUE:			FREQ	%
1	LATINO		6369	14.80
2	PACIFIC ISLANDER		120	0.28
3	AMERICAN INDIAN/ALASKAN NATIVE		554	1.29
4	ASIAN		3941	9.16
5	AFRICAN AMERICAN		1954	4.54
6	WHITE		28979	67.36
7	OTHER SINGLE/MULTIPLE RACE		1103	2.56

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI, SRAI, SRAS, SRAA, SRW, SRO, SRH, AA5F, AA5A, AA5C

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RACECEN QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: RACE - CENSUS 2000 DEFINITION

VALUE:			FREQ	%
1	PACIFIC ISLANDER		130	0.30
2	AMERICAN INDIAN/ALASKAN NATIVE		872	2.03
3	ASIAN		3935	9.15
4	AFRICAN AMERICAN		1915	4.45
5	WHITE		30554	71.02
6	OTHER SINGLE RACE		4245	9.87
7	MORE THAN ONE RACE		1369	3.18

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI, SRAI, SRAS, SRAA, SRW, SRO

NOTES:

VARNAME: RACEDOF QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: FORMER DOF RACE - ETHNICITY

VALUE:			FREQ	%
1	LATINO		8036	18.68
2	NON-LATINO PI		94	0.22
3	NON-LATINO AMERICAN INDIAN/ALASKAN		336	0.78
4	NON-LATINO ASIAN		3872	9.00
5	NON-LATINO AFR. AMER.		1814	4.22
6	NON-LATINO WHITE		27570	64.09
7	NON-LATINO OTHER, ONE RACE		56	0.13
8	NON-LATINO, TWO+ RACES		1242	2.89

UNIVERSE: ALL ADULTS

INPUT VAR: SRPI, SRAI, SRAS, SRAA, SRW, SRO

NOTES: BASED ON '01 DEPT OF FINANCE DEFIN. FOR CURRENT RACEDOF SEE OMBSRREO.

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: OMBSRREO QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: OMB/CURRENT DOF RACE - ETHNICITY

VALUE:			FREQ	%
1	HISPANIC		8036	18.68
2	WHITE, NON-HISPANIC (NH)		27612	64.18
3	AFRICAN AMERICAN ONLY, NOT HISPANIC		1822	4.24
4	AMERICAN INDIAN/ALASKAN NATIVE ONLY, NH		337	0.78
5	ASIAN ONLY, NH		3883	9.03
6	NATIVE HAWAIIAN/PACIFIC ISLANDER, NH		94	0.22
7	TWO OR MORE RACES, NH		1236	2.87

UNIVERSE: ALL ADULTS

INPUT VAR: RACEDOF

NOTES:

VARNAME: MARIT QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: MARITAL STATUS- 3 CATEGORIES

VALUE:			FREQ	%
1	MARRIED		22771	52.93
2	OTHERWID/SEP/DIV/LIVING W/PARTNER		13591	31.59
3	NEVER MARRIED		6658	15.48

UNIVERSE: ALL ADULTS

INPUT VAR: AH43, SRAGE, AH44

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: MARIT2 QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: MARITAL STATUS- 4 CATEGORIES

VALUE :			FREQ	%
1	MARRIED		22771	52.93
2	LIVING W/ PARTNER		2516	5.85
3	WID/SEP/DIV		11075	25.74
4	NEVER MARRIED		6658	15.48

UNIVERSE: ALL ADULTS

INPUT VAR: AH43

NOTES :

VARNAME: MARIT_45 QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: MARITAL STATUS - AGE 45 AND OLDER

			FREQ	%
VALUE :	-1	INAPPLICABLE	16450	38.24
	1	MARRIED	13931	32.38
	2	LIVING WITH PARTNER	1043	2.42
	3	WIDOWED	4272	9.93
	4	DIVORCED/SEPARATED	5162	12.00
	5	NEVER MARRIED	2162	5.03

UNIVERSE: ADULTS AGE 45 AND OLDER

INPUT VAR: AH43

NOTES :

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section B: General Health and Health Conditions

VARNAME: AB1 QNAME05: QA05_B1 QPAGENUM: A-9
QNAME03: QA03_15 QNAME01: AB1

LABEL: GENERAL HEALTH CONDITION

VALUE:			FREQ	%
1	EXCELLENT		9305	21.63
2	VERY GOOD		13661	31.75
3	GOOD		11966	27.81
4	FAIR		5949	13.83
5	POOR		2139	4.97

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AB17 QNAME05: QA05_B2 QPAGENUM: A-9
QNAME03: QA03_16 QNAME01: AB17

LABEL: DOCTOR EVER TOLD HAVE ASTHMA

VALUE:			FREQ	%
1	YES		5901	13.72
2	NO		37119	86.28

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB40 QNAME05: QA05_B3 QPAGENUM: A-9

QNAME03: QA03_18 QNAME01: NA

LABEL: STILL HAS ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		37119	86.28
1	YES		3617	8.41
2	NO		2284	5.31

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: AB41 QNAME05: QA05_B4 QPAGENUM: A-9

QNAME03: QA03_19 QNAME01: NA

LABEL: ASTHMA EPISODE/ATTACK IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		37119	86.28
1	YES		2116	4.92
2	NO		3785	8.80

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: ASTCUR QNAME05: NA QPAGENUM: NA

 QNAME03: NA QNAME01: NA

LABEL: CURRENT ASTHMA STATUS

VALUE:			FREQ	%
1	CURRENT ASTHMA		3763	8.75
2	NO CURRENT ASTHMA		39257	91.25

UNIVERSE: ALL ADULTS

INPUT VAR: AB40, AB41, AB17

NOTES:

VARNAME: AB19 QNAME05: QA05_B5 QPAGENUM: A-9

 QNAME03: QA03_20 QNAME01: AB19

LABEL: FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: CURRENT ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		39257	91.25
1	NOT AT ALL		313	0.73
2	LESS THAN EVERY MONTH		1494	3.47
3	EVERY MONTH		825	1.92
4	EVERY WEEK		526	1.22
5	EVERY DAY		605	1.41

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA
AND/OR HAD AN EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: ASTYR QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA

LABEL: ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION CURRENTLY W/ ASTHMA

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	SYMPTOMS	39257	91.25
	2	NO SYMPTOMS	313	0.73

UNIVERSE: ADULTS WITH ASTHMA

INPUT VAR: AB19

NOTES:

VARNAME: AH13A QNAME05: QA05_B6 QPAGENUM: A-10
QNAME03: QA03_21 QNAME01: NA

LABEL: ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: CURRENT ASTHMA

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	485	1.13
	2	NO	3278	7.62

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE ASTHMA AND/OR HAD AN EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES: SEE AB67 FOR ER VISITS AMONG THOSE W/ NO ASTHMA SYMPT, PAST 12 MOS

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB18 QNAME05: QA05_B7 QPAGENUM: A-10

QNAME03: QA03_22 QNAME01: NA

LABEL: TAKING DAILY MEDICATION TO CONTROL ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		37119	86.28
1	YES		1945	4.52
2	NO		3956	9.20

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: AB66 QNAME05: QA05_B8 QPAGENUM: A-10

QNAME03: NA QNAME01: NA

LABEL: FREQUENCY OF ASTHMA SYMPTOMS IN PAST 12 MOS: PREVIOUS ASTHMA

VALUE:			FREQ	%
-1	INAPPLICABLE		40882	95.03
1	NOT AT ALL		1467	3.41
2	LESS THAN EVERY MONTH		455	1.06
3	EVERY MONTH		105	0.24
4	EVERY WEEK		51	0.12
5	EVERY DAY		60	0.14

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (DO NOT STILL HAVE
ASTHMA AND/OR HAVE NOT HAD AN EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: ASTS QNAME05: NA QPAGENUM: NA

 QNAME03: NA QNAME01: NA

LABEL: ASTHMA SYMPTOMS PAST 12 MOS FOR POPULATION DIAGNOSED W/ ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	37119	86.28
1	SYMPTOMS	4121	9.58
2	NO SYMPTOMS	1780	4.14

UNIVERSE: ADULTS DIAGNOSED WITH ASTHMA

INPUT VAR: AB19, AB66

NOTES:

VARNAME: AB67 QNAME05: QA05_B9 QPAGENUM: A-10

 QNAME03: NA QNAME01: NA

LABEL: ER/URGENT CARE VISIT FOR ASTHMA IN PAST 12 MOS: PREVIOUS ASTHMA

VALUE:		FREQ	%
-1	INAPPLICABLE	40882	95.03
1	YES	24	0.06
2	NO	2114	4.91

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA AND (DO NOT STILL HAVE
ASTHMA AND/OR HAVE NOT HAD AN EPISODE IN LAST 12 MONTHS) AND ARE
LESS THAN 70 YEARS OLD

INPUT VAR:

NOTES: SEE AH13A FOR ER VISITS AMONG THOSE W/ ASTHMA SYMPTOMS, PAST 12 MOS

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB42 QNAME05: QA05_B10 QPAGENUM: A-10

QNAME03: QA03_23 QNAME01: NA

LABEL: WORKDAYS MISSED DUE TO ASTHMA IN PAST 12 MOS

MEAN STATISTICS

N	5113
MIN	0
MAX	365
MEAN	1.33

UNIVERSE: ADULTS UNDER 70 WHO HAVE BEEN TOLD HAVE ASTHMA AND (STILL HAVE
ASTHMA AND/OR HAD AN EPISODE IN LAST 12 MONTHS)

INPUT VAR:

NOTES:

VARNAME: AB43 QNAME05: QA05_B11 QPAGENUM: A-11

QNAME03: QA03_24 QNAME01: NA

LABEL: HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	37119	86.28
1	YES	1995	4.64
2	NO	3906	9.08

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AB62 QNAME05: QA05_B12 QPAGENUM: A-11

QNAME03: NA QNAME01: NA

LABEL: EVER TOLD HAVE LUNG DISEASE OTHER THAN ASTHMA

VALUE:			FREQ	%
1	YES		1306	3.04
2	NO		41714	96.96

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AB22 QNAME05: QA05_B17 QPAGENUM: A-11

QNAME03: QA03_32 QNAME01: AB22

LABEL: DOCTOR EVER TOLD HAVE DIABETES

VALUE:			FREQ	%
1	YES		3348	7.78
2	NO		39110	90.91
3	BORDERLINE OR PRE-DIABETES		562	1.31

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB23_P QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: AGE FIRST TOLD HAVE DIABETES (PUF RECODE)

MEAN STATISTICS

N	3348
MIN	1
MAX	85
MEAN	50.80

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB23

NOTES: TOPCODE=85

VARNAME: AB51 QNAME05: QA05_B19 QPAGENUM: A-11

QNAME03: QA03_34 QNAME01: NA

LABEL: TOLD HAVE TYPE I OR TYPE II DIABETES

VALUE:		FREQ	%
-1	INAPPLICABLE	39672	92.22
1	TYPE I	465	1.08
2	TYPE 2	2883	6.70

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB24 QNAME05: QA05_B20 QPAGENUM: A-12

QNAME03: QA03_35 QNAME01: AB24

LABEL: CURRENTLY TAKING INSULIN

VALUE:			FREQ	%
-1	INAPPLICABLE		39672	92.22
1	YES		775	1.80
2	NO		2573	5.98

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB25 QNAME05: QA05_B21 QPAGENUM: A-12

QNAME03: QA03_36 QNAME01: AB25

LABEL: CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR

VALUE:			FREQ	%
-1	INAPPLICABLE		39672	92.22
1	YES		2319	5.39
2	NO		1029	2.39

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DIAMED QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: TAKING INSULIN OR PILLS

VALUE:		FREQ	%
-1	INAPPLICABLE	39672	92.22
1	TAKING INSULIN & PILLS	382	0.89
2	TAKING INSULIN ONLY	393	0.91
3	TAKING PILLS ONLY	1937	4.50
4	NOT TAKING INSULIN NOR PILLS	636	1.48

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB24, AB25

NOTES:

VARNAME: AB26 QNAME05: QA05_B22 QPAGENUM: A-12

QNAME03: NA QNAME01: AB26

LABEL: # OF TIMES R/R'S FAMILY/R'S FRIEND CHECK BLOOD FOR GLUCOSE

MEAN STATISTICS

N	3348
MIN	0
MAX	90
MEAN	2.17

UNIVERSE: ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES OR SUGAR DIABETES

INPUT VAR:

NOTES: PLEASE REFER TO "AB26UNT" FOR MEASUREMENT UNIT

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB26UNT	QNAME05: QA05_B22	QPAGENUM: A-12
	QNAME03: NA	QNAME01: AB26UNT

LABEL: # OF TIMES CHECK BLOOD FOR GLUCOSE - UNIT

VALUE:		FREQ	%
-1	INAPPLICABLE	39672	92.22
1	PER DAY	2342	5.44
2	PER WEEK	623	1.45
3	PER MONTH	243	0.56
4	PER YEAR	140	0.33

UNIVERSE: ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES OR SUGAR DIABETES

INPUT VAR:

NOTES:

VARNAME: DIABCK	QNAME05: NA	QPAGENUM: NA
	QNAME03: NA	QNAME01: NA

LABEL: # OF TIMES CHECKING FOR GLUCOSE/SUGAR PER MONTH

MEAN STATISTICS	
N	3348
MIN	0
MAX	450
MEAN	40.86

UNIVERSE: ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES OR SUGAR DIABETES

INPUT VAR: AB26, AB26UNT

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB27 QNAME05: QA05_B23 QPAGENUM: A-12

QNAME03: NA QNAME01: AB27

LABEL: # OF TIMES DOC CHECKED FOR HEMOGLOBIN A OR C LAST YR

MEAN STATISTICS

N	2890
MIN	0
MAX	52
MEAN	2.97

UNIVERSE: ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES OR SUGAR DIABETES

INPUT VAR:

NOTES: EXCLUDED VALUE "96" IN CALCULATING THE MEAN

VARNAME: AB28 QNAME05: QA05_B24 QPAGENUM: A-12

QNAME03: NA QNAME01: AB28

LABEL: # OF TIMES DOC CHECKED FEET FOR SORES LAST YR

MEAN STATISTICS

N	3348
MIN	0
MAX	52
MEAN	2.56

UNIVERSE: ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES OR SUGAR DIABETES

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB63 QNAME05: QA05_B25 QPAGENUM: A-13

QNAME03: NA QNAME01: NA

LABEL: LAST EYE EXAM DILATED PUPILS

VALUE:		FREQ	%
-1	INAPPLICABLE	39672	92.22
1	WITHIN THE PAST MONTH	574	1.33
2	1 TO 12 MOS AGO	1873	4.35
3	1 TO 2 YRS AGO	381	0.89
4	2 OR MORE YRS AGO	334	0.78
5	NEVER	186	0.43

UNIVERSE: ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES OR SUGAR DIABETES

INPUT VAR:

NOTES:

VARNAME: AB29 QNAME05: QA05_B26 QPAGENUM: A-13

QNAME03: QA03_37 QNAME01: AB29

LABEL: DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE

VALUE:		FREQ	%
1	YES	12899	29.98
2	NO	30121	70.02

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB30 QNAME05: QA05_B30 QPAGENUM: A-13

QNAME03: QA03_38 QNAME01: AB30

LABEL: CURRENTLY TAKING MEDICATIONS TO CONTROL HIGH BLOOD PRESSURE

VALUE:			FREQ	%
-1	INAPPLICABLE		30121	70.02
1	YES		9599	22.31
2	NO		3300	7.67

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE HIGH BLOOD PRESSURE

INPUT VAR:

NOTES:

VARNAME: AB35 QNAME05: QA05_B28 QPAGENUM: A-13

QNAME03: NA QNAME01: AB35

LABEL: LAST HAD BLOOD CHOLESTEROL CHECKED

VALUE:			FREQ	%
1	1 TO 12 MOS AGO		29711	69.06
2	13 MOS TO 2 YRS AGO		5415	12.59
3	25 MOS TO 5 YRS AGO		2965	6.89
4	MORE THAN 5 YRS AGO		1570	3.65
5	NEVER		3359	7.81

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB36 QNAME05: QA05_B29 QPAGENUM: A-13

QNAME03: NA QNAME01: AB36

LABEL: DOCTOR TOLD HAVE HIGH BLOOD CHOLESTEROL LAST VISIT

VALUE:			FREQ	%
-1	INAPPLICABLE		3359	7.81
1	YES		9396	21.84
2	NO		30265	70.35

UNIVERSE: ADULTS WHO HAVE HAD CHOLESTEROL CHECKED

INPUT VAR:

NOTES:

VARNAME: AB34 QNAME05: QA05_B30 QPAGENUM: A-14

QNAME03: QA03_39 QNAME01: AB34

LABEL: DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE

VALUE:			FREQ	%
1	YES		3681	8.56
2	NO		39339	91.44

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB52 QNAME05: QA05_B31 QPAGENUM: A-14

QNAME03: QA03_40 QNAME01: NA

LABEL: DOCTOR EVER TOLD HAVE HEART FAILURE

VALUE:			FREQ	%
-1	INAPPLICABLE		39339	91.44
1	YES		916	2.13
2	NO		2765	6.43

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE HEART DISEASE

INPUT VAR:

NOTES:

VARNAME: AC6 QNAME05: QA05_B32 QPAGENUM: A-14

QNAME03: QA03_67 QNAME01: NA

LABEL: DOCTOR EVER TOLD HAD A STROKE

VALUE:			FREQ	%
1	YES		1328	3.09
2	NO		41692	96.91

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	AB64	QNAME05:	QA05_B33	QPAGENUM:	A-14
		QNAME03:	NA	QNAME01:	NA
LABEL:	EVER TOLD HAVE ARTHRITIS,GOUT, ETC				
VALUE:	1	YES		FREQ	%
	2	NO		11142	25.90
				31878	74.10
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	AB53	QNAME05:	QA05_B34	QPAGENUM:	A-14
		QNAME03:	QA03_43	QNAME01:	NA
LABEL:	DOCTOR EVER TOLD HAVE SEIZURE DISORDER OR EPILEPSY				
VALUE:	1	YES		FREQ	%
	2	NO		604	1.40
				42416	98.60
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB54 QNAME05: QA05_B35 QPAGENUM: A-14
QNAME03: QA03_44 QNAME01: NA

LABEL: CURRENTLY TAKE MEDICINE TO CONTROL SEIZURE DISORDER/EPILEPSY

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	42416	98.60
	2	NO	310	0.72
			294	0.68

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE SEIZURE DISORDER OR EPILEPSY

INPUT VAR:

NOTES:

VARNAME: AB65 QNAME05: QA05_B37 QPAGENUM: A-15
QNAME03: NA QNAME01: NA

LABEL: SEEN SPECIALIST FOR EPILEPSY LAST YR

VALUE:	-1	INAPPLICABLE	FREQ	%
	1	YES	42440	98.65
	2	NO	191	0.44
			389	0.90

UNIVERSE: ADULTS WHO CURRENTLY HAVE SEIZURE DISORDER OR EPILEPSY

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB56 QNAME05: QA05_B38 QPAGENUM: A-15

QNAME03: QA03_46 QNAME01: NA

LABEL: EXTENT EPILEPSY INTERFERED WITH NORMAL ACTIVITY IN PAST MONTH

VALUE:			FREQ	%
-1	INAPPLICABLE		42440	98.65
1	NOT AT ALL		441	1.03
2	SLIGHTLY		56	0.13
3	MODERATELY		31	0.07
4	QUITE A BIT		33	0.08
5	EXTREMELY		19	0.04

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE SEIZURE DISORDER OR EPILEPSY AND
STILL HAVE SEIZURE DISORDER OR EPILEPSY

INPUT VAR:

NOTES:

VARNAME: AE30 QNAME05: QA05_B39 QPAGENUM: A-15

QNAME03: QA03_47 QNAME01: AE30

LABEL: FLU SHOT IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		13762	31.99
2	NO		29258	68.01

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section C: Health Behaviors

VARNAME: AD37 QNAME05: QA05_C1 QPAGENUM: A-16

QNAME03: QA03_81 QNAME01: NA

LABEL: WALKED AT LEAST 10 MINS FOR TRANSPORTATION IN PAST 7 DAYS

VALUE:			FREQ	%
1	YES		20186	46.92
2	NO		22584	52.50
3	UNABLE TO WALK		250	0.58

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD38 QNAME05: QA05_C2 QPAGENUM: A-16

QNAME03: QA03_82 QNAME01: NA

LABEL: # OF DAYS WALKED AT LEAST 10 MINS FOR TRANSPORT PAST 7 DAYS

MEAN STATISTICS	
N	20186
MIN	1
MAX	7
MEAN	3.67

UNIVERSE: ADULTS WHO WALKED FOR AT LEAST 10 MINUTES TO GET SOMEWHERE IN THE PAST 7 DAYS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD39 QNAME05: QA05_C3 QPAGENUM: A-16

QNAME03: QA03_83 QNAME01: NA

LABEL: LENGTH OF TIME WALKED FOR TRANSPORTATION

MEAN STATISTICS

N	20186
MIN	1
MAX	360
MEAN	19.22

UNIVERSE: ADULTS WHO WALKED FOR AT LEAST 10 MINUTES TO GET SOMEWHERE IN THE PAST 7 DAYS

INPUT VAR:

NOTES: PLEASE REFER TO "AD39UNT" FOR MEASUREMENT UNIT

VARNAME: AD39UNT QNAME05: QA05_C3 QPAGENUM: A-16

QNAME03: NA QNAME01: NA

LABEL: LENGTH OF TIME WALKED FOR TRANSPORTATION - UNIT

VALUE:		FREQ	%
-1	INAPPLICABLE	22834	53.08
1	MINUTES	17032	39.59
2	HOURS	3154	7.33

UNIVERSE: ADULTS WHO WALK AT LEAST TEN MINUTES TO GET SOMEWHERE IN THE PAST 7 DAYS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD39MIN QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: AVG LENGTH OF TIME WALKED FOR TRANSPORTATION

MEAN STATISTICS

N	20186
MIN	3
MAX	1200
MEAN	37.82

UNIVERSE: ADULTS WHO WALK AT LEAST TEN MINUTES TO GET SOMEWHERE IN THE PAST
7 DAYS

INPUT VAR:

NOTES:

VARNAME: WLKANY QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: ANY WALKING FOR TRANSPORT OR FUN/EXERCISE

VALUE:		FREQ	%
-1	INAPPLICABLE	250	0.58
1	YES	32934	76.56
2	NO	9836	22.86

UNIVERSE: ADULTS WHO ARE ABLE TO WALK

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD40 QNAME05: QA05_C4 QPAGENUM: A-16

QNAME03: QA03_84 QNAME01: NA

LABEL: WALKED AT LEAST 10 MINS FOR FUN IN PAST 7 DAYS

VALUE:			FREQ	%
-1	INAPPLICABLE		250	0.58
1	YES		24706	57.43
2	NO		18064	41.99

UNIVERSE: ADULTS WHO ARE ABLE TO WALK

INPUT VAR:

NOTES:

VARNAME: AD41 QNAME05: QA05_C5 QPAGENUM: A-16

QNAME03: QA03_85 QNAME01: NA

LABEL: # OF DAYS WALKED AT LEAST 10 MINS FOR FUN IN PAST 7 DAYS

MEAN STATISTICS

N	24706
MIN	1
MAX	7
MEAN	3.64

UNIVERSE: ADULTS WHO WALKED FOR AT LEAST 10 MINUTES FOR FUN RELAXATION
EXERCISE OR TO WALK A DOG

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD42 QNAME05: QA05_C6 QPAGENUM: A-17

QNAME03: QA03_86 QNAME01: NA

LABEL: LENGTH OF TIME WALKED FOR FUN

MEAN STATISTICS

N	24706
MIN	1
MAX	375
MEAN	22.86

UNIVERSE: ADULTS WHO WALKED FOR AT LEAST 10 MINUTES FOR FUN RELAXATION
EXERCISE OR TO WALK A DOG

INPUT VAR:

NOTES: PLEASE REFER TO "AD42UNT" FOR MEASUREMENT UNIT

VARNAME: AD42UNT QNAME05: QA05_C6 QPAGENUM: A-17

QNAME03: QA03_86 QNAME01: NA

LABEL: LENGTH OF TIME WALKED FOR FUN - UNIT

VALUE:		FREQ	%
-1	INAPPLICABLE	18314	42.57
1	MINUTES	20190	46.93
2	HOURS	4516	10.50

UNIVERSE: ADULTS WHO WALKED FOR AT LEAST 10 MINUTES FOR FUN RELAXATION
EXERCISE OR TO WALK A DOG

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD42MIN QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: AVG LENGTH OF TIME WALKED FOR FUN/EXERCISE

MEAN STATISTICS

N	24706
MIN	4
MAX	540
MEAN	39.92

UNIVERSE: ADULTS WHO WALKED FOR AT LEAST 10 MINUTES FOR FUN RELAXATION
EXERCISE OR TO WALK A DOG

INPUT VAR:

NOTES:

VARNAME: AE26 QNAME05: QA05_C7 QPAGENUM: A-17

QNAME03: NA QNAME01: AE26

LABEL: MODERATE PHYSICAL ACTIVITIES IN PAST 7 DAYS

VALUE:		FREQ	%
1	YES	24517	56.99
2	NO	18503	43.01

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE27 QNAME05: QA05_C8 QPAGENUM: A-17

QNAME03: NA QNAME01: AE27

LABEL: # DAYS MODERATE PHYSICAL ACTIVITY IN PAST WEEK

MEAN STATISTICS

N	24517
MIN	1
MAX	7
MEAN	3.15

UNIVERSE: ADULTS WHO HAVE DONE MODERATE PHYSICAL ACTIVITIES WITHIN ONE WEEK

INPUT VAR:

NOTES:

VARNAME: AE27A QNAME05: QA05_C9 QPAGENUM: A-17

QNAME03: NA QNAME01: AE27A

LABEL: TIME PER DAY OF MODERATE PHYSICAL ACTIVITY

MEAN STATISTICS

N	24517
MIN	0
MAX	210
MEAN	19.07

UNIVERSE: ADULTS WHO HAVE DONE MODERATE PHYSICAL ACTIVITIES WITHIN ONE WEEK

INPUT VAR:

NOTES: PLEASE REFER TO "AE27AUNT" FOR MEASUREMENT UNIT

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE27AUNT QNAME05: QA05_C9 QPAGENUM: A-17
QNAME03: NA QNAME01: AE27AUNT

LABEL: TIME PER DAY OF MODERATE PHYS ACTIVITY - UNIT

VALUE:			FREQ	%
-1	INAPPLICABLE		18503	43.01
1	MINUTES		14023	32.60
2	HOURS		10494	24.39

UNIVERSE: ADULTS WHO HAVE DONE MODERATE PHYSICAL ACTIVITIES WITHIN ONE WEEK

INPUT VAR:

NOTES:

VARNAME: AE27AMIN QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA

LABEL: AVG LENGTH OF MODERATE ACTIVITY PER DAY

MEAN STATISTICS	
N	24517
MIN	0
MAX	480
MEAN	70.91

UNIVERSE: ADULTS WHO HAVE DONE MODERATE PHYSICAL ACTIVITIES WITHIN ONE WEEK

INPUT VAR: AE27AMIN

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE24 QNAME05: QA05_C10 QPAGENUM: A-18

QNAME03: NA QNAME01: AE24

LABEL: HARD/VIGOROUS EXERCISE IN PAST 7 DAYS

VALUE:			FREQ	%
1	YES		11610	26.99
2	NO		31410	73.01

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE25 QNAME05: QA05_C11 QPAGENUM: A-18

QNAME03: NA QNAME01: AE25

LABEL: # DAYS DID VIGOROUS PHYSICAL ACTIVITY IN PAST WEEK

MEAN STATISTICS

N	11610
MIN	1
MAX	7
MEAN	2.96

UNIVERSE: ADULTS WHO HAVE DONE VIGOROUS PHYSICAL ACTIVITIES WITHIN ONE WEEK

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE25A QNAME05: QA05_C12 QPAGENUM: A-18
QNAME03: NA QNAME01: AE25A

LABEL: TIME PER DAY OF VIGOROUS PHYSICAL ACTIVITY

MEAN STATISTICS

N	11610
MIN	1
MAX	180
MEAN	22.73

UNIVERSE: ADULTS WHO HAVE DONE VIGOROUS PHYSICAL ACTIVITIES WITHIN ONE WEEK

INPUT VAR:

NOTES: PLEASE REFER TO "AE25AUNT" FOR MEASUREMENT UNIT

VARNAME: AE25AUNT QNAME05: QA05_C12 QPAGENUM: A-18
QNAME03: NA QNAME01: AE25AUNT

LABEL: TIME PER DAY OF VIGOROUS PHYS ACTIVITY - UNIT

VALUE:		FREQ	%
-1	INAPPLICABLE	31410	73.01
1	MINUTES	6956	16.17
2	HOURS	4654	10.82

UNIVERSE: ADULTS WHO HAVE DONE VIGOROUS PHYSICAL ACTIVITIES WITHIN ONE WEEK

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE25AMIN QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: AVG LENGTH OF VIGOROUS ACTIVITY PER DAY

MEAN STATISTICS

N	11610
MIN	3
MAX	480
MEAN	65.20

UNIVERSE: ADULTS WHO HAVE DONE VIGOROUS PHYSICAL ACTIVITIES WITHIN ONE WEEK

INPUT VAR:

NOTES:

VARNAME: AC20 QNAME05: QA05_C13 QPAGENUM: A-18

QNAME03: NA QNAME01: NA

LABEL: # OF DAYS STRENGTHENED MUSCLES IN LAST WEEK

MEAN STATISTICS

N	43020
MIN	0
MAX	7
MEAN	1.55

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: MODACTLE QNAME05: NA QPAGENUM: NA

 QNAME03: NA QNAME01: NA

LABEL: MODERATE LEISURE ACTIVITY FOR 5 DAYS/WK AND 30 MIN/DAY (EXCL WALK)

VALUE:	1	AT LEAST 5 DAYS/WK AND 30 MIN/DAY	FREQ	%
	2	LESS THAN 5 DAYS/WK OR 30 MIN/DAY	4277	9.94
			38743	90.06

UNIVERSE: ALL ADULTS

INPUT VAR: AE27 AE27A AE26

NOTES: ACTIVITY REPORTED EXCLUDES WALKING. SIMILAR TO MODACT IN 2007.

VARNAME: VIGACTLE QNAME05: NA QPAGENUM: NA

 QNAME03: NA QNAME01: NA

LABEL: VIGOROUS LEISURE ACTIVITY FOR 3 DAYS/WK AND 20 MIN/DAY (EXCL WALK)

VALUE:	1	AT LEAST 3 DAYS/WK AND 20 MIN/DAY	FREQ	%
	2	LESS THAN 3 DAYS/WK OR 20 MIN/DAY	5783	13.44
			37237	86.56

UNIVERSE: ALL ADULTS

INPUT VAR: AE24 AE25 AE25A AE25AUNT

NOTES: ACTIVITY REPORTED EXCLUDES WALKING. SIMILAR TO VIGPA IN 2007 & AE_VIGOR IN 2001

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: MODPA QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA

LABEL: MODERATE LEISURE ACTIVITY FOR 5 DAYS/WK AND 30 MIN/DAY (INCL WALK)

VALUE:			FREQ	%
1	AT LEAST 5 DAYS/WK AND 30 MIN/DAY		10315	23.98
2	LESS THAN 5 DAYS/WK OR 30 MIN/DAY		32705	76.02

UNIVERSE: ALL ADULTS

INPUT VAR: AD39, AD42, AE27, AD38, AD41

NOTES: ACTIVITY REPORTED INCLUDES WALKING (# OF DAYS IN PAST WEEK). SIMILAR TO MODACT IN 2007.

VARNAME: REGACTLE QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA

LABEL: REGULAR, SOME OR NO PHYSICAL ACTIVITY (EXCL WALK)

VALUE:			FREQ	%
1	REGULAR PHYSICAL ACTIVITY		8657	20.12
2	SOME PHYSICAL		18749	43.58
3	SEDENTARY(NO PHYSICAL ACTIVITY)		15614	36.29

UNIVERSE: ALL ADULTS

INPUT VAR: VIGACTLE MODACTLE AE24 AE26

NOTES: ACTIVITY REPORTED EXCLUDES WALKING

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: REGPA QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: REGULAR, SOME OR NO PHYSICAL ACTIVITY (INCL WALK)

VALUE:			FREQ	%
1	REGULAR PHYSICAL ACTIVITY		13695	31.83
2	SOME PHYSICAL		24323	56.54
3	SEDENTARY(NO PHYSICAL ACTIVITY)		5002	11.63

UNIVERSE: ALL ADULTS

INPUT VAR: MODPA AD37 AD40 AE24 AE26

NOTES: ACTIVITY REPORTED INCLUDES WALKING (# OF DAYS IN PAST WEEK)

VARNAME: AE2 QNAME05: QA05_C18 QPAGENUM: A-19

QNAME03: NA QNAME01: AE2

LABEL: # TIMES ATE FRUIT IN PAST MO

MEAN STATISTICS	
N	43020
MIN	0
MAX	150
MEAN	4.86

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PLEASE REFER TO "AE2UNT" FOR MEASUREMENT UNIT

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE2UNT QNAME05: QA05_C18 QPAGENUM: A-19
QNAME03: NA QNAME01: AE2UNT

LABEL: # OF TIMES ATE FRUIT IN PAST MO - UNIT

VALUE:			FREQ	%
1	PER DAY		24161	56.16
2	PER WEEK		9644	22.42
3	PER MONTH		9215	21.42

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE_FRUIT QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA

LABEL: # OF TIMES EATING FRUIT PER WEEK

MEAN STATISTICS	
N	43020
MIN	0
MAX	140
MEAN	8.06

UNIVERSE: ALL ADULTS

INPUT VAR: AE2

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE6 QNAME05: QA05_C17 QPAGENUM: A-19

QNAME03: NA QNAME01: AE6

LABEL: # OF TIMES ATE GREEN SALAD IN PAST MO

MEAN STATISTICS

N	43020
MIN	0
MAX	60
MEAN	5.19

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PLEASE REFER TO "AE6UNT" FOR MEASUREMENT UNIT

VARNAME: AE6UNT QNAME05: QA05_C17 QPAGENUM: A-19

QNAME03: NA QNAME01: AE6UNT

LABEL: # OF TIMES ATE GREEN SALAD IN PAST MO - UNIT

VALUE:		FREQ	%
1	PER DAY	16346	38.00
2	PER WEEK	15251	35.45
3	PER MONTH	11423	26.55

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE_SALAD QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: # OF TIMES EATING SALAD PER WEEK

MEAN STATISTICS

N	43020
MIN	0
MAX	70
MEAN	5.05

UNIVERSE: ALL ADULTS

INPUT VAR: AE6

NOTES:

VARNAME: FV_5PLUS QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: CONSUME 5+ FRUITS/VEGS PER DAY

VALUE:		FREQ	%
-9	NOT ASCERTAINED	317	0.74
1	YES	20756	48.25
2	NO	21947	51.02

UNIVERSE: ALL ADULTS

INPUT VAR: AE1 to AE7

NOTES: APPLIES VARIANCE-ADJUST TO ESTIM CA POP DISTRIBUTION OF DIET INTAKE

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE3 QNAME05: QA05_C18 QPAGENUM: A-19

QNAME03: NA QNAME01: AE3

LABEL: # TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO

MEAN STATISTICS

N	43020
MIN	0
MAX	90
MEAN	2.09

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PLEASE REFER TO "AE3UNT" FOR MEASUREMENT UNIT

VARNAME: AE3UNT QNAME05: QA05_C18 QPAGENUM: A-19

QNAME03: NA QNAME01: AE3UNT

LABEL: # TIMES ATE FRNCH FRIES, HME FRIES, HSH BRWNS IN PAST MO- UNIT

VALUE:		FREQ	%
1	PER DAY	15570	36.19
2	PER WEEK	6384	14.84
3	PER MONTH	21066	48.97

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE_FRIES QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: # OF TIME EATING FRIES PER WEEK

MEAN STATISTICS

N	43020
MIN	0
MAX	35
MEAN	0.70

UNIVERSE: ALL ADULTS

INPUT VAR: AE3

NOTES:

VARNAME: AE4 QNAME05: QA05_C19 QPAGENUM: A-20

QNAME03: NA QNAME01: AE4

LABEL: # OF TIMES ATE OTHER POTATOES IN PAST MO

MEAN STATISTICS

N	43020
MIN	0
MAX	50
MEAN	2.75

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PLEASE REFER TO "AE4UNT" FOR MEASUREMENT UNIT

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE4UNT QNAME05: QA05_C19 QPAGENUM: A-20
QNAME03: NA QNAME01: AE4UNT

LABEL: # OF TIMES ATE OTHER POTATOES IN PAST MO - UNIT

VALUE:	1	PER DAY	FREQ	%
	2	PER WEEK	11359	26.40
	3	PER MONTH	8127	18.89
			23534	54.70

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE_POTAT QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA

LABEL: # OF TIMES EATING POTATOES PER WEEK

MEAN STATISTICS	
N	43020
MIN	0
MAX	35
MEAN	0.97

UNIVERSE: ALL ADULTS

INPUT VAR: AE4

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE5 QNAME05: QA05_C20 QPAGENUM: A-20

QNAME03: NA QNAME01: AE5

LABEL: # OF TIMES ATE BEANS IN PAST MO

MEAN STATISTICS

N	43020
MIN	0
MAX	60
MEAN	3.30

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PLEASE REFER TO "AE5UNT" FOR MEASUREMENT UNIT

VARNAME: AE5UNT QNAME05: QA05_C20 QPAGENUM: A-20

QNAME03: NA QNAME01: AE5UNT

LABEL: # OF TIMES ATE BEANS IN PAST MO - UNIT

VALUE:		FREQ	%
1	PER DAY	10694	24.86
2	PER WEEK	8540	19.85
3	PER MONTH	23786	55.29

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE_BEANS QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: # OF TIMES EATING BEANS PER WEEK

MEAN STATISTICS

N	43020
MIN	0
MAX	35
MEAN	1.39

UNIVERSE: ALL ADULTS

INPUT VAR: AE5

NOTES:

VARNAME: AE7 QNAME05: QA05_C21 QPAGENUM: A-20

QNAME03: NA QNAME01: AE7

LABEL: # OF TIMES ATE OTHER VEGETABLES IN PAST MO

MEAN STATISTICS

N	43020
MIN	0
MAX	60
MEAN	6.88

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PLEASE REFER TO "AE7UNT" FOR MEASUREMENT UNIT

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE7UNT	QNAME05: QA05_C21	QPAGENUM: A-20
	QNAME03: NA	QNAME01: AE7UNT

LABEL: # OF TIMES ATE OTHER VEGETABLES IN PAST MO - UNIT

			FREQ	%
VALUE: 1	PER DAY		18140	42.17
2	PER WEEK		10649	24.75
3	PER MONTH		14231	33.08

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE_VEGI	QNAME05: NA	QPAGENUM: NA
	QNAME03: NA	QNAME01: NA

LABEL: # OF TIMES EATING VEGETABLES PER WEEK

MEAN STATISTICS	
N	43020
MIN	0
MAX	70
MEAN	6.05

UNIVERSE: ALL ADULTS

INPUT VAR: AE7

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: FV QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: DAILY SERVINGS OF FRUITS & VEGETABLES

MEAN STATISTICS

N	42703
MIN	1
MAX	19
MEAN	5.22

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: DIET SCREENR INFO: <http://appliedresearch.cancer.gov/surveys/chis>

VARNAME: FVNB QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: DAILY SERVINGS OF FRUITS & VEGETABLES EXCEPT BEANS

MEAN STATISTICS

N	42716
MIN	1
MAX	19
MEAN	4.98

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: DIET SCREENR INFO: <http://appliedresearch.cancer.gov/surveys/chis>

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FVNB_ADJ QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA

LABEL: VARIANCE-ADJUSTED DAILY SERV OF FRUITS & VEGETABLES EXCEPT BEANS

MEAN STATISTICS

N	42716
MIN	0
MAX	23
MEAN	5.03

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: DIET SCREENR INFO: <http://appliedresearch.cancer.gov/surveys/chis>

VARNAME: FVNF QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA

LABEL: DAILY SERVINGS OF FRUITS & VEGETABLES EXCEPT FRENCH FRIES

MEAN STATISTICS

N	42714
MIN	1
MAX	19
MEAN	5.04

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: DIET SCREENR INFO: <http://appliedresearch.cancer.gov/surveys/chis>

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: FVNFB QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: DAILY SERV OF FRUITS & VEG EXCEPT FRENCH FRIES AND BEANS

MEAN STATISTICS

N	42727
MIN	1
MAX	18
MEAN	4.79

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: DIET SCREENR INFO: <http://appliedresearch.cancer.gov/surveys/chis>

VARNAME: FVNFB_AD QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: VARIANCE-ADJUSTED DAILY SERV OF FRUITS & VEG EXC FRIES AND BEANS

MEAN STATISTICS

N	42727
MIN	0
MAX	23
MEAN	4.87

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: DIET SCREENR INFO: <http://appliedresearch.cancer.gov/surveys/chis>

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FVNF_ADJ QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA

LABEL: VARIANCE-ADJUSTED DAILY SERV OF FRUITS & VEG EXCEPT FRENCH FRIES

MEAN STATISTICS

N	42714
MIN	0
MAX	24
MEAN	5.11

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: DIET SCREENR INFO: <http://appliedresearch.cancer.gov/surveys/chis>

VARNAME: FV_ADJ QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA

LABEL: VARIANCE-ADJUSTED DAILY SERVINGS OF FRUITS & VEGETABLES

MEAN STATISTICS

N	42703
MIN	0
MAX	25
MEAN	5.28

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: DIET SCREENR INFO: <http://appliedresearch.cancer.gov/surveys/chis>

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SUG QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: TEASPOONS OF ADDED SUGAR CONSUMED PER DAY

MEAN STATISTICS

N	42911
MIN	3
MAX	73
MEAN	13.96

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: DIET SCREENR INFO: <http://appliedresearch.cancer.gov/surveys/chis>

VARNAME: SUG_ADJ QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: VARIANCE-ADJUSTED DAILY TEASPOONS OF ADDED SUGAR

MEAN STATISTICS

N	42911
MIN	1
MAX	124
MEAN	14.49

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: DIET SCREENR INFO: <http://appliedresearch.cancer.gov/surveys/chis>

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FVCAD QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: VARIANCE-ADJUSTED DAILY CUP EQUIV OF FRUITS & VEGETABLES

MEAN STATISTICS

N	42703
MIN	0
MAX	15
MEAN	3.10

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: DIET SCREENR INFO: <http://appliedresearch.cancer.gov/surveys/chis>

VARNAME: FVCE QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: DAILY CUP EQUIVALENTS OF FRUITS & VEGETABLES

MEAN STATISTICS

N	42703
MIN	0
MAX	13
MEAN	3.07

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: DIET SCREENR INFO: <http://appliedresearch.cancer.gov/surveys/chis>

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: FVCNB QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: DAILY CUP EQUIV OF FRUITS/VEGS EXCEPT BEANS

MEAN STATISTICS

N	42716
MIN	0
MAX	12
MEAN	2.95

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: DIET SCREENR INFO: <http://appliedresearch.cancer.gov/surveys/chis>

VARNAME: FVCNBAD QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: VARIANCE-ADJUSTED DAILY CUP EQUIV OF FRUITS/VEGS EXCEPT BEANS

MEAN STATISTICS

N	42716
MIN	0
MAX	15
MEAN	2.98

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: DIET SCREENR INFO: <http://appliedresearch.cancer.gov/surveys/chis>

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: FVCNF QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: DAILY CUP EQUIV OF FRUITS/VEGS EXCEPT FRENCH FRIES

MEAN STATISTICS

N	42714
MIN	0
MAX	12
MEAN	3.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: DIET SCREENR INFO: <http://appliedresearch.cancer.gov/surveys/chis>

VARNAME: FVCNFAD QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: VARIANCE-ADJUSTED DAILY CUP EQUIV OF FRUITS/VEGS EXCEPT FRENCH FRIES

MEAN STATISTICS

N	42714
MIN	0
MAX	15
MEAN	3.03

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: DIET SCREENR INFO: <http://appliedresearch.cancer.gov/surveys/chis>

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: FVCNFB QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: DAILY CUP EQUIV OF FRUITS/VEGS EXCEPT FRENCH FRIES AND BEANS

MEAN STATISTICS

N	42727
MIN	0
MAX	12
MEAN	2.87

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: DIET SCREENR INFO: <http://appliedresearch.cancer.gov/surveys/chis>

VARNAME: FVCNFBAD QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: VARIANCE-ADJUSTED DAILY CUP EQUIV OF FRUITS/VEGS EXC FRIES AND BEANS

MEAN STATISTICS

N	42727
MIN	0
MAX	14
MEAN	2.91

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: DIET SCREENR INFO: <http://appliedresearch.cancer.gov/surveys/chis>

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC11 QNAME05: QA05_C22 QPAGENUM: A-20

QNAME03: NA QNAME01: NA

LABEL: # OF TIMES DRANK SODA LAST MONTH

MEAN STATISTICS

N	43020
MIN	0
MAX	60
MEAN	2.75

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC11UNT QNAME05: QA05_C22 QPAGENUM: A-20

QNAME03: NA QNAME01: NA

LABEL: # OF TIMES DRANK SODA LAST MONTH - UNIT

VALUE:		FREQ	%
1	PER DAY	25113	58.38
2	PER WEEK	4712	10.95
3	PER MONTH	13195	30.67

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AE_SODA QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: # OF TIMES DRINKING SODA PER WEEK

MEAN STATISTICS

N	43020
MIN	0
MAX	70
MEAN	2.00

UNIVERSE: ALL ADULTS

INPUT VAR: AC11

NOTES:

VARNAME: AE1 QNAME05: QA05_C23 QPAGENUM: A-21

QNAME03: NA QNAME01: AE1

LABEL: # TIMES DRANK 100% FRUIT JUICE IN PAST MO

MEAN STATISTICS

N	43020
MIN	0
MAX	120
MEAN	4.68

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PLEASE REFER TO "AE1UNT" FOR MEASUREMENT UNIT

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE1UNT QNAME05: QA05_C23 QPAGENUM: A-21
 QNAME03: NA QNAME01: AE1UNT

LABEL: # OF TIMES DRANK 100% FRUIT JUICE IN PAST MO - UNIT

VALUE:			FREQ	%
1	PER DAY		18451	42.89
2	PER WEEK		7542	17.53
3	PER MONTH		17027	39.58

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE_JUICE QNAME05: NA QPAGENUM: NA
 QNAME03: NA QNAME01: NA

LABEL: # OF TIMES DRINKING 100% FRUIT JUICES PER WEEK

MEAN STATISTICS	
N	43020
MIN	0
MAX	140
MEAN	3.16

UNIVERSE: ALL ADULTS

INPUT VAR: AE1

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC12 QNAME05: QA05_C24 QPAGENUM: A-21

QNAME03: NA QNAME01: AC12

LABEL: # OF TIMES DRANK FRUIT-FLAV LAST MONTH

MEAN STATISTICS

N	43020
MIN	0
MAX	60
MEAN	1.82

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PLEASE REFER TO "AC12" FOR MEASUREMENT UNIT

VARNAME: AC12UNT QNAME05: QA05_C24 QPAGENUM: A-21

QNAME03: NA QNAME01: AC12UNT

LABEL: # OF TIMES DRANK FRUIT-FLAV LAST MONTH - UNIT

VALUE:		FREQ	%
1	PER DAY	29527	68.64
2	PER WEEK	3668	8.53
3	PER MONTH	9825	22.84

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE_FLAV QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: # OF TIMES DRINK FRUIT-FLAVORED DRINKS PER WEEK

MEAN STATISTICS

N	43020
MIN	0
MAX	70
MEAN	1.07

UNIVERSE: ALL ADULTS

INPUT VAR: AC12

NOTES:

VARNAME: AC13 QNAME05: QA05_C25 QPAGENUM: A-21

QNAME03: NA QNAME01: NA

LABEL: # OF TIMES ATE CAKE/PIE/COOKIES LAST MONTH

MEAN STATISTICS

N	43020
MIN	0
MAX	60
MEAN	4.92

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PLEASE REFER TO "AC13UNT" FOR MEASUREMENT UNIT

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE_CAKE QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: # OF TIMES EATING CAKE/PIE/COOKIES PER WEEK

MEAN STATISTICS

N	43020
MIN	0
MAX	77
MEAN	2.11

UNIVERSE: ALL ADULTS

INPUT VAR: AC13

NOTES :

VARNAME: AC13UNT QNAME05: QA05_C25 QPAGENUM: A-21

QNAME03: NA QNAME01: NA

LABEL: # OF TIMES ATE CAKE/PIE/COOKIES LAST MONTH - UNIT

			FREQ	%
VALUE:	1	PER DAY	9040	21.01
	2	PER WEEK	8510	19.78
	3	PER MONTH	25470	59.21

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES :

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC14 QNAME05: QA05_C26 QPAGENUM: A-21

QNAME03: NA QNAME01: NA

LABEL: # OF TIMES ATE ICE CREAM/FROZEN DESSERTS LAST MONTH

MEAN STATISTICS

N	43020
MIN	0
MAX	60
MEAN	3.47

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PLEASE REFER TO "AC14UNT" FOR MEASUREMENT UNIT

VARNAME: AC14UNT QNAME05: QA05_C26 QPAGENUM: A-21

QNAME03: NA QNAME01: NA

LABEL: # OF TIMES ATE ICE CREAM/FROZEN DESSERTS LAST MONTH - UNIT

VALUE:		FREQ	%
1	PER DAY	12573	29.23
2	PER WEEK	6607	15.36
3	PER MONTH	23840	55.42

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE_FROZ QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: # OF TIMES EATING ICE CREAM/FROZEN DESSERTS PER WEEK

MEAN STATISTICS

N	43020
MIN	0
MAX	42
MEAN	1.22

UNIVERSE: ALL ADULTS

INPUT VAR: AC14

NOTES:

VARNAME: AC15A QNAME05: QA05_C28 QPAGENUM: A-22

QNAME03: NA QNAME01: NA

LABEL: CURRENTLY TAKE ASPIRIN, BAYER, ETC AT LEAST 3 TIMES A WEEK

VALUE:		FREQ	%
1	YES	9161	21.29
2	NO	33859	78.71

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC15B QNAME05: QA05_C28 QPAGENUM: A-22

QNAME03: NA QNAME01: NA

LABEL: CURRENTLY TAKE ADVIL, IBUPROFEN, ETC AT LEAST 3 TIMES A WEEK

VALUE:			FREQ	%
1	YES		5823	13.54
2	NO		37197	86.46

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC15C QNAME05: QA05_C28 QPAGENUM: A-22

QNAME03: NA QNAME01: NA

LABEL: CURRENTLY TAKE ALEVE, NAPROSYN, ETC AT LEAST 3 TIMES A WEEK

VALUE:			FREQ	%
1	YES		2341	5.44
2	NO		40679	94.56

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC16	QNAME05: QA05_C29	QPAGENUM: A-22
---------------	-------------------	----------------

	QNAME03: NA	QNAME01: NA
--	-------------	-------------

LABEL: TAKEN ASPIRIN ETC REGULARLY FOR LAST 3 MOS

			FREQ	%
VALUE: -1	INAPPLICABLE		28535	66.33
1	YES		10319	23.99
2	NO		4166	9.68

UNIVERSE: ADULTS WHO TAKE SPECIFIC PAIN RELIEVERS REGULARLY

INPUT VAR:

NOTES:

VARNAME: AE15	QNAME05: QA05_C30	QPAGENUM: A-22
---------------	-------------------	----------------

	QNAME03: QA03_70	QNAME01: AE15
--	------------------	---------------

LABEL: SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME

			FREQ	%
VALUE: 1	YES		18915	43.97
2	NO		24105	56.03

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:   AE15A                      QNAME05:  QA05_C31          QPAGENUM:  A-23
                      QNAME03:  QA03_71          QNAME01:  AE15A

LABEL:     SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL

VALUE:     -1      INAPPLICABLE                      FREQ      %
           1       EVERY DAY                          24105    56.03
           2       SOME DAYS                          4419     10.27
           3       NOT AT ALL                        1747      4.06
                      12749    29.64

UNIVERSE:  ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME

INPUT VAR:

NOTES:
-----
```

```
VARNAME:   SMOKING                      QNAME05:  NA              QPAGENUM:  NA
                      QNAME03:  NA              QNAME01:  NA

LABEL:     CURRENT SMOKING HABITS

VALUE:     1       CURRENTLY SMOKES                      FREQ      %
           2       QUIT SMOKING                          6166    14.33
           3       NEVER SMOKED REGULARLY                12749    29.64
                      24105    56.03

UNIVERSE:  ALL ADULTS

INPUT VAR:  AE15, AE15A

NOTES:
-----
```

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:    SMKCUR                      QNAME05:  NA                      QPAGENUM:  NA
                                         QNAME03:  NA                      QNAME01:  NA

LABEL:      CURRENT SMOKER

VALUE:      1      CURRENT SMOKER                      FREQ      %
            2      NOT CURRENT SMOKER                  6166      14.33
                                                    36854      85.67

UNIVERSE:   ALL ADULTS

INPUT VAR:  AE15, AE15A

NOTES:
-----
```

```
VARNAME:    AD32                      QNAME05:  QA05_C32                  QPAGENUM:  A-23
                                         QNAME03:  QA03_72                  QNAME01:  NA

LABEL:      # OF CIGARETTES PER DAY

                        MEAN STATISTICS
                        N      4419
                        MIN      0
                        MAX      80
                        MEAN     14.46

UNIVERSE:   ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME AND NOW
            SMOKE EVERYDAY

INPUT VAR:

NOTES:
-----
```

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE16 QNAME05: QA05_C33 QPAGENUM: A-23

QNAME03: QA03_73 QNAME01: AE16

LABEL: # OF CIGARETTES PER DAY

MEAN STATISTICS

N	1747
MIN	0
MAX	120
MEAN	4.15

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME AND NOW
SMOKE SOME DAYS

INPUT VAR:

NOTES:

VARNAME: NUMCIG QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: # OF CIGARETTES PER DAY

VALUE:		FREQ	%
1	NONE	36854	85.67
2	<=1 CIGARETTES	512	1.19
3	2-5 CIGARETTES	1623	3.77
4	6-10 CIGARETTES	1619	3.76
5	11-19 CIGARETTES	781	1.82
6	20 OR MORE	1631	3.79

UNIVERSE: ALL ADULTS

INPUT VAR: AE15A, AD32, AE16

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC17 QNAME05: QA05_C34 QPAGENUM: A-23

QNAME03: QA03_74 QNAME01: NA

LABEL: SMOKING EVER ALLOWED INSIDE HOME

VALUE:			FREQ	%
1	YES		4990	11.60
2	NO		38030	88.40

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: 2003 VARIABLE NAME: AD33

VARNAME: AD34 QNAME05: QA05_C17 QPAGENUM: A-23

QNAME03: QA03_75 QNAME01: NA

LABEL: # OF DAYS PER WEEK ANY SMOKING INSIDE HOME

MEAN STATISTICS

N	4990
MIN	0
MAX	7
MEAN	3.70

UNIVERSE: ADULTS WHO ALLOW SMOKING IN HOME

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```

-----
VARNAME:    HHSMK                      QNAME05:   NA                      QPAGENUM:  NA
                                                QNAME03:   NA                      QNAME01:   NA

LABEL:      HOUSEHOLD SMOKING

VALUE:      1      NONE                      FREQ      %
              2      SOMEDAYS                38030     88.40
              3      EVERY DAY                2650      6.16
                                                2340      5.44

UNIVERSE:   ALL ADULTS

INPUT VAR:  AD33, AD34

NOTES:
-----

```

```

-----
VARNAME:    AE11                      QNAME05:  QA05_C38                QPAGENUM:  A-23
                                                QNAME03:  QA03_77                QNAME01:   AE11

LABEL:      HAD AT LEAST ONE ALCOHOLIC DRINK IN PAST 30 DAYS

VALUE:      1      YES                      FREQ      %
              2      NO                      26666     61.99
                                                16354     38.01

UNIVERSE:   ALL ADULTS

INPUT VAR:

NOTES:
-----

```

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE12 QNAME05: QA05_C39 QPAGENUM: A-24

QNAME03: QA03_78 QNAME01: AE12

LABEL: # OF DAYS HAD ALCOHOLIC DRINK IN PAST 30 DAYS

MEAN STATISTICS

N	26666
MIN	1
MAX	31
MEAN	5.50

UNIVERSE: ADULTS WHO HAD AT LEAST ONE DRINK IN THE PAST 30 DAYS

INPUT VAR:

NOTES: PLEASE REFER TO "AE12UNT" FOR MEASUREMENT UNIT

VARNAME: AE12UNT QNAME05: QA05_C39 QPAGENUM: A-24

QNAME03: QA03_78 QNAME01: AE12

LABEL: DAYS HAD ALCOHOL IN PAST MONTH: UNIT

VALUE:		FREQ	%
-1	INAPPLICABLE	16354	38.01
1	DAYS PER WEEK	11253	26.16
2	DAYS PER MONTH	15413	35.83

UNIVERSE: ADULTS WHO HAD AT LEAST ONE DRINK IN THE PAST 30 DAYS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AE_DAYDR QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: # OF TIMES DRINKING ALCOHOLIC BEVERAGES PER MONTH

MEAN STATISTICS

N	26666
MIN	1
MAX	31
MEAN	9.70

UNIVERSE: ADULTS WHO HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE
DURING THE PAST 30 DAYS

INPUT VAR: AE12, AE12UNT

NOTES:

VARNAME: AE13 QNAME05: QA05_C40 QPAGENUM: A-24

QNAME03: QA03_79 QNAME01: AE13

LABEL: # OF ALCOHOLIC DRINKS PER DAY

MEAN STATISTICS

N	26666
MIN	0
MAX	20
MEAN	1.95

UNIVERSE: ADULTS WHO HAD AT LEAST ONE DRINK IN THE PAST 30 DAYS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE14 QNAME05: QA05_C41 QPAGENUM: A-24

QNAME03: QA03_80 QNAME01: AE14

LABEL: # OF TIMES HAD 5 OR MORE ALCOHOLIC DRINKS AT ONCE PAST 30 DAYS

MEAN STATISTICS

N	12173
MIN	0
MAX	30
MEAN	1.24

UNIVERSE: ADULT MEN WHO HAD AT LEAST ONE DRINK IN THE PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AE14A QNAME05: QA05_C42 QPAGENUM: A-24

QNAME03: NA QNAME01: NA

LABEL: # OF TIMES HAD 4 OR MORE ALCOHOLIC DRINKS AT ONCE PAST 30 DAYS

MEAN STATISTICS

N	14493
MIN	0
MAX	30
MEAN	0.54

UNIVERSE: ADULT WOMEN WHO HAD AT LEAST ONE DRINK IN THE PAST 30 DAYS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: BINGE_F QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA

LABEL: FEMALE BINGE DRINKING -4+ DRINKS

VALUE:	-1	INAPPLICABLE-MALE	FREQ	%
	1	YES	17472	40.61
	2	NO	2596	6.03
			22952	53.35

UNIVERSE: ADULT WOMEN

INPUT VAR: SRSEX, AE14A

NOTES:

VARNAME: BINGE_M QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA

LABEL: MALE BINGE DRINKING - 5+ DRINKS

VALUE:	-1	INAPPLICABLE-FEMALE	FREQ	%
	1	YES	25548	59.39
	2	NO	3547	8.25
			13925	32.37

UNIVERSE: ADULT MEN

INPUT VAR: SRSEX, AE14

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: BINGE_MF QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA

LABEL: BINGE DRINKING - 5+ DRINKS (MALE), 4+ DRINKS (FEMALE)

VALUE:			FREQ	%
1	YES		6143	14.28
2	NO		36877	85.72

UNIVERSE: ALL ADULTS

INPUT VAR: AE14, AE14A

NOTES:

Section D: General Health, Disability, and Sexual Health

VARNAME: AE31 QNAME05: QA05_D1 QPAGENUM: A-25
QNAME03: QA03_96 QNAME01: NA

LABEL: # OF DAYS PHYSICAL HEALTH NOT GOOD IN PAST 30 DAYS

MEAN STATISTICS	
N	43020
MIN	0
MAX	30
MEAN	4.48

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE32 QNAME05: QA05_D2 QPAGENUM: A-25

QNAME03: QA03_97 QNAME01: NA

LABEL: # OF DAYS MENTAL HEALTH NOT GOOD IN PAST 30 DAYS

MEAN STATISTICS

N	43020
MIN	0
MAX	30
MEAN	4.23

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: HRQOL QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: # OF UNHEALTHY DAYS

MEAN STATISTICS

N	43020
MIN	0
MAX	30
MEAN	7.63

UNIVERSE: ALL ADULTS

INPUT VAR: AE31, AE32

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE33 QNAME05: QA05_D3 QPAGENUM: A-25

QNAME03: QA03_98 QNAME01: NA

LABEL: # OF DAYS POOR HEALTH PROHIBITED NORMAL ACTIVITIES

MEAN STATISTICS

N	43020
MIN	0
MAX	30
MEAN	2.31

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: USUAL5TP QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: USUAL SOURCE OF CARE - 5 LVLS

VALUE:		FREQ	%
1	DOC OFFICE/HMO/KAISER	30286	70.40
2	COMMUN/GOV CLIN, COMMUN HOSP	8147	18.94
3	EMERGENCY ROOM/URGENT CARE	340	0.79
4	OTHER PLACE/NO ONE PLACE	321	0.75
5	NO USUAL SOURCE OF CARE	3926	9.13

UNIVERSE: ALL ADULTS

INPUT VAR: USUAL_TP

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: HGHTI_P QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: HEIGHT: INCHES (PUF RECODE)

MEAN STATISTICS

N	43020
MIN	42
MAX	77
MEAN	66.33

UNIVERSE: ALL ADULTS

INPUT VAR: HGHTI

NOTES: TOPCODE=77; BOTTOMCODE=42

VARNAME: HGHTM_P QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: HEIGHT: METERS (PUF RECODE)

MEAN STATISTICS

N	43020
MIN	1
MAX	2
MEAN	1.68

UNIVERSE: ALL ADULTS

INPUT VAR: HGHTM

NOTES: TOPCODE=2; BOTTOMCODE=1.1

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: HEIGHM_P QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: HEIGHT: METERS - UCLA (PUF RECODE)

MEAN STATISTICS

N	43020
MIN	1
MAX	2
MEAN	1.68

UNIVERSE: ALL ADULTS

INPUT VAR: HEIGHTM

NOTES: TOPCODE=2; BOTTOMCODE=1.1

VARNAME: WGHTK_P QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: WEIGHT: KG (PUF RECODE)

MEAN STATISTICS

N	43020
MIN	41
MAX	150
MEAN	75.38

UNIVERSE: ALL ADULTS

INPUT VAR: WGHTK

NOTES: TOPCODE=150; BOTTOMCODE=41

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: WGHTP_P QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: WEIGHT: LBS (PUF RECODE)

MEAN STATISTICS

N	43020
MIN	90
MAX	330
MEAN	166.19

UNIVERSE: ALL ADULTS

INPUT VAR: WGHTP

NOTES: TOPCODE=330; BOTTOMCODE=90

VARNAME: WT18K_P QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: WEIGHT AT 18: KILOS (PUF RECODE)

MEAN STATISTICS

N	40914
MIN	41
MAX	150
MEAN	62.41

UNIVERSE: ADULTS 19 AND OLDER

INPUT VAR: WT18K

NOTES: TOPCODE=150; BOTTOMCODE=41

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: WT18P_P QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: WEIGHT AT 18: LBS (PUF RECODE)

MEAN STATISTICS

N	40914
MIN	90
MAX	330
MEAN	137.53

UNIVERSE: ADULTS 19 AND OLDER

INPUT VAR: WT18

NOTES: TOPCODE=330; BOTTOMCODE=90

VARNAME: WEIGHK_P QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: WEIGHT: KG - UCLA (PUF RECODE)

MEAN STATISTICS

N	43020
MIN	41
MAX	150
MEAN	75.38

UNIVERSE: ALL ADULTS

INPUT VAR: WEIGHTKG

NOTES: TOPCODE=150; BOTTOMCODE=41

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: BMI_P QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: BODY MASS INDEX (PUF RECODE)

MEAN STATISTICS

N	43020
MIN	12
MAX	99
MEAN	26.47

UNIVERSE: ALL ADULTS

INPUT VAR: WEIGHTK_P, HEIGHM_P

NOTES:

VARNAME: RBMI QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: BMI DESCRIPTIVE

VALUE:		FREQ	%
1	UNDERWEIGHT 0-18.49	981	2.28
2	NORMAL 18.5-24.99	18653	43.36
3	OVERWEIGHT 25.0-29.99	14438	33.56
4	OBESE 30.0+	8948	20.80

UNIVERSE: ALL ADULTS

INPUT VAR: BMI

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME :	OVRWT	QNAME05 :	NA	QPAGENUM :	NA
		QNAME03 :	NA	QNAME01 :	NA
LABEL :	OVERWEIGHT OR OBESE				
VALUE :	1	YES		FREQ	%
	2	NO		23386	54.36
				19634	45.64
UNIVERSE :	ALL ADULTS				
INPUT VAR :	RBMI				
NOTES :					

VARNAME:	AD50	QNAME05:	QA05_D8	QPAGENUM:	A-26
		QNAME03:	NA	QNAME01:	NA
LABEL:	BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM				
				FREQ	%
VALUE:	1	YES		3435	7.98
	2	NO		39585	92.02
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	AD57	QNAME05:	QA05_D10	QPAGENUM:	A-26
		QNAME03:	NA	QNAME01:	NA
LABEL:	CONDITION LIMITS BASIC PHYS ACTIVITY				
				FREQ	%
VALUE:	1	YES		8574	19.93
	2	NO		34446	80.07
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD51 QNAME05: QA05_D11 QPAGENUM: A-27

QNAME03: NA QNAME01: NA

LABEL: HAS DIFFICULTY LEARNING, REMEMBERING, CONCENTRATING

VALUE:			FREQ	%
1	YES		6363	14.79
2	NO		36657	85.21

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD52 QNAME05: QA05_D12 QPAGENUM: A-27

QNAME03: NA QNAME01: NA

LABEL: HAS DIFFICULTY DRESSING, BATHING, GETTING AROUND

VALUE:			FREQ	%
1	YES		1958	4.55
2	NO		41062	95.45

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AD53 QNAME05: QA05_D13 QPAGENUM: A-27

QNAME03: NA QNAME01: NA

LABEL: HAS DIFFICULTY GOING OUTSIDE HOME ALONE

VALUE:			FREQ	%
1	YES		2595	6.03
2	NO		40425	93.97

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD54 QNAME05: QA05_D14 QPAGENUM: A-27

QNAME03: NA QNAME01: NA

LABEL: HAS DIFFICULTY WORKING AT A JOB

VALUE:			FREQ	%
-1	INAPPLICABLE		9833	22.86
1	YES		3356	7.80
2	NO		29831	69.34

UNIVERSE: ADULTS UNDER AGE 65

INPUT VAR:

NOTES:

VARNAME: DISABLE QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: DISABILITY STATUS DUE TO PHYS/MENT/EMOT CONDITION

VALUE:			FREQ	%
1	DISABLED		14403	33.48
2	NOT DISABLED		28617	66.52

UNIVERSE: ALL ADULTS

INPUT VAR: AD50, AD51, AD52, AD53, AD54, AD57

NOTES: ADAPTED FROM AMERICAN COMMUNITY SURVEY. FOR 65+, AD54 IS EXCLUDED

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```

-----
VARNAME:    AD47                      QNAME05:   QA05_D21          QPAGENUM:  A-29
                      QNAME03:   QA03_94          QNAME01:   NA

LABEL:      TESTED FOR STD IN PAST 12 MOS

VALUE:      -2      PROXY SKIPPED          FREQ      %
            -1      INAPPLICABLE          141      0.33
            1       YES                    14124    32.83
            2       NO                    4523     10.51
                                24232    56.33

UNIVERSE:   ADULTS UNDER AGE 70 WHO HAVE HAD ONE OR MORE SEXUAL PARTNERS IN
            LAST 12 MONTHS

```

INPUT VAR:

NOTES:

Section E: Women's Health

```

-----
VARNAME:    AD1                      QNAME05:   QA05_E1          QPAGENUM:  A-30
                      QNAME03:   NA              QNAME01:   AD1

LABEL:      AGE WHEN PERIOD STARTED

                        MEAN STATISTICS
                        N          25544
                        MIN        6
                        MAX       25
                        MEAN      12.81

UNIVERSE:   ALL ADULT WOMEN

INPUT VAR:

NOTES:      EXCLUDED VALUE "96" IN CALCULATING THE MEAN
-----

```

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD2 QNAME05: QA05_E2 QPAGENUM: A-30

QNAME03: NA QNAME01: NA

LABEL: EVER GIVEN BIRTH TO LIVE INFANT

VALUE:			FREQ	%
-1	INAPPLICABLE		17472	40.61
1	YES		19740	45.89
2	NO		5808	13.50

UNIVERSE: ALL ADULT WOMEN

INPUT VAR:

NOTES:

VARNAME: AD3_P QNAME05: QA05_E3 QPAGENUM: NA

QNAME03: NA QNAME01: AD3_P

LABEL: AGE WHEN FIRST CHILD WAS BORN (PUF RECODE)

VALUE:			FREQ	%
-1	INAPPLICABLE		23280	54.11
1	AGE 18 AND UNDER		2725	6.33
2	AGE 19-25		9852	22.90
3	AGE 26-30		4331	10.07
4	AGE 31-35		1985	4.61
5	AGE 36-40		735	1.71
6	AGE 41+		112	0.26

UNIVERSE: WOMEN WHO HAVE GIVEN BIRTH

INPUT VAR: AD3

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD12 QNAME05: QA05_E5 QPAGENUM: A-30

QNAME03: QA03_128 QNAME01: AD12

LABEL: EVER HAD A HYSTERECTOMY

VALUE:			FREQ	%
-1	INAPPLICABLE		20371	47.35
1	YES		5397	12.55
2	NO		17252	40.10

UNIVERSE: WOMEN AGE 30 OR OLDER

INPUT VAR:

NOTES:

VARNAME: AD12A QNAME05: QA05_E6 QPAGENUM: A-31

QNAME03: QA03_129 QNAME01: AD12A

LABEL: HAD AN OPERATION TO HAVE OVARIES REMOVED

VALUE:			FREQ	%
-1	INAPPLICABLE		37623	87.45
1	YES		3277	7.62
2	NO		1828	4.25
3	ONE OVARY REMOVED		292	0.68

UNIVERSE: WOMEN AGE 30 OR OLDER WHO HAVE HAD HYSTERECTOMY

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD13 QNAME05: QA05_E7 QPAGENUM: A-31

QNAME03: QA03_125 QNAME01: AD13

LABEL: CURRENTLY PREGNANT

VALUE:			FREQ	%
-1	INAPPLICABLE		31509	73.24
1	YES		364	0.85
2	NO		11147	25.91

UNIVERSE: WOMEN UNDER AGE 50 WHO HAVE NOT HAD HYSTERECTOMY

INPUT VAR:

NOTES:

VARNAME: AD4 QNAME05: QA05_E8 QPAGENUM: A-31

QNAME03: QA03_113 QNAME01: AD4

LABEL: EVER HAD A PAP SMEAR

VALUE:			FREQ	%
-1	INAPPLICABLE		22869	53.16
1	YES		18909	43.95
2	NO		1242	2.89

UNIVERSE: WOMEN WHO HAVE NOT HAD A HYSTERECTOMY

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD5 QNAME05: QA05_E9 QPAGENUM: A-31

QNAME03: NA QNAME01: AD5

LABEL: # OF PAP SMEARS IN LAST 6 YRS

MEAN STATISTICS

N	18909
MIN	0
MAX	67
MEAN	4.75

UNIVERSE: WOMEN WHO HAVE NOT HAD HYSTERECTOMY AND HAVE HAD PAP SMEAR

INPUT VAR:

NOTES:

VARNAME: AD6 QNAME05: QA05_E10 QPAGENUM: A-31

QNAME03: QA03_114 QNAME01: AD6

LABEL: HOW LONG SINCE MOST RECENT PAP SMEAR

VALUE:		FREQ	%
-1	INAPPLICABLE	24807	57.66
1	WITHIN THE PAST YEAR	13459	31.29
2	1 TO 2 YRS AGO	2977	6.92
3	2 TO 3 YRS AGO	853	1.98
4	3 TO 5 YRS AGO	631	1.47
5	MORE THAN 5 YRS AGO	293	0.68

UNIVERSE: WOMEN WHO HAVE NOT HAD HYSTERECTOMY AND HAVE HAD PAP SMEAR IN PAST
6 YRS OR DON'T KNOW/REFUSED TO ANSWER

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: PAP_SCRN QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: PAP SCREEN PAST 3 YRS

VALUE:			FREQ	%
-1	INAPPLICABLE, MALE		17472	40.61
1	WITHIN PAST 3 YRS		17289	40.19
2	OVER 3 YEARS AGO		1620	3.77
3	NEVER		1242	2.89
4	HAD HYSTERECTOMY		5397	12.55

UNIVERSE: ALL ADULT WOMEN

INPUT VAR: AD4 AD6 SRSEX

NOTES:

VARNAME: AD11 QNAME05: QA05_E15 QPAGENUM: A-32

QNAME03: NA QNAME01: AD11

LABEL: DOCTOR RECOMMENDED PAP SMEAR?

VALUE:			FREQ	%
-1	INAPPLICABLE		39305	91.36
1	YES		624	1.45
2	NO		3091	7.19

UNIVERSE: WOMEN WHO HAVE NOT HAD HYSTERECTOMY AND HAVE NOT HAD A PAP SMEAR
FOR MORE THAN 2 YRS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD10 QNAME05: QA05_E14 QPAGENUM: A-32

QNAME03: NA QNAME01: AD10

LABEL: MOST IMPORTANT REASON FOR NO PAP SMEAR IN PAST 3 YRS

VALUE:		FREQ	%
-2	PROXY SKIPPED	141	0.33
-1	INAPPLICABLE	42438	98.65
1	NO REASON/NEVER THOUGHT ABOUT IT	53	0.12
2	DIDN'T KNOW I NEEDED THIS TYPE OF TEST	9	0.02
3	DOCTOR DIDN'T TELL ME I NEEDED IT	7	0.02
4	HAVEN'T HAD ANY PROBLEMS	30	0.07
5	PUT IT OFF/LAZINESS	79	0.18
6	TOO EXPENSIVE/NO INSURANCE/COST	42	0.10
7	TOO PAINFUL/UNPLEASANT/EMBARRASSING	67	0.16
9	DON'T HAVE A DOCTOR	12	0.03
91	OTHER	142	0.33

UNIVERSE: WOMEN WHOSE DOCTOR RECOMMENDED PAP IN PAST 12MO. AND DID NOT HAVE
A PAP W/IN 3 YRS (OR NEVER HAD ONE)

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF37 QNAME05: QA05_E20 QPAGENUM: A-32

QNAME03: QA03_118 QNAME01: NA

LABEL: DOCTOR EXAMINED BREASTS FOR LUMPS PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		20371	47.35
1	YES		16903	39.29
2	NO		5746	13.36

UNIVERSE: ADULT WOMEN 30 OR OLDER

INPUT VAR:

NOTES: TOPCODE=85

VARNAME: AD14 QNAME05: QA05_E16 QPAGENUM: A-33

QNAME03: QA03_115 QNAME01: AD14

LABEL: EVER HAD A MAMMOGRAM

VALUE:			FREQ	%
-1	INAPPLICABLE		20371	47.35
1	YES		18221	42.35
2	NO		4428	10.29

UNIVERSE: ADULT WOMEN 30 OR OLDER

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD16 QNAME05: QA05_E17 QPAGENUM: A-33

QNAME03: NA QNAME01: AD16

LABEL: # OF MAMMOGRAMS IN LAST 6 YRS

MEAN STATISTICS

N	18221
MIN	0
MAX	72
MEAN	4.15

UNIVERSE: WOMEN AGE 30 AND OLDER WHO HAVE HAD A MAMMOGRAM

INPUT VAR:

NOTES:

VARNAME: AD17 QNAME05: QA05_E18 QPAGENUM: A-33

QNAME03: QA03_116 QNAME01: AD17

LABEL: HOW LONG SINCE MOST RECENT MAMMOGRAM

VALUE:		FREQ	%
-1	INAPPLICABLE	25471	59.21
1	WITHIN THE PAST YEAR	12379	28.77
2	1 TO 2 YRS AGO	2957	6.87
3	2 TO 3 YRS AGO	959	2.23
4	3 TO 5 YRS AGO	817	1.90
5	MORE THAN 5 YRS AGO	437	1.02

UNIVERSE: WOMEN AGE 30 AND OLDER WHO HAVE HAD A MAMMOGRAM WITHIN 6 YRS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: MAM_SCRN QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: MAMMOGRAM IN PAST 2 YRS

VALUE:			FREQ	%
-1	SKIP, MALE OR FEMALE AGE<30		20371	47.35
1	WITHIN PAST 2 YRS		15336	35.65
2	OVER 2 YEARS AGO		2885	6.71
3	NEVER		4428	10.29

UNIVERSE: ADULT WOMEN 30 AND OLDER

INPUT VAR: AD14, AD17

NOTES:

VARNAME: AD18 QNAME05: QA05_E19 QPAGENUM: A-33

QNAME03: QA03_117 QNAME01: AD18

LABEL: MAIN REASON FOR HAVING MAMMOGRAM

VALUE:			FREQ	%
-2	PROXY SKIPPED		141	0.33
-1	INAPPLICABLE		25383	59.00
1	PART OF ROUTINE PHYSICAL EXAM		14080	32.73
2	BECAUSE OF A SPECIFIC BREAST PROBLEM		976	2.27
3	FOLLOW-UP TO PREV BREAST PROB		1217	2.83
4	DUE TO FAMILY HISTORY		1223	2.84

UNIVERSE: WOMEN AGE 30 AND OLDER WHO HAVE HAD A MAMMOGRAM

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD19 QNAME05: QA05_E21 QPAGENUM: A-33

QNAME03: NA QNAME01: AD19

LABEL: EVER HAD MAMMOGRAM W/ ABNORMAL RESULTS?

VALUE:			FREQ	%
-1	INAPPLICABLE		24799	57.65
1	YES		4634	10.77
2	NO		13587	31.58

UNIVERSE: WOMEN AGE 30 AND OLDER WHO HAVE HAD A MAMMOGRAM

INPUT VAR:

NOTES:

VARNAME: AD20 QNAME05: QA05_E22 QPAGENUM: A-34

QNAME03: NA QNAME01: AD20

LABEL: EVER HAD OPERATION TO REMOVE LUMP FROM BREAST

VALUE:			FREQ	%
-1	INAPPLICABLE		38386	89.23
1	YES		2121	4.93
2	NO		2513	5.84

UNIVERSE: WOMEN AGE 30 AND OLDER W MAMMOGRAM AND HAVE HAD ABNORMAL RESULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD21 QNAME05: QA05_E23 QPAGENUM: A-34

QNAME03: NA QNAME01: AD21

LABEL: DID THE LUMP TURN OUT TO BE CANCER?

VALUE:			FREQ	%
-1	INAPPLICABLE		40899	95.07
1	YES		795	1.85
2	NO		1326	3.08

UNIVERSE: WOMEN AGE 30 AND OLDER W MAMMOGRAM AND HAVE HAD ABNORMAL RESULTS
AND LUMP REMOVED FROM BREAST

INPUT VAR:

NOTES:

VARNAME: AD22 QNAME05: QA05_E24 QPAGENUM: A-34

QNAME03: NA QNAME01: AD22

LABEL: # OF BREAST OPERATIONS TO REMOVE NONCANCER

MEAN STATISTICS	
N	1326
MIN	0
MAX	7
MEAN	1.42

UNIVERSE: WOMEN AGE 30 AND OLDER W MAMM, HAVE HAD ABNORMAL RESULTS, AND
NONCANCEROUS LUMP REMOVED FROM BREAST

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD23 QNAME05: QA05_E25 QPAGENUM: A-34

QNAME03: NA QNAME01: AD23

LABEL: TESTS/SURGERY WHEN MAMMOGRAM ABNORMAL

VALUE:			FREQ	%
-1	INAPPLICABLE		38386	89.23
1	YES		2359	5.48
2	NO		2275	5.29

UNIVERSE: WOMEN AGE 30 AND OLDER W MAMM AND HAVE HAD ABNORMAL RESULTS

INPUT VAR:

NOTES:

VARNAME: AD26 QNAME05: QA05_E28 QPAGENUM: A-35

QNAME03: NA QNAME01: AD26

LABEL: DOCTOR RECOMMENDED MAMMOGRAM IN PAST YR

VALUE:			FREQ	%
-1	INAPPLICABLE		35707	83.00
1	YES		1322	3.07
2	NO		5991	13.93

UNIVERSE: WOMEN AGE 30 AND OVER WHO HAVE NOT HAD MAMMOG FOR MORE THAN 2 YRS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AD25 QNAME05: QA05_E27 QPAGENUM: A-35

QNAME03: NA QNAME01: AD25

LABEL: MAIN REASON FOR HAVING NO MAMMOGRAM

VALUE:		FREQ	%
-2	PROXY SKIPPED	141	0.33
-1	INAPPLICABLE	41558	96.60
1	NO REASON/NEVER THOUGHT ABOUT IT	92	0.21
2	DIDN'T KNOW I NEEDED THIS TYPE OF TEST	24	0.06
3	DOCTOR DIDN'T TELL ME I NEEDED IT	46	0.11
4	HAVEN'T HAD ANY PROBLEMS	78	0.18
5	PUT IT OFF/LAZINESS	306	0.71
6	TOO EXPENSIVE/NO INSURANCE/COST	127	0.30
7	TOO PAINFUL/UNPLEASANT/EMBARRASSING	170	0.40
8	TOO YOUNG	61	0.14
9	DON'T HAVE A DOCTOR	10	0.02
91	OTHER	407	0.95

UNIVERSE: WOMEN AGE 30 AND OVER WHOSE DOCTOR RECOMMENDED MAMMOG IN PAST 12
MOS, AND DID NOT HAVE MAMMOG W/IN 2 YRS (OR NEVER HAD ONE)

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE50 QNAME05: QA05_E29 QPAGENUM: A-35

QNAME03: NA QNAME01: NA

LABEL: MOST RECENT MAMMOGRAM RECOMENDED BY DOCT

VALUE:			FREQ	%
-1	INAPPLICABLE		27684	64.35
1	YES		12457	28.96
2	NO		2879	6.69

UNIVERSE: WOMEN AGE 30 AND OVER WHO HAVE HAD A MAMMOGRAM WITHIN LAST 2 YEARS

INPUT VAR:

NOTES:

VARNAME: AD28 QNAME05: QA05_E30 QPAGENUM: A-36

QNAME03: QA03_131 QNAME01: AD28

LABEL: CURRENTLY TAKING HORMONE REPLACEMENT SUPPLEMENTS FOR MENOPAUSE

VALUE:			FREQ	%
-1	INAPPLICABLE		27068	62.92
1	YES		2391	5.56
2	NO		13561	31.52

UNIVERSE: WOMEN AGE 45 AND OLDER

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE51 QNAME05: QA05_E31 QPAGENUM: A-36

QNAME03: NA QNAME01: NA

LABEL: CURRENTLY TAKING TAMOXIFEN OR MALVADEX

VALUE:			FREQ	%
-1	INAPPLICABLE		21742	50.54
1	YES		166	0.39
2	NO		21112	49.07

UNIVERSE: WOMEN AGE 34 AND OLDER

INPUT VAR:

NOTES:

VARNAME: AE52 QNAME05: QA05_E32 QPAGENUM: A-36

QNAME03: NA QNAME01: NA

LABEL: CURRENTLY TAKING RALOXIFEN OR EVISTA

VALUE:			FREQ	%
-1	INAPPLICABLE		27068	62.92
1	YES		214	0.50
2	NO		15738	36.58

UNIVERSE: WOMEN AGE 45 AND OLDER

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section F: Cancer History and Prevention

VARNAME: AF1 QNAME05: QA05_F1 QPAGENUM: A-37

QNAME03: QA03_51 QNAME01: AF1

LABEL: DOCTOR EVER TOLD HAVE CANCER

			FREQ	%
VALUE:	1	YES	4998	11.62
	2	NO	38022	88.38

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: BRCAN QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: EVER TOLD HAVE BREAST CANCER

			FREQ	%
VALUE:	-1	INAPPLICABLE	17472	40.61
	1	YES	1033	2.40
	2	NO	24515	56.99

UNIVERSE: ADULT WOMEN

INPUT VAR: AF2_5, SRSEX

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: CERVIX QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA

LABEL: EVER TOLD HAD CERVICAL CANCER

VALUE:			FREQ	%
-1	INAPPLICABLE		17472	40.61
1	YES		441	1.03
2	NO		25107	58.36

UNIVERSE: ADULT WOMEN

INPUT VAR: A1, AF2_6, SRSEX

NOTES:

VARNAME: DXCOL QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA

LABEL: EVER TOLD HAVE COLON CANCER

VALUE:			FREQ	%
1	YES		329	0.76
2	NO		42691	99.24

UNIVERSE: ALL ADULTS

INPUT VAR: AF1, AF2_7, AF2_20

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DXPROS QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA

LABEL: EVER TOLD HAVE PROSTATE CANCER

VALUE:			FREQ	%
-1	INAPPLICABLE - FEMALE		25548	59.39
1	YES		511	1.19
2	NO		16961	39.43

UNIVERSE: ADULT MEN

INPUT VAR: AF1, AF2_19, SRSEX

NOTES:

VARNAME: DXSKIN QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA

LABEL: EVER TOLD HAVE SKIN CANCER

VALUE:			FREQ	%
1	YES		2264	5.26
2	NO		40756	94.74

UNIVERSE: ALL ADULTS

INPUT VAR: AF1, AF2_21

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AFCANCR1 QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: TYPE OF CANCER

VALUE:			FREQ	%
-1	INAPPLICABLE		37398	86.93
1	SKIN CANCER		1944	4.52
2	CERVICAL CANCER		381	0.89
3	PROSTATE CANCER		393	0.91
4	BREAST CANCER		823	1.91
5	UTERINE CANCER		176	0.41
6	COLON CANCER		214	0.50
7	OTHER CANCER		1070	2.49
8	MULTIPLE TYPES OF CANCER		621	1.44

UNIVERSE: ADULTS WHO EVER HAD CANCER

INPUT VAR: AF2

NOTES:

VARNAME: AF52 QNAME05: QA05_F4 QPAGENUM: A-38

QNAME03: NA QNAME01: NA

LABEL: BREAST CANCER DIAGNOSED EARLY OR LATE STAGE

VALUE:			FREQ	%
-1	INAPPLICABLE		42605	99.04
1	EARLY STAGE (STAGE 1 OR 2)		367	0.85
2	LATE STAGE (STAGE 3 OR 4)		48	0.11

UNIVERSE: ADULTS TOLD BY DOCTOR THEY HAD BREAST CANCER

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AFSCAN1 QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: SKIN CANCER TYPE - SELF

VALUE:		FREQ	%
-1	INAPPLICABLE	40756	94.74
1	NON-MELANOMA	1576	3.66
2	MELANOMA	442	1.03
3	TYPE UNKNOWN	173	0.40
4	MORE THAN ONE TYPE	73	0.17

UNIVERSE: ADULTS WHO HAVE EVER HAD SKIN CANCER

INPUT VAR: AF2A

NOTES:

VARNAME: AF3_P QNAME05: QA05_F6 QPAGENUM: NA

QNAME03: QA03_55 QNAME01: AF3

LABEL: AGE AT CANCER DIAGNOSIS (PUF RECODE)

MEAN STATISTICS	
N	4998
MIN	1
MAX	85
MEAN	51.05

UNIVERSE: ADULTS WHO HAD BEEN TOLD HAVE CANCER

INPUT VAR: AF3

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FAM1CAN QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: 1ST DEGREE RELATIVE EVER HAD CANCER

VALUE :			FREQ	%
-7	REF/DK/NA		458	1.06
-1	INAPPLICABLE		9833	22.86
1	YES		13265	30.83
2	NO		19464	45.24

UNIVERSE: ADULTS UNDER 65

INPUT VAR:

NOTES :

VARNAME: FAM1FEBR QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: # OF 1ST DEGREE FEMALE RELATIVES KNOWN TO HAVE BREAST CANCER

MEAN STATISTICS

N	32324
MIN	0
MAX	4
MEAN	0.10

UNIVERSE: ADULTS UNDER 65

INPUT VAR:

NOTES :

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: FAM1FECO QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: # OF 1ST DEGREE FEMALE RELATIVES KNOWN TO HAVE COLON CANCER

MEAN STATISTICS

N	32273
MIN	0
MAX	3
MEAN	0.03

UNIVERSE: ADULTS UNDER 65

INPUT VAR:

NOTES:

VARNAME: FAM1FEOV QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: # OF 1ST DEGREE FEMALE RELATIVES KNOWN TO HAVE OVARIAN CANCER

MEAN STATISTICS

N	32269
MIN	0
MAX	4
MEAN	0.02

UNIVERSE: ADULTS UNDER 65

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: FAM1FEUT QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: # OF 1ST DEGREE FEMALE RELATIVES KNOWN TO HAVE UTERINE CANCER

MEAN STATISTICS

N	32283
MIN	0
MAX	4
MEAN	0.03

UNIVERSE: ADULTS UNDER 65

INPUT VAR:

NOTES:

VARNAME: FAM1MABR QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: # OF 1ST DEGREE MALE RELATIVES KNOWN TO HAVE BREAST CANCER

MEAN STATISTICS

N	32276
MIN	0
MAX	1
MEAN	0.00

UNIVERSE: ADULTS UNDER 65

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: FAM1MACO QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: # OF 1ST DEGREE MALE RELATIVES KNOWN TO HAVE COLON CANCER

MEAN STATISTICS

N	32286
MIN	0
MAX	2
MEAN	0.03

UNIVERSE: ADULTS UNDER 65

INPUT VAR:

NOTES:

VARNAME: FAM1MAPR QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: # OF 1ST DEGREE MALE RELATIVES KNOWN TO HAVE PROSTATE CANCER

MEAN STATISTICS

N	32309
MIN	0
MAX	4
MEAN	0.06

UNIVERSE: ADULTS UNDER 65

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:    FAM2CAN                      QNAME05:  NA                      QPAGENUM:  NA
                                         QNAME03:  NA                      QNAME01:  NA

LABEL:      2ND DEGREE RELATIVE EVER HAD CANCER

VALUE:      -7          REF/DK/NA          FREQ          %
            -1          INAPPLICABLE       1682          3.91
            1           YES                9833          22.86
            2           NO                19811         46.05
                                         11694          27.18
```

UNIVERSE: ADULTS UNDER 65

INPUT VAR:

NOTES:

```
-----
VARNAME:    FAM2FEBR                      QNAME05:  NA                      QPAGENUM:  NA
                                         QNAME03:  NA                      QNAME01:  NA

LABEL:      # OF 2ND DEGREE FEMALE RELATIVES KNOWN TO HAVE BREAST CANCER
```

```

              MEAN STATISTICS
              N              30425
              MIN             0
              MAX             6
              MEAN            0.20
```

UNIVERSE: ADULTS UNDER 65

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: FAM2FECO QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: # OF 2ND DEGREE FEMALE RELATIVES KNOWN TO HAVE COLON CANCER

MEAN STATISTICS

N	30197
MIN	0
MAX	4
MEAN	0.05

UNIVERSE: ADULTS UNDER 65

INPUT VAR:

NOTES:

VARNAME: FAM2FEOV QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: # OF 2ND DEGREE FEMALE RELATIVES KNOWN TO HAVE OVARIAN CANCER

MEAN STATISTICS

N	30158
MIN	0
MAX	4
MEAN	0.03

UNIVERSE: ADULTS UNDER 65

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: FAM2FEUT QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: # OF 2ND DEGREE FEMALE RELATIVES KNOWN TO HAVE UTERINE CANCER

MEAN STATISTICS

N	30181
MIN	0
MAX	4
MEAN	0.04

UNIVERSE: ADULTS UNDER 65

INPUT VAR:

NOTES:

VARNAME: FAM2MABR QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: # OF 2ND DEGREE MALE RELATIVES KNOWN TO HAVE BREAST CANCER

MEAN STATISTICS

N	30572
MIN	0
MAX	2
MEAN	0.00

UNIVERSE: ADULTS UNDER 65

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: FAM2MACO QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: # OF 2ND DEGREE MALE RELATIVES KNOWN TO HAVE COLON CANCER

MEAN STATISTICS

N	30652
MIN	0
MAX	4
MEAN	0.05

UNIVERSE: ADULTS UNDER 65

INPUT VAR:

NOTES:

VARNAME: FAM2MAPR QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: # OF 2ND DEGREE MALE RELATIVES KNOWN TO HAVE PROSTATE CANCER

MEAN STATISTICS

N	30694
MIN	0
MAX	6
MEAN	0.09

UNIVERSE: ADULTS UNDER 65

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF14 QNAME05: QA05_FB1 QPAGENUM: A-60

QNAME03: QA03_56 QNAME01: AF14

LABEL: EVER HAD SIGMOIDOSCOPY, COLONOSCOPY, OR PROCTOSCOPY

VALUE:		FREQ	%
-1	INAPPLICABLE	12076	28.07
1	YES	15479	35.98
2	NO	15465	35.95

UNIVERSE: ADULTS 40 YEARS AND OLDER

INPUT VAR:

NOTES:

VARNAME: AF16 QNAME05: QA05_FB2 QPAGENUM: A-60

QNAME03: QA03_57 QNAME01: AF16

LABEL: HOW LONG SINCE LAST SIGMOIDOSCOPY, COLONOSCOPY, PROCTOSCOPY

VALUE:		FREQ	%
-1	INAPPLICABLE	27541	64.02
1	WITHIN THE PAST YEAR	4686	10.89
2	1 TO 2 YRS AGO	2958	6.88
3	2 TO 3 YRS AGO	1993	4.63
4	3 TO 5 YRS AGO	2585	6.01
5	5 TO 10 YRS AGO	2015	4.68
6	MORE THAN 10 YRS AGO	1242	2.89

UNIVERSE: ADULTS 40 YEARS AND OLDER WHO EVER HAD SIGMOIDOSCOPY COLONOSCOPY
OR PROCTOSCOPY

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: CRC_SCRN QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: CRC_SCRN

LABEL: COMPLIANCE W/COLONOSCOPY/SIG/FOBT SCREEN TEST

VALUE:		FREQ	%
-1	SKIP, AGE<40	12076	28.07
1	FOBT PAST YR AND/OR COLON/SIG PAST 5 YRS	14122	32.83
2	FOBT 1+ AND/OR COLON/SIG 5+ YRS	5210	12.11
3	NEVER	11612	26.99

UNIVERSE: ADULTS 40 YEARS AND OLDER

INPUT VAR: AF14 AF16 AF22 AF24

NOTES:

VARNAME: AF61 QNAME05: QA05_FB3 QPAGENUM: A-60
QNAME03: NA QNAME01: NA

LABEL: MOST RECENT EXAM SIGMOIDOSCOPY OR COLONOSCOPY

VALUE:		FREQ	%
-1	INAPPLICABLE	28783	66.91
1	SIGMOIDOSCOPY	3852	8.95
2	COLONOSCOPY	9809	22.80
3	SOMETHING ELSE	576	1.34

UNIVERSE: ADULTS 40 YEARS AND OLDER WHO HAD SIGMOIDOSCOPY COLONOSCOPY OR
PROCTOSCOPY W/IN LAST 10 YRS/DON'T KNOW/REFUSED

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF21 QNAME05: QA05_FB4 QPAGENUM: A-61

QNAME03: NA QNAME01: AF21

LABEL: DOCTOR RECOMMENDED SIGMOID/COLONOSCOPY IN PAST 12 MOS

VALUE:		FREQ	%
-1	INAPPLICABLE	26313	61.16
1	YES	2400	5.58
2	NO	14132	32.85
92	DID NOT GO TO DOCTOR IN PAST 12 MOS	175	0.41

UNIVERSE: NEVER HAD SIGMOIDOSCOPY/COLONOSCOPY OR NOT HAD IN PAST 10 YRS BUT
DR RECOMMENDED

INPUT VAR:

NOTES:

VARNAME: AF20 QNAME05: QA05_FB5 QPAGENUM: A-61

QNAME03: NA QNAME01: AF22

LABEL: MAIN REASON NO SIGMOID/COLONOSCOPY IN PAST 10 YRS

VALUE:		FREQ	%
-2	PROXY SKIPPED	141	0.33
-1	INAPPLICABLE	40482	94.10
1	NO REASON/NEVER THOUGHT ABOUT IT	222	0.52
2	DIDN'T KNOW I NEEDED THIS TYPE OF TEST	74	0.17
3	DOCTOR DIDN'T TELL ME I NEEDED IT	143	0.33
4	HAVEN'T HAD ANY PROBLEMS	169	0.39
5	PUT IT OFF/LAZINESS	411	0.96
6	TOO EXPENSIVE/NO INSURANCE/COST	138	0.32
7	TOO PAINFUL/UNPLEASANT/EMBARRASSING	518	1.20
8	HAD ANOTHER TYPE OF COLORECTAL EXAM	10	0.02
9	DON'T HAVE A DOCTOR	7	0.02
91	OTHER	705	1.64

UNIVERSE: NEVER HAD SIGMOIDOSCOPY OR COLONOSCOPY OR NOT HAD IN PAST 10 YRS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF22 QNAME05: QA05_FB6 QPAGENUM: A-61

QNAME03: QA03_60 QNAME01: AF22

LABEL: EVER HAD HOME BLOOD STOOL TEST

VALUE:		FREQ	%
-1	INAPPLICABLE	12076	28.07
1	YES	13182	30.64
2	NO	17762	41.29

UNIVERSE: ADULTS 40 YEARS OR OLDER

INPUT VAR:

NOTES:

VARNAME: AF24 QNAME05: QA05_FB7 QPAGENUM: A-62

QNAME03: QA03_61 QNAME01: AF24

LABEL: WHEN WAS MOST RECENT HOME BLOOD STOOL TEST

VALUE:		FREQ	%
-1	INAPPLICABLE	29838	69.36
1	WITHIN THE PAST YEAR	4734	11.00
2	1 TO 2 YRS AGO	2046	4.76
3	2 TO 3 YRS AGO	1302	3.03
4	3 TO 5 YRS AGO	1741	4.05
5	MORE THAN 5 YRS AGO	3359	7.81

UNIVERSE: ADULTS 40 YEARS OR OLDER AND HAD A HOME BLOOD STOOL TEST

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FOBT2 QNAME05: NA QPAGENUM: NA

 QNAME03: NA QNAME01: NA

LABEL: BLOOD STOOL TEST PAST 2 YEARS

VALUE:			FREQ	%
-1	SKIPPED FOR AGE < 50		21014	48.85
1	YES		6077	14.13
2	NO		15929	37.03

UNIVERSE: ADULTS 50 YEARS OR OLDER

INPUT VAR: AF24, AF22, SRAGE

NOTES:

VARNAME: FRALL5 QNAME05: NA QPAGENUM: NA

 QNAME03: NA QNAME01: NA

LABEL: CANCER RISK BASED ON FAMILIAL HISTORY OF 5 COMMON CANCERS

VALUE:			FREQ	%
-1	SKIPPED FOR AGE >64		9833	22.86
1	STRONG RISK FOR AT LEAST ONE CANCER		3111	7.23
2	MODERATE RISK FOR AT LEAST ONE CANCER		5977	13.89
3	WEAK RISK FOR ALL FIVE CANCERS		24099	56.02

UNIVERSE: ADULTS AGE 18-64

INPUT VAR:

NOTES: NCI VARIABLE. <http://www.ncbi.nlm.nih.gov/pubmed/20921897>

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FRBRST QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: FAMILIAL RISK OF BREAST CANCER

VALUE:			FREQ	%
-1	INAPPLICABLE		9833	22.86
1	STRONG		1976	4.59
2	MODERATE		2818	6.55
3	WEAK		28393	66.00

UNIVERSE: ADULTS AGE 18-64

INPUT VAR:

NOTES: NCI VARIABLE.

<http://www.nature.com/gim/journal/v12/n11/pdf/gim2010120a.pdf>

VARNAME: FROVAR QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: FAMILIAL RISK OF OVARIAN CANCER

VALUE:			FREQ	%
-1	INAPPLICABLE		9833	22.86
1	STRONG		415	0.96
2	MODERATE		646	1.50
3	WEAK		32126	74.68

UNIVERSE: ADULTS AGE 18-64

INPUT VAR:

NOTES: NCI VARIABLE.

<http://www.nature.com/gim/journal/v12/n11/pdf/gim2010120a.pdf>

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	FREND0	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	FAMILIAL RISK OF ENDOMETRIAL CANER				
VALUE:	-1	INAPPLICABLE		FREQ	%
	1	STRONG		9833	22.86
	2	MODERATE		620	1.44
	3	WEAK		774	1.80
				31793	73.90
UNIVERSE:	ADULTS AGE 18-64				
INPUT VAR:					
NOTES:	NCI VARIABLE.				
http://www.nature.com/qim/journal/v12/n11/pdf/qim2010120a.pdf					

VARNAME:	FRPROS	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	FAMILIAL RISK OF PROSTATE CANCER				
VALUE:	-1	INAPPLICABLE		FREQ	%
	1	STRONG		9833	22.86
	2	MODERATE		291	0.68
	3	WEAK		1977	4.60
				30919	71.87
UNIVERSE:	ADULTS AGE 18-64				
INPUT VAR:					
NOTES:	NCI VARIABLE.				
http://www.nature.com/gim/journal/v12/n11/pdf/gim2010120a.pdf					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FRCOL QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: FAMILIAL RISK OF COLORECTAL CANCER

VALUE:			FREQ	%
-1	INAPPLICABLE		9833	22.86
1	STRONG		497	1.16
2	MODERATE		1899	4.41
3	WEAK		30791	71.57

UNIVERSE: ADULTS AGE 18-64

INPUT VAR:

NOTES: NCI VARIABLE.

<http://www.nature.com/gim/journal/v12/n11/pdf/gim2010120a.pdf>

VARNAME: AF29 QNAME05: QA05_FB8 QPAGENUM: A-62

QNAME03: NA QNAME01: AF29

LABEL: DOCTOR RECOMMENDED HOME BLOOD STOOL TEST IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		16810	39.07
1	YES		1091	2.54
2	NO		24891	57.86
92	DID NOT GO TO DOCTOR IN PAST 12 MOS		228	0.53

UNIVERSE: ADULTS 40 YEARS OR OLDER WHO NEVER HAD HOME BLOOD STOOL TEST OR
NOT HAD IN PAST YR BUT DR RECOMMENDED

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF28 QNAME05: QA05_FB9 QPAGENUM: A-62

QNAME03: NA QNAME01: AF28

LABEL: MAIN REASON NO HOME BLOOD STOOL TEST IN PAST 12 MOS

VALUE:		FREQ	%
-2	PROXY SKIPPED	141	0.33
-1	INAPPLICABLE	41794	97.15
1	NO REASON/NEVER THOUGHT ABOUT IT	130	0.30
2	DIDN'T NEED/DIDN'T KNOW I NEEDED THIS	77	0.18
3	DOCTOR DIDN'T TELL ME I NEEDED IT	82	0.19
4	HAVEN'T HAD ANY PROBLEMS	46	0.11
5	PUT IT OFF/LAZINESS	323	0.75
6	TOO EXPENSIVE/NO INSURANCE/COST	14	0.03
7	TOO PAINFUL/UNPLEASANT/EMBARRASSING	84	0.20
8	HAD ANOTHER TYPE OF COLORECTAL EXAM	29	0.07
9	DON'T HAVE A DOCTOR	3	0.01
91	OTHER	297	0.69

UNIVERSE: ADULTS 40 YEARS OR OLDER WHO NEVER HAD HOME BLOOD STOOL TEST OR
NOT HAD IN PAST YR

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF30 QNAME05: QA05_FB10 QPAGENUM: A-63

QNAME03: QA03_63 QNAME01: AF30

LABEL: EVER HEARD OF PSA TEST

VALUE:			FREQ	%
-1	INAPPLICABLE		30621	71.18
1	YES		8864	20.60
2	NO		3535	8.22

UNIVERSE: ADULT MEN 40 YEARS OR OLDER

INPUT VAR:

NOTES :

VARNAME: AF31 QNAME05: QA05_FB11 QPAGENUM: A-63

QNAME03: QA03_64 QNAME01: AF31

LABEL: EVER HAD A PSA TEST

VALUE:			FREQ	%
-1	INAPPLICABLE		34156	79.40
1	YES		6264	14.56
2	NO		2600	6.04

UNIVERSE: ADULT MEN 40 YEARS OR OLDER WHO HAVE HEARD OF A PSA TEST

INPUT VAR:

NOTES :

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF33 QNAME05: QA05_FB12 QPAGENUM: A-63

QNAME03: QA03_65 QNAME01: AF33

LABEL: WHEN WAS MOST RECENT PSA TEST

VALUE:		FREQ	%
-1	INAPPLICABLE	36756	85.44
1	WITHIN THE PAST YEAR	4582	10.65
2	1 TO 2 YRS AGO	880	2.05
3	2 TO 3 YRS AGO	339	0.79
4	3 TO 5 YRS AGO	253	0.59
5	MORE THAN 5 YRS AGO	210	0.49

UNIVERSE: ADULT MEN 40 YEARS OR OLDER WHO HAD A PSA TEST

INPUT VAR:

NOTES:

VARNAME: PSA_SCRN QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: PROSTATE SCREENING PAST YEAR

VALUE:		FREQ	%
-1	SKIP, FEMALE OR MALE AGE<40	30621	71.18
1	WITHIN PAST YEAR	4582	10.65
2	OVER 1 YEAR AGO	1682	3.91
3	NEVER	6135	14.26

UNIVERSE: ADULT MEN 40 OR OLDER

INPUT VAR: AF31, AF33, AF34

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

**Section G: Demographic Information, Part 2, Language/Citizenship
& Work**

VARNAME: AH33NEW QNAME05: NA QPAGENUM: A-64

QNAME03: NA QNAME01: NA

LABEL: BORN IN U.S.

VALUE:			FREQ	%
1	BORN IN U.S.		33102	76.95
2	BORN OUTSIDE U.S.		9918	23.05

UNIVERSE: ALL ADULTS

INPUT VAR: AH33

NOTES:

VARNAME: AH34NEW QNAME05: NA QPAGENUM: A-65

QNAME03: NA QNAME01: NA

LABEL: MOTHER BORN IN U.S.

VALUE:			FREQ	%
-1	INAPPLICABLE		10002	23.25
1	BORN IN U.S.		28681	66.67
2	BORN OUTSIDE U.S.		4337	10.08

UNIVERSE: ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH34

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: CNTRYM QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: COUNTRY MOTHER BORN

VALUE:			FREQ	%
-1	INAPPLICABLE		10002	23.25
1	UNITED STATES		28681	66.67
2	MEXICO		1211	2.81
3	CENTRAL AMERICA		139	0.32
4	OTHER LATIN AMERICA		141	0.33
5	ASIA & PACIFIC ISLANDS		841	1.95
6	EUROPE		1622	3.77
7	OTHER		383	0.89

UNIVERSE: ADULTS WHO WERE BORN IN US

INPUT VAR: AH34

NOTES:

VARNAME: CNTRY5 QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: COUNTRY BORN

VALUE:			FREQ	%
1	UNITED STATES		33102	76.95
2	MEXICO		3434	7.98
3	CENTRAL AMERICA		636	1.48
4	OTHER LATIN AMERICA		357	0.83
5	ASIA & PACIFIC ISLANDS		3601	8.37
6	EUROPE		1351	3.14
7	OTHER		539	1.25

UNIVERSE: ALL ADULTS

INPUT VAR: AH33

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH35NEW QNAME05: NA QPAGENUM: A-65

QNAME03: NA QNAME01: NA

LABEL: FATHER BORN IN U.S.

VALUE:			FREQ	%
-1	INAPPLICABLE		10002	23.25
1	BORN IN U.S.		28256	65.68
2	BORN OUTSIDE U.S.		4762	11.07

UNIVERSE: ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR: AH35

NOTES:

VARNAME: CNTRYF QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: COUNTRY FATHER BORN

VALUE:			FREQ	%
-1	INAPPLICABLE		10002	23.25
1	UNITED STATES		28256	65.68
2	MEXICO		1384	3.22
3	CENTRAL AMERICA		97	0.23
4	OTHER LATIN AMERICA		139	0.32
5	ASIA & PACIFIC ISLANDS		875	2.03
6	EUROPE		1936	4.50
7	OTHER		331	0.77

UNIVERSE: ADULTS WHO WERE BORN IN US

INPUT VAR: AH35

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG4 QNAME05: QA05_G4 QPAGENUM: A-66

QNAME03: QA03_140 QNAME01: NA

LABEL: FREQUENCY OF BEING TREATED BADLY BECAUSE OF RACE OR ETHNICITY

VALUE:			FREQ	%
-2	PROXY SKIPPED		141	0.33
1	NEVER		25542	59.37
2	RARELY		10391	24.15
3	SOMETIMES		5585	12.98
4	OFTEN		1020	2.37
5	ALL THE TIME		341	0.79

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: LANGHOME QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: LANGUAGE SPOKEN AT HOME

VALUE:			FREQ	%
1	ENGLISH		30308	70.45
2	SPANISH		2003	4.66
3	CHINESE		485	1.13
4	VIETNAMESE		326	0.76
5	KOREAN		262	0.61
6	OTHER ASIAN LANGUAGE (1 ONLY)		99	0.23
7	OTHER NON-ASIAN LANGUAGE (1 ONLY)		82	0.19
8	ENGLISH & SPANISH		5003	11.63
9	ENGLISH & CHINESE		502	1.17
10	ENGLISH & EUROPEAN LANGUAGE		1175	2.73
11	ENGLISH & ANOTHER ASIAN LANGUAGE		1148	2.67
12	ENGLISH & ONE OTHER LANGUAGE		554	1.29
13	OTHER LANGUAGES (2+)		1073	2.49

UNIVERSE: ALL ADULTS

INPUT VAR: AH36

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH37 QNAME05: QA05_G6 QPAGENUM: A-67

QNAME03: QA03_142 QNAME01: AH37

LABEL: HOW WELL YOU SPEAK ENGLISH

VALUE:			FREQ	%
-1	INAPPLICABLE		30308	70.45
1	VERY WELL		5399	12.55
2	WELL		3343	7.77
3	NOT WELL		2590	6.02
4	NOT AT ALL		1380	3.21

UNIVERSE: ADULTS WHO SPEAK LANGUAGE OTHER THAN ENGLISH AT HOME AND/OR WERE
INTERVIEWED IN LANGUAGE OTHER THAN ENGLISH

INPUT VAR:

NOTES :

VARNAME: SPK_ENG QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: ENGLISH USE AND PROFICIENCY

			FREQ	%
VALUE:	1	SPEAK ONLY ENGLISH	30308	70.45
	2	VERY WELL/WELL	8742	20.32
	3	NOT WELL/NOT AT ALL	3970	9.23

UNIVERSE: ALL ADULTS

INPUT VAR: AH36, AH37

NOTES :

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: CITIZEN2 QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: CITIZENSHIP STATUS - 3 LEVELS

VALUE:			FREQ	%
1	US-BORN CITIZEN		33102	76.95
2	NATURALIZED CITIZEN		5380	12.51
3	NON-CITIZEN		4538	10.55

UNIVERSE: ALL ADULTS

INPUT VAR: AH39, AH33, AH40

NOTES:

VARNAME: YRUS QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: YEARS LIVED IN THE U.S.

VALUE:			FREQ	%
-1	INAPPLICABLE		33102	76.95
1	<=1 YEAR		227	0.53
2	2-4 YEARS		618	1.44
3	5-9 YEARS		1264	2.94
4	10-14 YEARS		1239	2.88
5	15+ YEARS		6570	15.27

UNIVERSE: ADULTS BORN IN A COUNTRY OTHER THAN US SAMOA GUAM PUERTO RICO OR
VIRGIN ISLANDS

INPUT VAR: AH41

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: PCTLF_P QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: PERCENT LIFE IN US (PUF RECODE)

VALUE:			FREQ	%
1	0-20		1696	3.94
2	21-40		2419	5.62
3	41-60		2822	6.56
4	61-80		1757	4.08
5	81+		34326	79.79

UNIVERSE: ALL ADULTS

INPUT VAR: PCTLF

NOTES:

VARNAME: AH44 QNAME05: QA05_G11 QPAGENUM: A-68

QNAME03: QA03_147 QNAME01: AH44

LABEL: SPOUSE LIVING IN SAME HOUSEHOLD

VALUE:			FREQ	%
-1	INAPPLICABLE		20249	47.07
1	YES		22202	51.61
2	NO		569	1.32

UNIVERSE: ADULTS WHO ARE CURRENTLY MARRIED

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:    AH43A                      QNAME05:  QA05_G13          QPAGENUM:  A-69
                                         QNAME03:  QA03_149        QNAME01:  AH43A

LABEL:      LIVING WITH A PARENT

VALUE:      -1      INAPPLICABLE          40138      93.30
              1      YES                  1911      4.44
              2      NO                   971      2.26

UNIVERSE:   ADULTS UNDER 30 WHO ARE (MARRIED AND LIVING WITH SPOUSE) OR
              (LIVING WITH PARTNER AND AT LEAST 3 ADULTS) OR (NOT MARRIED AND
              LIVING WITH AT LEAST 2 ADULTS)
```

INPUT VAR:

NOTES:

```
-----
VARNAME:    AH44A                      QNAME05:  QA05_G19          QPAGENUM:  A-70
                                         QNAME03:  QA03_159        QNAME01:  AH44A

LABEL:      USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MOS

VALUE:      -1      INAPPLICABLE          31233      72.60
              1      YES                  3555      8.26
              2      NO                   8232     19.14

UNIVERSE:   ADULTS LIVING WITH CHILDREN UNDER AGE 12

INPUT VAR:

NOTES:
-----
```


2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AHCHLDC QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: AMOUNT SPENT ON CHILD CARE PER WEEK

VALUE:			FREQ	%
-1	INAPPLICABLE		39465	91.74
1	\$0-9/WEEK		277	0.64
2	\$10-24/WEEK		289	0.67
3	\$25-49/WEEK		465	1.08
4	\$50-99/WEEK		850	1.98
5	\$100-199/WEEK		1021	2.37
6	\$200+/WEEK		653	1.52

UNIVERSE: ADULTS WHO HAVE CHILDREN UNDER AGE 12 AND PAID FOR CHILDCARE IN THE PAST MONTH.

INPUT VAR: AH44B, AH44BUNT

NOTES:

VARNAME: AHEDUC QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: AHEDUC

LABEL: EDUCATIONAL ATTAINMENT

VALUE:			FREQ	%
1	GRADE 1-8		2099	4.88
2	GRADE 9-11		2293	5.33
3	GRADE 12/H.S. DIPLOMA		9962	23.16
4	SOME COLLEGE		7017	16.31
5	VOCATIONAL SCHOOL		1243	2.89
6	AA OR AS DEGREE		3503	8.14
7	BA OR BS DEGREE		9537	22.17
8	SOME GRAD. SCHOOL		656	1.52
9	MA OR MS DEGREE		4649	10.81
10	PH.D. OR EQUIVALENT		1822	4.24
91	NO FORMAL EDUCATION		239	0.56

UNIVERSE: ALL ADULTS

INPUT VAR: AH47

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK1 QNAME05: QA05_G22 QPAGENUM: A-72

QNAME03: QA03_163 QNAME01: AK1

LABEL: WORK STATUS LAST WEEK

VALUE:		FREQ	%
1	WORKING AT A JOB/BUSINESS	23764	55.24
2	WITH A JOB/BUSINESS BUT NOT AT WORK	1247	2.90
3	LOOKING FOR WORK	1214	2.82
4	NOT WORKING JOB/BUSINESS (UNEMP)	16795	39.04

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: WRKST QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: WORKING STATUS

VALUE:		FREQ	%
1	FULL-TIME EMPLOYMENT (21+ HRS/WEEK)	23241	54.02
2	PART-TIME EMPLOYMENT (0-20 HRS/WEEK)	3317	7.71
3	EMPLOYED, NOT AT WORK	259	0.60
4	UNEMPLOYED, LOOKING FOR WORK	889	2.07
5	UNEMPLOYED, NOT LOOKING FOR WORK	15314	35.60

UNIVERSE: ALL ADULTS

INPUT VAR: AK1, AK2, AK3

NOTES: CANNOT BE TRENDED WITH WRKST 2003

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: WRKST_S QNAME05: NA QPAGENUM: NA
 QNAME03: NA QNAME01: NA

LABEL: SPOUSE WORKING STATUS

VALUE:		FREQ	%
-1	INAPPLICABLE - NO SPOUSE	20249	47.07
1	FULL-TIME EMPLOYMENT (21+ HRS/WEEK)	13829	32.15
2	PART-TIME EMPLOYMENT (0-20 HRS/WEEK)	1449	3.37
3	EMPLOYED, NOT AT WORK	82	0.19
4	UNEMPLOYED, LOOKING FOR WORK	206	0.48
5	UNEMPLOYED, NOT LOOKING FOR WORK	7205	16.75

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE

INPUT VAR: AK20, AG8, AK19, AH4

NOTES:

VARNAME: AK2 QNAME05: QA05_G23 QPAGENUM: A-72
 QNAME03: QA03_164 QNAME01: AK2

LABEL: MAIN REASON FOR NOT WORKING LAST WEEK

VALUE:		FREQ	%
-1	INAPPLICABLE	23764	55.24
1	TAKING CARE OF HOUSE OR FAMILY	2641	6.14
2	ON PLANNED VACATION	1128	2.62
3	COULDN'T FIND A JOB	812	1.89
4	GOING TO SCHOOL/STUDENT	730	1.70
5	RETIRED	8954	20.81
6	PHYSICAL DISABILITY	2303	5.35
7	UNABLE TO WORK TEMPORARILY	287	0.67
8	ON LAYOFF OR STRIKE	225	0.52
9	ON FAMILY OR MATERNITY LEAVE	163	0.38
10	OFF SEASON	244	0.57
91	OTHER	1769	4.11

UNIVERSE: ADULTS (WITH A JOB/BUSINESS BUT NOT AT WORK) OR (NOT WORKING AT A JOB/BUSINESS) OR LOOKING FOR WORK

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG10 QNAME05: QA05_G24 QPAGENUM: A-72

QNAME03: NA QNAME01: NA

LABEL: RESPONDENT USUALLY WORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		35021	81.41
1	YES		3417	7.94
2	NO		4211	9.79
3	LOOKING FOR WORK		371	0.86

UNIVERSE: ADULTS (WITH A JOB OR BUSINESS BUT NOT AT WORK) OR (NOT WORKING AT A JOB OR BUSINESS) OR LOOKING FOR WORK (NOT INCLUDING ADULTS WHO ARE RETIRED OR DISABLED)

INPUT VAR:

NOTES:

VARNAME: AL22 QNAME05: QA05_G25 QPAGENUM: A-72

QNAME03: QA03_165 QNAME01: NA

LABEL: RECEIVING SOCIAL SECURITY DISABILITY INS

VALUE:			FREQ	%
-1	INAPPLICABLE		35667	82.91
1	YES		1574	3.66
2	NO		5779	13.43

UNIVERSE: ADULTS UNDER AGE 65 WHO ARE RETIRED, DISABLED OR DO NOT USUALLY WORK

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK4 QNAME05: QA05_G26 QPAGENUM: A-73

QNAME03: QA03_166 QNAME01: AK4

LABEL: TYPE OF EMPLOYER AT MAIN JOB

VALUE:		FREQ	%
-1	INAPPLICABLE	15809	36.75
1	PRIVATE COMPANY, NON-PROFIT ORG	16293	37.87
2	GOVERNMENT	5330	12.39
3	SELF-EMPLOYED	5208	12.11
4	FAMILY BUSINESS OR FARM	380	0.88

UNIVERSE: ADULTS WITH A JOB OR WHO USUALLY WORK (INCLUDING THOSE WHO REFUSED TO ANSWER/DID NOT KNOW WHAT THEY WERE DOING IN PAST WEEK)

INPUT VAR:

NOTES:

VARNAME: AE22 QNAME05: QA05_G27 QPAGENUM: A-73

QNAME03: NA QNAME01: NA

LABEL: SIT, STAND, OR WALK AT WORK MOST OF DAY

VALUE:		FREQ	%
-1	INAPPLICABLE	15809	36.75
1	SIT	11028	25.63
2	STAND	2659	6.18
3	WALK AROUND	9875	22.95
4	DOES NOT WORK	43	0.10
5	SIT/STAND EQUALLY	732	1.70
6	SIT/WALK EQUALLY	1541	3.58
7	STAND/WALK EQUALLY	1333	3.10

UNIVERSE: ADULTS WITH A JOB OR ADULTS THAT USUALLY WORK

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AOAL11 QNAME05: QA05_G28 QPAGENUM: A-73

QNAME03: NA QNAME01: NA

LABEL: LEVEL OF ACTIVITY ON TYPICAL DAY

VALUE:			FREQ	%
-1	INAPPLICABLE		27211	63.25
1	SIT		4263	9.91
2	STAND		521	1.21
3	WALK AROUND		8486	19.73
4	LIE DOWN		229	0.53
5	SIT/STAND EQUALLY		456	1.06
6	SIT/WALK EQUALLY		1348	3.13
7	STAND/WALK EQUALLY		506	1.18

UNIVERSE: ALL ADULTS EXCLUDING THOSE WITH A JOB OR WHO USUALLY WORK

INPUT VAR:

NOTES:

VARNAME: AG8 QNAME05: QA05_G29 QPAGENUM: A-74

QNAME03: QA03_167 QNAME01: NA

LABEL: WORK STATUS OF SPOUSE LAST WEEK

VALUE:			FREQ	%
-1	INAPPLICABLE		20249	47.07
1	WORKING AT A JOB OR BUSINESS		13994	32.53
2	WITH A JOB/BUSINESS, BUT NOT AT WORK		611	1.42
3	LOOKING FOR WORK		288	0.67
4	NOT WORKING AT A JOB OR BUSINESS		7878	18.31

UNIVERSE: ADULTS WHO ARE MARRIED

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG11 QNAME05: QA05_G30 QPAGENUM: A-74

QNAME03: NA QNAME01: NA

LABEL: SPOUSE USUALLY WORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		34854	81.02
1	YES		1012	2.35
2	NO		7061	16.41
3	LOOKING FOR WORK		93	0.22

UNIVERSE: ADULTS WHO ARE MARRIED AND W/ SPOUSE WHO IS LOOKING FOR WORK, NOT WORKING, OR REFUSED/DIDN'T KNOW ANSWER TO QUESTION

INPUT VAR:

NOTES:

VARNAME: AG9 QNAME05: QA05_G31 QPAGENUM: A-74

QNAME03: QA03_168 QNAME01: NA

LABEL: TYPE OF EMPLOYER OF SPOUSE'S MAIN JOB

VALUE:			FREQ	%
-1	INAPPLICABLE		27403	63.70
1	PRIVATE COMPANY/NON-PROFIT ORG		9331	21.69
2	GOVERNMENT		2945	6.85
3	SELF-EMPLOYED		3151	7.32
4	FAMILY BUSINESS/FARM		190	0.44

UNIVERSE: ADULTS WITH SPOUSE THAT HAS JOB OR USUALLY WORKS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section H: Health Insurance

VARNAME: AH1 QNAME05: QA05_H1 QPAGENUM: A-75
QNAME03: QA03_169 QNAME01: AH1

LABEL: HAVE USUAL SOURCE OF HEALTH CARE

VALUE:			FREQ	%
1	YES		30584	71.09
2	NO		3926	9.13
3	DOCTOR / MY DOCTOR		6797	15.80
4	KAISER		1627	3.78
5	MORE THAN ONE PLACE		86	0.20

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: USOC QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA

LABEL: USUAL SOURCE OF CARE OTHER THAN ER

VALUE:			FREQ	%
1	YES		38754	90.08
2	NO		4266	9.92

UNIVERSE: ALL ADULTS

INPUT VAR: USUAL_TP, AH1

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH2 QNAME05: QA05_H2 QPAGENUM: A-75

QNAME03: QA03_170 QNAME01: AH2

LABEL: MAIN REASON FOR NOT HAVING USUAL SOURCE OF HEALTH CARE

VALUE:		FREQ	%
-1	INAPPLICABLE	39094	90.87
1	PROVIDER DIDN'T ACCEPT INSURANCE	37	0.09
2	NO INSURANCE/LOST INSURANCE	969	2.25
3	COST OF MEDICAL CARE	500	1.16
4	DON'T WANT / NEED	1363	3.17
91	OTHER REASON	1057	2.46

UNIVERSE: ADULTS WHO DO NOT HAVE USUAL SOURCE OF HEALTH CARE

INPUT VAR:

NOTES:

VARNAME: AH3 QNAME05: QA05_H3 QPAGENUM: A-75

QNAME03: QA03_171 QNAME01: AH3

LABEL: KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE

VALUE:		FREQ	%
-1	INAPPLICABLE	3926	9.13
1	DOCTOR / MY DOCTOR	24812	57.68
2	KAISER	4251	9.88
3	OTHER HEALTH PLAN NAME	54	0.13
4	CLINIC /HEALTH CENTER /HOSPITAL CLINIC	9284	21.58
5	EMERGENCY ROOM	353	0.82
6	ALTERNATIVE MEDICAL CARE	181	0.42
7	FAMILY/FRIEND	63	0.15
8	OTHER	32	0.07
94	NO ONE PLACE	64	0.15

UNIVERSE: ADULTS WHO HAVE USUAL SOURCE OF HEALTH CARE

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: USUAL QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE

VALUE:			FREQ	%
1	YES		39094	90.87
2	NO		3926	9.13

UNIVERSE: ALL ADULTS

INPUT VAR: AHI

NOTES:

VARNAME: USUAL_TP QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: USUAL SOURCE OF CARE - 7 LVLS

VALUE:			FREQ	%
1	DOC OFFICE/HMO/KAISER		30286	70.40
2	COMMUN/GOV CLIN, COMMUN HOSP		8147	18.94
3	EMERGENCY ROOM		340	0.79
5	SOME OTHER PLACE		269	0.63
6	NO ONE PARTICULAR PLACE		52	0.12
7	NO USUAL SOURCE OF CARE		3926	9.13

UNIVERSE: ALL ADULTS

INPUT VAR: AH1, AH3

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH49 QNAME05: QA05_H8 QPAGENUM: A-76

QNAME03: NA QNAME01: NA

LABEL: MEDICARE COVERAGE PROVIDED THROUGH HMO

VALUE:			FREQ	%
-1	INAPPLICABLE		31928	74.22
1	YES		4675	10.87
2	NO		6417	14.92

UNIVERSE: ADULTS WITH MEDICARE

INPUT VAR:

NOTES:

VARNAME: AH50_P QNAME05: QA05_H9 QPAGENUM: A-77

QNAME03: NA QNAME01: NA

LABEL: NAME OF MEDICARE HMO PLAN (PUF RECODE)

VALUE:			FREQ	%
-9	NOT ASCERTAINED		182	0.42
-8	DK		162	0.38
-7	REFUSED		33	0.08
-1	INAPPLICABLE		38345	89.13
1	KAISER		1900	4.42
2	BLUE CROSS		284	0.66
3	PACIFICARE		382	0.89
4	BLUE SHIELD		209	0.49
5	HEALTH NET		296	0.69
6	AETNA/US HEALTHCARE/PRUDENTIAL		78	0.18
7	MEDICARE		271	0.63
8	MEDI-CAL (MEDICAID)		42	0.10
91	OTHER		836	1.94

UNIVERSE: ADULTS WITH MEDICARE PROVIDED THROUGH HMO

INPUT VAR: AH50

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI4 QNAME05: QA05_H10 QPAGENUM: A-77

QNAME03: QA03_176 QNAME01: AI4

LABEL: COVERED BY MEDICARE SUPPL POLICY

VALUE:			FREQ	%
-1	INAPPLICABLE		36603	85.08
1	YES		3629	8.44
2	NO		2788	6.48

UNIVERSE: ADULTS WITH MEDICARE NOT PROVIDED THROUGH HMO

INPUT VAR:

NOTES:

VARNAME: AH52 QNAME05: QA05_H11 QPAGENUM: A-77

QNAME03: NA QNAME01: NA

LABEL: SIGN UP FOR MEDICARE HMO DIRECTLY OR OTHERWISE

VALUE:			FREQ	%
-1	INAPPLICABLE		34716	80.70
1	DIRECTLY		3592	8.35
2	CURRENT EMPLOYER		244	0.57
3	FORMER EMPLOYER		2429	5.65
4	UNION		204	0.47
5	FAMILY BUSINESS		65	0.15
6	AARP		470	1.09
7	SPOUSE'S EMPLOYER		502	1.17
8	SPOUSE'S UNION		29	0.07
9	PROFESSIONAL/FRATERNAL ORGANIZATION		30	0.07
91	OTHER		739	1.72

UNIVERSE: ADULTS WITH MEDICARE PROVIDED THROUGH HMO OR MEDIGAP/MEDICARE SUPPLEMENT

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: OFFTK QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS

VALUE:		FREQ	%
-1	UNEMPLOYED OR SELF-EMPLOYED	17454	40.57
1	ACCEPTED EBI	17433	40.52
2	NOT ACCEPT EBI, OFFERED AND ELIGIBLE	2590	6.02
3	WAS OFFERED EBI, NOT ELIGIBLE	1890	4.39
4	WAS NOT OFFERED EBI	3653	8.49

UNIVERSE: ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR: INSEM, INSPS, AI13, AI14, AK1, AG10, AK4

NOTES:

VARNAME: AI15 QNAME05: QA05_H25 QPAGENUM: A-82

QNAME03: QA03_187 QNAME01: AI15

LABEL: MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	40411	93.94
1	COVERED BY ANOTHER PLAN	1587	3.69
2	TOO EXPENSIVE	655	1.52
3	DIDNT LIKE PLAN OFFERED	170	0.40
4	DONT NEED OR BELIEVE IN HEALTH INSURANC	107	0.25
5	IN PROCESS	10	0.02
6	DIDNT TAKE UP - OTHER	80	0.19

UNIVERSE: ADULTS WHO WORKED IN PAST WEEK OR USUALLY WORK, ARE NOT
SELF-EMPLOYED, AND DO NOT HAVE EMPLOYEE-BASED COVERAGE ALTHOUGH
THEY ARE ELIGIBLE

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI15A QNAME05: QA05_H26 QPAGENUM: A-82
QNAME03: QA03_188 QNAME01: AI15A

LABEL: MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN

VALUE:			FREQ	%
-1	INAPPLICABLE		41111	95.56
1	HAVENT WORKED HERE LONG ENOUGH		546	1.27
2	CONTRACT OR TEMP EMPLOYEE		348	0.81
3	DONT WORK ENOUGH HOURS PER WEEK		952	2.21
4	DOES NOT MEET AGE REQUIREMENTS		4	0.01
5	ONLY MANAGEMENT CAN GET HEALTH INSURANCE		9	0.02
6	NOT ELIGIBLE - OTHER		42	0.10
7	HAS LEFT POSITION/RETIRED/LAID OFF		8	0.02

UNIVERSE: ADULTS WHO WORKED IN PAST WEEK OR USUALLY WORK, ARE NOT
SELF-EMPLOYED, AND ARE NOT ELIGIBLE FOR THEIR EMPLOYER'S OFFERED
HEALTH PLAN

INPUT VAR:

NOTES:

VARNAME: AI37A QNAME05: QA05_H34B QPAGENUM: A-87
QNAME03: QA03_196 QNAME01: NA

LABEL: SPOUSE COVERED BY MEDICARE SUPPL POLICY

VALUE:			FREQ	%
-1	INAPPLICABLE		40764	94.76
1	YES		1739	4.04
2	NO		517	1.20

UNIVERSE: ADULTS LIVING WITH SPOUSE OVER AGE 65 WITH MEDICARE NOT COVERED BY
HMO

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: OFFTK_S QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE

VALUE:		FREQ	%
-1	UNEMPLOYED OR SELF-EMPLOYED	29368	68.27
1	ACCEPTED EBI	9595	22.30
2	NOT ACCEPT EBI, OFFERED AND ELIGIBLE	1512	3.51
3	WAS OFFERED EBI, NOT ELIGIBLE	639	1.49
4	WAS NOT OFFERED EBI	1906	4.43

UNIVERSE: ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR: INSEM_S, INSPS_S, AG8, AG9, AI43, AI44, AI11

NOTES:

VARNAME: AI45 QNAME05: QA05_H48 QPAGENUM: A-92

QNAME03: QA03_210 QNAME01: NA

LABEL: MAIN REASON SPOUSE NOT IN EMPLOYER'S HEALTH PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	41303	96.01
1	COVERED BY ANOTHER PLAN	1157	2.69
2	TOO EXPENSIVE	422	0.98
3	DIDNT LIKE PLAN OFFERED	84	0.20
4	DONT NEED OR BELIEVE IN HEALTH INSURANC	25	0.06
5	IN PROCESS	5	0.01
6	DIDNT TAKE UP - OTHER	24	0.06

UNIVERSE: ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WITH NO
EMPLOYER-BASED HEALTH INSURANCE COVERAGE WITH OWN NAME EVEN
THOUGH OFFERED AND ELIGIBLE

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AI45A QNAME05: QA05_H49 QPAGENUM: A-93

QNAME03: QA03_211 QNAME01: NA

LABEL: MAIN REASON SPOUSE INELIGIBLE FOR EMPLOYER'S HEALTH PLAN

VALUE:		FREQ	%
-1	INAPPLICABLE	42310	98.35
1	HAVENT WORKED HERE LONG ENOUGH	185	0.43
2	CONTRACT OR TEMP EMPLOYEE	131	0.30
3	DONT WORK ENOUGH HOURS PER WEEK	350	0.81
4	DOES NOT MEET AGE REQUIREMENTS	6	0.01
5	ONLY MANAGEMENT CAN GET HEALTH INSURANCE	11	0.03
6	NOT ELIGIBLE - OTHER	11	0.03
7	HAS LEFT POSITION/RETIRED/LAID OFF	16	0.04

UNIVERSE: ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WHO IS NOT
ELIGIBLE TO HAVE EMPLOYER-BASED HLTH INS COVERAGE WITH OWN NAME
EVEN THOUGH OFFERED

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:   AI22A_P                      QNAME05:  QA05_H50          QPAGENUM:  NA
                                         QNAME03:  QA03_214          QNAME01:  NA
```

LABEL: NAME OF HEALTH PLAN (PUF RECODE)

VALUE:			FREQ	%
-9	NOT ASCERTAINED		36	0.08
-8	DK		1015	2.36
-7	REFUSED		306	0.71
-1	INAPPLICABLE		9363	21.76
1	KAISER		5949	13.83
2	BLUE CROSS		7240	16.83
3	PACIFICARE		1450	3.37
4	BLUE SHIELD		2762	6.42
5	HEALTH NET		1796	4.17
6	AETNA/US HEALTHCARE/PRUDENTIAL		1144	2.66
7	CIGNA HEALTHCARE		576	1.34
8	MEDICARE		3476	8.08
9	MEDI-CAL (MEDICAID)		1855	4.31
91	OTHER		6052	14.07

UNIVERSE: ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE HMO

INPUT VAR: AI22A

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI22C QNAME05: QA05_H51 QPAGENUM: A-93

QNAME03: QA03_215 QNAME01: NA

LABEL: MAIN HEALTH PLAN IS HMO

VALUE:			FREQ	%
-1	INAPPLICABLE		9363	21.76
1	YES		15831	36.80
2	NO		17826	41.44

UNIVERSE: ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE HMO

INPUT VAR:

NOTES :

VARNAME: AI22DMOS QNAME05: QA05_H52 QPAGENUM: A-94

QNAME03: QA03_216 QNAME01: NA

LABEL: # OF MOS ON CURRENT HEALTH PLAN

MEAN STATISTICS	
N	38332
MIN	0
MAX	11
MEAN	0.90

UNIVERSE: ADULTS WHO HAVE ANY HEALTH INSURANCE COVERAGE

INPUT VAR:

NOTES :

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI22DYRS QNAME05: QA05_H52 QPAGENUM: A-94

QNAME03: QA03_216 QNAME01: NA

LABEL: # OF YEARS ON CURRENT HEALTH PLAN

MEAN STATISTICS

N	38332
MIN	0
MAX	77
MEAN	9.28

UNIVERSE: ADULTS WHO HAVE ANY HEALTH INSURANCE COVERAGE

INPUT VAR:

NOTES:

VARNAME: AI25 QNAME05: QA05_H53 QPAGENUM: A-94

QNAME03: QA03_217 QNAME01: AI25

LABEL: COVERED FOR PRESCRIPTION DRUGS

VALUE:		FREQ	%
-1	INAPPLICABLE	4688	10.90
1	YES	34637	80.51
2	NO	3695	8.59

UNIVERSE: ADULTS WHO HAVE ANY HEALTH INSURANCE COVERAGE

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI25NEW QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: RX COVERAGE EDITED FOR MEDICAL/HF

VALUE:			FREQ	%
-1	INAPPLICABLE		4599	10.69
1	YES		35408	82.31
2	NO		3013	7.00

UNIVERSE: ADULTS WHO ARE COVERED BY HEALTHY FAMILIES OR MEDICAL

INPUT VAR: INSMD, INSHF, AI25

NOTES:

VARNAME: RSN_UNIN QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: REASON UNINSURED

VALUE:			FREQ	%
-1	SKIP-INSURANCE		38196	88.79
1	CAN'T AFFORD/TOO EXPENSIVE		2419	5.62
2	CHANGED EMPLOYER/LOST JOB		310	0.72
3	HEALTHY (NO NEED)/DON'T BELIEVE		522	1.21
4	EMPLOYER DOES NOT OFFER		227	0.53
5	NOT ELIGIBLE CITIZENSHIP/IMMIGRATION		222	0.52
6	NOT ELIGIBLE WORKING STATUS		328	0.76
7	NOT ELIG DUE TO HEALTH OR OTHER PROBLEMS		202	0.47
8	FAMILY/PERSONAL SITUATION CHANGED		51	0.12
9	LOST PUBLIC PROGRAM COVERAGE		62	0.14
10	PAYS OWN HLTH CARE/GETS HLTH CARE FREE		125	0.29
11	IN PROCESS OF/PROBLEMS WITH		58	0.13
12	DIDN'T LIKE OFFERED/DIDN'T WANT IT		51	0.12
13	PROCRASTINATION		25	0.06
14	LACK OF INFORMATION INS/FORMS DIFFICULT		36	0.08
15	INS ALL 12M, JUST LOST/HAVE INS, DK TYPE		155	0.36
16	OTHER		31	0.07

UNIVERSE: ADULTS WHO ARE UNINSURED

INPUT VAR: AI24, AI36, INS

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI28 QNAME05: QA05_H62 QPAGENUM: A-96

QNAME03: QA03_230 QNAME01: AI28

LABEL: HOW LONG SINCE LAST HAD HEALTH INS

VALUE:			FREQ	%
-1	INAPPLICABLE		39468	91.74
1	1 TO 3 YRS AGO		1000	2.32
2	MORE THAN 3 YRS AGO		1621	3.77
3	NEVER HAD HEALTH INSURANCE COVERAGE		931	2.16

UNIVERSE: ADULTS WHO HAVE NO HEALTH INSURANCE COVERAGE AT ALL FOR THE PAST
12 MONTHS

INPUT VAR:

NOTES:

VARNAME: IHS QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: COVERED BY INDIAN HEALTH SERVICES

VALUE:			FREQ	%
1	YES		157	0.36
2	NO		42863	99.64

UNIVERSE: ALL ADULTS

INPUT VAR: AI20, AI19_8

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:    INS                                QNAME05:  NA                                QPAGENUM: NA
                                           QNAME03:  NA                                QNAME01:  NA

LABEL:      CURRENTLY INSURED

VALUE:      1          YES                                FREQ      %
              2          NO                                38196     88.79
                                           4824      11.21

UNIVERSE:   ALL ADULTS

INPUT VAR:  INSMC, INSMO, INSHF, INSEM, INSPR, INSMO, INSO, INSOT

NOTES:
-----
```

```
VARNAME:    INS12M                                QNAME05:  NA                                QPAGENUM: NA
                                           QNAME03:  NA                                QNAME01:  NA

LABEL:      MOS COVERED BY HEALTH PLANS LAST 12 MOS

              MEAN STATISTICS
              N          43020
              MIN          0
              MAX          12
              MEAN        10.61

UNIVERSE:   ALL ADULTS

INPUT VAR:  AI31, AI34, AI35, AI27, AI29

NOTES:
-----
```

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS64_P QNAME05: NA QPAGENUM: NA

 QNAME03: NA QNAME01: NA

LABEL: CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)

VALUE:			FREQ	%
-1	SKIPPED - AGE >= 65		9833	22.86
1	UNINSURED		4778	11.11
2	MEDI-CAL (MEDICAID)		3494	8.12
3	MEDICARE		412	0.96
4	EMPLOYMENT-BASED		21218	49.32
5	PRIVATELY PURCHASED		2698	6.27
6	CHIP/OTHER PUBLIC PRGM		587	1.36

UNIVERSE: ADULTS UNDER 65

INPUT VAR: INS64

NOTES:

VARNAME: INS65 QNAME05: NA QPAGENUM: NA

 QNAME03: NA QNAME01: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+

VALUE:			FREQ	%
-1	SKIPPED - AGE < 65		33187	77.14
1	MEDICARE + MEDI-CAL (MEDICAID)		1534	3.57
2	MEDICARE + OTHER		7179	16.69
3	MEDICARE ONLY		694	1.61
4	OTHER ONLY		380	0.88
5	UNINSURED		46	0.11

UNIVERSE: ADULTS 65 YEARS AND OVER

INPUT VAR: INS, INSMD, INSMC, INSMD, INSHF, INSEM, INSPR, INSML, INSOG,
 INSOT, SRAGE

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSANY QNAME05: NA QPAGENUM: NA

 QNAME03: NA QNAME01: NA

LABEL: ANY INS IN LAST 12 MOS

VALUE:	1	CURRENTLY UNINSURED	FREQ	%
	2	UNINS. ANY PAST 12 MO	4824	11.21
	3	INSURED ALL PAST 12 MO	1709	3.97
			36487	84.81

UNIVERSE: ALL ADULTS

INPUT VAR: SRAGE, INS12M, INS64, INS65

NOTES:

VARNAME: INSEM QNAME05: NA QPAGENUM: NA

 QNAME03: NA QNAME01: NA

LABEL: COVERED BY EMPLOYER-BASED PLANS

VALUE:	1	YES	FREQ	%
	2	NO	23361	54.30
			19659	45.70

UNIVERSE: ALL ADULTS

INPUT VAR: AI8, AH56_1, AH56_2, AH56_3, AH56_4, AH56_5, AI19_1, AI19_2, AH59

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INST_12 QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS

VALUE:			FREQ	%
-1	INAPPLICABLE-AGE>=65		9833	22.86
1	MEDI-CAL (MEDICAID) ONLY		2879	6.69
2	EMPLOYER-BASED COVERAGE ONLY (EBI)		19910	46.28
3	PRIVATE COVERAGE ONLY		2402	5.58
4	OTHER COVERAGE ONLY		863	2.01
5	ANY 2 OR MORE TYPES (NEVER UNINSURED)		716	1.66
6	UNINSURED ONLY		3676	8.54
7	UNINSURED + EMPLOYER-BASED ONLY		1132	2.63
8	ANY 1 OR MORE TYPES + UNINSURED		1609	3.74

UNIVERSE: ADULTS UNDER 65

INPUT VAR:

NOTES:

VARNAME: UNINSANY QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: UNINSURED IN PAST 12 MOS

VALUE:			FREQ	%
-1	SKIPPED - AGES>=65		9833	22.86
1	UNINSURED ALL YEAR		3676	8.54
2	UNINSURED PART YEAR		2741	6.37
3	INSURED ALL YEAR		26770	62.23

UNIVERSE: ADULTS UNDER 65

INPUT VAR: SRAGE, INSLT12

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSMC QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA

LABEL: COVERED BY MEDICARE

VALUE:			FREQ	%
1	YES		10405	24.19
2	NO		32615	75.81

UNIVERSE: ALL ADULTS

INPUT VAR: AI1, AI2, AH56_9, AI19_4

NOTES:

VARNAME: INSMD QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA

LABEL: COVERED BY MEDI-CAL

VALUE:			FREQ	%
1	YES		5073	11.79
2	NO		37947	88.21

UNIVERSE: ALL ADULTS

INPUT VAR: AI6, AI19_5, AH55_7, AH56_7

NOTES:

VARNAME: INSOG QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA

LABEL: COVERED BY OTHER GOVT PLANS

VALUE:			FREQ	%
1	YES		286	0.66
2	NO		42734	99.34

UNIVERSE: ALL ADULTS

INPUT VAR: AI17, AI17A, AI17AOS, AI19_9, AH56_11, AI19_11

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	INSPR	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	COVERED BY PLANS PURCHASED ON OWN				
VALUE:	1	YES		FREQ	%
	2	NO		2778	6.46
				40242	93.54
UNIVERSE:	ALL ADULTS				
INPUT VAR:	AI11, AI19_3				
NOTES:					

VARNAME:	INSTYP_P	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES(PUF RECODE)				
VALUE:	1	UNINSURED		FREQ	%
	2	MEDICARE & MEDICAID		4824	11.21
	3	MEDICARE & OTHERS		2120	4.93
	4	MEDICARE ONLY		6931	16.11
	5	MEDICAID		1354	3.15
	6	EMPLOYMENT-BASED		2953	6.86
	7	PRIVATELY PURCHASED		21482	49.93
	8	HEALTHY FAM/OTHER PUBLIC		2743	6.38
				613	1.42
UNIVERSE:	ALL ADULTS				
INPUT VAR:	INSTYPE				
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSPS QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: PRIMARY OR SECONDARY COVERAGE

			FREQ	%
VALUE:	-1	INAPPLICABLE	19659	45.70
	1	PRIMARY	17433	40.52
	2	SECONDARY	5928	13.78

UNIVERSE: ADULTS COVERED BY EMPLOYMENT-BASED INSURANCE PLANS

```
INPUT VAR: AI8, AI9, AH56_1, AH56_2, AH56_3, AH56_4, AH56_5, AI19_1, AI19_2,
           AH59
```

NOTES :

VARNAME: IHS_S QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: SPOUSE COVERED BY INDIAN HEALTH SERVICES

VALUE:			FREQ	%
-1	INAPPLICABLE		20818	48.39
1	YES		16	0.04
2	NO		22186	51.57

UNIVERSE: ADULTS WITH SPOUSE

INPUT VAR: AI47_8, AI49_8

NOTES :

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS64S_P QNAME05: NA QPAGENUM: NA

 QNAME03: NA QNAME01: NA

LABEL: SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)

VALUE:			FREQ	%
-1	SKIPPED - AGE >= 65		24994	58.10
1	UNINSURED		1690	3.93
2	MEDI-CAL (MEDICAID)		819	1.90
3	MEDICARE		125	0.29
4	EMPLOYMENT-BASED		13809	32.10
5	PRIVATELY PURCHASED		1374	3.19
6	CHIP/OTHER PUBLIC PRGM		209	0.49

UNIVERSE: ADULTS WITH SPOUSE UNDER 65

INPUT VAR: INS64_S

NOTES:

VARNAME: INS65_S QNAME05: NA QPAGENUM: NA

 QNAME03: NA QNAME01: NA

LABEL: TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+

VALUE:			FREQ	%
-1	NO SPOUSE IN HH OR AGE < 65		38844	90.29
1	MEDICARE + MEDICAID		292	0.68
2	MEDICARE + OTHER		1069	2.48
3	MEDICARE ONLY		2518	5.85
4	OTHER ONLY		266	0.62
5	UNINSURED		31	0.07

UNIVERSE: ADULTS WITH SPOUSE 65 YEARS AND OVER

INPUT VAR: INS_S, INSMD_S, INSMC_S INSHF_S, INSEM_S, INSPR_S, INSML_S,
 INSOG_S, INSOT_S, SPAGE

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSEM_S QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: SPOUSE COVERED BY EMPLOYER-BASED PLANS

VALUE:			FREQ	%
-1	INAPPLICABLE		20818	48.39
1	YES		15028	34.93
2	NO		7174	16.68

UNIVERSE: ADULTS WITH SPOUSE

INPUT VAR: AI40, AI40A, AI47_1, AI47_2, AI49_1, AI49_2

NOTES:

VARNAME: INSMC_S QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: SPOUSE COVERED BY MEDICARE

VALUE:			FREQ	%
-1	INAPPLICABLE		20818	48.39
1	YES		4029	9.37
2	NO		18173	42.24

UNIVERSE: ADULTS WITH SPOUSE

INPUT VAR: AI37, AI47_4, AI49_4

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSMD_S QNAME05: NA QPAGENUM: NA

 QNAME03: NA QNAME01: NA

LABEL: SPOUSE COVERED BY MEDI-CAL

VALUE:			FREQ	%
-1	INAPPLICABLE		20818	48.39
1	YES		1127	2.62
2	NO		21075	48.99

UNIVERSE: ADULTS WITH SPOUSE

INPUT VAR: AI38, AI47_5, AI49_5

NOTES:

VARNAME: INSOG_S QNAME05: NA QPAGENUM: NA

 QNAME03: NA QNAME01: NA

LABEL: SPOUSE COVERED BY OTHER GOVT PLANS

VALUE:			FREQ	%
-1	INAPPLICABLE		20818	48.39
1	YES		185	0.43
2	NO		22017	51.18

UNIVERSE: ADULTS WITH SPOUSE

INPUT VAR: AI42A, AI47_9, AI49_9, AI47_11, AI49_11

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	INSPR_S	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	SPOUSE COVERED BY PLANS PURCHASED ON OWN				
VALUE:	-1	INAPPLICABLE		FREQ	%
	1	YES		20818	48.39
	2	NO		1664	3.87
				20538	47.74
UNIVERSE:	ADULTS WITH SPOUSE				
INPUT VAR:	AI41, AI47_3, AI49_3				
NOTES:					

VARNAM	:	INSPS_S	QNAME05:	NA	QPAGENUM:	NA
			QNAME03:	NA	QNAME01:	NA
LABEL:	SPOUSE PRIMARY OR SECONDARY COVERAGE					
VALUE:	-1	INAPPLICABLE			FREQ	%
	1	PRIMARY			27992	65.07
	2	SECONDARY			9595	22.30
					5433	12.63
UNIVERSE:	ADULTS WITH SPOUSE COVERED BY HIS/HER OWN EMPLOYMENT-BASED INSURANCE PLANS					
INPUT VAR:	AI9, AI9A, AI40, AI40A, AI12_3, INSEM_S, AH55_4, AH55_5, AH56_4, AH56_5, AH60, AH62, AI46					
NOTES:						

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS_S QNAME05: NA QPAGENUM: NA

 QNAME03: NA QNAME01: NA

LABEL: SPOUSE CURRENTLY INSURED

VALUE:			FREQ	%
-1	INAPPLICABLE		20818	48.39
1	YES		20481	47.61
2	NO		1721	4.00

UNIVERSE: ADULTS WITH SPOUSE

INPUT VAR: INSMC_S, INSMD_S, INSHF_S, INSEM_S, INSPR_S, INSML_S, INSOG_S,
 INSOT_S

NOTES:

VARNAME: ELIGPRG3 QNAME05: NA QPAGENUM: NA

 QNAME03: NA QNAME01: NA

LABEL: MEDI-CAL (MEDICAID)/HEALTHY FAM ELIG. - UNINSURED

VALUE:			FREQ	%
-5	INSURED		28409	66.04
-1	INAPPLICABLE-AGES>=65		9833	22.86
1	MEDI-CAL (MEDICAID) ELIG.		253	0.59
2	HEALTHY FAM ELIG.		21	0.05
3	NOT ELIG.		4504	10.47

UNIVERSE: ADULTS UNDER AGE 65

INPUT VAR: ELIGPRG4

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FAM_TYPE QNAME05: NA QPAGENUM: NA

 QNAME03: NA QNAME01: NA

LABEL: FAMILY TYPE

VALUE:			FREQ	%
1	SINGLE ADULT, 21+		15903	36.97
2	SINGLE YOUNG ADULT, 19-20		658	1.53
3	MARRIED, NO KIDS		11795	27.42
4	MARRIED WITH KIDS		11171	25.97
5	SINGLE WITH KIDS		3052	7.09
6	SINGLE, 18 YEARS OLD		441	1.03

UNIVERSE: ALL ADULTS

INPUT VAR: AH43, SRAGE, AH44, KIDCNT

NOTES:

VARNAME: FAMTYP_P QNAME05: NA QPAGENUM: NA

 QNAME03: NA QNAME01: NA

LABEL: FAMILY TYPE (PUF RECODE)

VALUE:			FREQ	%
1	SINGLE ADULT, 21+		15903	36.97
2	SINGLE YOUNG ADULT, 19-20		659	1.53
3	MARRIED, NO KIDS		11795	27.42
4	MARRIED WITH KIDS		11171	25.97
5	SINGLE WITH KIDS		3052	7.09
6	SINGLE, 18 YEARS OLD		440	1.02

UNIVERSE: ALL ADULTS

INPUT VAR: FAM_TYPE

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: POVGWD_P QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: FAMILY POVERTY THRESHOLD LEVEL(PUF RECODE)

MEAN STATISTICS

N	43020
MIN	0
MAX	24
MEAN	4.95

UNIVERSE: ALL ADULTS

INPUT VAR: POVGWD

NOTES: TOPCODE=24

VARNAME: FAMT4 QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: FAMILY TYPE - 4 LVLS

VALUE:		FREQ	%
1	SINGLE, NO KIDS	17002	39.52
2	MARRIED, NO KIDS	11795	27.42
3	MARRIED WITH KIDS	11171	25.97
4	SINGLE WITH KIDS	3052	7.09

UNIVERSE: ALL ADULTS

INPUT VAR: FAM_TYPE

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section I: Health Care Utilization and Access, Mental Health

VARNAME: AH5 QNAME05: QA05_J1 QPAGENUM: A-118

QNAME03: QA03_300 QNAME01: AH5

LABEL: # TIMES SAW MD IN PAST 12 MOS

MEAN STATISTICS

N	43020
MIN	0
MAX	365
MEAN	4.91

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:  ACMDNUM              QNAME05:  NA              QPAGENUM:  NA
              QNAME03:  NA              QNAME01:  NA
```

LABEL: # OF DOCTOR VISITS PAST YEAR

VALUE:			FREQ	%
0	0	TIME	6326	14.70
1	1	TIME	7909	18.38
2	2	TIMES	6980	16.23
3	3	TIMES	4885	11.36
4	4	TIMES	4128	9.60
5	5	TIMES	2249	5.23
6	6	TIMES	2693	6.26
7	7-8	TIMES	1685	3.92
8	9-12	TIMES	3423	7.96
9	13-24	TIMES	1708	3.97
10	25+	TIMES	1034	2.40

UNIVERSE: ALL ADULTS

INPUT VAR: AH5

NOTES:

```
VARNAME:  DOCT_YR              QNAME05:  NA              QPAGENUM:  NA
              QNAME03:  NA              QNAME01:  NA
```

LABEL: VISITED DOCTOR IN PAST 12 MOS

VALUE:			FREQ	%
1	YES		36694	85.30
2	NO		6326	14.70

UNIVERSE: ALL ADULTS

INPUT VAR: AH5

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH6 QNAME05: QA05_J2 QPAGENUM: A-118

QNAME03: QA03_301 QNAME01: AH6

LABEL: HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH

VALUE:		FREQ	%
-1	INAPPLICABLE	36694	85.30
0	WITHIN THE PAST YR	787	1.83
1	1 TO 2 YRS AGO	2787	6.48
2	2 TO 5 YRS AGO	1755	4.08
3	MORE THAN 5 YRS AGO	842	1.96
4	NEVER	155	0.36

UNIVERSE: ADULTS WHO HAVE NOT SEEN A DOCTOR IN THE PAST 12 MONTHS

INPUT VAR:

NOTES:

VARNAME: AJ8 QNAME05: QA05_J3 QPAGENUM: A-118

QNAME03: QA03_302 QNAME01: NA

LABEL: HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT

VALUE:		FREQ	%
-2	PROXY SKIPPED	141	0.33
-1	INAPPLICABLE	2751	6.39
1	YES	1300	3.02
2	NO	38828	90.26

UNIVERSE: ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ9 QNAME05: QA05_J4 QPAGENUM: A-118

QNAME03: QA03_303 QNAME01: NA

LABEL: MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND

VALUE:			FREQ	%
-2	PROXY SKIPPED		141	0.33
-1	INAPPLICABLE		41579	96.65
1	YES		792	1.84
2	NO		508	1.18

UNIVERSE: ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS AND HAD A HARD TIME UNDERSTANDING THE DOCTOR ON LAST VISIT

INPUT VAR:

NOTES:

VARNAME: AJ10 QNAME05: QA05_J5 QPAGENUM: A-118

QNAME03: QA03_304 QNAME01: NA

LABEL: NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR

VALUE:			FREQ	%
-2	PROXY SKIPPED		141	0.33
-1	INAPPLICABLE		41579	96.65
1	YES		506	1.18
2	NO		794	1.85

UNIVERSE: ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS AND HAD A HARD TIME UNDERSTANDING THE DOCTOR ON LAST VISIT

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ11 QNAME05: QA05_J6 QPAGENUM: A-119

QNAME03: QA03_305 QNAME01: NA

LABEL: WHO HELPED YOU UNDERSTAND DOCTOR

VALUE:			FREQ	%
-2	PROXY SKIPPED		141	0.33
-1	INAPPLICABLE		42373	98.50
1	MINOR CHILD (UNDER AGE 18)		8	0.02
2	ADULT FAMILY MEMBER OF FRIEND OF MINE		147	0.34
3	NON-MEDICAL OFFICE STAFF		19	0.04
4	MEDICAL STAFF INCLUDING NURSES / DOCS		232	0.54
5	PROF INTERPRETER (PERSON/PHONE)		37	0.09
6	OTHER (PATIENTS, SOMEONE ELSE)		16	0.04
7	DID NOT HAVE SOMEONE TO HELP		47	0.11

UNIVERSE: ADULTS WHO HAVE SEEN A DOCTOR IN THE PAST 2 YEARS AND HAD A HARD TIME UNDERSTANDING THE DOCTOR ON LAST VISIT AND NEEDED SOMEONE ELSE'S HELP TO UNDERSTAND

INPUT VAR:

NOTES:

VARNAME: AJ17 QNAME05: QA05_J7 QPAGENUM: A-119

QNAME03: QA03_311 QNAME01: NA

LABEL: WOULD HAVE GOTTEN BETTER MEDICAL CARE IF DIFFERENT RACE/ETHNIC

VALUE:			FREQ	%
-9	NOT ASCERTAINED		1	0.00
-8	DON'T KNOW		2301	5.35
-7	REFUSED		148	0.34
-2	PROXY SKIPPED		140	0.33
1	YES		1665	3.87
2	NO		38765	90.11

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ18 QNAME05: QA05_J8 QPAGENUM: A-119

QNAME03: QA03_312 QNAME01: NA

LABEL: HOW LONG AGO WAS CARE DISCRIMINATORY BECAUSE OF RACE/ETHNICITY

VALUE:			FREQ	%
-2	PROXY SKIPPED		141	0.33
-1	INAPPLICABLE		41214	95.80
1	WITHIN THE PAST YR		880	2.05
2	1 TO 2 YRS AGO		238	0.55
3	2 TO 3 YRS AGO		128	0.30
4	3 TO 5 YRS AGO		149	0.35
5	5 TO 10 YRS AGO		131	0.30
6	10 TO 20 YRS AGO		92	0.21
7	MORE THAN 20 YRS AGO		47	0.11

UNIVERSE: ADULTS WHO HAD A TIME WHEN THEY WOULD HAVE GOTTEN BETTER MEDICAL CARE IF DIFFERENT RACE/ETHNICITY

INPUT VAR:

NOTES:

VARNAME: AH12 QNAME05: QA05_J9 QPAGENUM: A-119

QNAME03: QA03_313 QNAME01: AH12

LABEL: VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		509	1.18
1	YES		7949	18.48
2	NO		34562	80.34

UNIVERSE: ALL ADULTS WHO HAVE NOT BEEN TO ER DUE TO ASTHMA IN PAST 12 MOS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: ER QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: ER VISIT WITHIN THE PAST YEAR

VALUE:			FREQ	%
1	YES		8458	19.66
2	NO		34562	80.34

UNIVERSE: ADULTS WHO VISITED ER FOR OWN HEALTH OR VISITED DUE TO ASTHMA

INPUT VAR: AH12, AH13A, AB67

NOTES:

VARNAME: AJ29 QNAME05: QA05_J10 QPAGENUM: A-120

QNAME03: NA QNAME01: NA

LABEL: FEEL NERVOUS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		141	0.33
1	ALL OF THE TIME		748	1.74
2	MOST OF THE TIME		1621	3.77
3	SOME OF THE TIME		6422	14.93
4	A LITTLE OF THE TIME		13939	32.40
5	NOT AT ALL		20149	46.84

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ30 QNAME05: QA05_J11 QPAGENUM: A-120

QNAME03: NA QNAME01: NA

LABEL: FEEL HOPELESS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		141	0.33
1	ALL OF THE TIME		430	1.00
2	MOST OF THE TIME		687	1.60
3	SOME OF THE TIME		2808	6.53
4	A LITTLE OF THE TIME		5687	13.22
5	NOT AT ALL		33267	77.33

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ31 QNAME05: QA05_J12 QPAGENUM: A-120

QNAME03: NA QNAME01: NA

LABEL: FEEL RESTLESS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		141	0.33
1	ALL OF THE TIME		1161	2.70
2	MOST OF THE TIME		1499	3.48
3	SOME OF THE TIME		7374	17.14
4	A LITTLE OF THE TIME		11355	26.39
5	NOT AT ALL		21490	49.95

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ32 QNAME05: QA05_J13 QPAGENUM: A-120

QNAME03: NA QNAME01: NA

LABEL: FEEL DEPRESSED PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		141	0.33
1	ALL OF THE TIME		329	0.76
2	MOST OF THE TIME		635	1.48
3	SOME OF THE TIME		2354	5.47
4	A LITTLE OF THE TIME		4640	10.79
5	NOT AT ALL		34921	81.17

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ33 QNAME05: QA05_J14 QPAGENUM: A-121

QNAME03: NA QNAME01: NA

LABEL: FEEL EVERYTHING AN EFFORT PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		141	0.33
1	ALL OF THE TIME		1706	3.97
2	MOST OF THE TIME		1805	4.20
3	SOME OF THE TIME		5710	13.27
4	A LITTLE OF THE TIME		8682	20.18
5	NOT AT ALL		24976	58.06

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ34 QNAME05: QA05_J15 QPAGENUM: A-121

QNAME03: NA QNAME01: NA

LABEL: FEEL WORTHLESS PAST 30 DAYS

VALUE:			FREQ	%
-2	PROXY SKIPPED		141	0.33
1	ALL OF THE TIME		448	1.04
2	MOST OF THE TIME		590	1.37
3	SOME OF THE TIME		2077	4.83
4	A LITTLE OF THE TIME		3619	8.41
5	NOT AT ALL		36145	84.02

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: DISTRESS QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS

MEAN STATISTICS	
N	42879
MIN	0
MAX	24
MEAN	3.29

UNIVERSE: ALL ADULTS

INPUT VAR: AJ29, AJ30, AJ31, AJ32, AJ33, AJ34

NOTES: BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED DATA

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ2 QNAME05: QA05_J16 QPAGENUM: A-121

QNAME03: NA QNAME01: AJ2

LABEL: NEEDED HELP FOR EMOT OR MNTL HLTH PROBLEM IN PAST 12 MOS

VALUE:			FREQ	%
-2	PROXY	SKIPPED	141	0.33
1	YES		8162	18.97
2	NO		34717	80.70

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ1 QNAME05: QA05_J18 QPAGENUM: A-122

QNAME03: NA QNAME01: AJ1

LABEL: INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS

VALUE:			FREQ	%
-2	PROXY	SKIPPED	141	0.33
-1	INAPPLICABLE		34681	80.62
1	YES		6711	15.60
2	NO		1487	3.46

UNIVERSE: ADULTS WHO HAVE FELT NEED FOR HELP FOR EMOTIONAL/MENTAL PROBLEMS
OR HAVE SEEN SOMEONE FOR EMOTIONAL/MENTAL HEALTH PROBLEMS WITHIN
PAST YEAR AND HAVE HEALTH INSURANCE

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ6 QNAME05: QA05_J20 QPAGENUM: A-122

 QNAME03: NA QNAME01: AJ6

LABEL: DIFFICULTIES/DELAYS GETTING MNTL HLTH TREATMENT PAST 12 MOS

VALUE: -2 PROXY SKIPPED FREQ %

 -1 INAPPLICABLE 141 0.33

 1 YES 33505 77.88

 2 NO 665 1.55

 8709 20.24

UNIVERSE: ADULTS WHO NEEDED OR RECEIVED HELP FOR EMOTIONAL MENTAL HEALTH
 PROBLEMS IN PAST 12 MONTHS

INPUT VAR:

NOTES:

VARNAME: AJ27 QNAME05: QA05_J22 QPAGENUM: A-122

 QNAME03: NA QNAME01: NA

LABEL: DOC TALK ABOUT DIET LAST 12 MOS

VALUE: -2 PROXY SKIPPED FREQ %

 -1 INAPPLICABLE 141 0.33

 1 YES 5532 12.86

 2 NO 10880 25.29

 26467 61.52

UNIVERSE: ADULTS WHO HAD SEEN DOCTOR IN PAST 12 MONTHS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	AJ28	QNAME05:	QA05_J23	QPAGENUM:	A-123
		QNAME03:	NA	QNAME01:	NA
LABEL:	DOC TALK ABOUT EXERCISE LAST 12 MOS				
VALUE:	-2	PROXY SKIPPED		FREQ	%
	-1	INAPPLICABLE		141	0.33
	1	YES		5532	12.86
	2	NO		13806	32.09
				23541	54.72
UNIVERSE:	ADULTS WHO HAD SEEN DOCTOR IN PAST 12 MONTHS				
INPUT VAR:					
NOTES:					

Section J: Employment, Income and Poverty Status

```

VARNAME:      AK3                                QNAME05:      QA05_K1                                QPAGENUM:      A-124

                                QNAME03:      QA03_323                                QNAME01:      AK3

LABEL:        # OF USUAL HRS WORKED PER WEEK

                                MEAN STATISTICS

                                N                                27181
                                MIN                                0
                                MAX                                95
                                MEAN                             39.27

UNIVERSE:     ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES:

```


2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK7 QNAME05: QA05_K4 QPAGENUM: A-124

QNAME03: QA03_326 QNAME01: AK7

LABEL: LENGTH OF TIME WORKING AT MAIN JOB

MEAN STATISTICS

N	26558
MIN	0
MAX	70
MEAN	10.27

UNIVERSE: ADULTS WHO CURRENTLY/USUALLY WORK MORE THAN 0 HRS PER WK

INPUT VAR:

NOTES: PLEASE REFER TO "AK7UNT" FOR MEASUREMENT UNIT

VARNAME: AK7UNT QNAME05: QA05_K4 QPAGENUM: A-124

QNAME03: QA03_326 QNAME01: AK7

LABEL: TIME AT MAIN JOB: UNIT OF TIME

VALUE:		FREQ	%
-1	INAPPLICABLE	16462	38.27
1	MONTHS	3922	9.12
2	YEARS	22636	52.62

UNIVERSE: ADULTS WHO CURRENTLY/USUALLY WORK MORE THAN 0 HRS PER WK

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAM: AKWKLNG QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: TIME AT MAIN JOB

VALUE:			FREQ	%
-1	INAPPLICABLE		16462	38.27
0	<1 YEAR		2322	5.40
1	1 YEAR		3213	7.47
2	2 YEARS		2296	5.34
3	3 YEARS		1861	4.33
4	4 YEARS		1453	3.38
5	5 YEARS		1855	4.31
6	6-9 YEARS		3555	8.26
7	10-14 YEARS		2956	6.87
8	15-19 YEARS		2353	5.47
9	20-29 YEARS		3010	7.00
10	30+ YEARS		1684	3.91

UNIVERSE: ALL ADULTS EXCEPT FOR (THOSE WHO ARE LOOKING FOR WORK OR NOT
WORKING LAST WEEK) OR (THOSE WHO USUALLY WORK ZERO HOURS)

INPUT VAR: AK7, AK7UNT

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK8 QNAME05: QA05_K5 QPAGENUM: A-125

QNAME03: QA03_327 QNAME01: AK8

LABEL: HOW MANY PEOPLE WORK FOR EMPLOYER/YOU

VALUE:			FREQ	%
-1	INAPPLICABLE		16462	38.27
1	FEWER THAN 10		7268	16.89
2	10-50		3813	8.86
3	51-91		1007	2.34
4	100-999		3562	8.28
5	1,000 OR MORE		10908	25.36

UNIVERSE: ADULTS WHO CURRENTLY/USUALLY WORK MORE THAN 0 HRS PER WK EXCLUDING GOVT WORKERS

INPUT VAR:

NOTES:

VARNAME: AK10_P QNAME05: QA05_K7 QPAGENUM: A-125

QNAME03: QA03_329 QNAME01: AK10

LABEL: RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)

MEAN STATISTICS

N	27330
MIN	0
MAX	30000
MEAN	4489.44

UNIVERSE: ADULTS WHO CURRENTLY WORK, USUALLY WORK, OR HAVE JOB/BUSINESS BUT ARE NOT AT WORK

INPUT VAR: AK10

NOTES: TOPCODE=30,000

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AK20 QNAME05: QA05_K9 QPAGENUM: A-125

QNAME03: QA03_331 QNAME01: NA

LABEL: # OF HRS PER WEEK SPOUSE USUALLY WORKS

MEAN STATISTICS

N	15617
MIN	0
MAX	95
MEAN	40.61

UNIVERSE: ADULTS WITH SPOUSE CURRENTLY WORKING/USUALLY WORKING OR HAVE
JOB/BUSINESS BUT NOT AT WORK

INPUT VAR:

NOTES:

VARNAME: AK10A_P QNAME05: QA05_K11 QPAGENUM: A-125

QNAME03: QA03_333 QNAME01: AK10A

LABEL: SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)

MEAN STATISTICS

N	15278
MIN	0
MAX	30000
MEAN	4967.74

UNIVERSE: ADULTS WITH SPOUSE CURRENTLY WORKING/USUALLY WORKING OR HAVE
JOB/BUSINESS BUT NOT AT WORK AND WORK MORE THAN 0 HRS PER WK

INPUT VAR: AK10A

NOTES: TOPCODE=30,000

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK22_P QNAME05: QA05_K12 QPAGENUM: A-126

QNAME03: QA03_334 QNAME01: NA

LABEL: HOUSEHOLD'S TOTAL ANNUAL INC (PUF RECODE)

MEAN STATISTICS

N	43020
MIN	0
MAX	300000
MEAN	68741.80

UNIVERSE: ALL ADULTS

INPUT VAR: AK22, POVLL

NOTES: TOPCODE=300,000

VARNAME: AK23 QNAME05: QA05_K26 QPAGENUM: A-129

QNAME03: QA03_348 QNAME01: NA

LABEL: LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME

VALUE:		FREQ	%
1	HOUSE	30382	70.62
2	DUPLEX	1957	4.55
3	BUILDING WITH 3 OR MORE UNITS	8643	20.09
4	MOBILE HOME	2038	4.74

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK25 QNAME05: QA05_K27 QPAGENUM: A-129

QNAME03: QA03_350 QNAME01: NA

LABEL: OWN OR RENT HOME

VALUE:			FREQ	%
1	OWN		28661	66.62
2	RENT		12932	30.06
3	OTHER ARRANGEMENT		1427	3.32

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRTENR QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: SELF-REPORTED HOUSEHOLD TENURE (HH)

VALUE:			FREQ	%
1	OWN		28657	66.61
2	RENT		14363	33.39

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: TIMEAD QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: LENGTH OF TIME LIVED AT CURRENT ADDRESS

MEAN STATISTICS

N	41593
MIN	1
MAX	1044
MEAN	136.97

UNIVERSE: ALL ADULTS

```
INPUT VAR: AM14UNT, AM14
```

NOTES :

VARNAME: AK28 QNAME05: QA05_K31 QPAGENUM: A-130

QNAME03: NA QNAME01: NA

LABEL: HOW OFTEN FEEL SAFE IN NEIGHBORHOOD

			FREQ	%
VALUE:	-1	INAPPLICABLE	1427	3.32
	1	ALL OF THE TIME	27360	63.60
	2	MOST OF THE TIME	11907	27.68
	3	SOME OF THE TIME	1916	4.45
	4	NONE OF THE TIME	410	0.95

UNIVERSE: ADULTS WHO EITHER OWN OR RENT HOME

INPUT VAR:

NOTES :

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section K: Public Program Participation

VARNAME: AL2 QNAME05: QA05_L1 QPAGENUM: A-131
QNAME03: QA03_353 QNAME01: AL2

LABEL: CURRENTLY ON TANF OR CALWORKS

VALUE:			FREQ	%
-1	INAPPLICABLE		26208	60.92
1	YES		565	1.31
2	NO		16247	37.77

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS
THAN 300% FPL

INPUT VAR:

NOTES:

VARNAME: AL5 QNAME05: QA05_L3 QPAGENUM: A-131
QNAME03: QA03_355 QNAME01: AL5

LABEL: RECEIVING FOOD STAMP BENEFITS

VALUE:			FREQ	%
-1	INAPPLICABLE		26208	60.92
1	YES		1126	2.62
2	NO		15686	36.46

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS
THAN 300% FPL

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AL6 QNAME05: QA05_L5 QPAGENUM: A-132

QNAME03: QA03_360 QNAME01: AL6

LABEL: RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)

VALUE:			FREQ	%
-1	INAPPLICABLE		26208	60.92
1	YES		1779	4.14
2	NO		15033	34.94

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS
THAN 300% FPL

INPUT VAR:

NOTES:

VARNAME: AL7 QNAME05: QA05_L6 QPAGENUM: A-132

QNAME03: QA03_361 QNAME01: AL7

LABEL: CURRENTLY ON WIC

VALUE:			FREQ	%
-1	INAPPLICABLE		40656	94.50
1	YES		946	2.20
2	NO		1418	3.30

UNIVERSE: ADULT WOMEN WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR
LESS THAN 300% FPL AND HAS A CHILD UNDER AGE 7 OR IS PREGNANT

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL15 QNAME05: QA05_L8 QPAGENUM: A-133

QNAME03: QA03_363 QNAME01: AL15

LABEL: RECVD ALIMONY/CHILD SUPPORT/MONEY FROM GOVT LAST MONTH

VALUE:			FREQ	%
-1	INAPPLICABLE		26208	60.92
1	YES		1889	4.39
2	NO		14923	34.69

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

VARNAME: AL16_P QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: TOTAL RECVD FROM ALIMONY/CHILD SUPPORT/GOVT (PUF RECODE)

MEAN STATISTICS	
N	1889
MIN	1
MAX	4000
MEAN	923.62

UNIVERSE: ADULTS WITH TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL AND SPOUSE AND/OR SELF RECEIVED MONEY LAST MONTH FOR ALIMONEY CHILD SUPPORT OR MONEY FROM GOVERNMENT O

INPUT VAR: AL16

NOTES: TOPCODE=4,000

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL17 QNAME05: QA05_L10 QPAGENUM: A-133

QNAME03: QA03_365 QNAME01: AL17

LABEL: PAID ALIMONY OR CHILD SUPPORT LAST MONTH

VALUE:		FREQ	%
-1	INAPPLICABLE	26208	60.92
1	YES, RESPONDENT PAID	350	0.81
2	YES, SPOUSE/PARTNER PAID	175	0.41
3	YES, BOTH PAID	36	0.08
4	NO	16251	37.78

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL

INPUT VAR:

NOTES:

VARNAME: AL18_P QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: TOTAL ALIMONY/CHILD SUPPORT PAID LAST MONTH (PUF RECODE)

MEAN STATISTICS	
N	561
MIN	5
MAX	2000
MEAN	413.40

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL AND SPOUSE AND/OR SELF PAID ALIMONY/CHILD SUPPORT LAST MONTH

INPUT VAR: AL18

NOTES: TOPCODE=2,000

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL18A QNAME05: QA05_L12 QPAGENUM: A-134

QNAME03: QA03_367 QNAME01: AL18A

LABEL: RECVD SOCIAL SECURITY OR PENSION LAST MONTH

VALUE:			FREQ	%
-1	INAPPLICABLE		37191	86.45
1	YES		4586	10.66
2	NO		1243	2.89

UNIVERSE: (ADULTS 65 OR OLDER WHO ARE NOT MARRIED OR LIVING WITH PARTNER OR OVER 50 WHO ARE MARRIED AND LIVING WITH SPOUSE) AND TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FP

INPUT VAR:

NOTES:

VARNAME: AL18B_P QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: TOTAL SOCIAL SECURITY/PENSION RECVD LAST MONTH (PUF RECODE)

MEAN STATISTICS

N	4586
MIN	1
MAX	3500
MEAN	1240.88

UNIVERSE: (ADULTS 65 OR OLDER WHO ARE NOT MARRIED OR LIVING W PARTNER OR OVER 50 WHO ARE MARRIED AND LIVING W SPOUSE) AND ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 300% FPL AND RECEIV

INPUT VAR:

NOTES: TOPCODE=3,500

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RSN_NOMC QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: REASONS FOR NOT HAVING MEDI-CAL (MEDICAID)

VALUE:			FREQ	%
-1	INAPPLICABLE		39646	92.16
1	PAPERWORK TOO DIFFICULT		80	0.19
2	DIDN'T KNOW IF ELIGIBLE		585	1.36
3	INCOME TOO HIGH/NOT ELIGIBLE		647	1.50
4	INELIG CITIZENSHIP/IMMIGRATION STATUS		313	0.73
5	OTHER NOT ELIGIBLE		325	0.76
6	DON'T BELIEVE IN/DON'T NEED		213	0.50
7	ALREADY HAVE INSURANCE		98	0.23
8	DIDN'T KNOW IT EXISTED		193	0.45
9	DON'T LIKE/WANT WELFARE		83	0.19
91	OTHER		837	1.95

UNIVERSE: ADULTS WHO ARE UNINSURED AND WHOSE POVERTY LEVEL IS BELOW 300%FPL

INPUT VAR: AL19, INS, POVLL

NOTES :

Section L: Food Insecurity and Hunger

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:    AM1                                QNAME05:  QA05_N1                QPAGENUM:  A-135
                                           QNAME03:  QA03_383                QNAME01:  AM1

LABEL:      HOW OFTEN FOOD DIDN'T LAST,COULDN'T AFFORD MORE, PAST 12 MOS

VALUE:      -1      INAPPLICABLE                                FREQ      %
              1      OFTEN TRUE                                31767     73.84
              2      SOMETIMES TRUE                            925       2.15
              3      NEVER TRUE                                2741      6.37
                                           7587     17.64

UNIVERSE:   ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS LESS THAN 200% FPL

INPUT VAR:

NOTES:      PROXIES WERE ASKED QUESTION IN 2005 BUT NOT 2001 AND 2003
-----
```

```
-----
VARNAME:    AM2                                QNAME05:  QA05_N2                QPAGENUM:  A-135
                                           QNAME03:  QA03_384                QNAME01:  AM2

LABEL:      HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS

VALUE:      -1      INAPPLICABLE                                FREQ      %
              1      OFTEN TRUE                                31767     73.84
              2      SOMETIMES TRUE                            972       2.26
              3      NEVER TRUE                                2511      5.84
                                           7770     18.06

UNIVERSE:   ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS LESS THAN 200% FPL

INPUT VAR:

NOTES:      PROXIES WERE ASKED QUESTION IN 2005 BUT NOT 2001 AND 2003
-----
```

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM3 QNAME05: QA05_N3 QPAGENUM: A-135

QNAME03: QA03_385 QNAME01: AM3

LABEL: ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

VALUE:			FREQ	%
-1	INAPPLICABLE		31767	73.84
1	YES		1865	4.34
2	NO		9388	21.82

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS LESS THAN 200% FPL

INPUT VAR:

NOTES: PROXIES WERE ASKED QUESTION IN 2005 BUT NOT 2001 AND 2003

VARNAME: AM3A QNAME05: QA05_N4 QPAGENUM: A-135

QNAME03: QA03_386 QNAME01: AM3A

LABEL: HOW OFTEN ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

VALUE:			FREQ	%
-1	INAPPLICABLE		41155	95.66
1	ALMOST EVERY MONTH		684	1.59
2	SOME MONTHS BUT NOT EVERY MONTH		679	1.58
3	ONLY IN 1 OR 2 MONTHS		502	1.17

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS LESS THAN 200% FPL

INPUT VAR:

NOTES: PROXIES WERE ASKED QUESTION IN 2005 BUT NOT 2001 AND 2003

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM4 QNAME05: QA05_N5 QPAGENUM: A-136

QNAME03: QA03_387 QNAME01: AM4

LABEL: ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		31767	73.84
1	YES		2036	4.73
2	NO		9217	21.42

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS LESS THAN 200% FPL

INPUT VAR:

NOTES: PROXIES WERE ASKED QUESTION IN 2005 BUT NOT 2001 AND 2003

VARNAME: AM5 QNAME05: QA05_N6 QPAGENUM: A-136

QNAME03: QA03_388 QNAME01: AM5

LABEL: HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS

VALUE:			FREQ	%
-1	INAPPLICABLE		31767	73.84
1	YES		1245	2.89
2	NO		10008	23.26

UNIVERSE: ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS LESS THAN 200% FPL

INPUT VAR:

NOTES: PROXIES WERE ASKED QUESTION IN 2005 BUT NOT 2001 AND 2003

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FSLEV QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: FOOD SECURITY STATUS LEVEL

VALUE:			FREQ	%
-1	INAPPLICABLE - >=200% FPL		31767	73.84
1	FOOD SECURITY		7936	18.45
2	FOOD INSECURITY W/O HUNGER		2144	4.98
3	FOOD INSECURITY W/ HUNGER		1173	2.73

UNIVERSE: ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (INCL PROXIES)

INPUT VAR: POVLL, AM1, AM2, AM3, AM3A, AM4, AM5

NOTES: PROXIES WERE ASKED QUESTION IN 2005 BUT NOT 2001 AND 2003

VARNAME: FSLEVCB QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: FOOD SECURITY STATUS - 2 LVLS

VALUE:			FREQ	%
-1	INAPPLICABLE - >=200% FPL		31767	73.84
1	FOOD SECURITY		7936	18.45
2	FOOD INSECURITY WITH/ WITHOUT HUNGER		3317	7.71

UNIVERSE: ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (INCL PROXIES)

INPUT VAR: FSLEV

NOTES: PROXIES WERE ASKED QUESTION IN 2005 BUT NOT 2001 AND 2003

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section M: Demographic Information, Part 3, Geographic Information

VARNAME: UR_CLRT QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (4 LVLS)

VALUE:			FREQ	%
1	URBAN		13105	30.46
2	2ND CITY		12929	30.05
3	SUBURBAN		8896	20.68
4	TOWN AND RURAL		8090	18.81

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: UR_CLRT2 QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)

VALUE:			FREQ	%
1	URBAN		34930	81.19
2	RURAL		8090	18.81

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: UR_IHS QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: RURAL AND URBAN - IHS

VALUE:			FREQ	%
1	URBAN		28673	66.65
2	RURAL		14347	33.35

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: UR_OMB QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: RURAL AND URBAN - OMB

VALUE:			FREQ	%
1	METROPOLITAN		39796	92.51
2	NON-METROPOLITAN		3224	7.49

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: UR_RHP QNAME05: NA QPAGENUM: NA

QNAME03: NA QNAME01: NA

LABEL: RURAL AND URBAN - RHP

VALUE:			FREQ	%
1	URBAN		35974	83.62
2	RURAL		7046	16.38

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: POVLL QNAME05: NA QPAGENUM: NA

 QNAME03: NA QNAME01: NA

LABEL: POVERTY LEVEL

VALUE:	1	0-99% FPL	FREQ	%
	2	100-199% FPL	4312	10.02
	3	200-299% FPL	6941	16.13
	4	300% FPL AND ABOVE	5559	12.92
			26208	60.92

UNIVERSE: ALL ADULTS

INPUT VAR: AK17, AK18

NOTES:

VARNAME: POVLL2_P QNAME05: NA QPAGENUM: NA

 QNAME03: NA QNAME01: NA

LABEL: POVERTY LEVEL - 100% FPL (PUF RECODE)

	MEAN STATISTICS	
N		43020
MIN		0
MAX		24
MEAN		5.09

UNIVERSE: ALL ADULTS

INPUT VAR: POVLL2

NOTES: TOPCODE=24. VALUES ROUNDED TO THE NEAREST 100th.

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

Section N: Full Design and Replicate Weight Series 0-80

VARNAME: RAKEDW0 QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA
LABEL: CHIS2005 RAKED WEIGHT - FULL SAMPLE
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADULTS
INPUT VAR:
NOTES:

VARNAME: RAKEDW1 QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA
LABEL: CHIS2005 RAKED WEIGHT - REPLICATE 1
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADULTS
INPUT VAR:
NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW2	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 2				
VALUE:	0-HIGH CONTINUOUS	FREQ	%		
		43020	100.00		
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW3	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 3				
VALUE:	0-HIGH CONTINUOUS	FREQ	%		
		43020	100.00		
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW4	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 4				
VALUE:	0-HIGH CONTINUOUS	FREQ	%		
		43020	100.00		
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW5	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 5				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW6	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 6				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW7	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 7				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW8	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 8				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW9	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 9				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW10	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 10				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW11	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 11				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW12	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 12				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW13	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 13				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW14	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 14				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW15	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 15				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW16	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 16				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW17	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 17				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW18	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 18				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW19	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 19				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW20	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 20				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW21	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 21				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW22	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 22				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW23	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 23				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW24	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 24				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW25	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 25				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW26	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 26				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW27	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 27				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW28	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 28				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW29	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 29				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW30	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 30				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW31	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 31				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW32	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 32				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW33	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 33				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW34	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 34				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW35	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 35				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW36	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 36				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW37	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 37				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW38	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 38				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW39	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 39				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW40	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 40				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW41	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 41				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW42	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 42				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW43	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 43				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW44	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 44				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW45	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 45				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW46	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 46				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW47	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 47				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW48	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 48				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW49	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 49				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW50	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 50				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW51	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 51				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW52	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 52				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW53	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 53				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW54	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 54				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW55	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 55				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW56	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 56				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW57	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 57				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW58	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 58				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW59	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 59				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW60	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 60				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW61	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 61				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RAKEDW62 QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA
LABEL: CHIS2005 RAKED WEIGHT - REPLICATE 62
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADULTS
INPUT VAR:
NOTES:

VARNAME: RAKEDW63 QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA
LABEL: CHIS2005 RAKED WEIGHT - REPLICATE 63
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADULTS
INPUT VAR:
NOTES:

VARNAME: RAKEDW64 QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA
LABEL: CHIS2005 RAKED WEIGHT - REPLICATE 64
VALUE: 0-HIGH CONTINUOUS
UNIVERSE: ALL ADULTS
INPUT VAR:
NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW65	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 65				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW66	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 66				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW67	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 67				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW68	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 68				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW69	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 69				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW70	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 70				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW71	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 71				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW72	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 72				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW73	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 73				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW74	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 74				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW75	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 75				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW76	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 76				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME:	RAKEDW77	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 77				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW78	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 78				
VALUE:	0-HIGH	CONTINUOUS		FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

VARNAME:	RAKEDW79	QNAME05:	NA	QPAGENUM:	NA
		QNAME03:	NA	QNAME01:	NA
LABEL:	CHIS2005 RAKED WEIGHT - REPLICATE 79				
VALUE:	0-HIGH CONTINUOUS			FREQ	%
				43020	100.00
UNIVERSE:	ALL ADULTS				
INPUT VAR:					
NOTES:					

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAM: RAKEDW80 QNAME05: NA QPAGENUM: NA
QNAME03: NA QNAME01: NA

LABEL: CHIS2005 RAKED WEIGHT - REPLICATE 80

VALUE:	0-HIGH CONTINUOUS	FREQ	%
		43020	100.00

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

Section O: Appendix: Census Classifications

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

```
-----
VARNAME:   INDMAIN                      QNAME05:   NA                      QPAGENUM: NA
                                                QNAME03:   NA                      QNAME01:   NA
```

LABEL: MAIN INDUSTRY - RECODE

VALUE:		FREQ	%
-1	INAPPLICABLE	16462	38.27
1	AGR, FORESTRY, FISHING, HUNTING	597	1.39
2	MINING	35	0.08
3	CONSTRUCTION	1645	3.82
4	MANUFACTURING	1989	4.62
5	WHOLESALE AND RETAIL TRADE	2856	6.64
6	TRANSPORTATION AND UTILITIES	936	2.18
7	INFORMATION	807	1.88
8	FINANCIAL ACTIVITIES	2063	4.80
9	PROFESSIONAL AND BUSINESS SERVICES	3757	8.73
10	EDUCATIONAL AND HEALTH SERVICES	5690	13.23
11	LEISURE AND HOSPITALS	1703	3.96
12	OTHER SERVICES	1373	3.19
13	PUBLIC ADMINISTRATION	2635	6.13
14	ARMED FORCES	51	0.12
99	IND UNCODABLE-RF, BLNK	421	0.98

UNIVERSE: ADULTS WHO CURRENTLY/USUALLY WORK MORE THAN 0 HRS PER WK

INPUT VAR: AK1, AK3, AG10

NOTES:

2005 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: OCCMAIN	QNAME05: NA	QPAGENUM: NA
	QNAME03: NA	QNAME01: NA

LABEL: MAIN OCCUPATION - RECODE

VALUE:		FREQ	%
-1	INAPPLICABLE	16462	38.27
1	MANAGEMENT, BUSINESS AND FINALCIAL	4047	9.41
2	PROFESSIONAL AND RELATED	7852	18.25
3	SERVICE	3519	8.18
4	SALES AND RELATED	2640	6.14
5	OFFICE AND ADMIN SUPPOR	3641	8.46
6	FARMING, FORESTRY, AND FISHING	318	0.74
7	CONSTRUCTION AND EXTRACTION	1202	2.79
8	INSTALLATION, MAINTENANCE AND REPAIR	658	1.53
9	PRODUCTION	1060	2.46
10	TRANS AND MATERIAL MOVING	986	2.29
11	ARMED FORCES	51	0.12
99	OCC UNCODABLE-RF, BLNK	584	1.36

UNIVERSE: ADULTS WHO CURRENTLY/USUALLY WORK MORE THAN 0 HRS PER WK

INPUT VAR: AK1, AK3, AG10

NOTES:
