

## Dosage:

### Usual Adult Dose for Cold Symptoms

3.5 mg chlorpheniramine / 10 mg phenylephrine oral tablets: 1 tablet every 4 to 6 hours  
Maximum dose: 6 tablets per 24 hours

4 mg chlorpheniramine, 10 mg phenylephrine / 5 mL oral liquid: 5 mL every 4 hours  
Maximum dose: 6 doses per 24 hours

1 mg chlorpheniramine, 2.5 mg phenylephrine / 5 mL oral liquid: 5 mL every 6 hours  
Maximum dose: 4 doses per 24 hours

Uses: Temporary relief of allergic rhinitis or other upper respiratory allergy symptoms (rhinorrhea, sneezing, itchy, watery eyes, nasal congestion, itchy nose or throat, sinus congestion and pressure)

### Usual Pediatric Dose for Cold Symptoms

**3.5 mg chlorpheniramine / 10 mg phenylephrine oral tablets:**  
12 years and over: 1 tablet every 4 to 6 hours  
Maximum dose: 6 tablets per 24 hours

6 to 11 years: One half tablet every 4 to 6 hours  
Maximum dose: 3 tablets per 24 hours

**4 mg chlorpheniramine, 10 mg phenylephrine / 5 mL oral liquid:**  
12 years and over: 5 mL every 4 hours  
6 to 11 years: 2.5 mL every 4 hours  
Maximum dose: 6 doses per 24 hours

**1 mg chlorpheniramine, 2.5 mg phenylephrine / 5 mL oral liquid:**  
12 years and over: 5 mL every 6 hours  
6 to 11 years: 2.5 mL every 6 hours  
Maximum dose: 4 doses per 24 hours

Uses: Temporary relief of allergic rhinitis or other upper respiratory allergy symptoms (rhinorrhea, sneezing, itchy, watery eyes, nasal congestion, itchy nose or throat, sinus congestion and pressure)