A/B Testing Udacity's Free Trial Screener By Aakarsh Goel

Experiment Design

Metric Choice

List which metrics you will use as invariant metrics and evaluation metrics here. (These should be the same metrics you chose in the "Choosing Invariant Metrics" and "Choosing Evaluation Metrics" quizzes.)

Invariant metrics:

<u>Number of cookies</u>: Since entering the homepage of site doesn't have any correlation with this experiment of free trial screener so it is invariant.

<u>Number of clicks</u>: It will be invariant metric because the clicks happen before the user sees the experiment, and are thus independent from it.

<u>Click-through-probability</u>: Similar to number of cookies and clicks, since the users have not seen the *start free trial* page before they decide the click on the button, the click through probability also is not dependent on the test being carried out.

Evaluation metrics:

<u>Gross conversion</u>: That is, number of user-ids to complete checkout and enroll in the free trial divided by number of unique cookies to click the "Start free trial" button. Most appropriate evaluation metric because it is directly dependent on the effect of the experiment and allows us to show whether we managed to decrease the cost of enrollments that aren't likely to become paying customers.

<u>Retention</u>: That is, number of user-ids to remain enrolled past the 14-day boundary (and thus make at least one payment) divided by number of user-ids to complete checkout. This could be good evaluation metric as it follows the experiment and is quite affected by it.

<u>Net conversion</u>: That is, number of user-ids to remain enrolled past the 14-day boundary (and thus make at least one payment) divided by the number of unique cookies to click the "Start free trial" button. This will also be affected by the experiment held as it is based on experiment held and attraction provided by it.

Measuring Standard Deviation

List the standard deviation of each of your evaluation metrics. (These should be the answers from the "Calculating standard deviation" quiz.)

To evaluate whether the analytical estimates of standard deviation are accurate and matches the empirical standard deviation, the unit of analysis and unit of diversion are compared for each evaluation metric. A Bernoulli distribution is assumed here with probability p and population N where the standard deviation is given by $sqrt(p^*(1-p)/N)$. Lets measure standard deviation of chosen evaluation metrics.

Gross conversion

```
p = 0.20625 (given)
N = 5000 * 0.08 = 400
std= sqrt(0.20625 * (1-0.20625) / 400) = 0.0202
```

Retention

```
p = 0.53 (given)
N = 5000 * 0.08 * 0.20625 = 82.5
std = sqrt(0.53 * (1-0.53) / 82.5) = 0.0549
```

Net conversion

```
p = 0.1093125(given)
N = 5000 * 0.08 = 400
std = sqrt(0.1093125 * (1-0.1093125) / 400) = 0.0156
```

So retention shows highest standard deviation compared to gross conversion and net conversion and its analytical and empirical variability could differ.

Sizing

Number of Samples vs. Power

Indicate whether you will use the Bonferroni correction during your analysis phase, and give the number of pageviews you will need to power you experiment appropriately. (These should be the answers from the "Calculating Number of Pageviews" quiz.)

As the metrics used in this experiment are highly correlated, I decided against using the Bonferroni correction as it will be too conservative in the figures calculated. I used <u>online</u> <u>calculator</u> to generate the number of samples needed with alpha = 5% and 1-beta = 80%. From which following information was obtained.

Gross conversion

Baseline conversion rate	<u>d_min</u>	Sample size needed	Number of pageviews needed
20.625%	1%	25,835	645,875

Retention

Baseline conversion rate	<u>d_min</u>	Sample size needed	Number of pageviews needed
53%	1%	39,115	4,741,212

Net conversion

Baseline conversion rate	<u>d_min</u>	Sample size needed	Number of pageviews needed
10.93125%	0.75%	27,413	685,325

I selected to proceed with are **Gross conversion** and **Net conversion** because to achieve sufficient pageviews i.e 4,741,212 for the **Retention** metric, it would take too long for an A/B test.

Duration vs. Exposure

Indicate what fraction of traffic you would divert to this experiment and, given this, how many days you would need to run the experiment. (These should be the answers from the "Choosing Duration and Exposure" quiz.) Give your reasoning for the fraction you chose to divert. How risky do you think this experiment would be for Udacity?

Since required no of page views is approximately 700k, I suggest to divert 100% or whole fraction of traffic to this experiment. In 100% diversion around 18 days would be needed to run the experiment.

It is not much risky as its just an additional information provided to user and can never change mind of the person who actually wants to enroll.

Experiment Analysis

Sanity Checks

For each of your invariant metrics, give the 95% confidence interval for the value you expect to observe, the actual observed value, and whether the metric passes your sanity check. (These should be the answers from the "Sanity Checks" quiz.)

All the three invariant metrics passed the sanity checks with following 95% confidence interval:

Number of cookies:

CI- [.4988, .5012]

Observed .5006

Number of clicks on "Start free trial":

CI- [.4959, .5041] Observed .5005

Click-through-probability on "Start free trial":

CI- [.0812, .0830] Observed .0822

Result Analysis

Effect Size Tests

For each of your evaluation metrics, give a 95% confidence interval around the difference between the experiment and control groups. Indicate whether each metric is statistically and practically significant. (These should be the answers from the "Effect Size Tests" quiz.)

Gross conversion:

CI- [-.0291, -.0120]

This metric is statistically significant as the interval does not include zero, and is practically significant as it also does not include the practical significance boundary.

Net conversion:

CI- [-.0116, .0019]

This metric is not statistically significant as it included zero, and therefore not practically significant either.

Sign Tests

For each of your evaluation metrics, do a sign test using the day-by-day data, and report the p-value of the sign test and whether the result is statistically significant. (These should be the answers from the "Sign Tests" quiz.)

<u>Gross conversion</u>: 0.0026, statistically significant <u>Net conversion</u>: 0.6776, not statistically significant

So on 0.05 cutoff Gross conversion passed the Sign Test and Net Conversion fails using online calculator.

Summary

I did not use a Bonferroni correction because we are testing only single variation and the correction would only make the resulting figures more conservative than needed. It might be useful to apply the Bonferroni correction if we decide to do post-test-segmentation on the results, such as browser-based analysis or demographic analysis.

Based on the practically significance of the effective size and sign tests, gross conversion will decrease while net conversion will not be significantly impacted. So no discrepancies were found b/w the effect size tests and the sign tests.

Recommendation

Since main aim is to increase Net conversion but according to above results it is not statistically significant, so launching that experiment is not a good idea as it is very risky to just depend upon reduction of free trials or decrease in Gross conversion.

Follow-Up Experiment

A potential follow-up experiment could be testing enroll now with a discount. Each nanodegree take a good part of a year on average and there is currently an offer of receiving 50% of tuition paid back if the program is completed within a year. It will be compelling to users who are already determined to take the course and ready to jump in directly.

The hypothesis is that by providing this direct enrollment with a discount for completion in a set time frame of 12 months. They will have an expectation set on what an average completion time frame looks like and work towards that.

Following are components for this analysis:

unit of diversion: user ids

This follow-up experiment can use user ids when they sign-up as the unit of diversion. This ensures that a signed-in user is not both in the control and experimental group.

invariant metric: number of user ids

Because the users sign up for the free trial before they are assigned a point of contact and are exposed to the new onboarding messages.

evaluation metric: Retention

It is number of user-ids to remain enrolled past the 14-day boundary (and thus make at least one payment) divided by number of user-ids to complete checkout which we want ultimately to increase i.e revenue by acquiring maximum retention.