THESIS — Build Plan

4-Phase Engineering & Design Blueprint for Claude Code

DESIGN IDENTITY: "The Research Instrument"

Thesis is an instrument of intellectual discipline applied to money. Not a flashy fintech dashboard, not a Bloomberg terminal clone, not a pastel-gradient consumer app. It should feel like a precision research tool — the investing equivalent of a Leica camera or a Braun calculator. Every surface communicates: *this is where serious thinking happens.*

Design Principles

1. **Typography is the interface.** Numbers, labels, and thesis text do most of the visual work. Decoration is near-zero. When the type is set well, the page is designed.
2. **Density is earned.** Sparse on first encounter (onboarding, thesis builder). Dense only where density serves comprehension (X-Ray, factor exposure). The product teaches the user to read more data over time.
3. **Color is signal, not decoration.** Green, amber, red appear *only* to communicate thesis/portfolio health states. Everything else is neutral. When color appears, it means something.
4. **Borders, not shadows.** Shadows feel soft and app-like. Hairline borders feel printed and precise — like a well-typeset financial report. Cards use 1px borders, not elevation.
5. **The product reads like a document, not a dashboard.** Layouts flow vertically like a research paper. Horizontal dashboard grids are used sparingly and only for genuine side-by-side comparison.

Color System

PALETTE — "Quiet Authority"

——

Backgrounds

Page:	#FAFBFC	(barely blue-gray, like archival paper)

Surface: #FFFFFF (cards, modals, inputs)

Recessed: #F1F3F5 (secondary panels, code blocks, data wells)

Ink

Primary: #0F1419 (near-black with just enough warmth)

Secondary: #5C6670 (captions, labels, secondary text)

Tertiary: #9CA3AB (placeholders, disabled states)

Accent — Forest

Default: #1A6B4A (deep forest green — growth, rigor, old money)

Hover: #145A3D

Light: #E8F5EE (tinted backgrounds for positive states)

Signal Colors — used ONLY for health/status, never decorative

Healthy: #1A6B4A (thesis intact, assumptions holding)

Caution: #C8922A (dark gold — assumptions under stress)

Broken: #B83A2E (burnt sienna — thesis breaker triggered)

Neutral: #4A7FBF (steel blue — informational, no judgment)

Borders

Default: #E2E5E9 (1px, cards and dividers)

Strong: #CDD1D6 (section separators, table headers)

Focus: #1A6B4A (input focus rings)

Typography

TYPE SYSTEM — "Journal Precision"

———————————————————————————————————————

Display Face: "Instrument Serif" (Google Fonts)

Used for: Page titles, the Thesis Health Score number,
hero moments, stock names on detail pages.

Personality: Academic weight without being stuffy.
The title page of a well-defended thesis.

Weights: 400 (regular) only — restraint is the point.

Body Face: "Inter" (Google Fonts, variable)

Used for: Everything else — UI text, paragraphs,
navigation, buttons, form labels.

Weights: 400 (body), 500 (emphasis/labels), 600 (strong)

Why Inter: Precision instrument of sans-serifs.
Superb number rendering at small sizes.
Variable font = one file, exact control.

Data Face: "IBM Plex Mono" (Google Fonts)

Used for: Financial figures, percentages, ticker symbols,
thesis-breaker thresholds, portfolio values.

Why monospace for money: Columns align naturally.
₹18,50,000 reads as a deliberate figure,
not a word. Numbers feel *measured*, not typed.

Weights: 400 (data), 500 (highlighted figures)

TYPE SCALE (rem, base 16px)

Hero/Score: 3.5rem / 56px Instrument Serif

Page title: 2rem / 32px Instrument Serif

Section head: 1.25rem / 20px Inter 600

Body: 0.9375rem / 15px Inter 400

Caption/Label: 0.8125rem / 13px Inter 500, uppercase tracking +0.04em

Data figure: 1.5rem / 24px IBM Plex Mono 500

Data small: 0.875rem / 14px IBM Plex Mono 400

Layout System

LAYOUT — "Editorial Grid"

———————————————————————————————————————

Navigation: Left sidebar, 64px collapsed (icon-only),

240px expanded. Dark (#0F1419) background

with light text — the one dark surface in the

entire app. Creates a clear "control strip"

that separates navigation from content.

Content area: Max-width 1120px, centered.

16px base padding, 24px gutters.

Card system:

- 1px border (#E2E5E9), 8px border-radius (not 12 — tighter)
- No box-shadows anywhere in the product

- 24px internal padding

- Cards stack vertically by default

- Side-by-side only for genuine comparisons (e.g., peer table)

Data tables:

- Alternating row backgrounds: #FFFFFF / #FAFBFC

- Header row: Inter 500, 13px, uppercase, tracking +0.04em

- Cell text: IBM Plex Mono for numbers, Inter for text

- Row height: 48px (comfortable touch/click target)

- Thin bottom borders only (no full grid lines)

Spacing rhythm: 8px base unit. Gaps: 8, 16, 24, 32, 48, 64.

Signature Element: The Thesis Gauge

THE THESIS HEALTH GAUGE — the thing people screenshot

———————————————————————————————————————

Not a progress bar. Not a donut chart. Not a speedometer.

A vertical "thermometer" — a precision instrument.

Inspired by a barometer or mercury gauge.

Visual: A tall, narrow rounded rectangle (24px wide,

~180px tall), filled from bottom to top

proportional to the health score. The fill

uses the health gradient:

0-49: #B83A2E (broken, burnt sienna)

50-79: #C8922A (caution, dark gold)

80-100: #1A6B4A (healthy, forest green)

The score number sits beside the gauge in

Instrument Serif at 56px — the largest type

on the page.

A small etched tick mark on the gauge shows

the PREVIOUS reading, so the user sees direction

at a glance without needing a chart.

This gauge appears on:

- Stock detail page (hero position)
- Portfolio overview (miniature version per stock, 12px wide)
- Shareable X-Ray cards (the visual anchor)

Why this works: It looks like a physical instrument.

You glance at it the way you glance at a thermometer —

instant read, no interpretation needed. And it's

unlike anything in any competing product.

Responsive Strategy

BREAKPOINTS

Desktop:	≥1024px	Full sidebar + content
Tablet:	768-1023	Collapsed sidebar + full content
Mobile:	<768	Bottom tab bar, full-width content, stacked cards. The gauge shrinks

to horizontal on mobile.

TECHNICAL ARCHITECTURE

Stack

FRONTEND

Framework:	Next.js 14+ (App Router)
Language:	TypeScript (strict)
Styling:	Tailwind CSS 3+ with custom theme config
Charts:	Recharts (primary) + D3.js (complex viz)
State:	Zustand (light, no boilerplate)
Forms:	React Hook Form + Zod validation
Auth:	NextAuth.js (Google + Email magic link)
Animations:	Framer Motion (sparingly — see design principles)
Icons:	Lucide React

BACKEND (Next.js API Routes for MVP → FastAPI migration in Phase 3)

ORM:	Prisma
Database:	PostgreSQL (Supabase for MVP, self-hosted later)
Cache:	Upstash Redis (serverless)
Background jobs:	Inngest (event-driven, serverless)
File storage:	Supabase Storage (CAS uploads)

DATA & AI

LLM: Claude API (thesis generation, DRHP parsing)

Stock data: BSE/NSE public APIs + Yahoo Finance API (fallback)

MF data: AMFI India (public, free NAV + holdings data)

Market indices: NSE India public endpoints

INFRA

Hosting: Vercel (frontend) + Supabase (DB/auth/storage)

Monitoring: Sentry (errors) + PostHog (analytics)

Email: Resend (transactional alerts)

DNS/CDN: Cloudflare

PUBLIC APIs USED (no paid keys required for MVP)

- AMFI NAV API: https://www.amfiindia.com/spages/NAVAll.txt

- BSE Bhavcopy: https://www.bseindia.com/download/BhsavCopy

- Yahoo Finance: https://query1.finance.yahoo.com/v8/finance

- RBI DBIE: https://api.rbi.org.in (macro indicators)

- Google Fonts API: Instrument Serif, Inter, IBM Plex Mono

Database Schema (Core Tables)

```
-- Users

users (id, email, name, avatar_url, plan, created_at, updated_at)

-- Portfolio positions

positions (id, user_id, ticker, exchange, asset_type, quantity,

        avg_buy_price, buy_date, current_price, sector, created_at)
```

```
-- Theses
theses (id, position_id, user_id, tier, thesis_text,
        thesis_template_id, conviction_level, time_horizon_months,
        health_score, previous_health_score, status, created_at, updated_at)
-- Thesis assumptions (the monitorable claims)
assumptions (id, thesis_id, text, metric_key, operator,
             threshold_value, current_value, status, last_checked_at)
-- Exit rules
exit_rules (id, position_id, user_id, rule_text_verbatim,
            rule_type, metric_key, operator, threshold_value,
            current_value, status, created_date_text, triggered_at)
-- Decision log (the moat — every decision is captured)
decisions (id, user_id, position_id, exit_rule_id,
           decision_type, reasoning_text, position_pnl_at_decision,
           outcome_pnl_30d, outcome_pnl_90d, created_at)
-- Mutual fund holdings (from CAS/AMFI)
mf_holdings (id, user_id, scheme_code, scheme_name, units,
             nav, current_value, amc, category, created_at)
-- MF underlying stocks (from AMFI monthly disclosures)
mf_stock_exposures (scheme_code, ticker, company_name,
                    percentage_of_aum, reporting_month)
-- IPO forensic reports
```

```
ipo_reports (id, company_name, ticker, issue_open, issue_close,
            price_band_low, price_band_high, issue_size,
            fresh_issue_pct, ofs_pct, business_summary,
            peer_comparison_json, financials_json,
            forensic_score, created_at)
-- Portfolio snapshots (for historical X-Ray)
portfolio_snapshots (id, user_id, snapshot_date,
                     total_value, sector_exposure_json,
                     company_exposure_json, factor_exposure_json,
                     overlap_score, dqs_score)
-- DQS scores (Track A + Track B)
dqs_scores (id, user_id, score_date, overall_score,
            thesis_rigor, portfolio_construction,
            exit_discipline, learning_adaptation,
            track, benchmark_percentile)
-- Alert history
alerts (id, user_id, position_id, alert_type,
        rule_text_echo, status_text, confidence_level,
        source_url, acknowledged, created_at)
-- Data accuracy tracking (the public dashboard)
data_accuracy_log (id, data_type, ticker, expected_value,
```

parsed_value, is_correct, correction_applied,

reported_by, created_at)

PHASE 1: FOUNDATION + THESIS ENGINE

Estimated Claude Code sessions: 8-12 Corresponds to: MVP Months 1-4 in the ideation doc

What ships at the end of Phase 1

A functional web app where a user can sign up, add stock positions, create/accept tiered theses, see thesis health scores with the gauge UI, set exit rules, and log decisions. Data for the top 50 NSE stocks is populated. No mutual fund integration yet, no IPO forensics, no mobile.

Session-by-session breakdown

Session 1 — Project scaffold + design system

Deliverables:

├── Next.js 14 project with App Router

├── TypeScript strict config

├── Tailwind config with full Thesis design tokens

│ ├── Colors (all palette values from design system)

│ ├── Typography (Instrument Serif, Inter, IBM Plex Mono)

│ ├── Spacing scale (8px base)

│ └── Border radius (8px standard, 24px pills)

├── Global CSS with font imports and base styles

├── Component library foundation:

│ ├── Button (primary, secondary, ghost, destructive)

│ ├── Card (with 1px border, no shadow)

│ ├── Input (text, number, select, slider)

│ ├── Badge (health status: healthy, caution, broken)

│ ├── Modal / Sheet

│ ├── Table (with monospace number columns)

│ ├── Toast notifications

│ └── ThesisGauge component (the signature vertical gauge)

├── Layout shell:

│ ├── Sidebar navigation (dark, icon-first, collapsible)

│ ├── Top bar (search, user avatar, notifications bell)

│ └── Content wrapper (max-width 1120px, centered)

├── Prisma schema (all core tables)

├── Supabase project setup instructions

└── Environment variable template (.env.example)

Key design decisions in this session:

- The sidebar uses #0F1419 background — the ONLY dark surface

- All cards: 1px solid #E2E5E9, 8px radius, 24px padding

- The ThesisGauge is built as a reusable SVG component

- No shadows, no gradients, no decorative elements

Session 2 — Authentication + user onboarding

Deliverables:

├── NextAuth.js setup (Google OAuth + email magic link)

├── User profile creation flow

├── Onboarding sequence (3 screens):

│ 1. "What do you invest in?" (stocks / MFs / both)

│ 2. "How do you track your portfolio today?"

│ (spreadsheet / broker app / nothing / other)

│ 3. "Add your first position" (search + add flow)

│ OR "Import from broker" (manual CSV for now)

├── Protected route middleware

├── User settings page (name, email, plan display)

└── Empty states for all core pages (designed, not placeholder)

Design notes:

- Onboarding uses Instrument Serif for step titles

- Minimal: 3 screens max, no tutorial overlays

- Empty states are invitations to act, not sad faces

e.g., "No positions yet. Add your first stock to

see what your thesis health looks like."

Session 3 — Stock data pipeline + position management

Deliverables:

├── Data ingestion scripts:

│ ├── NSE/BSE bhavcopy daily price fetcher

│ ├── Yahoo Finance API fallback for real-time quotes

│ ├── Sector classification mapping (GICS → custom)

```
│   └── Top 50 Nifty stocks: company metadata seeded
├── Position CRUD:
│   ├── Add position (stock search with ticker autocomplete)
│   ├── Edit position (quantity, avg price)
│   ├── Delete position (with confirmation)
│   └── Position list view (table with monospace prices)
├── Stock search component:
│   ├── Debounced search across ticker + company name
│   ├── Results show: ticker, company, sector, last price
│   └── Keyboard navigable (up/down/enter)
├── Portfolio overview page:
│   ├── Total value (IBM Plex Mono, large)
│   ├── Position cards with mini thesis gauges
│   ├── Sector breakdown (horizontal stacked bar)
│   └── Day change indicators
└── Cron job setup (Inngest):
    └── Daily EOD price update for all tracked stocks
```

API integrations:

- Yahoo Finance: GET /v8/finance/chart/{ticker}.NS
- BSE Bhavcopy: daily download + parse
- All data cached in PostgreSQL, refreshed daily

Session 4 — Thesis Builder (all 3 tiers)

Deliverables:

- Tier 0 — Auto-generated thesis:
  - Claude API integration for thesis generation
  - Prompt: given stock ticker + sector + recent financials, generate a 2-3 sentence thesis + 3 key assumptions with measurable thresholds
  - UI: thesis appears pre-filled, user taps "Accept" / "Edit" / "Write my own"
  - Clear label: "Auto-generated starting point — not personalized advice"
- Tier 1 — Template picker:
  - 4 thesis templates per sector: Growth case, Value case, Turnaround, Momentum
  - Each template has pre-set assumptions with adjustable thresholds (slider UI, not text input)
  - Template cards show a one-line summary of the thesis logic before selection
  - User picks template → adjusts sliders → saves
- Tier 2 — Manual builder:
  - Free-text thesis statement (textarea, 500 char max)
  - Add assumptions manually:

```
│   │   metric selector + operator (>, <, =) + threshold
│   ├── Conviction level selector (Low / Medium / High)
│   └── Time horizon picker (6/12/18/24/36 months)
├── Thesis detail page:
│   ├── The Thesis Gauge (hero, left-aligned, large)
│   ├── Thesis text in Instrument Serif
│   ├── Assumptions checklist with current vs threshold
│   ├── Edit thesis button
│   └── Thesis age indicator ("Filed 3 months ago")
└── Thesis health score calculation:
    ├── Algorithm: weighted check of assumptions
    │   All met = 100, proportional deduction per broken assumption
    │   Recency-weighted (recent breaks count more)
    └── Previous score stored for gauge tick mark
```

Claude API prompt structure (Tier 0):

```
System: "You are a financial data summarizer. Given a
stock's sector, recent quarterly results, and key metrics,
generate a concise investment thesis that a retail investor
might hold for this stock. Include exactly 3 measurable
assumptions with specific numeric thresholds. Never
recommend buying or selling. Frame as 'investors who hold
```

this stock typically believe...' Output JSON."

Response format:

```
{
  "thesis_text": "...",
  "assumptions": [
    { "text": "...", "metric": "revenue_growth_yoy",
      "operator": ">", "threshold": 10 },
    ...
  ],
  "common_frameworks": ["growth", "value"]
}
```

Session 5 — Exit rules + decision logging

Deliverables:

```
├── Exit rule builder:
│   ├── Rule types:
│   │   Thesis-based (linked to assumptions)
│   │   Valuation-based (PE, PB thresholds)
│   │   Risk-based (position size %, drawdown %)
│   │   Portfolio-level (sector concentration %)
│   ├── Each rule captures verbatim text at creation time
│   │   for compliance-safe alert echoing
│   ├── Rule list view on position detail page
```

```
│   └── Quick-add: "Suggest exit rules" button
│       (Claude generates 3-4 rules based on thesis)
├── Decision log:
│   ├── When a rule triggers → decision prompt appears:
│   │   [ Hold ] [ Partial Exit ] [ Full Exit ] [ Override Rule ]
│   ├── Reasoning text field (optional but encouraged):
│   │   "Why did you make this decision?"
│   ├── Decision saved with current P&L snapshot
│   ├── Decision history page (chronological timeline)
│   └── Each decision card shows:
│       the rule text, the user's choice, their reasoning,
│       and (after 30/90 days) the outcome P&L
├── Exit rule monitoring (daily batch):
│   ├── Inngest cron: after market close, check all active rules
│   ├── Compare current data against thresholds
│   ├── If triggered → create alert + in-app notification
│   └── Alert uses verbatim-echo format:
│       YOUR RULE (set by you on [date]): "[exact user text]"
│       STATUS: This condition is now met.
└── Notification system:
    ├── In-app notification dropdown (bell icon)
```

├── Unread count badge

├── Mark as read / acknowledge

└── Email notifications via Resend (Pro tier only)

Session 6 — DQS Track A (cohort-relative) + portfolio dashboard polish

Deliverables:

├── DQS calculation engine:

│ ├── Thesis Rigor (25%):

│ │ % of positions with thesis, thesis tier distribution,

│ │ assumption specificity score

│ ├── Portfolio Construction (25%):

│ │ Position concentration (Herfindahl index),

│ │ sector diversification, number of positions

│ ├── Exit Discipline (25%):

│ │ % of exit rules set, rule-following rate

│ │ (starts at 50 until enough data exists)

│ └── Learning & Adaptation (25%):

│ Thesis editing frequency, alert acknowledgment rate

│ (starts at 50 until enough data exists)

├── DQS dashboard page:

│ ├── Overall score with Thesis Gauge (hero)

│ ├── Four sub-scores with progress bars

│ ├── Cohort benchmarks: "You" vs "Average" vs "Top 10%"

│ │ (Track A — uses aggregate data, not personal history)

│ ├── "Biggest leaks" section: top 3 actionable improvements

│ └── Score trend over time (line chart, Recharts)

├── Portfolio dashboard polish:

│ ├── Hero section: total value, day change, DQS score

│ ├── Positions table with mini gauges and key metrics

│ ├── Sector pie chart (Recharts, using signal colors only)

│ ├── Alerts section (recent triggered rules)

│ └── Quick actions: "Add position", "Review alerts"

└── DQS seeding for new users:

├── Generate initial cohort benchmarks from seed data

└── Display "Early Access" badge on DQS until

enough real users exist for meaningful benchmarks

Session 7 — Settings, billing UI, and free/Pro gating

Deliverables:

├── Settings pages:

│ ├── Profile (name, email, avatar)

│ ├── Notifications (email frequency, push preferences)

│ ├── Data & Privacy (export data, delete account)

│ └── Appearance (light mode only for now — dark mode Phase 3)

├── Plan/billing page:

```
│   ├── Current plan display
│   ├── Plan comparison table (Free vs Pro vs Premium)
│   ├── Upgrade CTA (Stripe Checkout or Razorpay for India)
│   └── Billing history
├── Feature gating:
│   ├── Free tier: 5 positions, basic thesis, on-demand DQS
│   ├── Pro tier: unlimited positions, push alerts, full DQS
│   ├── Soft paywall UI: blurred content with upgrade prompt
│   │   (not a hard block — user sees WHAT they're missing)
│   └── Upgrade trigger points mapped to high-value moments:
│       "You have 3 alerts waiting — upgrade to Pro to
│        receive them as push notifications"
├── Legal pages:
│   ├── Terms of Service
│   ├── Privacy Policy
│   ├── SEBI Disclaimer (on every analytical page)
│   └── "Not investment advice" footer component
└── Razorpay integration:
    ├── Subscription creation
    ├── Webhook handler for payment events
    └── Plan upgrade/downgrade logic
```

Session 8 — Landing page + SEO + deploy

Deliverables:

├── Marketing landing page (thesis.app or similar):
│   ├── Hero: "Your investments have reasons.
│   │   Thesis tracks whether those reasons still hold."
│   │   (Instrument Serif, large, no animation — the words land)
│   ├── Problem section: 3 scenarios (thesis drift,
│   │   hidden concentration, no exit framework)
│   │   Each with a before/after: messy gut feeling →
│   │   clean Thesis interface showing clarity
│   ├── Product walkthrough: 4 static screenshots with captions
│   │   (Thesis Builder, Health Gauge, Exit Rule, DQS)
│   ├── Pricing section (Free / Pro / Premium cards)
│   ├── Trust section: "What Thesis never does"
│   │   (never recommends, never predicts, never sells data)
│   ├── Footer: legal links, social, SEBI disclaimer
│   └── Waitlist/signup CTA → flows into onboarding
├── SEO setup:
│   ├── Meta tags, OG images, structured data
│   ├── robots.txt, sitemap.xml
│   └── Target keywords: "investment thesis tracker india",
│   "portfolio overlap checker", "mutual fund overlap"

├── Vercel deployment:

│   ├── Production environment variables

│   ├── Custom domain setup

│   ├── Edge caching for static pages

│   └── Preview deployments for PRs

└── Analytics:

    ├── PostHog setup (product analytics)

    ├── Sentry setup (error tracking)

    └── Core event tracking:

        signup, position_added, thesis_created,

        exit_rule_set, decision_logged, upgrade_clicked

Phase 1 deliverable summary

Pages: 12

Landing, Login, Onboarding (×3), Dashboard, Portfolio,

Position Detail, Thesis Builder, DQS Dashboard,

Settings, Billing

Components: ~35 reusable

API routes: ~20

Database tables: 12

External integrations: Yahoo Finance, Claude API,

Razorpay, Resend, PostHog, Sentry

PHASE 2: PORTFOLIO X-RAY + MUTUAL FUND INTELLIGENCE

Estimated Claude Code sessions: 6-8 Corresponds to: Months 4-8 in the ideation doc

What ships at the end of Phase 2

Full mutual fund portfolio import (CAS PDF upload + AMFI data), cross-asset overlap detection showing real company/sector exposure across stocks AND MFs, factor exposure analysis, correlation matrix, and shareable X-Ray cards (English + Hindi).

Session-by-session breakdown

Session 9 — CAS PDF parser + MF data pipeline

Deliverables:

```
├── CAS PDF upload flow:
│   ├── Upload UI with drag-drop + file picker
│   ├── PDF parsing (pdf-parse / pdfjs):
│   │   Extract scheme names, folio numbers, units, NAV
│   ├── Parsed data review screen:
│   │   "We found 4 mutual funds. Confirm these are correct."
│   ├── Save to mf_holdings table
│   └── Error handling: "We couldn't parse this format.
│       Try downloading a fresh CAS from CAMS or KFintech."
├── AMFI data pipeline:
│   ├── Daily NAV fetch from amfiindia.com/spages/NAVAll.txt
│   ├── Monthly holdings data ingestion:
│   │   AMFI publishes MF portfolio holdings monthly
```

│ │ Parse and store in mf_stock_exposures table

│ ├── Scheme metadata: category, sub-category, AMC,

│ │ expense ratio, AUM

│ └── Scheme search (autocomplete by name or AMFI code)

├── Manual MF entry fallback:

│ ├── Search scheme → enter units → save

│ └── For users who can't/won't upload CAS

└── MF portfolio view:

├── List of MF holdings with current value

├── Category breakdown (large-cap, mid-cap, flexi, etc.)

├── Total MF portfolio value

└── Expense ratio summary ("You're paying ₹X/year in fees")

Session 10 — Portfolio X-Ray engine

Deliverables:

├── Overlap detection algorithm:

│ ├── For each MF, look through to underlying stocks

│ │ using mf_stock_exposures data

│ ├── Combine with direct stock holdings

│ ├── Calculate TRUE company exposure:

│ │ Direct holding % + sum of (MF weight × MF allocation)

│ ├── Flag overlaps: any company appearing in

```
│   │   both direct and MF holdings, or in 2+ MFs
│   └── Output: company_exposure_json with full attribution
├── X-Ray results page:
│   ├── Hero: "Your portfolio thinks it has 23 positions.
│   │         It actually has exposure to 47 companies,
│   │         but 62% of your money is in just 8."
│   ├── Top 10 actual company exposures:
│   │   Each with attribution tree (direct + which MFs)
│   │   Visual: horizontal bar chart, IBM Plex Mono labels
│   ├── Sector concentration:
│   │   Stacked bar showing true sector weights
│   │   Warning badges on sectors >25%
│   ├── MF-to-MF overlap matrix:
│   │   "Fund A and Fund B have 73% overlap"
│   │   Heatmap visualization (Recharts custom)
│   ├── MF-to-stock overlap:
│   │   "Your direct HDFC Bank + 3 MFs = 14.2% exposure"
│   └── Actionable insights (no recommendations, just facts):
│       "3 of your 4 MFs have >70% pairwise overlap.
│        Your portfolio behaves like 1 fund, not 4."
├── Correlation analysis:
│   ├── Position-to-position correlation matrix
```

│ ├── Average pairwise correlation

│ └── "Your 4 MFs have 0.92 average correlation —

│ they move almost identically."

└── Portfolio-level exit rules:

├── Sector concentration limit (e.g., banking <30%)

├── Single-company exposure limit (e.g., <8%)

└── These trigger alerts using the same

verbatim-echo system from Phase 1

Session 11 — Factor exposure + advanced analytics

Deliverables:

├── Factor exposure analysis:

│ ├── Momentum: % of holdings with >50% 12-month return

│ ├── Value: portfolio-weighted PE, PB, dividend yield

│ ├── Quality: portfolio-weighted ROCE, debt/equity

│ ├── Size: actual large/mid/small split

│ │ (based on holdings, not MF category label)

│ └── Visualization: radar chart showing factor tilts

├── Expense efficiency analysis:

│ ├── For each MF, compare expense ratio vs overlap

│ │ with cheaper alternatives (index funds)

│ ├── "You're paying 1.8% for Fund X, which is

│ │ 85% identical to a 0.15% Nifty 50 index fund."

│ └── Total annual fee leakage calculation

├── Portfolio snapshot system:

│ ├── Daily snapshot saved (total value, allocations,

│ │ overlap score, factor exposures)

│ ├── Historical X-Ray comparison:

│ │ "Your banking concentration was 25% last month,

│ │ it's 31% now."

│ └── Time-series charts for key metrics

└── Rebalancing drift alerts:

├── User sets target allocation (equity/debt/gold %)

├── Alert when actual drifts >5% from target

└── Uses the same alert system (verbatim echo)

Session 12 — Shareable X-Ray cards + Hindi

Deliverables:

├── X-Ray summary card generator:

│ ├── OG-image-style card (1200×630px) showing:

│ │ DQS score with gauge, top 3 concentration risks,

│ │ overlap score, total positions, thesis coverage %

│ ├── Generated server-side (Satori or @vercel/og)

│ ├── Unique shareable URL per card (/xray/[hash])

│ ├── Card preview page with "Share to Twitter/WhatsApp"

```
│   └── Privacy: shows aggregate stats only,
│       never individual positions or values
├── Hindi language support:
│   ├── i18n setup (next-intl or next-i18next)
│   ├── Hindi translations for:
│   │   Shareable card text
│   │   Core portfolio labels (sector names, metrics)
│   │   Insight text templates
│   ├── Hindi card variant generated alongside English
│   └── Language toggle in settings (default: English)
├── IPO track record card:
│   ├── "I applied to 8 IPOs. 5 are below listing price."
│   ├── Shareable card format (same OG-image style)
│   └── Available in English + Hindi
└── Social meta tags:
    ├── Dynamic OG images for shared URLs
    └── Twitter Card markup
```

Session 13 — Confidence & Provenance Layer

Deliverables:

```
├── Data source tracking:
│   ├── Every data point stored with:
```

```
│   │   source (BSE filing / AMFI / Yahoo / user input)
│   │   confidence (confirmed / preliminary / user-reported)
│   │   last_updated timestamp
│   │   source_url (clickable link to original)
│   ├── UI: small provenance badge on data-heavy pages
│   │   Click to see source + last update time
│   └── Preliminary data: visually distinct
│       (dashed border, italic text, "Preliminary" badge)
├── Public accuracy dashboard (/accuracy):
│   ├── Overall parsing accuracy rate (%)
│   ├── Breakdown by data type:
│   │   Revenue figures, margin figures, deal TCV, etc.
│   ├── Recent corrections log (transparent)
│   ├── Methodology explanation
│   └── "Report an error" button
├── Error reporting + correction flow:
│   ├── User flags a data point → creates data_accuracy_log entry
│   ├── Internal review queue (admin page, Phase 3)
│   ├── If confirmed wrong:
│   │   1. Correct the data
│   │   2. Retract/amend any alert that used it
│   │   3. Notify the affected user
```

```
│   │   4. Update the accuracy dashboard
│   └── SLA: corrections acknowledged within 24 hours
└── Alert confidence integration:
    ├── Alerts from "Confirmed" data: standard appearance
    ├── Alerts from "Preliminary" data:
    │   Softer language, dashed border, "Based on
    │   preliminary data — we'll confirm after [date]"
    └── Never auto-trigger a "broken thesis" state
        from preliminary data alone
```

Phase 2 deliverable summary

New pages:	8
	MF Portfolio, X-Ray Results, Factor Exposure,
	Shareable Card Preview, Accuracy Dashboard,
	Rebalancing, Settings (Hindi), MF Detail
New components:	~20
New API routes:	~15
New database tables:	4
New integrations:	AMFI data feed, PDF parser,
	OG image generator

PHASE 3: IPO FORENSICS + EXIT INTELLIGENCE + MOBILE

Estimated Claude Code sessions: 8-10 Corresponds to: Months 8-12 in the ideation doc

What ships at the end of Phase 3

IPO forensic report generation from DRHP parsing, full exit intelligence engine with decision pattern analysis (Track B DQS unlocking for early users), mobile-responsive PWA, broker API integrations, and admin tools.

Session 14 — DRHP parser + IPO data pipeline

Deliverables:

```
├── DRHP ingestion:
│   ├── SEBI/BSE IPO filing scraper
│   │   (upcoming IPOs metadata: dates, price band, size)
│   ├── DRHP PDF download + storage
│   ├── Claude API multi-pass extraction:
│   │   Pass 1: Business model, revenue breakdown,
│   │         customer concentration, key risks
│   │   Pass 2: Financial tables (revenue, EBITDA,
│   │         PAT, cash flow — 3-year trend)
│   │   Pass 3: Promoter background, related-party
│   │         transactions, use of proceeds
│   ├── Rule-based validation layer:
│   │   Segment revenues sum to total?
│   │   Margins within plausible range?
```

```
│   │   Cross-check against BSE filing data?
│   └── Confidence scoring per extracted field
├── Peer comparison engine:
│   ├── Auto-identify 3-5 closest listed peers
│   │   (same sector, similar revenue scale)
│   ├── Compare: PE, PB, EV/EBITDA, revenue growth,
│   │   margins, ROCE
│   ├── Calculate IPO premium/discount to peer set
│   └── Store as peer_comparison_json in ipo_reports
└── IPO calendar page:
    ├── Upcoming IPOs with key dates
    ├── Status badges: "Open", "Closing tomorrow", "Listed"
    └── Link to forensic report for each
```

Session 15 — IPO forensic report UI

Deliverables:

```
├── Forensic report page (/ipo/[ticker]):
│   ├── Section 1 — Business Model:
│   │   Plain-language summary, revenue model breakdown,
│   │   customer concentration chart
│   ├── Section 2 — Financial Forensics:
│   │   Revenue trend (bar chart), margin analysis,
│   │   cash flow vs profit comparison,
```

```
│   │   "fresh issue vs OFS" breakdown
│   ├── Section 3 — Peer Comparison:
│   │   Table: IPO company vs 3-5 peers
│   │   Visual: scatter plot (PE vs growth)
│   │   Premium/discount callout in IBM Plex Mono
│   ├── Section 4 — Promoter & Governance:
│   │   Background summary, compliance flags,
│   │   lock-in timeline visualization
│   ├── Section 5 — Portfolio Impact:
│   │   "If allotted at upper band, this becomes X%
│   │    of your portfolio. Your IT exposure goes
│   │    from 18% to 21%."
│   ├── Confidence badges on every extracted data point
│   └── Disclaimer footer: "This is data analysis,
│       not a recommendation to apply or avoid."
├── IPO list page:
│   ├── Card grid: upcoming, open, recently listed
│   ├── Filter by sector, issue size
│   └── Search
└── Post-listing tracking:
    ├── After listing: compare listing price to issue price
```

├── Track 30-day, 90-day, 6-month performance

└── User's IPO track record page:

"Applied to 8, allotted 3, 2 profitable after 6 months"

Session 16 — Decision pattern analysis (DQS Track B)

Deliverables:

├── Track B scoring engine:

│ ├── Override outcome analysis:

│ │ For each override decision, track 30/90 day P&L

│ │ "When you followed rules: avg +2.3%"

│ │ "When you overrode rules: avg -11.7%"

│ ├── Panic-sell detection:

│ │ Exits within 48 hours of a >3% market drop

│ │ without a thesis-breaker trigger

│ ├── Holding period analysis:

│ │ Actual vs stated time horizon alignment

│ └── Pattern identification:

│ Sector-specific override patterns,

│ day-of-week decision patterns, etc.

├── Track B unlock progression:

│ ├── Visual progress indicator on DQS page:

│ │ "3 more decisions to unlock Override Pattern Report"

│ │ "Your Exit Discipline score unlocks after 5 exit rules

│ │ have been evaluated"

│ ├── Unlock notifications:

│ │ "New insight unlocked: your override outcomes"

│ └── Gamification: milestones at 10, 25, 50, 100 decisions

├── Enhanced DQS dashboard:

│ ├── Track A (cohort) + Track B (personal) side by side

│ ├── "Your exit rules are smarter than your overrides"

│ │ insight (when data supports it)

│ ├── Decision timeline: chronological view of all

│ │ decisions with outcomes color-coded

│ └── "What if" calculator:

│ "If you'd followed all exit rules, your portfolio

│ would be ₹X instead of ₹Y"

└── Quarterly decision review email:

├── Automated summary: decisions made, DQS trend,

│ key patterns, upcoming thesis reviews

└── Sent via Resend, Pro/Premium users only

Session 17 — Broker API integrations

Deliverables:

├── Kite Connect (Zerodha) integration:

│ ├── OAuth flow for account linking

```
  │   ├── Holdings import (positions + avg prices)
  │   ├── Auto-sync on login (fetch latest holdings)
  │   └── P&L data from broker
  ├── Groww integration (if API available):
  │   ├── Similar OAuth + holdings import flow
  │   └── Fallback: CSV export instructions
  ├── Unified import manager:
  │   ├── Connected brokers list
  │   ├── Last sync timestamp
  │   ├── Manual sync button
  │   ├── Conflict resolution:
  │   │   "Your broker shows 100 shares of INFY,
  │   │    but you have 80 in Thesis. Update?"
  │   └── Position matching by ticker + exchange
  └── Import from CSV fallback:
      ├── Template CSV download
      ├── Upload + parse + preview
      └── Handles: ticker, quantity, avg_price, buy_date
```

Session 18 — Mobile PWA + responsive polish

Deliverables:

```
  ├── Progressive Web App setup:
  │   ├── Service worker (next-pwa)
```

│ ├── Web app manifest (name, icons, theme color)

│ ├── Offline fallback page

│ └── Add-to-homescreen prompt

├── Mobile layout overhaul:

│ ├── Bottom tab navigation (replaces sidebar):

│ │ Dashboard, Portfolio, X-Ray, IPOs, DQS

│ ├── Full-width cards, stacked layout

│ ├── Thesis gauge: horizontal variant for mobile

│ ├── Data tables: horizontal scroll with sticky columns

│ ├── Swipe gestures on position cards

│ └── Touch-optimized: 48px minimum tap targets

├── Push notifications (Web Push API):

│ ├── Thesis breaker alerts

│ ├── Exit rule triggers

│ ├── Weekly DQS summary

│ └── Notification permission request flow

├── Performance optimization:

│ ├── Image optimization (Next.js Image)

│ ├── Code splitting per route

│ ├── Lazy load charts and heavy components

│ └── Target: <3s LCP on 4G

└── Cross-browser testing:

Chrome, Safari, Firefox, Samsung Internet

Session 19 — Admin panel + ops tools

Deliverables:

├── Admin dashboard (/admin, auth-gated):

│ ├── User metrics: signups, DAU, MAU, retention

│ ├── Thesis creation funnel:

│ │ How many users create Tier 0/1/2 theses?

│ │ What % of positions have theses?

│ ├── Conversion funnel:

│ │ Free → Pro upgrade rate, triggers

│ ├── Feature usage heatmap

│ └── Revenue dashboard (Razorpay data)

├── Data ops:

│ ├── Error report review queue

│ ├── Data correction tool

│ ├── DRHP parsing accuracy tracker

│ ├── Manual data override (for corrections)

│ └── Data pipeline health monitor

├── Content management:

│ ├── Thesis template editor

│ │ (add/edit templates for new stocks/sectors)

│ ├── IPO report review + publish workflow

│ └── Alert template management

└── User support tools:

├── User lookup by email

├── View user's portfolio + thesis status

├── Impersonation mode (view-only, for debugging)

└── Manual plan upgrade/downgrade

Phase 3 deliverable summary

New pages: 14

IPO Calendar, IPO Forensic Report, IPO Track Record,

Enhanced DQS, Decision Timeline, Broker Connect,

Import Manager, Admin Dashboard, Admin Data Ops,

Admin Content, Admin Users, Mobile variants,

Push Settings, Offline Fallback

New components: ~30

New API routes: ~25

New database tables: 3

New integrations: Kite Connect API, SEBI filing scraper,

Web Push API, PWA service worker

PHASE 4: SCALE + B2B PILOT + ADVANCED FEATURES

Estimated Claude Code sessions: 6-8 Corresponds to: Months 12-18 in the ideation doc

What ships at the end of Phase 4

Multi-portfolio support, backtesting engine, API for power users, 2-3 B2B RIA pilot accounts, community features, and dark mode.

Session 20 — Multi-portfolio + family accounts

Deliverables:

```
├── Multi-portfolio system:
│   ├── Portfolio entity (name, type: personal/spouse/HUF/other)
│   ├── Portfolio switcher in top bar
│   ├── Consolidated view across all portfolios
│   ├── Per-portfolio X-Ray + per-portfolio DQS
│   └── Combined X-Ray: true family exposure
├── Premium tier gating:
│   ├── Free/Pro: 1 portfolio
│   ├── Premium: up to 5 portfolios
│   └── Upgrade prompt when user tries to add 2nd portfolio
└── Family dashboard:
    ├── Aggregate: total family invested, sector exposure
    ├── Cross-portfolio overlap:
    │   "You and your spouse both hold HDFC Bank directly
    │    + through 4 mutual funds. Combined family exposure: 18%"
```

└── Per-member breakdown

Session 21 — Backtesting engine

Deliverables:

├── "What if I followed my rules?" calculator:

│ ├── For each override decision in the user's history:

│ │ Calculate the hypothetical P&L if they'd followed the rule

│ ├── Aggregate: "Following your rules consistently would have

│ │ resulted in ₹X vs your actual ₹Y — a ₹Z difference"

│ ├── Visualization: two-line chart

│ │ (actual portfolio vs rules-followed portfolio)

│ └── Breakdown by decision type

├── Historical thesis health replay:

│ ├── For any thesis, show how health score evolved

│ │ over time with annotations at key events

│ └── "Your INFY thesis was healthy for 11 months,

│ then broke in Q3 when deal TCV fell below threshold"

└── Decision quality trends:

├── DQS over time with annotations

├── Improvement rate calculation

└── "You're making better decisions: your rule-following

rate improved from 33% to 67% over 6 months"

Session 22 — B2B RIA pilot platform

Deliverables:

- RIA workspace:
  - Advisor account type (separate from consumer)
  - Client management: add/remove clients
  - View client portfolios (read-only X-Ray)
  - Create theses for client holdings
  - Shared thesis visibility:
    - Advisor writes thesis → client sees it with advisor attribution
  - Client invite flow (email link)
- Compliance reports:
  - Auto-generated PDF:
    - "Why we recommended this position"
    - Thesis, assumptions, monitoring status
  - Decision audit trail per client
  - Thesis health history per recommendation
  - Downloadable for SEBI compliance records
- RIA billing:
  - Per-seat pricing (₹5,000-15,000/month)
  - Separate billing flow
  - Annual contract option

└── Design constraints:

├── Same design system, no white-labeling yet

├── 2-3 pilot RIA firms only (hand-managed by founder)

└── Feedback loop: monthly call with pilot RIAs

Session 23 — Public API + power user tools

Deliverables:

├── REST API (versioned, /api/v1/):

│ ├── Authentication: API key based

│ ├── Rate limiting: 100 req/min free, 1000 Pro, 5000 Premium

│ ├── Endpoints:

│ │ GET /portfolio — positions + values

│ │ GET /portfolio/xray — overlap + exposure data

│ │ GET /positions/:id/thesis — thesis + health score

│ │ GET /positions/:id/exit-rules — rules + status

│ │ GET /dqs — current DQS breakdown

│ │ GET /ipo/:ticker/report — forensic report data

│ │ GET /alerts — recent alerts

│ └── All responses: JSON, paginated, with provenance metadata

├── API documentation page (/developers):

│ ├── Interactive API explorer (Swagger-like)

│ ├── Code examples: Python, JavaScript, cURL

```
│   ├── Rate limit dashboard
│   └── API key management
├── CSV/PDF export:
│   ├── Export portfolio data as CSV
│   ├── Export X-Ray report as PDF
│   ├── Export decision journal as PDF
│   └── Export DQS history as CSV
└── Webhook support:
    ├── Register webhook URLs
    ├── Events: thesis_broken, exit_rule_triggered,
    │   dqs_changed, ipo_report_published
    └── Webhook log + retry logic
```

Session 24 — Community features + dark mode + polish

Deliverables:

```
├── Community features:
│   ├── Anonymized thesis sharing:
│   │   "See how other Thesis users think about INFY"
│   │   (anonymized, no usernames, aggregate only)
│   ├── DQS leaderboard (opt-in):
│   │   Percentile ranking, no personal data exposed
│   ├── "Popular theses" for each stock:
│   │   Most common thesis frameworks chosen
```

```
│   └── "Common exit rules" suggestions based on
│       community patterns
├── Dark mode:
│   ├── Full dark palette:
│   │   Page bg: #0F1419
│   │   Surface: #1A1F26
│   │   Borders: #2A3038
│   │   Primary text: #E8EAED
│   │   Accent green: #2ECC71 (lighter for dark bg)
│   ├── System preference detection
│   ├── Manual toggle in settings
│   └── Thesis Gauge: inverted colors for dark mode
├── Performance + polish:
│   ├── Lighthouse audit: target 90+ on all metrics
│   ├── Accessibility audit: WCAG 2.1 AA
│   ├── Animation polish: page transitions,
│   │   gauge fill animation (Framer Motion)
│   ├── Loading states: skeleton screens matching layout
│   └── Error boundaries on all major sections
└── Final QA:
    ├── End-to-end test suite (Playwright)
```

├── Cross-browser verification

├── Mobile device testing (real devices)

└── Security audit: auth, data access, API keys

FILE STRUCTURE (FINAL)

thesis/

├── public/

│ ├── fonts/

│ ├── icons/

│ └── og/

├── src/

│ ├── app/

│ │ ├── (auth)/

│ │ │ ├── login/

│ │ │ └── onboarding/

│ │ ├── (dashboard)/

│ │ │ ├── layout.tsx — sidebar + topbar shell

│ │ │ ├── page.tsx — dashboard home

│ │ │ ├── portfolio/

│ │ │ │ ├── page.tsx — positions list

│ │ │ │ └── [ticker]/

│ │ │ │ └── page.tsx — position + thesis detail

```
│   │   │   ├── xray/
│   │   │   │   └── page.tsx        — portfolio X-Ray
│   │   │   ├── ipo/
│   │   │   │   ├── page.tsx        — IPO calendar
│   │   │   │   └── [ticker]/
│   │   │   │       └── page.tsx    — forensic report
│   │   │   ├── dqs/
│   │   │   │   └── page.tsx        — DQS dashboard
│   │   │   ├── decisions/
│   │   │   │   └── page.tsx        — decision journal
│   │   │   ├── settings/
│   │   │   │   └── page.tsx
│   │   │   └── billing/
│   │   │       └── page.tsx
│   │   ├── (admin)/
│   │   │   └── admin/
│   │   ├── (marketing)/
│   │   │   ├── page.tsx            — landing page
│   │   │   ├── pricing/
│   │   │   ├── accuracy/           — public accuracy dashboard
│   │   │   └── developers/         — API docs
```

```
│   │   ├── api/
│   │   │   ├── auth/
│   │   │   ├── positions/
│   │   │   ├── theses/
│   │   │   ├── exit-rules/
│   │   │   ├── decisions/
│   │   │   ├── xray/
│   │   │   ├── ipo/
│   │   │   ├── dqs/
│   │   │   ├── alerts/
│   │   │   ├── data/              — data pipeline endpoints
│   │   │   ├── webhooks/
│   │   │   └── v1/                — public API
│   │   └── share/
│   │       └── [hash]/            — shareable X-Ray cards
│   ├── components/
│   │   ├── ui/                    — design system primitives
│   │   │   ├── button.tsx
│   │   │   ├── card.tsx
│   │   │   ├── input.tsx
│   │   │   ├── badge.tsx
│   │   │   ├── table.tsx
```

```
│   │   │   ├── modal.tsx
│   │   │   ├── toast.tsx
│   │   │   ├── slider.tsx
│   │   │   ├── tabs.tsx
│   │   │   ├── dropdown.tsx
│   │   │   └── skeleton.tsx
│   │   ├── thesis/                — thesis-specific components
│   │   │   ├── thesis-gauge.tsx    — THE signature component
│   │   │   ├── thesis-builder.tsx
│   │   │   ├── thesis-card.tsx
│   │   │   ├── assumption-row.tsx
│   │   │   └── health-badge.tsx
│   │   ├── portfolio/
│   │   │   ├── position-row.tsx
│   │   │   ├── sector-bar.tsx
│   │   │   └── stock-search.tsx
│   │   ├── xray/
│   │   │   ├── overlap-matrix.tsx
│   │   │   ├── exposure-bar.tsx
│   │   │   ├── factor-radar.tsx
│   │   │   └── attribution-tree.tsx
```

```
│   │   ├── ipo/
│   │   │   ├── forensic-section.tsx
│   │   │   ├── peer-table.tsx
│   │   │   └── ipo-card.tsx
│   │   ├── dqs/
│   │   │   ├── score-card.tsx
│   │   │   ├── benchmark-bar.tsx
│   │   │   └── unlock-progress.tsx
│   │   ├── decisions/
│   │   │   ├── decision-prompt.tsx
│   │   │   ├── decision-card.tsx
│   │   │   └── timeline.tsx
│   │   ├── alerts/
│   │   │   ├── alert-card.tsx
│   │   │   └── notification-bell.tsx
│   │   ├── charts/
│   │   │   ├── line-chart.tsx
│   │   │   ├── bar-chart.tsx
│   │   │   ├── pie-chart.tsx
│   │   │   ├── heatmap.tsx
│   │   │   └── scatter-plot.tsx
│   │   └── layout/
```

```
│   │       ├── sidebar.tsx
│   │       ├── topbar.tsx
│   │       ├── mobile-nav.tsx
│   │       └── page-header.tsx
│   ├── lib/
│   │   ├── db.ts                — Prisma client
│   │   ├── auth.ts              — NextAuth config
│   │   ├── claude.ts            — Claude API wrapper
│   │   ├── yahoo-finance.ts     — Stock data fetcher
│   │   ├── amfi.ts              — MF data fetcher
│   │   ├── bse.ts               — BSE data fetcher
│   │   ├── cas-parser.ts        — CAS PDF parser
│   │   ├── drhp-parser.ts       — DRHP extraction pipeline
│   │   ├── thesis-health.ts     — Health score calculator
│   │   ├── xray-engine.ts       — Overlap detection
│   │   ├── dqs-engine.ts        — DQS calculation
│   │   ├── factor-analysis.ts   — Factor exposure calc
│   │   ├── exit-monitor.ts      — Exit rule checker
│   │   └── utils.ts
│   ├── hooks/
│   │   ├── use-portfolio.ts
```

```
│   │   ├── use-thesis.ts
│   │   ├── use-alerts.ts
│   │   └── use-dqs.ts
│   ├── stores/
│   │   ├── portfolio-store.ts
│   │   └── ui-store.ts
│   ├── types/
│   │   ├── portfolio.ts
│   │   ├── thesis.ts
│   │   ├── xray.ts
│   │   ├── ipo.ts
│   │   └── dqs.ts
│   └── styles/
│       └── globals.css           — Tailwind + custom properties
├── prisma/
│   ├── schema.prisma
│   ├── seed.ts                   — Stock metadata + templates
│   └── migrations/
├── scripts/
│   ├── fetch-prices.ts           — Daily price update
│   ├── fetch-amfi.ts             — MF NAV + holdings
│   ├── check-exit-rules.ts       — Daily rule evaluation
```

```
│   ├── snapshot-portfolios.ts      — Daily portfolio snapshot
│   └── parse-drhp.ts               — IPO document parser
├── tests/
│   ├── e2e/                        — Playwright
│   └── unit/
├── .env.example
├── tailwind.config.ts
├── next.config.js
├── tsconfig.json
└── package.json
```

SUMMARY: WHAT EACH PHASE DELIVERS

PHASE 1 (Sessions 1-8)

"Can I track my investment reasoning?"

Design system, auth, thesis builder (all 3 tiers),

exit rules, decision logging, DQS Track A,

landing page, billing. Ship to 500 beta users.

PHASE 2 (Sessions 9-13)

"What does my portfolio actually look like?"

MF import, X-Ray overlap engine, factor analysis,

shareable cards (EN + HI), Confidence Layer.

Content-led growth begins.

PHASE 3 (Sessions 14-19)

"Should I apply to this IPO? Am I improving?"

IPO forensics, DQS Track B, broker integrations,

mobile PWA, admin tools. Paid acquisition starts.

PHASE 4 (Sessions 20-24)

"My family's portfolio. My clients' portfolios."

Multi-portfolio, backtesting, B2B pilot,

public API, community, dark mode. Scale.