# Programming Test Results (With Test Cases)

## Result Summary

| Field | Value |
|---|---|
| **Test ID** | 50966 |
| **Student ID** | 35631 |
| **Programs (with test cases)** | 3 |
| **Total Test Cases** | 12 |
| **Test Cases Passed** | 12 |
| **Fully Passed Programs** | 3 |
| **Partially Passed Programs** | 0 |
| **Failed Programs** | 0 |
| **Overall % (with test cases)** | 100.00% |
| **Grade** | Outstanding |

## Programs With Test Cases

| # | Program Name | Total TC | Passed | Success Rate | Score /10 | Submitted At | Attempts |
|---|---|---|---|---|---|---|---|
| 1 | BonusEligibility | 3 | 3 | 100.0% | 10 | 25/09/2026, 12:19:53 | 0 |
| 2 | Banking System Menu | 4 | 4 | 100.0% | 10 | 25/09/2026, 12:10:06 | 0 |
| 3 | AirthmaticOperationUsingSwitch | 5 | 5 | 100.0% | 10 | 25/09/2026, 11:52:11 | 0 |

## Program Details (With Test Cases)

## Program 1: BonusEligibility

**Languages:** c

**Score (010):** 10 / 10

**Test Case Summary:** Total: 3 Passed: 3 Failed: 0 Success: 100.0%

**Attempts:** 0

**Submitted At:** 25/09/2026, 12:19:53

**Description:**

Write a C program using else if statements to determine the type of bonus an employee is eligible for based on their years of service.
-Read year on service from the user.

- If an employee has less than 2 years of service, they are not eligible for a bonus.
- If an employee has between 2 and 4 years of service, they are eligible for a 10% bonus.
- If an employee has between 5 and 9 years of service, they are eligible for a 15% bonus.
- If an employee has 10 or more years of service, they are eligible for a 20% bonus.

Case 1:
Input:
Enter years Of Service = 12
Output:
Employee is eligible for a 20% bonus

Case 2:
Input:
Enter years Of Service = 7
Output:
Employee is eligible for a 15% bonus

Case 3:
Input:
Enter years Of Service = 3
Output:
Employee is eligible for a 10% bonus

Case 4:
Input:
Enter years Of Service = 1
Output:

Employee is not eligible forabonus

**Constraints:** -

**Sample Input:** 12

**Sample Output:** 20% bonus

**Explanation:** -

### Solution Code

```
#include<stdio.h>
int main(){
    int y;
    scanf("%d",&y);

    if(y <2){
        printf("Not Eligible\n");
    }else if(y>= 2 && y<=4 ){
        printf("Employee is eligible for a 10% bonus\n");
    }else if(y>=5 && y<=9){
        printf("15%% bonus\n");
    }else if(y>=10){
        printf("20%% bonus\n");
    }
}
```

## Program 2: Banking System Menu

**Languages:** c,java

**Score (010):** 10 / 10

**Test Case Summary:** Total: 4 Passed: 4
Failed: 0 Success: 100.0%

**Attempts:** 0

**Submitted At:** 25/09/2026, 12:10:06

**Description:**

Banking System Menu
==========
Develop a simple banking menu system using switch statement for basic operations.

Hints:
- Menu options: 1-Check Balance, 2-Deposit, 3-Withdraw
- Initialize balance to some value (e.g., 1000.0)
- Display updated balance after each transaction

Sample Input:
Current Balance: 1000.0
Choose operation: 2
Enter deposit amount: 500.0

Sample Output:
Deposit successful!
Updated Balance: 1500.0

**Constraints:** -

**Sample Input:** 1

**Sample Output:** Your current balance: 1000.00

**Explanation:** -

## Solution Code

```
#include<stdio.h>
int main(){
    int c;
    scanf("%d",&c);
    float amount = 1000.00;
    switch(c){
        case 1: printf("Current Balance: %.1f",amount); break;
        case 2:
            float a;
            scanf("%f",&a);
            printf("Deposit successful!\n");
            printf("Updated Balance: %.1f",(amount + a));
            break;
        case 3:
             float b;
             scanf("%f",&b);
             if(b <= amount){
                printf("Withdrawal successful!\n");
                printf("Updated Balance: %.1f",(amount -b));
             }else printf("Insufficient funds!");
    }
}
```

## Program 3: AirthmaticOperationUsingSwitch

**Languages:** c

**Score (010):** 10 / 10

**Test Case Summary:** Total: 5 Passed: 5
Failed: 0 Success: 100.0%

**Attempts:** 0

**Submitted At:** 25/09/2026, 11:52:11

**Description:** Write a C program to do a arithmetic operation on two numbers by using Switch Case. Take the operators(+,-,*,/,%) as cases and take the input from the user that what kind of operation user want to do on two number.

Input as:

---

Enter num1 :10

Enter num2 :20

Enter operation : *

O/P as :

---

Multiplication is :200

**Constraints:** -

**Sample Input:** 10 20 *

**Sample Output:** Multiplication is: 200

**Explanation:** -

### Solution Code

```
#include<stdio.h>
```

```c
int main(){
    int a,b;
    scanf("%d%d",&a,&b);
    char op;
    scanf(" %c",&op);

    switch(op){
        case '+': printf("Addition is: %d",(a+b)); break;
        case '-': printf("Subtraction is: %d",(a-b)); break;
        case '*': printf("Multiplication is: %d",(a*b)); break;
        case '/': printf("Division is: %d",(a/b)); break;
        case '%': printf("Modulus is: %d",(a%b)); break;
        default : printf("Invalid char"); break;
    }
}
```