

TERMS AND CONDITIONS

(BR Jacket Threat Level-V)

1.	The Purchaser	DGP J&K Police.								
2.	Inspection Authority	Survey Committee Constituted by DGP J&K								
3.	Consignee	DGP J&K Police								
4.	Delivery Period	120 days from the date of placement of supply order.								
5.	Dispatch Instructions	Store to be dispatched after the quality check by the consignee.								
6.	Payment terms	As per GeM terms & conditions.								
7.	LD charges in case of delay in supplies.	As per GeM terms & conditions.								
8.	If stores is found defective	The firm will replace the store free of cost.								
9.	Pre-bid Conference	The intending bidder/OEM shall be deemed to have fully read and understood the terms and conditions/specifications of the bid document. In case of any doubt/clarification, the intending bidder may raise such query/clarification during pre-bid conference and submit the same in writing <u>within 48 hours</u> after conclusion of pre-bid conference as per below format. Name of Bidder/Firm: _____ Offered product (OEM) _____ <table><tr><td>S. No</td><td>Bid Terms & Condition/ Clause /BIS Clause No./ Reference</td><td>Description</td><td>Query/ Clarification</td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></table> The queries/representations on bid enquiry shall be entertained only upto 48 hrs post conclusion of pre-bid conference. No query shall be accepted beyond stipulated time. However, the buyer reserves the right to accept and consider any query beyond 48 hours after approval by Competent Authority at any stage of bid invitation process. <u>Pre-bid meeting shall be held at PHQ J&K via virtual mode seven (07) days after publication of bid.</u> All intending bidders shall be notified about the outcome report of the pre-bid conference, if any, through bid corrigendum/amendment notice which will be uploaded on GeM portal. The outcome report of Pre-Bid meeting shall mutatis mutandis form part of the bid document and deemed to be an amendment to the bid wherever	S. No	Bid Terms & Condition/ Clause /BIS Clause No./ Reference	Description	Query/ Clarification				
S. No	Bid Terms & Condition/ Clause /BIS Clause No./ Reference	Description	Query/ Clarification							

		applicable.
10.	Specification	Attached Appendix-“1”-Store should fully conform to specifications.
11.	Technical specification	Technical specification to be made available through mail against production of following documents. 1)The firm should submit industrial license for manufacturing of Bullet Resistant Jacket issued by the Department of Industrial Policy and Promotion (DIPP)/Department of Promotion of Industries and Internal Trade (DPIIT) undertaking: The firm will give under taking to the effect that the BIS standard shall be shared with any other firm or person.
12.	Annual turnover clause	Rs. 100 cr of the bidding entity (and not its holding company)
13.	Make	Product shall not be make in China. Undertakings/certificate of compliance with Rule 144(xi) of GFR and extended circulars issued by Ministry of Finance, Department of Expenditure, Public Procurement Division Govt. of India.
14.	Performance Security	The successful bidders will have to submit a performance security in the shape of a Bank Guarantee in the required proforma for an amount as per GeM terms and conditions of the Contract /Order value, valid till two months after the expiry of the warranty period.
15.	After Sales services	Warranty of store will be for 02 years and after sales services for further period of 05 years beyond that bidder has to submit undertaking that after the expiry of warranty period of 02 years, it will undertake repairs of the equipment for next 05 (5+2=7) years. Unconditional acceptance from supplier firm is required. Firm will provide list of spares for running and critical repairs pricing of which shall be included in the bid offer. These rates will remain valid for 07 years from the date of installation and acceptance by the buyer. Bidders should submit a technical literature with their tenders clearly mentioning the compliance of each and every technical parameter, as per specification
16.	Criteria As per detailed Annexure ‘A’	The instant bid will be split between L1 and L2 firm wherein L1 firm will supply 60% of total quantity and L2 firm will supply 40% of the total quantity at the unit rate of L1. If in case L1 firm fails in the test the whole of the quantity (100%) will be supplied by the L2 firm at the L1 unit rate. In case L2 firm fails, whole of the supply will be made by L1 firm (100%).

17.	Indian Agent of foreign principal/OEM	Bidder should submit the documents regarding enlistment of Indian Agent of foreign principal/OEM
18.	Manufacturers/ Indian Agents Qualifying Eligibility Criteria	1) The Indian Agent of foreign Manufacturers/Principal are allowed to participate in the bid subject to the following conditions:- a) The Indian Agents should submit application form duly filled in all respect alongwith all connected documents / certificates which were being submitted to Competent Authority/Agency for enlistment along-with the bid documents. b) The Indian Agent will submit, along with the bid documents, a copy of the agreement with the foreign Manufacturer/Principal, giving particulars of precise arrangement with foreign principal and their interest in the business in India. Such agreement with foreign Manufacturers/Principal should be a long term agreement and not merely for the present bid. If the agreement is only for the present bid the offer received is liable to be rejected. c) The Indian Agent will provide details of the after sale service and post contractual support i.e. repair, maintenance and supply of spare parts etc. d) The Indian Agent will also be required to submit the details of his commission or any other arrangements with foreign Manufacturer/Principal for providing the requisite items. e) Indian manufacturer, SEZ firm, Indian agent of foreign Manufacturer/ Principal have to quote the rates in INR only. f) Offer from firm whose business activities are limited to procuring items from manufactures, both Indian and foreign and supplying the same to purchaser without having after sales backup will not be entertained.
19.	Eligibility Criteria for authorized agents/distributors of foreign principal/OEM	The authorized agents/distributors would also give an undertaking in such cases as follows:— a) That he will be responsible for all the contractual obligations including quality aspects, replacement of part/items and warranty/Guarantee obligations. b) That he will be responsible for providing after-sale-service.
20.	Purchaser's Discretion	a) Purchaser reserves the right to change the consignee address and change the quantity of stores allowed to them as per requirement at any stage. b) Purchaser reserves the right to cancel/reject or Scrap

		the bid without assigning any reason. c) Purchaser reserves the right to increase/decrease the quantity of store at any stage. d) Purchaser reserves the right to get the manufacturing capacity of firm re-verified irrespective of the registration status.
21.	Evaluation of the proposal	1. Evaluation of technical bids to assess their suitability laid down conditions/ QRs/ Make/ Model of the store offered. Bidders to ensure that they submit all original technical literature and detailed documentary proof which specially bring out the compliance of the equipment being offered against the specifications as per BIS Standards IS 17051 (to be read with amendments, if any). In case it is not possible for compliance of equipment offered due to lack of adequate documents, reference may not be made with bidder and the bid may not be considered further. 2. During technical evaluation all the participating bidders will have to provide complete test reports in accordance with BIS specifications IS 17051 (to be read with amendments, if any). Based on the test report provided by the firms, the criteria of qualification, disqualification will be ascertained. Since the instant bid is a split bid, therefore the samples of both the L1 and L2 firms will undergo testing at the GFSU/TBRL or any other facility decided by J&K police, in accordance with the BIS standard IS 1705:2018. The samples so cleared will be retained as master samples. If a sample fails during testing, only one chance will be given or as decided by PHQ J&K. 3. <u>Physical evaluation</u> of samples submitted by L1 and L2 firms will be conducted by Special Technical Evaluation Committee (STEC) in accordance with BIS Specifications IS 17051 (to be read with amendments, if any). i. Physical requirement of ballistic components shall comply with clause 5.2.2 to 5.2.5 of BIS Standards IS 17051 (to be read with amendments, if any) and Ballistic evaluation will be conducted by Special Technical Evaluation Committee (STEC) from CFSL/TBRL Chandigarh or GFSU/NFSU, Gandinagar Gujarat. ii. The Bullet Resistant Jackets shall be designed ergonomically to minimize restrictions of movement. Details of checking basic ergonomic features of bullet resistant jackets by conducting field tests by personnel

		as given in Annexure- (B) of BIS Standards IS 17051 :2018 iii. In case of imported stores, no assistance, except providing End User Certificates if necessary , and certificate that equipment has been called for trials by J&K in response to bid will be provided by the purchaser. iv. The bidders will have to obtain import license/ permission/NOC etc from MHA/DGFT/Collector of Customs, IG Airport, New Delhi and landing permit from DGCA themselves. v. The consignment will have to be cleared from customs etc by the firm / their representative & deposit at specified location as intimated by J&K. No request in any manner shall be entertained in this regard. 4) To provide level playing field, the evaluation of commercial bids shall be carried out among all category bidders i.e. foreign OEM, OEM from SEZ/ EOUs and other indigenous OEM. The applicable custom duty IGST/GST payable or foregone shall be added on basic price of each unit. a) Successful bidder will be evaluated on the basis of gross lowest cost to the Govt.
22.	Pre/Post-dispatch Inspection (PDI) Note:- The cost of all Inspection charges during bid process as well as during pre-despatch and post- delivery survey/inspection (including ballistic testing ,X-Ray testing, environmental testing etc) will be borne by the bidder/ supplier.	a) Firm to offer stores lot wise in full quantity. Board of officers detailed by the consignee will carry out lot wise survey of stores as per BIS Standards IS 17051 (to be read with amendments, if any) and select samples randomly. Ballistic testing of randomly selected samples will be carried out in accordance with the threat level and in accordance with clause 7.2 of BIS Standard IS 17051 (to be read with amendments, if any). b) After survey of the stores, Board of officers to submit the samples to the consignee for further Ballistic Testing Evaluation from CFSL/TBRL Chandigarh or GFSU, Gandinagar Gujarat as per Threat Level and availability of ammunition with the lab, if required. c) In case, randomly selected samples of a particular lot fails in Ballistic testing, the entire lot will be rejected and sealed. This lot will be replaced by the Firm and again ballistic test of the fresh lot will be carried out. If the firm failed in Survey or Ballistic Testing Evaluation, the firm will get only one more opportunity to pass/ qualify the lot. d) The bidder shall provide the ballistic limit value of the

		panels that shall be matched during BL test as per clause 9.3 of BIS 17051 (to be read with amendments, if any).																		
23.	Custom Duty	Custom Duty exemption certificate will not be provided by JKP.																		
24.	Bid Sample	The firms will be technically qualified on the basis of valid GFSU/TBRL test report confirming to the BIS standard for the threat level. i) L1 and L2 bidders to submit tender samples as per annexure-G of BIS Standard IS 17051 (to be read with amendments, if any) on No Cost No commitment basis. ii) Each sample will be tested for a) Fluid exposure (water). b) Low temperatures test. c) High temperature -both HAP and SAP (extreme) d) Shelf life assessment The L1 and L2 bidders shall submit fabric samples of outer carrier and (Soft Armourer Panel) SAP cover @ 3 mtr length each along with the bids. iii)The sample of L1 and L2 firms should conform to below or equal to within the maximum possible weight of bullet resistance jackets for different sizes of threat level as per the annexure-C of BIS 17051: 2018. iv) The samples of both L1 and L2 firms should be properly sealed and should have cards affixed on them duly signed and stamped by the firm indicating the following as per clause 5.3 of BIS Standards IS 17051 (to be read with amendments, if any) <table><tr><td>a.</td><td>Type of material such a soft / hard armour panel</td></tr><tr><td>b.</td><td>Manufacturer name/ logo/ identification mark</td></tr><tr><td>c.</td><td>Threat level</td></tr><tr><td>d.</td><td>Name of product / model number</td></tr><tr><td>e.</td><td>Size</td></tr><tr><td>f.</td><td>Panel ID</td></tr><tr><td>g.</td><td>Lot batch number</td></tr><tr><td>h.</td><td>Date if manufacturing in DD:MM:YYYY format and</td></tr><tr><td>i.</td><td>Date of expiry in DD:MM:YYYY format</td></tr></table> v)The purchaser, reserves the right to carry out test of samples (including destruction test), at the risk and cost of L1 and L2 Bidders.	a.	Type of material such a soft / hard armour panel	b.	Manufacturer name/ logo/ identification mark	c.	Threat level	d.	Name of product / model number	e.	Size	f.	Panel ID	g.	Lot batch number	h.	Date if manufacturing in DD:MM:YYYY format and	i.	Date of expiry in DD:MM:YYYY format
a.	Type of material such a soft / hard armour panel																			
b.	Manufacturer name/ logo/ identification mark																			
c.	Threat level																			
d.	Name of product / model number																			
e.	Size																			
f.	Panel ID																			
g.	Lot batch number																			
h.	Date if manufacturing in DD:MM:YYYY format and																			
i.	Date of expiry in DD:MM:YYYY format																			

25.	Criteria for awarding the contract	Financial will be opened for those firms which provide valid test reports confirming to BIS IS 17051 (to be read with amendments, if any) as per specified threat level. The L1 and L2 firms will provide the samples for testing as per the criteria laid down. After successful testing of the samples, contract will be generated for the L1 and L2 firms.
26.	Terms of Delivery & Dispatch Instructions	Free delivery to consignee basis only for Indian OEM and authorized distributor of Indian / Foreign OEM.
27.	Payment terms	100% payment will be made after receipt of stores on fulfilment of following conditions:- a) Final acceptance of the store, after carrying out survey by Board so detailed. b) Furnishing of performance security @ GeM rates value valid from date of final acceptance valid till two months after expiry of warranty period laid down, in the shape of a Bank Guarantee the required Proforma.
28.	Other optional clause	i) Fluid exposure–Water resistance test is required ii) In transit Conditions- Mechanical drop test – Drop test is to be carried out as per 8.3.1. of BIS Standards & Radiography /X-ray images are to taken before and after drop test to inspect cracks, demitation or any other defect on the surface of HAP. This clause will also ensure availability of same material up to edges. iii) Quick Release Mechanism –Yes. iv) Ranger Test – Range Test Shall be conducted as per clause 9.1 (Ambient Conditions) of BIS Standards IS 17051: 2018.
29.	Service life assessment test	Service life assessment test will be conducted as per clause 8.4 of BIS Standards IS 17051 (to be read with amendments, if any).
30.	The bidding firm has to give a self certificate to the effect that it has not been blacklisted /debarred/suspended by any Central Ministry /Department, State Govt, PSUs of Banks etc.	The Certificate has to be scanned and uploaded along-with the bid documents. If it is subsequently established or found that the bidding firm has given any false information or facts or has suppressed facts or manipulated the documents etc, the performance security deposit as the case may be, will be forfeited and no excuse what so ever will be entertained therefore. If, after award of the contract the successful bidder (L1 and L2) fails to provide required number of bid quantity, the same quantity so to be supplied will be given to the other bidder at the L1 rate, further the contract of said firm is liable to be cancelled along-with forfeiture of performance security deposit and other consequent actions such as

		blacklisting of the firm and risk purchase etc as per GeM .
31.	Inspection of store	Survey Committee :- a) Inspection of the delivered store will be carried out at consignees location i.e. Police Centre Store, Jammu /Srinagar by the BOOs constituted by J&K Police in the presence of authorized official of the supplier firm. b) Quantitative checking to verify that the quantities of the delivered goods should correspond to the quantities defined in the TE / Acceptance of Contract and the invoices. c) Complete qualitative and functional checking of the equipment as per specifications defined in the TE /Acceptance of Contract and as per procedures and tests laid down by J&K Police. d) If the supply is found inferior and not confirming to specifications during the Survey, the entire consignment will be rejected at the cost, risk and freight of the supplier
32.	Penalty for use of undue influence	a) The Seller should undertake that he has not given, offered or promised to give directly or indirectly any gift, consideration, reward, commission, fees brokerage of inducement to any person in service of the Purchaser or otherwise in procuring, the Contracts or Forbearing to do or for having done or forborne to do any act in relation to obtaining or execution of the Contract or any other Contract with the Government for showing or forbearing to show favour or dis-favour to any person in relation to the Contract or any other Contract with the Government. b) Any breach of the aforesaid undertaking by the seller or any one employed by him or acting on his behalf (whether with or without the knowledge of the seller) or the commission of any offers by the seller or any one employed by him or acting on his behalf, as defined in Chapter IX of the Indian Penal Code, 1860 or the Prevention of Corruption Act, 1947 or any other Act enacted for the prevention of corruption shall entitle the Purchaser to cancel the contract and all or any other contracts with the seller and recover from the seller the amount of any loss arising from such cancellation. c) A decision of the Purchaser or his nominee to the effect that a breach of the undertaking had been committed shall be final and binding on the seller. d) Giving or offering of any gift, bribe or inducement or

		any attempt at any such act on behalf of the seller towards any officer/employee of the Purchaser or to any other person in a position to influence any officer/employee of the Purchaser for showing any favour in relation to this or any other contract, shall render the Seller or such liability/penalty as the Purchaser may deem proper including but not limited to termination of the contract, imposition of penalty damages, forfeiture of the Bank Guarantee and refund of the amounts paid by the Purchaser.
33.	Force Majeure Clause	If at any time, during the continuance of this contract, the performance in whole or in part by either party of any obligation under this contract shall be prevented or delayed by reason of any war, hostility, acts of public enemy, civil commotion, sabotage, fires, floods, explosions, epidemics, quarantine restrictions, or act of God (hereinafter referred to “events”) provided, notice of the happening of any such event is given by either party to the other within 21 days from the date of occurrence thereof, neither party shall by reason of such event, be entitled to terminate this contract nor shall either party have any claim for damages against the other in respect of such non-performance or delay in performance, and deliveries under the contract. The contract shall be resumed as soon as practicable after such event has come to an end or ceased to exist, and the decision of the Purchaser as to whether the deliveries have been so resumed or not, shall be final and conclusive, Provided further that if the performance in whole or part or any obligation under this contract is prevented or delayed by reason of any such event for a period exceeding 60 days, either party may at its option terminate the contract provided also that if the contract is terminated under this clause, the purchaser shall be at liberty to take over from the contractor at a price to be fixed by the Purchaser, which shall be final, all unused, undamaged and acceptable materials, bought out components and stores in course of manufacture in the possession of the contractor at the time of such termination or such portion thereof as the purchaser may deem fit excepting such materials, bought out components and stores as the contractor may with the concurrence of the purchaser elect to retain.
34.	Termination of Contract	Time shall be the essence of the contract. The Purchaser shall have the right to terminate this Contract without any notice in part or in full in any of the following cases:-

		a) The delivery of the material is delayed for causes not attributable to Force Majeure after the scheduled date of delivery. b) The Seller is declared bankrupt or becomes insolvent. c) The delivery material is delayed due to causes of Force Majeure by more than 60 days. d) In case Performance Security is not furnished within 30 days from the date of issuing of Supply order.
35.	Supporting Tools & Kit Package	a) The Bidder will also provide list of spares for running & critical repairs with pricing, cleaning kit, special maintenance tools, training aggregate-charts, slides, training brochure, training work model, blow up diagram, video films etc. as per QRs at the time of bulk supply. b) Bidder should ensure physical training in India and Technical Manual giving full description of the item in English as well as in Hindi /Urdu to minimum 10 technicians and 100 Nos. operational trainees soldiers, user's Hand book and Literature on preservation/maintenance as applicable.
36.	Tolerance/Option Clause	Purchaser reserves the right to increase/decrease order on the successful bidder up to 25% of the total quantity offered by firm at the rate quoted at the time of placement of order or during the currency of the contract
37.	Arbitration	In the case of any dispute or difference arising between the purchaser and the supplier relating to any matter arising out of or connected with the contract, such dispute or difference shall be settled by the DGP J&K whose decision will be final and acceptable to both the parties
38.	Government Regulations	It shall also be confirmed that, there are no Govt. restrictions or limitation in the country of the supplier or countries from which sub-components are being procured and/or for the export of any part of the system being supplied. Suppliers/Contractors shall provide a certificate/undertaking to this effect.
39.	Packing	The supplier will ensure that the stores are securely packed to avoid damage in transit by sea/air/rail/road occasioned by any defect in packing and shipping documents should also show the name of the ultimate consignee. The supplier shall insert in each case packing list fully item-wise to show the case number, contents, gross and net weight and cubic measurement and dimensions. Four copies of each packing list shall be supplied to the Forwarding Agent.

40.	Liquidated Damage for Delay in Supplies.	Should be as per GeM terms and conditions
41.	Compliance	Undertakings /certificate of compliance with Rule 144(xi) of GFR and extended circulars issued by Ministry of Finance, Department of Expenditure, Public Procurement Division Govt. of India.
42.	Prices	Firm should quote the prices in Indian Currency.
43.	Delivery Period.	Within 120 days from the date of issuance of supply order.

No. Prov-II/Sec-25/2222-23/
Dated:-

(Gurinderpal Singh)-IPS
AIG of Police (Provision/Tpt),
For Director General of Police,
J&K Jammu.

Bid Timeline

S.No	Particulars	Timeline
1.	Date of uploading of bid	T0
2.	Pre-bid conference date and time	T0+ 07
3.	Last date for submission of Pre-bid queries	T0 + 09
4.	Opening of technical bid	T0 + 14

Note: Timelines shall be subject to change owing to requirement of corrigendum after pre bid conference if any.

Appendix-1

BR JACKETS BIS Standard LEVEL-V

A) DETAILS OF QUANTITY, SIZES/UPGRADES. (Total quantity= 4000)

1	2	3	4	5
Details	Upgrades	Qty	Size	Qty size wise
J&K Police	Upgrade-I (without weight distribution)	3000	Medium	2250
			Large	450
			XL	300
JK Police	Upgrade-II (with weight distribution)	1000	Medium	750
			Large	150
			XL	100
Total		4000		4000

B) SPECIFICATIONS:-

1) Jacket

- a) Level-V
- b) BFS-25
- c) Area of HAP/SAP Panels viz front, back side panel, Groin, shoulder & throat as per IS-17051 wherever applicable.
- d) Colour: Black
- e) 100% of BR Jackets of level-V upgrade-II should be with the weight distribution mechanism. A tolerance of $\pm 5\%$ will be considered for WD and QR systems. Therefore, both these systems should weigh $1.35 \text{ Kg} \pm 5\%$. The weight of the QR and WD system should be over and above the BR Jackets with the rest of the components like HAP, SAP and carrier etc.

2) Operating Condition:-

- a) Extreme Temperatures-High Temperature (both HAP and SAP).
- b) Extreme Temperature-Low temperature.
- c) Fluid Exposure- Water resistant, should be able to withstand standard mean temperature deviation for season changes in J&K (-20°C to 50°C).

3) Pouches:-

- a) All should be **MOLLE compatible (Laser-cut MOLLE/Stitched MOLLE)**
- b) Number of Magazines pouches: 3 to accommodate magazines of various weapons (AK/INSAS/SIG etc.)
- c) No. of Grenade Pockets: Two.
- d) Other Pockets: Radio Set Pocket, Mobile Phone Pocket. (Mobile Phone: 6.5 inch mobile phone with military grade protective hard cover).
- a) Radio Set : L = 5cm, B = 7cm, H = 20 cm + antenna = 25 cm

4) Other requirement:-

- a) Quick Release Mechanism for all upgrades to function as per BIS 17051 (to be read with amendments, if any) = Yes
- b) Shelf Life = above 05 years
- c) Fire Retardant material = Yes
- d) MOLLE webbing on all sides, Also: "JK POLICE" patch on front and back panel with Velcro, Black background, white letters in 4100 upgrade-I and 400 upgrade -II jackets and "CRPF" patch on front and back panel with Velcro, black background, white letters on 2916 upgrade-I jackets.
- e) Ability to attach Upgrade-I & Upgrade-II panels on all jackets.
- f) Additional weight due to MOLLE webbing apart from outer carrier, Quick release and weight distribution should be under 500gms only.

5) Physical requirement of ballistic components shall comply with clause 5.2.2 to 5.2.5 of BIS Standards IS 17051 (to be read with amendments, if any) and Ballistic evaluation will be conducted by STEC from CFSL/TBRL Chandigarh or GFSU, Gandhinagar Gujarat for L1 and L2 firms.

- 6) The Bullet Resistant Jackets shall be designed ergonomically to minimize restrictions of movement. Details of checking basic ergonomic features of bullet resistant jackets by conducting field tests by personnel as given in **annexure-(B) of BIS Standards IS 17051 :2018**
- 7) The firms will be technically qualified on the basis of valid GFSU/TBRL test report confirming to the BIS standard for the threat level. Any test report equivalent to BIS standards for BR Jackets by NABL accredited lab certificate will be considered valid for technical evaluation.
- 8) After the opening of financial the L1 and L2 bidders to undergo test of offered product and the L1 and L2 bidders/firms to submit sample as per annexure-G of BIS standard IS 17051 (to be read with amendments, if any) on No Cost No commitment basis.
- 9) The L1 and L2 bidders/firms to submit fabric samples of outer carrier & SAP cover @ 3 mtr length each in any color. However, swatch of final cover must be supplied for approval.
- 10) The samples of L1 and L2 firms should confirm to less than or equal to the maximum possible weights of bullet resistance jackets for different sizes of threat level as per the annexure-C of **BIS 17051: 2018**.
- 11) The L1 and L2 bidders samples should be properly sealed and should have cards affixed on them duly signed and stamped by the firm indicating the following as per **clause 5.3 of BIS Standards IS 17051 (to be read with amendments, if any)**

a.	Type of material such a soft / hard armour panel
b.	Manufacturer name/ logo/ identification mark
c.	Threat level
d.	Name of product / model number
e.	Size
f.	Panel ID
g.	Lot batch number
h.	Date if manufacturing in DD:MM:YYYY format and
i.	Date of expiry in DD:MM:YYYY format

- 12) The purchaser, reserves the right to carry out test of samples (including destruction test), at the risk and cost of L1 and L2 Bidders.
- 13) Lab Test Report:-Bidders are requested to thoroughly study the BIS Specifications and should submit all relevant lab test reports as per followings:
- A) The test report shall comply with **clause 5.2.2 to 5.2.5 (table-5) and clause 6.1.1 (table-7) of BIS standard IS:17051 (to be read with amendments, if any)**.
- B) Fabric test report issued from any NABL accredited lab with regard to (table-2) Requirements of outer fabric/Clause 5.1.1) of BIS Standards IS: 17051: 2018 as per details give below.

S.No	Test Parameter	Requirement	Method of testing
a)	Mass g/m2 (Maximum)	160 (Max)	IS: 7016 (Part-I)
b)	Tensile Strength (Minimum)		

	Warp wise	1150 (Min)	IS;7016 (Part-2)
	Weft Wise	900 (Min)	
c)	Tear Strength (Minimum		
	Warp wise	160 (Min)	IS: 7016 (Part-3) Method-A2, Trouser Shaped test piece, Single tear method
	Weft Wise	140(Min)	
d)	Flame Resistance		
	Duration of flame (After flame time)	5 Sec. (Max.)	IS: 11871, Method A
	Duration of after glow	5 Sec. (Max)	
	5Water penetration at hydrostatic pressure head of 30 cm water column for 30 minutes	There shall be no water penetration	IS: 7016 (Part-7)
e)	Colour fastness rating to light (Change in colour on blue wool)	4 (Min)	IS: 2454

Note : Indenter reserve the right to accept subject fabric certificates or may conduct fabric testing from any NABL accredited agency.

C) Testing reports of Hook and Loop fastener from any NABL accredited Lab in accordance with Table 3- Requirement of outer fabric **(Clause 5.1.2) of BIS Standards IS 17051: 2018** as per details give below:-

S.No	Test Parameter	Requirement	Method of testing
a	Shear Strength, Length wise g/cm^2	900 (min)	IS: 8156
b	Peer Strength, g/cm^2	200(Min)	IS: 8156
c	Endurance test of 5,000 cycles of closing and opening operations Weft wise	The Shear strength length wise shall not be less than 675 g/cm^2	IS: 8156

D) Lab test report should clearly mention whether the sample tested meets the requirement for the tested parameter as per BIS Standards IS 17051: 2018 or otherwise, Certificate with regard to fabric /hook * look fastener from any NABL accredited lab be attached with the bids.

Note:- Bidders has to submit following certificates in accordance with BIS Standard IS 17051 (to be read with amendments, if any) as per details given below:-

i.	Raw material assurance certificate :- (RMAC) for a period of 06 (six) month
----	---

	from the closing date of bid in support of their SAP & HAPs.
ii.	Bidders also to declare number of layers and type of material (aerial density of material) used for fabricating Soft Armour Panel and Hard Armour Panel.

Note: Certificates mentioned above pertains to fabric testing should be issued by any accredited lab by National Accreditations Board for testing and Calibration Laboratories (NABL) for subject testing.

E) Fluid exposure –Water resistance test is required

a) In transit Conditions- Mechanical drop test – Drop test is to be carried out as per **8.3.1.**, of BIS Standards & Radiography X-ray images are to taken before and after drop test to inspect cracks, delamination or any other defect on the surface of HAP. This clause will also ensure availability of same material up to edges.

b) Ranger Test – Range Test Shall be conducted as per **clause 9.1** (Ambient Conditions) of BIS Standards IS 17051: 2018.

- 14)** Firm to offer stores lot wise in full quantity. Board of officers detailed by the Indenter will carry out lot wise survey of stores as per BIS Standards IS 17051 (to be read with amendments, if any) and select samples randomly. Ballistic testing of randomly selected samples will be carried out in accordance with the threat level and in accordance with **clause 7.2 of BIS Standard IS 17051 (to be read with amendments, if any).**
- 15)** After survey of the stores, Board of officers to submit the samples to the Indenter for further Ballistic Testing Evaluation from CFSL/TBRL Chandigarh or GFSU, Gandinagar Gujarat as per Threat Level and availability of ammunition with the lab.
- 16)** In case, randomly selected sample of a particular lot fails in Ballistic testing, the entire lot will be rejected and sealed. This lot will be replaced by the Firm and again ballistic test of the fresh lot will be carried out. If the firm failed in Survey or Ballistic Testing Evaluation, the firm will get only one more opportunity to pass/ qualify the lot.
- 17)** The bidder shall provide the ballistic limit value of the panels that shall be matched during BL test as per **9.3 of BIS Standards IS 17051: 2018.**

BIS STANDARD IS 17051 (TO BE READ WITH AMENDMENTS, IF ANY) OF BULLET RESISTANT JACKET

Being a sensitive nature item, BIS Standard IS 17051 (to be read with amendments, if any) of Bullet Resistant Jackets circulated vide BPR&D letter No.52/04/2018/Mod(W)Pt-I dated 14.06.2019 are not being uploaded on website. However, same will be handed to the concerned firm on written request on their official letter head signed by either head of the division or equivalent officer authorized for doing so. The BIS Standard IS 17051: 2018 of Bullet Resistant Jacket shall be collected from Provisioning Branch of Police Headquarters.

BIS Standard IS 17051 : 2018 mentioning as Complied / Not Complied and Trial Directives duly signed should be submitted to AIG (Provision/Transport).

The firm should submit industrial license for manufacturing of Bullet Resistant Jacket issued by the Department of Industrial Policy and Promotion (DIPP)/DPIIT or any other department for obtaining BIS Standard IS 17051 (to be read with amendments, if any)

(Gurinderpal Singh)-IPS
AIG of Police (Provision/Tpt),
For Director General of Police,
J&K Jammu.

Bid Splitting

The instant bid will be split between L1 and L2 firm wherein L1 firm will supply 60% of total quantity and L2 firm will supply 40% of the total quantity at the unit rate of L1. If in case L1 firm fails in the test parameters or refuses to supply his/her share of quantity, the whole of the quantity (100%) will be supplied by the L2 firm at the L1 unit rate. In case L2 firm fails in test parameters or refuses to supply his/her share of quantity, whole of the supply will be made by L1 firm (100%).

Seller agrees that the lowest offers L1 and L2 of the bid shall be determined on the total rate quoted for the full quantity given in specifications document. L1 shall be determined as one who quotes the lowest cumulative price for the full quantity of items i.e. the price quoted for total quantity of 4000 BR Jackets in 06 configurations/sizes given in table below, will be taken into consideration for determining L1.

Sr Nr	Item	Size	Qty
1	Upgrade-I (without weight distribution)	Medium	2250
2	Upgrade-I (without weight distribution)	Large	450
3	Upgrade-I (without weight distribution)	XL	300
4	Upgrade-II (with weight distribution)	Medium	750
5	Upgrade-II (with weight distribution)	Large	150
6	Upgrade-II (with weight distribution)	XL	100
	Total		4000

The instant bid is evaluated as “Total Value Wise Evaluation” method, as such it shall be mandatory for bidders to offer and quote their prices against all configurations/sizes of above table. In case any bidder quotes zero (0) value or does not for all six (06) configuration/sizes, his/her bid offer shall be treated as un-responsive bid as such his/her bid offer shall be summarily rejected. Bidders shall have to upload an undertaking to the effect that he/she has quoted for all the six (06) configurations/sizes of above table.

In case a bidder quotes abnormally low/unworkable price against any configuration/size mentioned in above table such that the successful L1/L2 bidder is not willing to match such low/unworkable price at the time of price match request on GeM, contract for such configuration/size shall be awarded as per “**ILLUSTRATION II**”.

For clarity, split bid clause is illustrated as under:

ILLUSTRATION-I

It is clarified that the supply order shall be split between L1 and L2 sellers in the ratio of 60:40 separately for each configuration and sizes detailed in below illustration.

Total quantity of BR Jackets with Upgrade /Size wise breakup = 4000

Sr Nr	Item	Size	Qty
1	Upgrade-I (without weight distribution)	Medium	2250
2	Upgrade-I (without weight distribution)	Large	450
3	Upgrade-I (without weight distribution)	XL	300
4	Upgrade-II (with weight distribution)	Medium	750
5	Upgrade-II (with weight distribution)	Large	150
6	Upgrade-II (with weight distribution)	XL	100
	Total		4000

Suppose L1, L2 and L3 are technically qualified bidders after conclusion of reverse auction (RA)

Name of Bidder	Overall price quoted for 4000 nos of BR Jacket of all 06 configuration and sizes	RA Status
Seller A	15,49,50,000	L1
Seller B	15,74,25,000	L2
Seller C	16,10,35,000	L3

Now, as per bid T&C, the supply order shall be split between Seller A and Seller B only being overall L1 and L2 bidders of the bid. Suppose L1 and L2 sellers have quoted the following prices in BOQ on GeM.

Price Quoted by Overall L1 (Seller A)				
Configuration	Size	Qty	Quoted Unit Price	Total Price
Upgrade-I (without weight distribution)	Medium	2250	52000	11,70,00,000
Upgrade-I (without weight distribution)	Large	450	51000	2,29,50,000
Upgrade-I (without weight distribution)	XL	300	50000	1,50,00,000
Total		4000		15,49,50,000

Price Quoted by Overall L2 (Seller B)				
Configuration	Size	Qty	Quoted Unit Price	Total Price
Upgrade-I (without weight distribution)	Medium	2250	53000	11,92,50,000
Upgrade-I (without weight distribution)	Large	450	50500	2,27,25,000
Upgrade-I (without weight distribution)	XL	300	51500	1,54,50,000
Total		4000		15,74,25,000

Comparison of unit price quoted by both L1 and L2 sellers along with implications thereof, is given as under:

Configuration/ Size of BR Jacket	Unit price of overall L1 (Seller A)	Unit price of overall L2 (Seller B)	Lowest Unit Price is Offered By	L1 for particular Config/ Size BR Jacket is	Thus, 60% supply order for this BR Jacket will be awarded to	Unit price of supply for 60% supply order	Consequently, 40% supply order for this BR Jacket will now be awarded to	Unit price of supply for 40% supply order
Upgrade-I (without weight distribution)- Medium, Quantity 2250	52000	53000	Seller A	Seller A	Seller A	52000	Seller B	52000
Upgrade-I (without weight distribution) – Large, Quantity 450	51000	50500	Seller B	Seller B	Seller B	50500	Seller A	50500
Upgrade-I (without weight distribution) – XL, Quantity 300	50000	51500	Seller A	Seller A	Seller A	50000	Seller B	50000

Thus, it is clear from above table that:

- Seller A will get 60% supply order for Upgrade-I (without weight distribution)-**Medium** and Upgrade-I (without weight distribution) –**XL** only, despite being overall L1 for the instant bid.
- Seller A will receive 40% supply order for Upgrade-I (without weight distribution) - **Large** at the unit price quoted by seller B i.e., Rs 50,500 instead of Rs 51,000 quoted by seller A.
- Seller B will get 60% supply order for Upgrade-I (without weight distribution) -**Large** only, being L1 for Upgrade-I (without weight distribution) –**Large**.
- Seller B will receive 40% supply order Upgrade-I (without weight distribution)-**Medium** and Upgrade-I (without weight distribution) -**XL** only at the unit price quoted by seller A i.e 52,000 and Rs 50,000 instead of Rs 53,000 and Rs 51,500 quoted by seller B.

ILLUSTRATION-II

Price Quoted by Overall L1 and L2 Sellers					
Configuration	Size	Quantity	Quoted Unit Price by Overall L1 (Seller A) bidder	Quoted Unit Price by Overall L2 (Seller B) bidder	Remarks
Upgrade-I (without weight distribution)	Medium	2250	52000	53000	Price match request will be initiated for acceptance of lowest offered price i.e. Rs. 52000
Upgrade-I (without weight distribution)	Large	450	51000	50500	Price match request will be initiated for acceptance of lowest offered price i.e. Rs. 50500
Upgrade-I (without weight distribution)	XL	300	10000	51500	- Price match request will be initiated for acceptance of lowest offered price i.e. Rs. 10000 by L2 bidder and quantity of 300 nos Upgrade-I (without weight distribution)-XL Size will be split between L1 and L2 bidders as per ILLUSTRATION-I. - However, in case L2 bidder feels that the price offered by L1 seller is abnormally low/unworkable as such L2 bidder is not willing to accept price match request for Rs. 10000, then L1 seller shall be bound to supply 100% quantity (300 nos) of Upgrade-I (without weight distribution) size XL. - In case L1 bidder (Seller A) fails to supply the 100% quantity of Upgrade-I (without weight distribution) size XL at his/her rate quoted price of Rs. 10,000, the department shall be lawfully entitled to forfeit the amount of the EMD/security money and take penal action under law. Department shall also be at liberty to raise incident against the defaulting bidder under GeM terms and conditions which shall also

					include blacklisting of the defaulting bidder. • L2 (Seller B) bidder shall be bound to supply the full quantity (300 nos) of Upgrade-I (without weight distribution)-XL at the price calculated as per ILLUSTRATION-III
Total		4000			

ILLUSTRATION-III

Calculation of unit price to be applicable in case abnormally low/unworkable price is quoted by any bidder against any configuration/size of BR Jacket BIS Standard

Price Quoted by Overall L1 and L2 Sellers									
Sr No	Configuration	Quantity	Quoted Unit Price by Overall L1 (Seller A) bidder			Quoted Unit Price by Overall L2 (Seller B) bidder			Applicable percentage for price calculation
			Price Before RA	Price After RA/Negotiation	Percentage decrease after RA/Price Negotiations	Price Before RA	Price After RA/Negotiation	Percentage decrease after RA/Price Negotiations	
A	B	C	D	E	F	G	H	I	J
1	Upgrade-I (without weight distribution) - Medium	2250	55000	52000	5.4545%	56000	53000	5.3571%	7.1428%
2	Upgrade-I (without weight distribution) - Large	450	54000	51000	5.5556%	53500	50500	5.6075%	5.6075%
3	Upgrade-I (without weight distribution) -XL	300	13000	10000		54000	51500	4.6296%	
4	Upgrade-II (with weight distribution) -Medium	750	85000	80000	5.8824%	87000	82000	5.7471%	8.0459%
5	Upgrade-II (with weight distribution) -Large	150	91000	85000	6.5934%	93000	87000	6.4516%	8.6021%
6	Upgrade-II (with weight distribution)- XL	100	98000	90000	8.1633%	97000	92000	5.1546%	7.2164%
	Average Percentage				6.3298			5.4912	7.3229

Let us presume price of Rs. 10,000 quoted by L1 bidder (Seller A) against configuration/size of **Upgrade-I (without weight distribution) –XL** is abnormally low/un-workable and L2 bidder (Seller B) is not willing to supply the items at price quoted by L1 i.e. @ Rs. 10,000.

Average price percentage reduction for configurations (sr.nr 1,2,4,5 & 6) other than **Upgrade-I (without weight distribution) –XL** (Sr nr 3) i.e. Column J =
 $(7.1428+5.6075+8.0459+8.6021+7.2164)/5 = 36.6174/5 = 7.3229\%$

Therefore, L2 bidder (Seller B) shall be bound to supply full quantity (300 nos) of **Upgrade-I (without weight distribution) –XL** at the rate calculated as under:

Price quoted by L2 bidder (Seller B) against **Upgrade-I (without weight distribution) –XL** before RA = Rs. 54000.

Applicable Price = $54000 - (7.3229\% \text{ of } 54000) = 54000 - 3,954.36 = \text{Rs. } 50045.63$ (Rounded to two decimal places)

Thus L2 bidder (Seller B) shall supply full quantity of 300 Upgrade-I (without weight distribution) –XL BR Jackets @ Rs. 50045.63 per unit.

Note:

In case RA price quoted by L2 bidder (Seller B) for abnormally low/unworkable configuration/size quoted by L1 (Seller A), is lower than the above calculated price, then RA price quoted by L2 bidder (Seller B) shall be applicable. In above case scenario, since offered/RA price of L2 bidder (Seller B) i.e. Rs. 51500 is higher than calculated price Rs. 50045.63, L2 bidder (Seller B) shall be bound to supply full quantity (300 nos) of **Upgrade-I (without weight distribution) –XL** on calculated unit rate of Rs. 50045.63

Buyer shall be the final authority to decide whether the price quoted by the bidder is abnormally low/un-workable.

Reply to queries published by PHQ against GeM bid nrs GEM/2022/B/1827491 dated 04-011-2022 **(BR Jacket BIS Standard Level V)** and GEM/2022/B/1827716 dated 04-011-2022 **(BR Jacket BIS Standard Level VI)**

S. No.	Topic	Clarification	Suggestions of Technical Evaluation Committee
1.	Quick Release Mechanism	We understand that all the BR Jackets in both tender bids are required to be equipped with Quick Release functionality to function as per BIS 17051:2018 and amendments. Please confirm on this.	Yes, BR Jackets in both tender bids are required to be equipped with Quick Release functionality
2.	MOLLE Compatible	We understand that fabrics in all the BR Jackets in both tender bids are required to be equipped with MOLLE Design. We request you to clarify if these are required to Laser Cut MOLLE or Stitched MOLLE Webbing	Laser-cut MOLLE/Stitched MOLLE is strong and easier to repair.
3.	DWDS and Quick Release	We request you to clarify the weight permissions for DWDS and Quick Release individually as few systems will require both and few with Quick Release individually.	A tolerance of $\pm 5\%$ has been considered for WD and QR systems. Therefore, both these systems should weigh $1.35 \text{ Kg} \pm 5\%$. The weight of the QR and WD system should be over and above the BR Jackets with the rest of the components like HAP, SAP and carrier etc.
4.		In the GeM tender bid, all the parameters represent all the levels of protection, all the types of BFS and at all the parameters we can see all possible scenarios. This makes it ambiguous for us to understand the exact requirement of forces. We request that each parameter shown in tender bid shall be confined to the exact requirement of parameter thus no confusions persists.	Question is unclear, needs no reply. BIS document and additional T&C may be referred to for clarity.
5.	BIS	We request to eliminate this conditions as almost no bidder will be available	The product so offered be compliant to BIS 17051:2018 and the firm should

	Certification	with this required certificate	submit the Industrial Licence for manufacturing of Bullet Resistant Jackets issued by the Department of Industrial Policy and Promotion (DIPP) and also be compliant to the Annual turnover clause. Any test report equivalent to BIS standards for BR Jackets by NFSU/TBRL/etc will be considered valid for the purpose of technical evaluation.
6.	Delivery Period	We refer to the pre-bid discussions, Sir, the basic raw material for this construction of BPJ HAP and SAP is imported from Europe/ USA which takes approximately 3-4 months to get custom cleared and reach factories. Further to this 3-4 months is the minimum time required to manufacture 50% of the desired quantity. Sir, this scenario remains constant for every manufacturer in the industry, and adding to this there are uncertainties due to ongoing COVID -19 Omicron and other variants in scene which defer the international travel and business time to time. We request that delivery period should be kept as minimum 10 Months from the date of supply order and End User Certificate	120 days is the actual delivery period for BIS threat level 5 and 90 days for threat level 6.
7.	Sample Testing	Following testing will be done (refer Point 23, clause ii) – Fluid exposure, Low Temperature, High Temperature, Shelf life assessment. For each test – 05pcs BRJ required of each size so total samples will be – 35pcs as per details of samples given below: For Level 5 Upgrade I - 35pcs BRJ samples. For Level 5 Upgrade II - 35pcs BRJ samples. Both jackets have same protection level except with additional Throat and Groin in Upgrade II. So please accept 6	Refer to Annexure “G” of BIS standards 10751:2018 and its amendment. Test sample will be called for as per the said document.

		nos BRJs (2pcs M, 2pcs L, 2pcs XL) for testing DWDS, Throat and Groin instead of asking for 35 Nos of samples Level5 Upgrade II wherein you are looking forward to procure only 400 Nos of BRJs viz a viz 7016 Nos of Upgrade-I. Hence the quantity of 35 Nos of samples of BRJs is extremely high and required a relook please. Also please clarify as to how many days would you be permitting to submit the samples. We would require minimum 2 months' time for submission of the samples as & when asked for please.	
8.	Quick Release Mechanism	Please clarify whether Quick Release Mechanism will be required in Upgrade-I & Upgrade-II BR Jackets or Both (Upgrade II also)?	Quick mechanism is required for all BR Jackets for all upgrades.
9.	Price In GeM Portal	On going GeM portal we observe that bidder should quote only one item but as per bid, buyer require two types of model i.e. Upgrade-I and Upgrade-II. So you are requested to create separate price window for two types of models.	May refer to buyer added T&C clause 2 and sub-clause 2 and 3 of the bid document. A detailed clarification has been added as Bid corrigendum to decide the quantity to be supplied by L1 and L2 bidders based on it.
10.	Brand Type	In Bid documents "Brand type" has been asked as "registered brand". In Gem; it is submitted that our company is dealing with security items hence trade mark or brand approval was not required as all dealings were limited to Govt. Org. only. If a registered brand is required as a mandatory condition, then the complete process for getting registration would require a minimum six months' time period hence we request that this condition should be removed and the bid condition should be modified to "unregistered brand".	Not required. Any test report equivalent to BIS standards for BR Jackets by NFSU/TBRL/etc will be considered valid for the purpose of technical evaluation.
11.	Annual Turn Over, Experience Criteria, Past performance	It is intimated that some of the important bidding criteria i.e. Bidder annual turnover, Experience criteria, past performance and financial standing certificate have not been	Refer to 'Years of Past Experience required', 'Past Performance' of bid document along with 12 of T&C.

	and Financial Standing Certificate	asked for. The same will would enable only genuine bidders to participate.	
12.	BIS Certification (Yes/No)	(Please refer to point no. 1 in technical specification chart wherein BIS certification requirement has been asked as yes or higher); it is submitted that as of now no company has BIS certification, however their products have been tested as per BIS standards also they poses test reports for the same, however it is submitted considering the above we request that BIS Certification requirement should either dropped or given in yes or no or not applicable option.	Agreed. The product so offered be compliant to BIS 17051:2018 and the firm should submit the Industrial Licence for manufacturing of Bullet Resistant Jackets issued by the Department of Industrial Policy and Promotion(DIPP) and also be compliant to the Annual turnover clause(S.No.11 of Term and Conditions) Any test report equivalent to BIS standards for BR Jackets by NFSU/TBRL/etc will be considered valid for the purpose of technical evaluation.
13.	MII	Please refer to sub point 4 of para 20 of terms and conditions which says commercial bids shall be carried out among all category bidders i.e. foreign OEM, OEM from SEZ/EOUs and other indigenous OEM. It is requested that keeping in view the Make in India initiative we request that this bid should be restricted to indigenous OEM only and Make in India certificate/undertaking should be asked.	Not agreed.
14.	Delivery Period	There is a mismatch of delivery period i.e. at sl. No. 4 of terms and conditions documents it is written 3 months and at S. No. 42 it is written 120 days i.e. 4 months .Please be clear, however we would like to submit that our firm has no problems in supplying a complete store in four months as mentioned in bid documents.	120 days is the actual delivery period for BIS threat level 5 and 90 days for threat level 6
15.	High Temperature Test	As per latest amendment of BIS 17051:2018, high temperature test is not required so kindly remove this clause, (copy of document enclosed	Not agreed as per clause 8.11, both HAP and SAP are to be subjected to extreme temperature condition.

		as annexure – A)	
16.	MoM of BIS dated 21.10.2021	As per MOM of BIS dated 21.10.2021 following amendment should be incorporated which is as under, (copy of document enclosed as annexure – A) “ii) Clause 5.2.6- The following additional requirement shall be added at the end: The tolerance on thickness of each component from which the HAP is made shall be ± 0.3 mm on the nominal declared thickness to avoid less ballistic material at the edges where the shot is not considered fair.” i.e., thickness of each component of HAP to be measured during evaluation after dismantling all components of HAP. The overall thickness of each component should be in the range of ± 0.3 mm on the nominal declared thickness.	Agreed as per the latest amendment to BIS. BIS document can be submitted and can be considered if found correct.
17.	Samples of BR Jackets	The tender samples of BP Jacket should be allowed to submit in any colour? We will match the colour during bulk supply.	Allowed, however swatch of final cover to be supplied for approval.
18.	Weight of LDS	Weight of LDS with hip belt should not be more than 1.5 kg, and a person should be able to operate with one hand with an auto lift mechanism.	A tolerance of +5% has been considered for WD and QR systems. Therefore both these systems should weigh 1.35kg +5%. The weight of the QR&WD system should be over and above the B.R Jackets with the rest of the components like HAP, SAP and carrier etc.
19.	Weight of Outer Carrier	Since MOLLE webbing, QRs and WDS required in outer carrier, the weight of outer carrier should be defined for both types as under: i. Weight of outer carrier with MOLLE webbing and Quick release	Additional weight due to MOLLE webbing apart from outer carrier, Quick release and weight distribution should be under 500gms only.

		mechanism. ii. Weight of outer carrier with MOLLE webbing, Quick release mechanism and weight distribution system.	
20.	Brand Type – registered Brand	We are not registered in BIS, as there is no such provision for our range of products (bullet proof jackets & helmets etc.). Please advise.	Any test report equivalent to BIS standards for BR Jackets by NFSU/TBRL/etc will be considered valid for the purpose of technical evaluation.
21.	Certification Required – BIS Certification (Yes or higher)	BIS being newly inducted specification and trial methodology there is no defined procedure to get certification. TASL being OEM of the BR Jackets has been manufacturing and supplying BR Jackets to Indian MOD- Army, Navy, Air force for 30 years. Also supplied BR Jackets to J&K Police. In view of the above, we request you to kindly modify this clause.	The product so offered be compliant to BIS 17051:2018 and the firm should submit the Industrial Licence for manufacturing of Bullet Resistant Jackets issued by the Department of Industrial Policy and Promotion (DIPP) and also be compliant to the Annual turnover clause(S.No.11 of Term and Conditions). Any test report equivalent to BIS standards for BR Jackets by NABL accredited lab certificate will be considered valid for technical evaluation.
22.	Terms and Condition document, Delivery Period	DP is mentioned as 120 days from the issue of Supply order in the ATC document whereas, the DP is mentioned as 3 months from the issue of supply order in GeM Bidding document. However, considering the current pandemic situation and logistic problems prevailing worldwide, only ballistic Raw material will be reaching us in 3 - 4months' time from the date of order and our manufacturing time is again 2-3 months followed by bulk lot offering/inspection and ballistic validation. In view of this we request you kindly amend the delivery period from 120 days to 300 days (10 months)	120 days is the actual delivery period for BIS threat level 5 and 90 days for threat level 6.

		from the issue of Supply order.	
23.	Technical Qualification Criteria	Currently we have test reports tested with SAP, Front & Rear HAP plates only mentioned as MHA/ NIJ0101.06 standard, however the weights of the ballistic panels are exactly matching to the BIS test standard (weights are mentioned in test certificate). Kindly consider and accept the test certificates as there would be no difference in technical solution to the samples tested and product offered to J&K Police complying BIS level 5. Also, J&K police will be revalidating and testing the samples as per BIS standard. Since the technical requirement / solution is the same for both upgrade I and upgrade II Jackets, we suggest to go ahead with a common qualification of both types of jackets by testing Upgrade II Jackets only (rather than testing upgrade 1 and upgrade II jackets separately). This will qualify both the types and save cost of samples, testing charges, time and efforts of the board of officers.	Any test report equivalent to BIS standards for BR Jackets by NFSU/TBRL/etc. will be considered valid for the purpose of technical evaluation.
24.	Upgrade I (Without weight distribution)	As per IS17-51:2018, Upgrade 1 SAP has only Front, Back and Side protection. Kindly clarify is Groin, Shoulder, Neck SAP protection are required?	Yes, groin, shoulder and neck SAP protection is required.
25.	Pocket for Mobile Phone/ Radio Set	We request you to kindly provide dimensions of Radio Set, Mobile Phone Pockets	Mobile Phone: 6.5 inch mobile phone with military grade protective hard cover. Radio Set : L = 5cm, B = 7cm, H = 20 cm + antenna = 25 cm
26.	Quick Release Mechanism	Is Quick release mechanism required for Upgrade I and Upgrade II ? Kindly clarify what would be weight for Quick Release and Dynamic load distribution system (Approximately 500-800 grams extra weight would be	QRM required for both. A tolerance of +5% has been considered for WD and QR systems. Therefore both these systems should weigh 1.35kg +5%. The weight of the QR&WD system should be over and above the

		needed)	B.R Jackets with the rest of the components like HAP, SAP and carrier etc.
27.	Ability to attached Upgrade I and II on all BR Jackets	Kindly arrange to provide the details on requirement mentioned.	This is required within the same threat level i.e for BIS threat level 5 the HAP may be attached in upgrade 2 and vice versa.
28.		To clarify whether the weight of quick release mechanism is included in the Jacket weight or will it be considered in additional to jacket weight. Also, additional weight margin may be specified.	A tolerance of +5% ha been considered for WD and QR systems. Therefore, both these systems should weigh 1.35kg +5%. The weight of the QR&WD system should be over and above the B.R Jackets with the rest of the components like HAP, SAP and carrier etc.
29.		To clarify whether the weight of Weight distribution system is included in the Jacket weight or will it be considered in additional to jacket weight. Also, additional weight margin may be specified.	A tolerance of +5% has been considered for WD and QR systems. Therefore, both these systems should weigh 1.35kg +5%. The weight of the QR&WD system should be over and above the B.R Jackets with the rest of the components like HAP, SAP and carrier etc.
		Delivery period may be extended to 6 months	120 days is the actual delivery period for BIS threat level 5 and 90 days for threat level 6.