Name	Aakash Kushwah	Year	3ed
Subject	.Net Programming	Class	BCA AIML
Semester	V	Roll No.	1/RS0951

INDEX

Serial No	Date	Title	Page No	Teacher's Signature/Remarks
1	3/9/26	Assignment 1	1-7	Pinkus 5/9/26
2	21/09/26	Assignment 2	8-14	Pinkus

Scanned with OKEN Scanner

DATE / /
PAGE NO.:

Ques 1 Arithmetic, Relational, Logical and Bitwise Operator in C# with example.

Ans Here I am going to explain Operator one by one

-) Arithmetic Operator ⊢ perform basic math operation
Use: +, -, *, %, /

```
int a = 7 , b = 11;
Console.WriteLine(a+b); // 18
Console.WriteLine(a-b); // -4
```

-) Relational Operators ⊢ Compare values & return bool
==, >, <, >=, <=

```
int a = 7 , b = 1;
Console.WriteLine( a > b); // True
Console.WriteLine( a == b); // False
```

-) Logical Operators ⊢ combine boolean condition
Use: && (And), || (OR), ! (Not)

```
int a = True , b = false;
Console.WriteLine( a && b ); // False
Console.WriteLine( a || b ); // True
```

-) Bitwise Operators ⊢ work on individual bits
Use: &, |, ^, ~, <<, >>

```
int a = 5, b = 3 // 5 = 101 , b = 011
Console.WriteLine( a & b ); // 1
Console.WriteLine( a | b ); // 7
```

Teacher's Signature.....

Scanned with OKEN Scanner

DATE / /
PAGE NO:

Ques 2 Check Positive, Negative or Zero using if-else

Ans

```
using System;
class RPG_Aakash {
    static void Main() {
        Console.Write("Enter a number : ");
        int num = Convert.Int32(Convert.ReadLine());
        if (num > 0)
            Console.WriteLine("The number is Positive");
        else if (num < 0)
            Console.WriteLine("The num is Negative");
        else
            Console.WriteLine("Num is Zero");
    } }
```

Ques 3 Print Number 1 to 10 using for loop

Ans

```
using System;
class Aakash_RPG {
    static void Main() {
        for (int i = 1; i <= 10; i++) {
            Console.Write(i + " ");
    } } }
```

Ques 4 Student class with Name & Roll Number

Ans

```
using System;
class Student {
```

Teacher's Signature.....

Scanned with OKEN Scanner

```
    public string Name;
    public int RollN;
    public void Display() {
        Console.WriteLine("Name : " + Name);
        Console.WriteLine("Roll Num : " + RollN);
} }
class Akash_RPG {
    static void Main() {
        Student s = new Student();
        s.Name = "Akash";
        s.RollN = 21;
        s.Display();
} }
```

Ques 5 Method Overloading using Add() Method

Ans Method Overloading :- Same method name, different parameter list (number / type of parameter list (number / type of parameters)

```
using System;
class Calculator {
    public int Add(int a, int b) {
        return a+b;
    }
    public int Add(int a, int c) {
        return a+b+c;
} }
```

Teacher's Signature.....

Scanned with OKEN Scanner

```
class RPG Aakash {
    static void Main() {
        Calculator c = new Calculator();
        Calculator c2 = new Calculator();
        Console.WriteLine("Sum of 2 number : " + c.Add(5,10));
        Console.WriteLine("Sum of 3 number : " + c.Add(5,10,15));
} }
```

Ques 6 Constructors and Distructors in C#

Ans Constructor :- Special method that runs automatically when an object is created

- Same name as the class, no return type used to initialize objet

Type of Constructors

- Default Constructors : no parameters, assign default values
- Parameterized Constructor: accepts args to initialize fields with value
- Copy Constructor : Creates a new object by copying value
- Static Constructor : Initiatizes static members, runs only once automatically before the first use of the class
- Private Constructor : restricts obj creation from outside the class

Destructor : Special method that runs automatically when an object is destroyed / garbage-collected

- Name is ~ClassName, no parameters, no return, no access modifiers, can't be overloaded

Teacher's Signature.....

Scanned with OKEN Scanner

```
using System;
class student {
    public string Name;
    // Default Constructor
    public Student() {
        Name = "Unknown";
    }
    public Student(string name) {
        Name = name;
    }
    ~Student() {
        Console.WriteLine("Destructor call for " + Name);
    }
}

class Program {
    static void Main() {
        Student s = new Student();
        Student s1 = new Student("Aakash");
        Console.WriteLine(s.Name);
        Console.WriteLine(s1.Name);
    }
}
```

Teacher's Signature.....

Scanned with OKEN Scanner