| | |
|---|---|
| **SUBMITTED BY** | |
| **NAME** | **VELANATI AAKASH** |
| **ROLL NO.** | **AV.SC.U4CSE25252** |
| **YEAR/SEM/SECTION** | **1ST YEAR /SEM2/CSE-C** |
| **CREDITS** | **03** |

| | |
|---|---|
| **SUBMITTED TO** | **DR.RAJ KUMAR BATCHU** |
| **DESIGNATION** | **ASST.PROFFESSOR** |
| **DEPARTMENT** | **SCHOOL OF COMPUTING** |

| S.NO | TITLE | PAGE NO | REMARKS |
|---|---|---|---|
| 1 | Week-1:<br>1. Installation of VS Code tool. 2. Understanding basic of html structure. 3. Understanding basic html tags and attributes . | **4-12** | |
| 2 | Week-2:<br>Design a basic webpage with headings , paragraph, pre, table by adding styles. | **13-16** | |
| 3 | Week-3:<br>3 .A) Creating timetable using HTML.<br>3.B)Creating a HTML web page that should display all the syllabus as images | **17-37** | |
| 4 | Week-4:<br>1. Collage admission registration form using HTML.<br>2. Create two different forms in one webpage using Iframes | **38-46** | |
| 5 | Week-5:<br>5A) .creating a card layout using tag consider three cards and a button using html and css.<br>5B) navigation using iframe (mini website) upon clicking each buttons the details about that button should be display on the same page.<br>5C) Design amrita login page by showing different campus on home page.upon clicking on each campus the details about each campus should be display on the same page use html and css to design a stylish webpage | **47-70** | |

| | | | |
|---|---|---|---|
| | | | |
| 6 | Week-6:<br>Design a responsive e-commerce application using the grid layout. This application should contain different categories of products such as electronics, clothing, home-appliances, books. Based on the category we select corresponding products should be displayed on the sidebar. | **71-91** | |
| **7** | **Week-7:**<br>_To create an account in github and create repository and add all the previous weeks tasks into one repository. | **92-96** | |
| **8** | **Week-8** :<br>A) : To create a webpage that displays a square that continuously rotates 360$o$ using css animations.<br>B) : To create a ball that moves up and down continuously using css Animations.<br>C): To create a ball that moves horizontally and rotates at same time. | **97-104** | |
| | | | |
| | | | |


**WEEK-1**

**1.AIM :** To download vs code on laptop

**PROCEDURE** :

1.first we have to serch in any browser with name vs code download after we need to click the first link on the list we get the below page as it is so we can can download from that by selecting according to our operating system.




2.


Setup - Microsoft Visual Studio Code (User)
License Agreement
Please read the following important information before continuing.
Please read the following License Agreement. You must accept the terms of this agreement before continuing with the installation.
This license applies to the Visual Studio Code product. Source Code for Visual Studio Code is available at https://github.com/Microsoft/vscode under the MIT license agreement at https://github.com/microsoft/vscode/blob/main/LICENSE.txt. Additional license information can be found in our FAQ at https://code.visualstudio.com/docs/supporting/faq.
MICROSOFT SOFTWARE LICENSE TERMS
MICROSOFT VISUAL STUDIO CODE
I accept the agreement
I do not accept the agreement
Next >
Cancel

3.


Setup - Microsoft Visual Studio Code (User)
Select Destination Location
Where should Visual Studio Code be installed?
Setup will install Visual Studio Code into the following folder.
To continue, click Next. If you would like to select a different folder, click Browse.
Browse...
At least 373.8 MB of free disk space is required.
< Back
Next >
Cancel

4.


Setup - Microsoft Visual Studio Code (User)
Select Additional Tasks
Which additional tasks should be performed?
Select the additional tasks you would like Setup to perform while installing Visual Studio Code, then click Next.
Additional icons:
Create a desktop icon
Other:
Add "Open with Code" action to Windows Explorer file context menu
Add "Open with Code" action to Windows Explorer directory context menu
Register Code as an editor for supported file types
Add to PATH (requires shell restart)
< Back
Next >
Cancel

5.

Setup - Microsoft Visual Studio Code (User)
Completing the Visual Studio Code Setup Wizard
Setup has finished installing Visual Studio Code on your computer. The application may be launched by selecting the installed shortcuts.
Click Finish to exit Setup.
Launch Visual Studio Code
Finish

6.


File Edit Selection View Go Terminal Help
Get Started - Visual Studio Code
Get Started
Visual Studio Code
Editing evolved
Start
New File...
Open File...
Open Folder...
Clone Git Repository...
Watch Video Tutorials
Recent
You have no recent folders, open a folder to start.
Walkthroughs
Get Started with VS Code
Discover the best customizations to make VS Code yours.
Learn the Fundamentals
Jump right into VS Code and get an overview of the must-have features.
Boost your Productivity
More...
Show welcome page on startup

2. AIM : to write a basic HTML code

CODE:

```
<!DOCTYPEhtml>
<html>
    <head>
        <title>first web page</title>
    </head>
    <body>
        <p>name=aakash,sec=cse-c</p>
        <h1>happy to learn HTML</h1>
        <P>THIS IS MY FIRST SAMPLE CODE </P><P>
        </BODY>
</html>
```

OUTPUT :




**EXPLANATION :**

1. <!DOCTYPEhtml>:  The element tells the browser , this is an HTML5 document.
2. <html>:Everything should be **inside** this tag.
3. <head>: this contains title tag.
4. <title> : This sets the title of the webpage.
5. <body>: this contain main code (contains all visible content like text ,images ,links ,tables ,etc.).
6. <h1>: this used to get headings.
7. <P>: this contains para(any information).

3. AIM: write a code to understand basic html tags h ,p ,links, image, break, title, width ,height , colour.

CODE: <!DOCTYPE>

```
<html>
 <head>
    <title>links</title>
 </head>
<body>
    <p>name=aakash,sec=cse-c</p>
    <h1 style = "color:pink">AMRITA</h1>
    <p style = "color:#F54927;" title = >amrita Vishwa Vidyapeetham is
<br>famous as a top-ranked, multi-disciplinary private university in India</p>
    <a href="https://www.amrita.edu/"> amrita link</a>
    <img
src="https://tse2.mm.bing.net/th/id/OIP.dpH3h2NF9hTT_GDwLK50sAHaE8?p
id=Api&P=0&h=180" alt="https://encrypted-
tbn0.gstatic.com/images?q=tbn:ANd9GcRYWsWwDlpvFCdho6ZrezksiZgS6xv
6OuO" width="1384" height="590" >
</body>
</html>
```

OUTPUT:

EXPLAINATION:

1. <p> : it is used if we want to display any information in para format.
2. <h> : Used for titles and headings
3. <a href="https://www.amrita.edu/"> amrita link</a>:

<a> is used it is usable one for link ,Creates a clickable link with name amrita link ,href- specifies destination URL.

4. <img src=https://webfiles.amrita.edu/2022/03/nbElb5oz-amrita-amaravati-campus-banner-2022.jpg alt="Amrita Campus Image" width="384" height="390"> :
    1. Displays an image on the webpage
    2. <img> has no closing tag
    3. src → image URL
    4. alt → text if image fails to load (important for accessibility)
    5. width → image width (pixels)

6. height → image height (pixels)

5. <br>: Moves text to the next line,No closing tag needed,
   Used inside paragraphs for line breaks.
6. Colour: it is a tag we used to color our text it used in <h>,<p> .main thing is the style tag should be used in that we add color as subtag.

Ex :<p style = "color:#F54927;">.

## WEEK-2

1. AIM: write a code to understand basic html tags h ,p ,links, image, break, title, width ,height , colour.

Code:

Name = Aakash , Roll no = 25252 , Section-C

```
<!DOCTYPE html>
<html>
   <head>
      <title>web page</title>
   </head>
   <body style="background-image: url('amara.jpg');width:
100%;height: 100%;">
      <h1 style="text-align: center;color: ghostwhite;border: 3px solid
black;">Amrita Vishwa Vidyapeetham</h1>
      <pre style="text-align: center;color: rgb(0, 0, 0);font-family:
Georgia, 'Times New Roman', Times, serif;font-style: italic;font-size:
large;">
         Amrita Vishwa Vidyapeetham, Amaravati is a premier, NAAC
A++
accredited multi-disciplinary campus located in Andhra Pradesh's
capital
region.
      </pre>
      <table border="2" align="center" bgcolor="lightgray"
style="text-align: center;">
         <h1 style="font-size: x-large;font-weight: bold;color: black;
background-color: gray;text-align: center;">All Amrita campus
Details</h1>
         <tr>
            <th>S.No</th>
            <th>Campus Name</th>
            <th>location</th>
            <th>Department</th>
            <th>faculty name</th>
```

```
            <th>Contact No,E mail</th>
        </tr>
        <tr>
             <td>1.</td>
            <td>AMRAVTHI</td>
            <td>amaravati</td>
            <td>UID-CSE</td>
            <td>DR.Raj kumar batchu</td>
            <td>94949 99944</td>
        </tr>
        <tr>
            <td>2.</td>
            <td>Amrithapuri</td>
            <td>amritapuri</td>
            <td>UID-CSE</td>
            <td>DR.Ajay kumar</td>
            <td>84848 44888</td>
        </tr>
        <tr>
            <td>3.</td>
            <td>Chennai</td>
            <td>chennai</td>
            <td>UID-CSE</td>
            <td>DR.Suresh babu</td>
            <td>96969 99969</td>
        </tr>
    </table>
  </body>
</html>
```

OUTPUT:

Explanation:

1. <a> = Creates a hyperlink that takes the user to a different webpage when clicked

2. <i> = Displays text in italics.

3. <table> = the <table> tag is used to arrange data into rows and columns.

4. <th> = Defines a header cell (usually bold and centred by default).

5. <td> = the <td> tag stands for table Data.

6. <b> = Used for bold text.

7. <pre> = to display text exactly as written in the HTML source code, preserving both whitespace and line breaks

# WEEK-3

3.A) Aim: Create a class timetable using HTML elements.

```
<html>
   <head>
    <title> timetable</title>
   </head>
   <table border="3">
      <caption style="background-color: yellow;">SEM-2
TIMETABLE</caption>
      <tr>
         <th>DEPT.CSE </th>
         <th rowspan="3" colspan="10">ROOM VENUE 512</th>
      </tr>
      <tr>
         <th>CLASS BTECH CSE-C</th>
      </tr>
      <th>SEMESTER-2</th>
      <tr>
         <th style="font-family: 'Lucida Sans', 'Lucida Sans Regular', 'Lucida
Grande', 'Lucida Sans Unicode', Geneva, Verdana, sans-serif;" colspan="3">
Advisors:
         Name: Mr. Budati Jaya Lakshminarayana
         Email : bj_lakshminarayana@av.amrita.edu
          Mobile Number :+91-7989795768 </th>
```

```
        <th  style = "font-family: 'Lucida Sans', 'Lucida Sans Regular', 'Lucida Grande', 'Lucida Sans Unicode', Geneva, Verdana, sans-serif;"="8"> Name: Dr. Arun Kumar S

        Email : s_arunkumar@av.amrita.edu

         Mobile Number : +91-8940857202</th>

       </tr>

</table>

<table border="3" style="border-collapse: collapse;">

       <tr>

           <th rowspan="2">TIME TABLE</th>

           <th>SLOT-1</th>

           <th>SLOT-2</th>

           <th>SLOT-3</th>

           <th>SLOT-4</th>

           <th>SLOT-5</th>

           <th>SLOT-6</th>

           <th>SLOT-7</th>

           <th>SLOT-8</th>

           <th>SLOT-9</th>

           <th>SLOT-10</th>

       </tr>

       <tr>

           <th>8:50-9:40</th>

           <th>9:40-10:30</th>

           <th>10:30-10:40</th>
```

```
            <th>10:40-11:30</th>
            <th>11:30-12:20</th>
            <th>12:20-1:10</th>
            <th>1:10-2:30</th>
            <th>2:30-3:20</th>
            <th>3:20-4:10</th>
            <th>4:10-5:00</th>

        </tr>
        <tr>
            <td>MONDAY</td>
            <td colspan="2">23MAT116 Discrete Mathematics_lab2</td>
            <td rowspan="5" style="background-color: yellow; writing-mode:
vertical-lr; text-align: center ; ">short break</td>
            <td>23PHY115 Modern physics</td>
            <td>23CSE111Object
Oriented Programming</td>
            <td >library</td>
            <td rowspan="5" style="background-color: yellow;writing-mode:
vertical-lr; text-align: center;"> lunch</td>
            <td>library</td>
            <td rowspan="5" style="background-color: yellow; writing-mode:
vertical-lr; text-align: center;">short break</td>
            <td colspan="2">Library/Sports</td>
            <tr>
```

<td>TUESDAY</td>

<td colspan="2">23CSE113 User Interface Design LAB(BYOD)</td>

<td>23MAT117 Linear Algebra</td>

<td>23MAT116 Discrete Mathematics</td>

<td COUNSELLING style="color: red;">COUNSELLING</td>

<td>library </td>

<td colspan="2">22ADM111 Glimpses of Glorious India</td>

</tr>

<tr>

<td>WEDNESDAY</td>

<td> 23PHY115 Modern Physics</td>

<td>23CSE113 User Interface Design</td>

<td colspan="2">23MAT117 Linear Algebra_LAB(BYOD)</td>

<td COUNSELLING style="color: red;"> COUNSELLING</td>

<td>library</td>

<td colspan="2">Library/Sports</td>

</tr>

<tr>

<td>THRUSDAY</td>

<td>23CSE111Object

Oriented

Programming</td>

<td>23MAT116 Discrete

Mathematics</td>

<td colspan="2">23CSE111Object Oriented Programming

_Lab2</td>

<td>23MAT117 Linear

Algebra</td>

<td>23MEE115 Manufacturing

Practice LAB</td>

<td colspan="2">23MEE115 Manufacturing

Practice LAB</td>

<td></td>

</tr>

<tr>

<td>FRIDAY</td>

<td>23CSE111Object

Oriented

Programming</td>

<td>23MAT116 Discrete

Mathematics</td>

<td>23PHY115 Modern

Physics(T)</td>

<td>23CSE113 User

```
Interface Design</td>
            <td>23MAT117 Linear
Algebra</td>
            <td>22ADM111Glimpses of
Glorious India(P)</td>

            <td colspan="2">Library/Sports</td>
          </tr>
        </tr>
        <tr>
          <br>
        </tr>
    </table>
    <br>
    <table border="3" width="100%">
  <tr>
          <th>course code</th>
          <th>course name</th>
          <th>L-T-P</th>
          <th>credits</th>
          <th>faculty name</th>
          <th>assisting faculty</th>
      </tr>
        <tr>
```

<td>23MAT116</td>

<td>Discrete Mathematics</td>

<td> 3-0-2 </td>

<td>4</td>

<td> Dr.Srivivasa Rao Thota</td>

<td></td>

</tr>

<tr>

<td>23MAT117</td>

<td>Linear Algebra</td>

<td>3-0-2</td>

<td>4</td>

<td>Mr.Sapavat Bixapathi</td>

<td></td>

</tr>

<tr>

<td>23CSE111</td>

<td>Object Oriented Programmin</td>

<td>3-0-2</td>

<td>4</td>

<td>Dr.SATYA RAJENDRA SINGH R</td>

<td> Dr. Balaji TK</td>

</tr>

<tr>

<td>23PHY115</td>

<td>Modern Physics</td>

<td>2-1-0</td>

<td>3</td>

<td> Dr.Soumya</td>

<td></td>

</tr>

<tr>

<td>23CSE113</td>

<td>User Interface Design</td>

<td>2-0-2</td>

<td>3</td>

<td> Dr.Rajkumar Batchu</td>

<td> Mr. Barge Bharadwaj</td>

</tr>

<tr>

<td>23MEE115</td>

<td>Manufacturing practice</td>

<td>0-0-3</td>

<td>1</td>

<td>Dr. Sathies S.</td>

<td></td>

</tr>

<tr>

```
            <td>22ADM111</td>
            <td>Glimpses Of Glorious India</td>
            <td>2-0-1</td>
            <td>2</td>
            <td> Dr. Siva Panuganti</td>
            <td></td>
        </tr>
        <tr>
            <td></td>
            <td>Total (15L + 1Tut +12P =28  hrs)</td>
            <td>15-1-12</td>
            <td>21</td>
            <td></td>
            <td></td>
        </tr>
    </table>
</html>
```

OUTPUT:

Time table

file:///C:/uid_25252/timetable.html

Name = Aakash , Roll no = 25252 , Section-C

| Master Time Table CSE II Semester C Section | |
|---|---|
| **Dept. CSE**<br>**Class: B. Tech. CSE-C**<br>**Semester-II** | **Class Room Venue: 512** |
| **class Advisors:**<br>**1. Name: Mr. Budati Jaya Lakshminarayana**<br>**Email : bj_lakshminarayana@av.amrita.edu**<br>**Mobile Number :+91-7989795768** | **2. Name: Dr. Arun Kumar s**<br>**Email : s_arunkumar@av.amrita.edu**<br>**Mobile Number : +91-8940857202** |

| Time/Day | Slot-1 | Slot-2 | 10:35AM - 10:45Am | Slot-3 | Slot-4 | Slot-5 | 1:15PM - 2:10PM | Slot-6> | 3:00PM - 3:10PM | Slot-7 | Slot-8 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | 8:55AM - 9:45AM | 9:45AM - 10:35AM | | 10:45AM - 11:35AM | 11:35AM - 12:25PM | 12:25PM - 1:15PM | | 2:10PM - 3:00PM | | 3:10PM -4:00PM | 4:00PM - 4:50PM |
| **MonDay** | Discrete Math Lab | | s h o r t b r e a k | Modren physics | Object oriented programming | glimpse of glorious india | L u n c h b r e a k | glimpse of glorious india | s h o r t b r e a k | Library | |
| **Tuesday** | User interface design Lab | | | Linear Algebra | Discrete mathematics | Councelling | | Manfacturing practice Lab | | Manfacturing practice Lab | |
| **Wednesday** | Modren Physics | User interface design | | Linear algebra Lab | | Councelling | | Library | | Glimpse of glorious india | library/sports |
| **Thursday** | Object oriented programming | Discrete Mathematics | | Object oriented programming Lab | | Linear algebra | | Library | | Library/Sports | |
| **Friday** | Object oriented programming | Discrete mathematics | | Modren physics | User interface design | Linear algebra | | library | | Library/sports | |

| Course code | Course Name | L-T-P | Credits | Faculty Name | Assisting Faculty |
|---|---|---|---|---|---|
| 23MAT116 | Discrete Mathematics | 3-0-2 | 04 | Dr.Srivivasa Rao Thota | |
| 23MAT117 | Linear Algebra | 3-0-2 | 04 | Mr.Sapavat Bixapathi | |
| 23CSE111 | Object Oriented Programming | 3-0-4 | 04 | Dr.SATYA RAJENDRA SINGH R | Dr. Balaji TK |
| 23PHY115 | Modern Physics | 2-1-0 | 03 | Dr.Soumya | |
| 23CSE113 | User Interface Design | 2-0-2 | 03 | Dr.Rajkumar Batchu | Mr. Barge Bharadwaj |
| 23MEE115 | Manufacturing Practice | 0-0-3 | 01 | Dr. Sathies S. | |
| 22ADM111 | Glimpses of Glorious India | 2-0-1 | 02 | Dr. Siva Panuganti | |
| | Total (15L + 1Tut +12P =28 hrs) | 15-1-12 | 21 | | |

B)Aim: Create a HTML web page that should display al subjects as an image of all syllabus .

Code:

Name = Aakash , Roll no = 25252 , Section-C

```
<!DOCTYPE html>

<html>

    <head>

        <title>Time table</title>

    </head>

    <body style="background-color: rgb(255, 255, 255);">

        <table width="100%" border="1" cellpadding="1" cellspacing="2"
style="text-align: center; background-color: rgb(255, 255, 255);">

            <tr>
```

```
            <th colspan="12">Master Time Table CSE II Semester C
Section</th>

        </tr>

        <tr>

            <td colspan="4" align="left"><b>Dept. CSE</b><br><b>Class: B.
Tech. CSE-C</b><br><b>Semester-II</b></td>

           <td colspan="8" align="left"><b>Class Room Venue: 512</b></td>

        </tr>

        <tr>

            <th colspan="4" align="left"><b>class Advisors:<br>1. Name: Mr.
Budati Jaya Lakshminarayana<br>Email :
bj_lakshminarayana@av.amrita.edu<br>Mobile Number :+91-
7989795768</b></th>

            <th colspan="8" align="left"><b>2. Name: Dr. Arun Kumar
s<br>Email : s_arunkumar@av.amrita.edu<br>Mobile Number : +91-
8940857202</b></th>

        </tr>

        <tr>

            <th rowspan="2">Time/Day</th>

            <th><b>Slot-1</b></th>

            <th><b>Slot-2</b></th>

            <th rowspan="2">10:35AM - 10:45Am</th>

            <th><b>Slot-3</b></th>

            <th><b>Slot-4</b></th>

            <th><b>Slot-5</b></th>

            <th rowspan="2"><b>1:15PM - 2:10PM</b></th>

            <th><b>Slot-6></b></th>
```

```
            <th rowspan="2"><b>3:00PM - 3:10PM</b></th>
            <th><b>Slot-7</b></th>
            <th><b>Slot-8</b></th>
        </tr>
        <tr>
            <th><b>8:55AM - 9:45AM</b></th>
            <th><b>9:45AM - 10:35AM</b></th>
            <th><b>10:45AM - 11:35AM</b></th>
            <th><b>11:35AM - 12:25PM</b></th>
            <th><b>12:25PM - 1:15PM</b></th>
            <th><b>2:10PM - 3:00PM</b></th>
            <th><b>3:10PM -4:00PM</b></th>
            <th><b>4:00PM - 4:50PM</b></th>
        </tr>
        <tr>
            <th><b>MonDay</b></th>
            <td colspan="2" style="background-color: beige;">Discrete Math
Lab</td>
            <td rowspan="5" style="background-color: rgb(238, 255,
176);">s<br>h<br>o<br>r<br>t<br>
<br>b<br>r<br>e<br>a<br>k<b></b></td>
            <td>Modren physics</td>
            <td>Object oriented programming</td>
            <td>glimpse of glorious india</td>
```

```
            <td rowspan="5" style="background-color: rgb(241, 255,
160);">L<br>u<br>n<br>c<br>h<br> <br>b<br>r<br>e<br>a<br>k</n></td>

            <td>glimpse of glorious india</td>

            <td rowspan="5" style="background-color: rgb(192, 253,
155);">s<br>h<br>o<br>r<br>t<br>
<br>b<br>r<br>e<br>a<br>k<b></b></td>

            <td colspan="2" style="background-color: rgb(180, 205,
156);">Library</td>

        </tr>

        <tr>

            <th><b>Tuesday</b></th>

            <td colspan="2" style="background-color: rgb(255, 255, 146);">User
interface design Lab</td>

            <td>Linear Algebra</td>

            <td>Discrete mathematics</td>

            <td style="color:red ;">Councelling</td>

            <td style="background-color: beige;">Manfacturing practice
Lab</td>

            <td colspan="2" style="background-color: beige;">Manfacturing
practice Lab</td>

        </tr>

        <tr>

            <th><b>Wednesday</b></th>

            <td>Modren Physics</td>

            <td>User interface design</td>

            <td colspan="2" style="background-color: beige;">Linear algebra
Lab</td>
```

```
            <td style="color: red;">Councelling</td>
            <td>Library</td>
            <td>Glimpse of glorious india</td>
            <td>library/sports</td>
        </tr>
        <tr>
            <th><b>Thursday</b></th>
            <td>Object oriented programming</td>
            <td>Discrete Mathematics</td>
            <td colspan="2" style="background-color: beige;">Object oriented
programming Lab</td>
            <td>Linear algebra</td>
            <td>Library</td>
            <td colspan="2">Library/Sports</td>
        </tr>
        <th><b>Friday</b></th>
        <td>Object oriented programming</td>
        <td>Discrete mathematics</td>
        <td>Modren physics</td>
        <td>User interface design</td>
        <td>Linear algebra</td>
        <td>library</td>
        <td colspan="2">Library/sports</td>
    </table>
```

```
<br>
<br>
<table width="100%" border="1" cellpadding="1" cellspacing="2"
style="text-align: center;background-color: rgb(255, 255, 255);">
    <tr>
        <th>Course code</th>
        <th>Course Name</th>
        <th> L-T-P</th>
        <th> Credits</th>
        <th>Faculty Name</th>
        <th> Assisting Faculty</th>
    </tr>
    <td>23MAT116</td>
    <td>Discrete Mathematics</td>
    <td> 3-0-2 </td>
    <td>04</td>
    <td> Dr.Srivivasa Rao Thota</td>
    <td> </td>
    <tr>
        <td>23MAT117</td>
        <td>Linear Algebra</td>
        <td> 3-0-2 </td>
        <td>04</td>
        <td> Mr.Sapavat Bixapathi</td>
```

<td> </td>
</tr>
<tr>
<td>23CSE111</td>
<td>Object Oriented Programming</td>
<td> 3-0-4</td>
<td>04</td>
<td>Dr.SATYA RAJENDRA SINGH R</td>
<td> Dr. Balaji TK</td>
</tr>
<tr>
<td>23PHY115</td>
<td>Modern Physics</td>
<td> 2-1-0</td>
<td>03</td>
<td>Dr.Soumya</td>
<td> </td>
</tr>
<tr>
<td>23CSE113</td>
<td>User Interface Design</td>
<td> 2-0-2 </td>
<td>03</td>
<td> Dr.Rajkumar Batchu</td>

<td> Mr. Barge Bharadwaj</td>
</tr>
<tr>
<Td>23MEE115</Td>
<td>Manufacturing Practice</td>
<td> 0-0-3</td>
<td>01</td>
<td>Dr. Sathies S.</td>
<td> </td>
</tr>
<tr>
<td>22ADM111</td>
<td>Glimpses of Glorious India</td>
<td> 2-0-1</td>
<td>02</td>
<td>Dr. Siva Panuganti</td>
<td> </td>
</tr>
<tr>
<td> </td>
<td>Total (15L + 1Tut +12P =28  hrs)</td>
<td>15-1-12</td>
<td>21</td>
<td> </td>
</tr>
</table>

```
            <td> </td>
          </tr>
        </table>
        <h1 style="text-align: center;">Syllabus</h1>
        <h2 style="color: rgb(0, 0, 0);">Discrete mathematics</h2>
        <img src="C:\Users\vela\aakash\Pictures\Screenshots\Screenshot 2026-02-03 223939.png">
        <h2 style="color: rgb(0, 0, 0);">Linear Algebra</h2>
        <img src="C:\Users\vela\aakash\Pictures\Screenshots\Screenshot 2026-02-03 224322.png">
        <h2 style="color: rgb(0, 0, 0);">User interface design</h2>
        <img src="C:\Users\vela\aakash\Pictures\Screenshots\Screenshot 2026-02-03 224605.png">
        <h2 style="color: rgb(0, 0, 0);">Manufacturing practice</h2>
        <img src="C:\Users\vela\aakash\Pictures\Screenshots\Screenshot 2026-02-05 173211.png">
        <h2 style="color: rgb(0, 0, 0);">Object oriented programming</h2>
        <img src="C:\Users\vela\aakash\Pictures\Screenshots\Screenshot 2026-02-05 172737.png">
        <h2 style="color: rgb(0, 0, 0);">Modren Physics</h2>
        <img src="C:\Users\vela\aakash\Pictures\Screenshots\Screenshot 2026-02-05 173110.png">
        <h2 style="color: rgb(0, 0, 0);">Glimpses of glorious india</h2>
        <img src="C:\Users\vela\aakash\Pictures\Screenshots\Screenshot 2026-02-05 173351.png">

        </body>
```

</html>

# OUTPUT:

Time table

file:///C:/uid_25252/timetable.html

Name = Aakash , Roll no = 25252 , Section-C

**Master Time Table CSE II Semester C Section**

**Dept. CSE**
**Class: B. Tech. CSE-C**
**Semester-II**

**Class Room Venue: 512**

**class Advisors:**
**1. Name: Mr. Budati Jaya Lakshminarayana**
**Email : bj_lakshminarayana@av.amrita.edu**
**Mobile Number :+91-7989795768**

**2. Name: Dr. Arun Kumar s**
**Email : s_arunkumar@av.amrita.edu**
**Mobile Number : +91-8940857202**

| Time/Day | Slot-1 | Slot-2 | 10:35AM - 10:45Am | Slot-3 | Slot-4 | Slot-5 | 1:15PM - 2:10PM | Slot-6> | 3:00PM - 3:10PM | Slot-7 | Slot-8 |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | 8:55AM - 9:45AM | 9:45AM - 10:35AM | | 10:45AM - 11:35AM | 11:35AM - 12:25PM | 12:25PM - 1:15PM | | 2:10PM - 3:00PM | | 3:10PM -4:00PM | 4:00PM - 4:50PM |
| MonDay | Discrete Math Lab | | short break | Modren physics | Object oriented programming | glimpse of glorious india | Lunch break | glimpse of glorious india | short break | Library | |
| Tuesday | User interface design Lab | | | Linear Algebra | Discrete mathematics | Councelling | | Manfacturing practice Lab | | Manfacturing practice Lab | |
| Wednesday | Modren Physics | User interface design | | Linear algebra Lab | | Councelling | | Library | | Glimpse of glorious india | library/sports |
| Thursday | Object oriented programming | Discrete Mathematics | | Object oriented programming Lab | | Linear algebra | | Library | | Library/Sports | |
| Friday | Object oriented programming | Discrete mathematics | | Modren physics | User interface design | Linear algebra | | library | | Library/sports | |

| Course code | Course Name | L-T-P | Credits | Faculty Name | Assisting Faculty |
|---|---|---|---|---|---|
| 23MAT116 | Discrete Mathematics | 3-0-2 | 04 | Dr.Srivivasa Rao Thota | |
| 23MAT117 | Linear Algebra | 3-0-2 | 04 | Mr.Sapavat Bixapathi | |
| 23CSE111 | Object Oriented Programming | 3-0-4 | 04 | Dr.SATYA RAJENDRA SINGH R | Dr. Balaji TK |
| 23PHY115 | Modern Physics | 2-1-0 | 03 | Dr.Soumya | |
| 23CSE113 | User Interface Design | 2-0-2 | 03 | Dr.Rajkumar Batchu | Mr. Barge Bharadwaj |
| 23MEE115 | Manufacturing Practice | 0-0-3 | 01 | Dr. Sathies S. | |
| 22ADM111 | Glimpses of Glorious India | 2-0-1 | 02 | Dr. Siva Panuganti | |
| | Total (15L + 1Tut +12P =28 hrs) | 15-1-12 | 21 | | |

## Syllabus

### Discrete mathematics

**Unit 1**
Logic, Mathematical Reasoning and Counting: Logic, Prepositional Equivalence, Predicate and Quantifiers, Theorem Proving, Functions, Mathematical Induction. Recursive Definitions, Recursive Algorithms, Basics of Counting, Pigeonhole Principle, Permutation and Combinations. (Sections: 1.1 -1.3, 1.5 -1.7, 2.3, 4.1 - 4.4, 5.1 - 5.3 and 5.5)

**Unit 2**
Relations and Their Properties: Representing Relations, Closure of Relations, Partial Ordering, Equivalence Relations and partitions. (Sections: 7.1, 7.3 - 7.6)
Advanced Counting Techniques and Relations: Recurrence Relations, Solving Recurrence Relations, Generating Functions, Solutions of Homogeneous Recurrence Relations, Divide and Conquer Relations, Inclusion-Exclusion. (Sections: 6.1 - 6.6)

**Unit 3**
Number Theory: Divisibility and Factorization**b.** Simultaneous linear congruences, Chinese Remainder Theorem. Wilson's Theorem, Fermat's Theorem, pseudoprimes and Carmichael numbers, Euler's Theorem. Arithmetic functions and Quadratic residues:

### Linear Algebra

**Pre-requisite: Matrices**
Review of matrices and linear systems of equations. (2 hrs)
**Vector Spaces**: Vector spaces - Sub spaces - Linear independence - Basis - Dimension - Inner products - Orthogonality - Orthogonal basis - Gram Schmidt Process - Change of basis.
(12 hrs)
Orthogonal complements - Projection on subspace - Least Square Principle. (6 hrs)

**Linear Transformations**: Positive definite matrices - Matrix norm and condition number - QR- Decomposition - Linear transformation - Relation between matrices and linear transformations - Kernel and range of a linear transformation. (10 hrs)
Change of basis - Nilpotent transformations - Similarity of linear transformations - Diagonalisation and its applications - Jordan form and rational canonical form. (10 hrs)
**SVD.**

### User interface design

**Unit 1**
Introduction to Web – Client/Server - Web Server - Application Server- HTML Basics- Tags - Adding Web Links and Images-Creating Tables-Forms - Create a Simple Web Page - HTML 5 Elements - Media – Graphics.

**Unit 2**
CSS Basics – Features of CSS – Implementation of Borders - Backgrounds- CSS3 - Text Effects - Fonts - Page Layouts with CSS

**Unit 3**
Introduction to Java Script – Form Validations – Event Handling – Document Object Model - Deploying an application

**Manufacturing practice**

1. **Additive Manufacturing Laboratory –12 hours**

Introduction to digital manufacturing. Introduction to Additive Manufacturing - types – additive manufacturing applications - Materials for 3D printing. CAD Modelling for Additive manufacturing. Slicing and STL file generation- G code generation - 3D printing of simple geometries.

2. **Mechanical Engineering Laboratory –12 hours**

Study of tools and equipment used for basic manufacturing processes.
Manual arc welding practice for making Butt and Lap joints - Soldering Practice
Introduction to Machine Tools and Machining Processes

3. **Automation lab –12 hours**

Design, simulate and test pneumatic and electro-pneumatic circuits. Introduction to PLC –PLC programming for automation applications.

4. **Automobile Engineering lab –9 hours**

Overview of automobiles – components –functioning of various sub-systems; Power train, steering system, suspension system and braking system. Introduction to electric vehicles, hybrid vehicles, alternate fuels. Introduction to E Mobility.

**Object oriented programming**

**Unit1**

Structured to Object Oriented Approach by Examples - Object Oriented languages - Properties of Object Oriented system – UML and Object Oriented Software Development - Use case diagrams and documents as a functional model - Identifying Objects and classes - Representation of Objects and its state by Object Diagram - Simple Class using class diagram – Encapsulation - Data Hiding - Reading and Writing Objects - Class Level and Instance Level Attributes and Methods- JIVE environment for debugging.

**Unit2**

Aggregation and Composition using Class Diagram – Generalization using Class Diagram – Inheritance - `Constructor and Over Riding – Visibility – Attribute – Parameter – Package - Local and Global - Polymorphism – Overloading - Abstract Classes and Interfaces.

**Unit3**

Exception Handling - Inner Classes - Wrapper classes – String - and String Builder classes – Number – Math – Random - Array methods - File Streams - Serialization - Generics - Collection framework - Comparator and Comparable - Vector and Arraylist - Iterator and Iterable.

.

**Modren Physics**

**Unit 1**

Origin of quantum theory of radiation: Black body radiation, photo-electric effect, Compton Effect – pair production and annihilation, De-Broglie hypothesis, description of waves and wave packets,group velocities. Evidence for wave nature of particles: Davisson-Germer experiment, Heisenberguncertainty principle.

**Unit 2**

Atomic structure: Historical Development of atomic structures: Thomson's Model, Rutherford's Model: Scattering formula and its predictions, Atomic spectra - Bohr's Model, Sommerfield's Model, The correspondence principle, nuclear motion, and atomic excitation, Application: Lasers.

**Unit 3**

Quantum mechanics: Wave function, Probability density, expectation values - Schrodinger equation – time dependent and independent, Linearity and superposition, expectation values, operators, Eigen functions and Eigen values

**Unit 4**

Application of 1D Schrodinger Wave equation: Free particle, Particle in a box, Finite potential well,Tunnel effect, Harmonic oscillator.

**Unit 5**

Intro to Quantum computing- Q bits- II Quantum correlations: Bell inequalities and entanglement,Schmidt decomposition, super dense coding, teleportation. Module

**Glimpses of glorious india**

Face the Brutes, Role of Women in India, Acharya Chanakya, God and Iswara, Bhagavad Gita: From Soldier to Samsarin to Sadhaka, Lessons of Yoga from Bhagavad Gita, Indian Soft powers, Preserving Nature through Faith, Ancient Indian Cultures (Class Activity), Practical Vedanta, To the World from India, Indian Approach to Science.

## Explanation:

1. <table> = the <table> tag is used to arrange data into rows and columns.
2. <tr> = Creates a horizontal row.
3. <th> = Defines a header cell (usually bold and centred by default).
4. <td> = the <td> tag stands for table Data.
5. colspan attribute = It is used to merge multiple columns across horizontally.
6. rowspan attribute = It is used to merge multiple rows across vertically.

**WEEK-4**

1. AIM: 1. Creating a collage registration form using HTML.

Code:

Name = Aakash , Roll no = 25252 , Section-C

```
<!DOCTYPE html>
<html>
<head>
   <title>College Admission Registration</title>
</head>
<body style="background-color: rgb(190, 240, 240);">
   <h2 style="text-align: center;">Collage Registration Form</h2>
   <table border="1" align="center" cellpadding="10" cellspacing="1"
style="background-color: aliceblue;" >


      <form>
         <tr>
            <td><label for="name">Full Name:</label></td>
            <td><input type="text" id="name" name="name"></td>
         </tr>

         <tr>
            <td><label for="email">Email:</label></td>
```

```
    <td><input type="email" id="email" name="email"></td>
</tr>

<tr>
    <td><label for="phone">Phone Number:</label></td>
    <td><input type="tel" id="phone" name="phone"></td>
</tr>

<tr>
    <td>Gender:</td>
    <td>
        <input type="radio" id="male" name="gender" value="male">
        <label for="male">Male</label>
       <input type="radio" id="female" name="gender" value="female">
        <label for="female">Female</label>
        <input type="radio" id="other" name="gender" value="other">
        <label for="other">Other</label>
    </td>
</tr>

<tr>
    <td>Course Applying For:</td>
    <td>
        <select name="course">
            <option value="btech">B.Tech</option>
            <option value="mtech">M.Tech</option>
            <option value="bsc">B.Sc</option>
            <option value="aiml">AIML</option>
            <option value="aids">AIDS</option>
            <option value="cse-ai">CSE-AI</option>
        </select>
    </td>
</tr>

<tr>
    <td>Hobbies:</td>
```

```
            <td>
                <input type="checkbox" id="sports" name="hobbies"
value="sports">
                <label for="sports">Sports</label>
                <input type="checkbox" id="music" name="hobbies"
value="music">
                <label for="music">Music</label>
                <input type="checkbox" id="reading" name="hobbies"
value="reading">
                <label for="reading">Reading</label>
            </td>
        </tr>

        <tr>
            <td><label for=dob>Date of birth:</label></td>
            <td><input type=date id="dob"></td>
        </tr>

        <tr>
            <td><label for=certificates>Upload certificates:</label></td>
            <td><input type="file" id="certificates" name="certificates"></td>
        </tr>

        <tr>
            <td><label for=address>Address :</label></td>
            <td>
                <textarea name="address" id="address" rows="4"
cols="30"></textarea>
            </td>
        </tr>

        <tr>
            <td colspan="2" align="center">
                <input type="submit" value="Submit">
                <input type="reset" value="Reset">
            </td>
```

```
            </tr>
        </form>
    </table>

</body>
</html>
```

Output:




## 2. AIM: Create two different forms in one webpage using Iframes.

## Code:

Name = Aakash , Roll no = 25252 , Section-C

```
<!DOCTYPE html>
<html>
<head>
    <title>Two Forms Using Iframes</title>
</head>
<body>
<center>
    <h2>Two Forms Using Iframes</h2>
    <iframe src="User Login form.html" width="600" height="500"></iframe>
    <iframe src="User Registration.html" width="600" height="500"></iframe>
```

```
</center>
</body>
</html>
```

User Login Form.

```
<!DOCTYPE html>
<html>
  <body style="background-color: rgb(255, 170, 170);">
   <center>
      <h2>User Login</h2>
      <form>
         <tr>
     <table width="50" border="1" cellpadding="25" cellspacing="2"
style="text-align:center;">
       <tr>
         <td>
            <label for="fname">Username:</label>
         </td>
         <td>
            <input type="text" id="fname" name="fname" placeholder="User
Name">
         </td>
       </tr>
       <td>
           <label for="password">Password:</label>
       </td>
       <td>
           <input type="password" id="password" name="password"
placeholder="Password">
       </td>
       <tr>
        <td colspan="2" style:align="center">
        <input type="Submit" id="Login" name="Login" value="Login">
        </td>
```

```
        </tr>
      </table>
    </center>
    </form>
    </body>
</html>
```

User Registration Form.

```
<!DOCTYPE html>
<html>
    <body style="background-color: rgb(171, 255, 234);">
      <center>
        <h2>User Registration</h2>
        <form>
      <table width="50" border="1" cellpadding="25" cellspacing="2"
style="text-align:center;">
        <tr>
          <td>
              <label for="fname">FullName:</label>
          </td>
          <td>
              <input type="text" id="fname" name="fname" placeholder="Full
Name ">
          </td>
        </tr>
        <td>
            <label for="Email">Email:</label>
        </td>
        <td>
            <input type="Email" id="Email" name="Email" placeholder="Email
">
        </td>
        <tr>
        <td>
          <label for="phone number">Phone:</label>
         </td>
         <td>
```

```
            <input type="text" id="phone number" name="phone nummber"
placeholder="phone number">
          </td>
        </tr>
        <tr>
          <td>
           <label for="password">Password:</label>
          </td>
          <td>
        <input type="password" id="password" name="password"
placeholder="password">
          </td>
        </tr>
       <tr>
       <td colspan="2" style:align="center">
        <input type="Submit" id="Register" name="Register" value="Register">
        <input type="Reset" id="Reset" name="Reset" value="Reset">
        </td>
     </tr>
       </form>
      </table>
    </tr>
     </center>
    </body>
</html>
```

Output:




Explanation:

1. <label> = Provides a clickable text description that tells the user what information to enter.

2. <input> = Creates an interactive field where the user can actually type data or select options.

3. <iframe> = Acts as a window to display another website or HTML document inside your current page.

4. <centre> = Used to align content to the middle of the page.

5. Src = Tells the <iframe> exactly which file to display inside the window.

6. Type = Defines what kind of input to show (e.g., text for names, password to hide characters, or submit for a button).

7. Id = A unique name for an element that connects it to a <label>.

8. Name = The "key" or label sent to the server so it knows which piece of data belongs to which field.

9. For = Used in a <label> to link it to the id of an <input>, making the label clickable.

**WEEK-5**

5.A)Aim: creating a card layout using tag consider three cards and a button using html and css.

Code:

```
Name = Aakash , Roll no = 25252 , Section-C
<DOCTYPE html>
<html>
<head>
   <style>
      body{
         background-color: #ffffff;

      }
      h1{
         text-align: center;
         font-family: 'Lucida Sans', 'Lucida Sans Regular', 'Lucida Grande',
'Lucida Sans Unicode', Geneva, Verdana, sans-serif;
      }
      .container {
         display: flex;
         justify-content: center;
         gap: 25px;
         padding: 40px;
         background-color: #e9ecef;
         border-radius: 15px;
         margin: 20px;
      }

      .card {
         background: #ffffff;
         padding: 20px;;
```

```
            max-width: 300px;
            border-radius: 10px;
            box-shadow: 0 4px 6px rgba(0,0,0,0.1);
            text-align: center;
            font-family: sans-serif;
        }
        .img{
            width: 75%;
            border-radius: 15px;
        }

        .click-me-box {
            display: block;
            margin: 15px auto 0;
            padding: 10px;
            background-color: #5148f9;
            color: white;
            border: none;
            border-radius: 55px;
            cursor: pointer;
            font-weight: bold;
        }

        .click-me-box:hover {
            background-color: #7094ff;
        }
    </style>
</head>
<body>
    <h1>Amrita Vishwa Vidyapeetham</h1>

    <div class="container">

        <div class="card">
            <h3>coimbatore</h3>
            <img src="img.jpg" class="img">
```

```
            <p>As the administrative headquarters, this sprawling 400-acre lush
green campus is known for its serene, nature-rich atmosphere and top-tier
research facilities.</p>
            <button class="click-me-box">Click Me</button>
        </div>

        <div class="card">
            <h3>Banglore</h3>
            <img src="images.jpg" class=img>
            <p>Situated in the heart of India's tech hub, this campus focuses on a
"solution-mindset" with strong industry ties and a vibrant student life filled with
diverse technical clubs.</p>
            <button class="click-me-box">Click Me</button>
        </div>

        <div class="card">
            <h3>amaravati</h3>
            <img src="amara.jpg" class="img">
            <p>The newest addition is a rapidly growing, sustainable greenfield
campus near the Krishna River, featuring modern digital classrooms and a
strong emphasis on interdisciplinary research.</p>
            <button class="click-me-box">Click Me</button>
        </div>

    </div>
    </body>
</html>
```

<u>Output:</u>




Explanation:

1.  = A  is an invisible container used to group HTML elements together so you can style them with CSS or manipulate them with JavaScript as a single unit.

2. <button> = we use <button> element for creating button.

3. Class = A class is a reusable identifier used to apply the same CSS styles.

4. Display : flex = Display flex is a CSS property used to easily align, gap, and distribute space among items within a container.

5. Gap = Gap is the external space between multiple items inside a Flex or Grid container.

6. Padding = Padding is the internal space inside an element (between its border and its content).

7. Cursor : pointer = Cursor pointer is a CSS property used to change the mouse icon into a hand with a pointing finger.

5.B)Aim: Navigation using iframe (mini website) upon clicking each buttons the details about that button should be display on the same page.

Code:

**Index.html;(main)**

Name = Aakash , Roll no = 25252 , Section-C

```
<!DOCTYPE html>
<html>
   <head>
      <style>
         body{
            background-color: rgb(209, 234, 255);
            font-family:Arial;
         }
         .menu{
            display:flex;
            background-color: #526272;
            padding: 10px;
            text-align: center;
            justify-content: center;
            border-radius: 15px;

         }
         .menu a{
            color:white;
            margin:0 15px;
            text-decoration:none;
            background:black;
            padding:8px 12px;
            text-align: center;
            align-items: center;
            align-content: center;
            border-radius: 15px;
         }
         h1{
            text-align:center;
            background:#fb7979;
            color:rgb(0, 0, 0);
```

```
            padding:20px;
            font-family: cursive;
            border-radius: 15px;
        }
        iframe{
            width:100%;
            height:4000px;
            border:none;
        }

    </style>
  </head>
  <body>
    <h1 >Amrita Vishwa Vidyapeetham</h1>
    <div class="menu">
        <a href="about.html" target="frame" class="menu a">About</a>
        <a href="home.html" target="frame" class="menu a">Admissions</a>
        <a href="contact1.html" target="frame" class="menu a">contact</a>
    </div>
    <iframe name="frame"></iframe>
  </body>
</html>
```

**About.html;**

```
<!DOCTYPE html>
<html>
  <head>
    <style>
        body{
            font-family:Arial;
            text-align:center
        }
        .box{
            border:2px solid black;
            padding:20px;
```

```
            display:inline-block;
            border-radius: 15px;
        }
        h2{
            color:#000000;
            font-family: cursive;
        }
        .img{
            width: 250px;
            border-radius: 15px;
        }
    </style>
  </head>
  <body>
  <div class="box">
    <h2>Amrita school of computing and school of business</h2>
    <p>Amrita Vishwa Vidyapeetham is a private deemed university located in
India.</p>
    <p>The university is known for its strong emphasis on research and
innovation.</p>
    <img src="C:\Users\polin\prajwal\Pictures\kochi.jpg" class="img" >
  </div>
</html>
```

**Contact1.html;**

```
<!DOCTYPE html>
<html>
  <head>
    <style>
    body{
        font-family:cursive;
        text-align:center
    }
    .img{
        width: 250px;
        border-radius: 15px;
```

```
        }
        .box{
            border:2px solid black;
            padding:20px;
            display:inline-block;
            border-radius: 15px;
        }
        h2{
            color:#000000;
        }
        </style>
    </head>
    <body>
        <div class="box">
            <h2>contact</h2>
            <p>www.amrita.com</p>
            <p>Banglore, Amaravati, Amritapur, Faridabad,Coimbatore </p>
            <p>contact info : 1800 425 90009 (Toll-free)<br>Email:
univhq@amrita.edu</p>
        </div>
    </body>
</html>
```

**home.html:**

```
<!DOCTYPE html>
<html>
    <head>
        <style>
            body{
                font-family:Arial;text-align:center;
            }
            .img{
                width: 250px;
                border-radius: 15px;
            }
```

```
        .box{
            border:2px solid black;
            padding:20px;
            display:inline-block;
            border-radius: 15px;
        }
        h2{
            color:#000000;
            font-family: cursive;
        }
    </style>
  </head>
  <body>
  <div class="box">
    <h2>Admissions</h2>
    <p>Amrita Vishwa Vidyapeetham offers a wide range of undergraduate
and postgraduate programs across various disciplines.</p>
    <p>Admissions are based on merit and entrance examinations.</p>
    <p>The university provides a conducive environment for learning and
research.</p>
    <img src="C:\Users\polin\prajwal\Pictures\amp1.jpg" class="img">
  </div>
  </body>
</html>
```

**Output:**






# Explanation:

1.  = A  is an invisible container used to group HTML elements together so you can style them with CSS or manipulate them with JavaScript as a single unit.

2. <button> = we use <button> element for creating button.

3. Class = A class is a reusable identifier used to apply the same CSS styles.

4. Display : flex = Display flex is a CSS property used to easily align, gap, and distribute space among items within a container.

5. Gap = Gap is the external space between multiple items inside a Flex or Grid container.

6. Padding = Padding is the internal space inside an element (between its border and its content).

7. Cursor : pointer = Cursor pointer is a CSS property used to change the mouse icon into a hand with a pointing finger.

8. Margin = Margin is a CSS property used to create empty space around an element.

9. box-shadow: 0 4px 6px rgba(0,0,0,0.1) = box-shadow is used for creating a shadow around a box.

**5.c) Aim**: Design amrita login page by showcampus on home page.upon clicking on each campus the details about each campus should be display on the same page use html and css to design a stylish webpage.

**Code:**

**Main.html:**

Name = Aakash , Roll no = 25252 , Section-C

```
<!DOCTYPE html>
<html>
   <head>
      <title>login webpage</title>
      <style>
```

```
body{
    background-color: rgb(255, 195, 146);
    background-size: cover;
}
nav{
    background:#0b5ea6;
    text-align:center;
    padding:10px;
}
nav a{color:yellow;
    margin:12px;
    text-decoration:none;
    font-weight:bold;
    padding:5px;
}
.heading{
    font-size: 35px;
    color: white;
    background-color: rgb(195, 81, 81);
    text-align: center;
    padding:12px;
    border-radius: 15px;
}
.main-container {
    width: 1150px;
    height: 50px;
}
.login-box {
    float: left;
    width: 360px;
    background-color: #579cb1;
    padding: 35px;
    color: white;
    border-radius: 15px;
    opacity: 0.8;
    border: 1px solid rgba(255,255,255,0.3);
```

```
            height: 450px;
        }
        .login input[type="email"],
        .login input[type="password"]{
            width:90%;
            padding:6px;
            margin:6px 0;
        }
        .button{
            border-radius: 15px;
            background-color: #501df7;
            color: white;
            width: 75px;
        }
        iframe{
            flex:1;
            margin-left:20px;
            height:520px;
            border:none;
            background:rgb(210, 255, 254);
            border-radius:10px;
            width: 950px;
            opacity: 0.9;
        }
    </style>
</head>
<body>
    <div class="heading">Amrita Vishwa Vidyapeetham</div>
    <br>

    <nav>
        <a href="amaravati.html" target="campus">AMARAVATI</a>
        <a href="amritapuri.html" target="campus">AMRITAPURI</a>
        <a href="bengaluru.html" target="campus">BENGALURU</a>
        <a href="chennai.html" target="campus">CHENNAI</a>
        <a href="coimbatore.html" target="campus">COIMBATORE</a>
```

```
            <a href="kochi.html" target="campus">KOCHI</a>
            <a href="mysuru.html" target="campus">MYSURU</a>
        </nav>
        <div class="login-box">
            <h2>Login</h2>
            Email<br>
            <input type="email"><br>
            Password <br>
            <input type="password">
            <div class="remember">
                <input type="checkbox"><label>Save me</label>
            </div>
            <input type="button" value="Login" class="button" >
            <br><br>
            <a href=" ">Forgot Password?</a><br>
            No account? <a href=" ">Register</a>
        </div>
        <iframe name="campus" src="amaravati.html"></iframe>

    </body>
</html>
```

**Amaravati.html:**

```
<!DOCTYPE html>
<html>
    <body style=" text-align:center;">
        <h1 style="color:#a00000;">Amaravati Campus</h1>
        <p>
        One of the newer additions, this 200-acre campus in Andhra Pradesh is designed as a modern tech-and-business-centric educational center.
        </p>
        <p>
        nirf ranking : 8th for university<br>
```

```
        Popular Courses: CSE, AI, Data Science<br>
        Facilities: Library, Smart Classrooms, Hostel<br>
        Focus: Innovation and Research
        </p>
        <img src="C:\Users\polin\prajwal\Pictures\amara.jpg" width="450"
style="border-radius: 15px;">
</body>
</html>
```

**Amritapuri.html:**

```
<!DOCTYPE html>
<html>
    <body style="text-align:center;">
        <h1 style="color:#ff0b0b;">Amritapuri Campus</h1>
        <p>
        Located near the headquarters of the Mata Amritanandamayi Math, it's
famous for blending high-end research with a spiritual, seaside atmosphere.
        </p>
        <p>
        nirf ranking : 8th for university<br>
        Popular Courses: Engineering, Arts, Sciences<br>
        Facilities: Research Labs,  Hostel,Beautiful nature <br>
        Focus: Academic Excellence with Values
        </p>
        <img src="C:\Users\polin\prajwal\Pictures\amp1.jpg" width="450"
style="border-radius: 15px;">
</body>
</html>
```

**Bengaluru.html**

```
<!DOCTYPE html>
<html>
   <body style="text-align:center;">
      <h1 style="color:#a00000;">Bengaluru Campus</h1>
      <p>
      Located in India's tech hub, Bengaluru campus offers advanced
      engineering programs with strong industry connections.
      </p>
      <p>
      nirf ranking : 8th for university <br>
      Popular Courses: Robotics, CSE, ECE<br>
      Facilities: Coding Labs, Innovation Centres<br>
      Focus: Industry Collaboration
      </p>
      <img src="C:\Users\polin\prajwal\Pictures\bang.jpg" width="450"
style="border-radius:15px;">
</body>
</html>
```

**Chennai.html:**

```
<!DOCTYPE html>
<html>
   <body style="text-align:center;">
      <h1 style="color:#a00000;">Chennai Campus</h1>
      <p>
      Chennai campus provides top-quality computing and management
education
```

```
        with modern infrastructure.
        </p>
        <p>
        nirf ranking : 8th for university<br>
        Popular Courses: IT, MBA, Electronics<br>
        Facilities: Digital Library, Placement Cell<br>
        Focus: Career Development
        </p>
        <img src="C:\Users\polin\prajwal\Pictures\chennai.jpg" width="450"
style="border-radius:15px;">
</body>
</html>
```

**Coimbatore.html:**

```
<!DOCTYPE html>
<html>
    <body style="text-align:center;">
        <h1 style="color:#a00000;">Coimbatore Campus</h1>
        <p>
        The massive 450-acre headquarters known for its top-tier engineering
programs and lush, eco-friendly "oasis" setting.
        </p>
        <p>
        nirf ranking : 8th for university<br>
        Popular Courses: Mechanical, Civil, CSE<br>
        Facilities: Workshops, Labs, Hostel<br>
        Focus: Core Engineering Skills
        </p>
```

```
        <img src="C:\Users\polin\prajwal\Pictures\coim.jpg" width="450"
style="border-radius: 15px;">
</body>
</html>
```

**Kochi.html:**

```
<!DOCTYPE html>
<html>
    <body style="text-align:center;">
        <h1 style="color:#a00000;">Kochi Campus</h1>
        <p>
        A premier healthcare hub that houses the renowned Amrita Institute of
Medical Sciences (AIMS)
        and a major multi-specialty hospital.
        </p>
        <p>
        nirf ranking : 8th for university<br>
        Popular Courses: MBA, Commerce, Finance<br>
        Facilities: Seminar Halls, Library<br>
        Focus: Industry Training
        </p>
        <img src="C:\Users\polin\prajwal\Pictures\kochi.jpg" width="450"
style="border-radius: 15px;">
</body>
</html>
```

**Mysuru.html:**

```
<!DOCTYPE html>
<html>
```

```
<body style="text-align:center;">
    <h1 style="color:#a00000;">Mysuru Campus</h1>
    <p>
    Mysuru campus is known for its peaceful environment,
    green campus, and quality education.
    </p>
    <p>
    nirf ranking : 8th for university<br>
    Popular Courses: Arts, Sciences, Engineering<br>
    Facilities: Hostel, Library, Sports Complex<br>
    Focus: Calm Learning Atmosphere
    </p>
    <img src="C:\Users\polin\prajwal\Pictures\mys.jpg" width="450"
style="border-radius:15px;">
</body>
</html>
```

# Output:

login webpage
file:///C:/uid_25252/5c/main.html
Name = Aakash , Roll no = 25252 , Section-C
Amrita Vishwa Vidyapeetham
AMARAVATI AMRITAPURI BENGALURU CHENNAI COIMBATORE KOCHI MYSURU
Login
Email
Password
Save me
Login
Forgot Password?
No account? Register
Amaravati Campus
One of the newer additions, this 200-acre campus in Andhra Pradesh is designed as a modern tech-and-business-centric educational center.
nirf ranking : 8th for university
Popular Courses: CSE, AI, Data Science
Facilities: Library, Smart Classrooms, Hostel
Focus: Innovation and Research


login webpage
file:///C:/uid_25252/5c/main.html
Name = Aakash , Roll no = 25252 , Section-C
Amrita Vishwa Vidyapeetham
AMARAVATI AMRITAPURI BENGALURU CHENNAI COIMBATORE KOCHI MYSURU
Login
Email
Password
Save me
Login
Forgot Password?
No account? Register
Amritapuri Campus
Located near the headquarters of the Mata Amritanandamayi Math, it's famous for blending high-end research with a spiritual, seaside atmosphere.
nirf ranking : 8th for university
Popular Courses: Engineering, Arts, Sciences
Facilities: Research Labs, Hostel,Beautiful nature
Focus: Academic Excellence with Values


login webpage
file:///C:/uid_25252/5c/main.html
Name = Aakash , Roll no = 25252 , Section-C
Amrita Vishwa Vidyapeetham
AMARAVATI
AMRITAPURI
BENGALURU
CHENNAI
COIMBATORE
KOCHI
MYSURU
Login
Email
Password
Save me
Login
Forgot Password?
No account? Register
Bengaluru Campus
Located in India's tech hub, Bengaluru campus offers advanced engineering programs with strong industry connections.
nirf ranking : 8th for university
Popular Courses: Robotics, CSE, ECE
Facilities: Coding Labs, Innovation Centres
Focus: Industry Collaboration


login webpage
file:///C:/uid_25252/5c/main.html
Name = Aakash , Roll no = 25252 , Section-C
Amrita Vishwa Vidyapeetham
AMARAVATI AMRITAPURI BENGALURU CHENNAI COIMBATORE KOCHI MYSURU
Login
Email
Password
Save me
Login
Forgot Password?
No account? Register
Chennai Campus
Chennai campus provides top-quality computing and management education with modern infrastructure.
nirf ranking : 8th for university
Popular Courses: IT, MBA, Electronics
Facilities: Digital Library, Placement Cell
Focus: Career Development

login webpage
file:///C:/uid_25252/5c/main.html
Name = Aakash , Roll no = 25252 , Section-C
Amrita Vishwa Vidyapeetham
AMARAVATI AMRITAPURI BENGALURU CHENNAI COIMBATORE KOCHI MYSURU
Login
Email
Password
Save me
Login
Forgot Password?
No account? Register
Coimbatore Campus
The massive 450-acre headquarters known for its top-tier engineering programs and lush, eco-friendly "oasis" setting.
nirf ranking : 8th for university
Popular Courses: Mechanical, Civil, CSE
Facilities: Workshops, Labs, Hostel
Focus: Core Engineering Skills




**Explanation:**

1.  = A  is an invisible container used to group HTML elements together so you can style them with CSS or manipulate them with JavaScript as a single unit.

2. <button> = we use <button> element for creating button.

3. Class = A class is a reusable identifier used to apply the same CSS styles.

4. Display : flex = Display flex is a CSS property used to easily align, gap, and distribute space among items within a container.

5. Gap = Gap is the external space between multiple items inside a Flex or Grid container.

6. Padding = Padding is the internal space inside an element (between its border and its content).

7. Cursor : pointer = Cursor pointer is a CSS property used to change the mouse icon into a hand with a pointing finger.

8. Margin = Margin is a CSS property used to create empty space around an element.

9. box-shadow: 0 4px 6px rgba(0,0,0,0.1) = box-shadow is used for creating a shadow around a box.

**WEEK-6**

6)Aim: Design a responsive e-commerce application using the grid layout. This application should contain different categories of products such as electronics, clothing, home-appliances, books. Based on the category we select corresponding products should be displayed on the sidebar.

**Code:**

**Main.html:**

Name = Aakash , Roll no = 25252 , Section-C

```
<!DOCTYPE html>
<html>
<head>
    <title>E-commerce Site</title>
    <style>
        body {
            margin: 0;
            background-color: aliceblue;
            font-family: sans-serif;
        }

        .container {
            display: grid;
            min-height: 100vh;
            grid-template-rows: auto auto 1fr auto;
            grid-template-columns: 200px 1fr;
```

```
    grid-template-areas:
        "header header"
        "sale sale"
        "sidebar products"
        "footer footer";

}

.header {
    grid-area: header;
    background-color: rgb(208, 255, 114);
    text-align: center;
    padding: 10px;
    margin-top: 0px;
    border-radius: 8px;
}

.sale {
    grid-area: sale;
    background-color: rgb(255, 141, 121);
    opacity: 0.9;
    color: white;
    border-radius: 8px;
    text-align: center;
```

```
    padding: 10px;
    font-size: 19px;
    font-weight: bold;
}

.sidebar {
    grid-area: sidebar;
    background-color: #e3f2fd;
    padding: 20px;
    border-radius: 9px;
    opacity: 0.9;
    border-right: 1px solid #ccc;
}
.frame {
    grid-area: products;
    width: 100%;
    height: 100%;
    border: none;
}

.sidebar a {
    display: block;
    color: black;
    text-decoration: none;
```

```
            padding: 10px 0;
            border-bottom: 1px solid #d1e9ff;
        }

        .sidebar a:hover {
            color: blue;
        }

        .footer {
            grid-area: footer;
            background-color: black;
            color: white;
            text-align: center;
            padding: 2px;
        }
    </style>
</head>
<body>

    <div class="container">
        <div class="header">
            <h1>E-commerce store</h1>
        </div>
```

```
        <div class="sale">
            <p>BIG SALE! 50% OFF!!</p>
        </div>

        <div class="sidebar">
            <h3>Categories</h3>
            <hr>
            <a href="electronics.html" target="frame">Electronics</a>
            <a href="clothes.html" target="frame">Clothes</a>
            <a href="accessories.html" target="frame">Home & Kitchen</a>
        </div>

        <iframe class="frame" name="frame" src="electronics.html"></iframe>

        <footer class="footer">
            <p>2026 E-commerce Store Concept</p>
        </footer>
    </div>

</body>
</html>
```

**electronics.html:**

```
<!DOCTYPE html>
<html>
```

```
<head>
    <title>Electronics</title>
    <style>
        body {
            margin: 0;
            background-color: aliceblue;
            font-family: sans-serif;
        }



        .products {
            grid-area: products;
            display: grid;
            grid-template-columns: repeat(2, 1fr);
            gap: 10px;
            padding: 20px;
        }

        .product-card {
            background: white;
            border: 1px solid #ddd;
            padding: 20px;
            text-align: center;
            border-radius: 8px;
```

```
    height: auto;
    width: 600px;
}
.p{
    text-align: center;
    background-color: tomato;
    align-items: center;
}
img{
    width: 120px;
    height: auto;
    border-radius: 8px;
}



.button {
    background-color: blue;
    color: white;
    border: none;
    padding: 10px 20px;
    cursor: pointer;
    border-radius: 50px;
    margin-top: 10px;
}
```

```
        .button:hover {
            background-color: #7094ff;
        }
    </style>
</head>
<body>
        <div class="products">
            <div class="product-card">
                <img src="C:\Users\polin\aakash\Pictures\nokia.jpg">
                <h3>Nokia 3310</h3>
                <p>$119</p>
                <button class="button">Add to Cart</button>
            </div>
            <div class="product-card">
                <img src="C:\Users\polin\aakash\Pictures\s26.jpg">
                <h3>Samsung Galaxy S26 ultra</h3>
                <p>$1199</p>
                <button class="button">Add to Cart</button>
            </div>
            <div class="product-card">
                <img src="C:\Users\polin\aakash\Pictures\dgl.jpg">
                <h3>Dell Gaming laptop</h3>
                <p>$799</p>
```

```
            <p>16GB RAM | 1024GB Storage</p>
            <button class="button">Add to Cart</button>
        </div>
        <div class="product-card">
            <img src="C:\Users\polin\aakash\Pictures\vic.avif">
            <h3>HP victus</h3>
            <p>$749</p>
            <p>16GB RAM | 512GB Storage</p>
            <button class="button">Add to Cart</button>
        </div>
    </div>
</body>
```

**clothes.html:**

```
<!DOCTYPE html>
<html>
<head>
    <title>Electronics</title>
    <style>
        body {
            margin: 0;
            background-color: aliceblue;
            font-family: sans-serif;
        }
```

```
.products {
    grid-area: products;
    display: grid;
    grid-template-columns: repeat(2, 1fr);
    gap: 20px;
    padding: 20px;
}

.product-card {
    background: white;
    border: 1px solid #ddd;
    padding: 20px;
    text-align: center;
    border-radius: 8px;
}
img{
    width: 120px;
    height: auto;
    border-radius: 8px;
}
.p{
    text-align: center;
```

```
            background-color: tomato;
            align-items: center;
        }



        .button {
            background-color: blue;
            color: white;
            border: none;
            padding: 10px 20px;
            cursor: pointer;
            border-radius: 50px;
            margin-top: 10px;
        }

        .button:hover {
            background-color: #7094ff;
        }
    </style>
</head>
<body>
        <div class="products">
            <div class="product-card">
                <img src="C:\Users\polin\aakash\Pictures\ws.jpg">
```

```
    <h3>USPA off-white shirt</h3>
    <p>$39</p>
    <p>Size: S , M , XL , XXL</p>
    <button class="button">Add to Cart</button>
</div>
<div class="product-card">
    <img src="C:\Users\polin\aakash\Pictures\ublue.jpg">
    <h3>USPA blue Shirt</h3>
    <p>$59</p>
    <p>Size: S , M , L , XL</p>
    <button class="button">Add to Cart</button>
</div>
<div class="product-card">
    <img src="C:\Users\polin\aakash\Pictures\bp.jpg">
    <h3>USPA black pants</h3>
    <p>$49</p>
    <p>Size: 28 , 30 , 32 , 34</p>
    <button class="button">Add to Cart</button>
</div>
<div class="product-card">
    <img src="C:\Users\polin\aakash\Pictures\gp.jpg">
    <h3>USPA Green pants</h3>
    <p>$52</p>
    <p>Size: 28 , 30 , 32 , 34</p>
```

```
            <button class="button">Add to Cart</button>
        </div>
    </div>
</body>
```

**home.html:**

```
<!DOCTYPE html>
<html>
<head>
    <title>Electronics</title>
    <style>
        body {
            margin: 0;
            background-color: aliceblue;
            font-family: sans-serif;
        }



        .products {
            grid-area: products;
            display: grid;
            grid-template-columns: repeat(2, 1fr);
            gap: 20px;
            padding: 20px;
```

```
}

.product-card {
    background: white;
    border: 1px solid #ddd;
    padding: 20px;
    text-align: center;
    border-radius: 8px;
}
.p{
    text-align: center;
    background-color: tomato;
    align-items: center;
}
img{
    width: 120px;
    height: auto;
    border-radius: 8px;
}


.button {
    background-color: blue;
    color: white;
```

```
            border: none;
            padding: 10px 20px;
            cursor: pointer;
            border-radius: 50px;
            margin-top: 10px;
        }

        .button:hover {
            background-color: #7094ff;
        }
    </style>
</head>
<body>
        <div class="products">
            <div class="product-card">
                <img src="C:\Users\polin\aakash\Pictures\coo.jpg">
                <h3>pressure cooker</h3>
                <p>$69</p>
                <button class="button">Add to Cart</button>
            </div>
            <div class="product-card">
                <img src="C:\Users\polin\aakash\Pictures\af.jpg" >
                <h3>Air fryer</h3>
                <p>$99</p>
```

```
            <button class="button">Add to Cart</button>
        </div>
        <div class="product-card">
            <img src="C:\Users\polin\aakash\Pictures\is.jpg">
            <h3>Induction stove </h3>
            <p>$119</p>
            <button class="button">Add to Cart</button>
        </div>
        <div class="product-card">
            <img src="C:\Users\polin\aakash\Pictures\ket.jpg">
            <h3>kettle </h3>
            <p>$59</p>
            <button class="button">Add to Cart</button>
        </div>
    </div>
</body>
```

# Output:

# electronics




E-commerce Site
file:///C:/uid_25252/6/mian.html
E-commerce store
BIG SALE! 50% OFF!!
Categories
Electronics
Clothes
Home & Kitchen
$119
Add to Cart
$1199
Add to Cart
Dell Gaming laptop
$799
16GB RAM | 1024GB Storage
Add to Cart
HP victus
$749
16GB RAM | 512GB Storage
Add to Cart
2026 E-commerce Store Concept

# Clothes


E-commerce Site
file:///C:/uid_25252/6/mian.html
E-commerce store
BIG SALE! 50% OFF!!
Categories
Electronics
Clothes
Home & Kitchen
USPA off-white shirt
$39
Size: S , M , XL , XXL
Add to Cart
USPA blue Shirt
$59
Size: S , M , L , XL
Add to Cart
2026 E-commerce Store Concept




# Home and kitchen:






## Explanation:

1.  = A ** ** is an invisible container used to group HTML elements together so you can style them with CSS
2. <button> = we use <button> element for creating button.
3. Class = A **class** is a reusable identifier used to apply the same CSS styles.
4. Display : grid = **Display grid** is a CSS property used to turn an element into a grid container.
5. **grid-template-columns**: Defines how many columns you want.
6. **grid-template-rows**: Defines the height of your rows.
7. **gap**: Controls the spacing between your grid items without using margins.
8. **grid-area**: Assigns a name to an item so you can place it exactly where you want in the layout.
9. Padding = **Padding** is the internal space **inside** an element (between its border and its content).

## WEEK-7

7)**Aim**: To create an account in github and create repository and add all the previous weeks tasks into one repository.

**Procedure :**

Step 1: browse for GitHub and enter it.




**Step 2:**login to GitHub account.




Step 3:create a repository after login by clicking new.




Step 4:specify the repository specifications.




Step 5:download GitHub desktop and Lauch it .




Step 6:add the vs code file to the GitHub desktop.



**Step 7:**add commit to it and the files to repository and sync the changes . it automatically pushes the files .



Step 8:now go to browser and check it . it will show all the new added files in the repository




# Link for repository:

https://github.com/aakashvelanati/uid25252.git

## Explanation:

1. Create an account in github using personal mail account.
2. Complete the total login process.
3. Now click on create a repository option.
4. Select the option as public and submit.
5. Now click on upload files and upload the files and click on commit changes.

**WEEK-8**

8.A) Aim: create a web page that displays a square that continuously rotates 360 using css animation Program

Code:

Name = Aakash , Roll no = 25252 , Section-C

```
<!DOCTYPE html>
<html>
<head>
    <title>Continuous Rotating Square</title>
    <style>
        body {
            display: flex;
```

```
            flex-direction: column;
            align-items: center;
            margin: 0;
        }
        .rotating-square {
            width: 150px;
            height: 150px;
            background-color: #c3e050;
            border-radius: 15px;
            box-shadow: 0 4px 15px rgba(0,0,0,0.2);
            animation: spin 4s linear infinite;
        }
        @keyframes spin {
            from {
                transform: rotate(0deg);
            }
            to {
                transform: rotate(360deg);
            }
        }
    </style>
</head>
<body>
    <h1>Continuous Rotating Square</h1>
    <div class="rotating-square"></div>
```

```
</body>
</html>
```

Output:

**Explanation:**

1. **flex-direction: column** = is used to change the orientation of your layout from a horizontal row to a vertical column.
2. **display: flex** = It is used to easily align the items and distribute space within the container.
3. **Align-items:centre** = It is used to horizontally center the content because of the flex direction.
4. ** ** = A  is an invisible container used to group HTML elements together so you can style them with CSS.
5. **@keyframes** = a keyframe tells the computer exactly how an element should look at a specific point in time.
6. **Animation** = Animation is shorthand property for name , duration , timing function , delay , iteration count , direction , fill mode , play state.

8.B)**Aim**: To create a ball that moves up and down continuously using css

Animations.

**Code:**

Name = Aakash , Roll no = 25252 , Section-C

```
<!DOCTYPE html>
<html>
<head>
  <style>
    body {
      display: flex;
      flex-direction: column;
      align-items: center;
      margin: 0;
    }
    h1{
        text-align: center;
    }
    .ball {
      width: 70px;
      height: 70px;
      background: red;
      border-radius: 100%;
      animation: updown 3s linear infinite;
    }
    @keyframes updown {
      0% { transform: translateY(550px); }
```

```
    50% { transform: translateY(-50px); }
    100% { transform: translateY(550px); }
  }
 </style>
</head>
<body>
   <h1>A ball that moves Up and Down continuously</h1><br>
 <div class="ball"></div>
</body>
</html>
```

Output:




## Explanation:

1. **flex-direction: column** = is used to change the orientation of your layout from a horizontal row to a vertical column.
2. **display: flex** = It is used to easily align the items and distribute space within the container.
3. **Align-items:centre** = It is used to horizontally center the content because of the flex direction.
4. ** ** = A  is an invisible container used to group HTML elements together so you can style them with CSS.

5. **@keyframes** = a keyframe tells the computer exactly how an element should look at a specific point in time.
6. **Animation** = Animation is shorthand property for name , duration , timing function , delay , iteration count , direction , fill mode , play state.
7. We denote percentages to tell at a particular time which work should be happen.

8.C)**Aim**: To create a ball that moves horizontally and rotates at same time.

**Code:**

Name = Aakash , Roll no = 25252 , Section-C

```
<!DOCTYPE html>
<html>
  <head>
    <title>Moving Rotating Circle</title>
    <style>
      body {
        display: flex;
        flex-direction: column;
        align-items: center;
        margin: 0;
      }
      .circle {
        width: 100px;
        height: 100px;
```

```
            background-color: #862e3d;
            border-radius: 50%;
            animation: horizontallyrotate 5s linear infinite;
        }
        @keyframes horizontallyrotate {
            0% {
                transform: translateX(-600px) rotate(0deg);
            }
            50% {
                transform: translateX(600px) rotate(180deg);
            }
            100% {
                transform: translateX(-600px) rotate(360deg);
            }
        }
        </style>
    </head>
    <body>
        <h1>Moving Rotating Circle</h1>
        <div class="circle" style="text-align: center; color: aliceblue;"> </div>
    </body>
</html>
```

Output:




## Explanation:

1. **flex-direction: column** = is used to change the orientation of your layout from a horizontal row to a vertical column.
2. **display: flex** = It is used to easily align the items and distribute space within the container.
3. **Align-items:centre** = It is used to horizontally center the content because of the flex direction.
4. ** ** = A  is an invisible container used to group HTML elements together so you can style them with CSS.
5. **@keyframes** = a keyframe tells the computer exactly how an element should look at a specific point in time.
6. **Animation** = Animation is shorthand property for name , duration , timing function , delay , iteration count , direction , fill mode , play state.
7. We denote percentages to tell at a particular time which work should be happen.