



Region View (Scale 1:1)




Drill Drawing View (Scale 1:1)



Drill Table

Symbol	Count	Hole Size	Plated
⊗	5	7.87mil	Plated
⊕	7	9.00mil	Plated
◇	60	15.00mil	Plated
☆	9	20.00mil	Plated
☆	8	27.56mil	Plated
✧	12	30.00mil	Plated
□	5	32.28mil	Plated
◎	3	39.37mil	Plated
▣	12	40.00mil	Plated
○	4	41.73mil	Plated
△	5	51.18mil	Plated
⊗	2	55.00mil	Plated
◇	2	57.00mil	Plated
⊕	1	125.00mil	Non-Plated
☆	4	142.00mil	Plated
	139 Total		


Layer Stack Legend




Material	Layer	Thickness	Dielectric Material	Type	Gerber
–	Top Overlay			Legend	GTO
– Surface Material	Top Solder	1.00mil	SM-001	Solder Mask	GTS
– PbSn	Top Surface Finish	0.79mil		Surface Finish	
– Cu	Top Layer	1.40mil		Signal	GTL
– Core		56.00mil	FR-4	Dielectric	
– Cu	Bottom Layer	1.40mil		Signal	GBL
– PbSn	Bottom Surface Finish	0.79mil		Surface Finish	
– Surface Material	Bottom Solder	1.00mil	SM-001	Solder Mask	GBS
–	Bottom Overlay			Legend	GBO

Total thickness: 62.37mil


Top Layer (Scale 1:1)




Top Overlay (Scale 1:1)




Realistic View



Bottom Layer (Scale 1:1)



Bottom Overlay (Scale 1:1)



Realistic View

