# Weekly Epidemiology Report




# Nigeria Centre for Disease Control (NCDC) Federal Ministry of Health - Nigeria

Issue: Volume 6 No. 44 11<sup>th</sup> November, 2016

**Summary Table (IDSR Weekly Report as at 11/11/2016)** 

bullinary rable (125K Weekly Report as at 11/11/2010)								
Disease	Variables	Week 43	Week 44		Cumulative Weeks			
	variables	2016	2016	2015	01 - 44, 2016	01 - 44, 2015		
AFP	Cases	222	215	134	11,769	7,071		
	Deaths	0	0	0	0	0		
	CFR	0.00%	0.00%	0.00%	0.00%	0.00%		
	WPV Types 1 & 3	0	0	0	4	0		
Polio	WPV Types 1	0	0	0	4	0		
	WPV Types 3	0	0	0	0	0		
	Cases	0	2	30	714	5184		
Cholera	Deaths	0	0	2	32	186		
	CFR	0.00%	0.00%	6.67%	4.48%	3.59%		
	Cases	1	5	25	864	270		
Lassa Fever	Deaths	0	3	0	105	7		
	CFR	0.00%	60.00%	0.00%	12.15%	2.59%		
	Cases	11	13	2	773	2,672		
CSM	Deaths	0	0	0	31	130		
	CFR	0.00%	0.00%	0.00%	4.01%	4.87%		
	Cases	172	194	309	23,809	21,852		
Measles	Deaths	0	0	0	100	99		
	CFR	0.00%	0.00%	0.00%	0.42%	0.45%		
Guinea Worm	Cases	0	0	0	0	0		
	Deaths	0	0	0	0	0		
	CFR	0.00%	0.00%	0.00%	0.00%	0.00%		



## Weekly updates on epidemics in Nigeria: as at 11th November, 2016

- 1. \*\*Lassa fever update for week 44 as at 11<sup>th</sup> November, 2016; (\*\*Please note that the data reflects the routine reports i.e. all suspected cases including the laboratory positive and negative cases)
- 1.1. Five suspected cases of Lassa fever with 2 Lab. Confirmed and 3 deaths (CFR, 60%) were reported from 4 LGA (4 States) in week 44, 2016 compared with 25 cases from 2 LGAs (2 States) at the same period in 2015 (Figure 1).
- 1.2. The 2 positive cases were from Bauchi and Nasarawa States while remaining 3 cases (FCT; 2 & Kogi State; 1) were negative for Lassa fever and other VHFs.
- 1.3. Between weeks 1 and 44 (2016), 864 suspected Lassa fever cases with 88 lab-confirmed and 105 deaths (CFR, 12.15%) from 139 LGAs (29 States) were reported compared with 270 suspected cases with 13 lab-confirmed and seven (7) deaths (CFR, 2.59%) from 23 LGAs (11 States) at the same period in 2015 (Figure 1).
- 1.4. Between weeks 1 & 53 2015, 430 suspected Lassa fever cases with 25 lab-confirmed and 40 deaths (CFR, 9.30%) from 37 LGAs (14 States & FCT) were reported compared with 989 suspected cases with 110 lab-confirmed and 36 deaths (CFR, 3.64%) from 37 LGAs (13 States) at the same period in 2014 (Figure 2).
- 1.5. Investigation and active case search ongoing in affected states with coordination of all response activities by NCDC and support from partners.
- 1.5.1. National Surveillance and Outbreak Response Working Group meeting on-going at NCDC to assess the current Lassa fever situation in the Country
- 1.5.2. Response materials for VHFs prepositioned across the country by NCDC
- 1.5.3. New VHF guidelines being produced by NCDC
- 1.5.4. States are enjoined to intensify surveillance




Figure 1: Map of Nigeria showing areas affected by Lassa fever, week 1-44, 2015 & 2016




Figure 2: Map of Nigeria showing areas affected by Lassa fever, week 1 - 53, 2014 & 2015

#### 2. Update on suspected Measles for week 44 as at 11<sup>th</sup> November, 2016

- 2.1. In the reporting week 44 (2016), one hundred & ninety-four (194) suspected cases of Measles were recorded from 30 States compared with 309 suspected measles cases from 26 States & FCT at the same period in 2015.
- 2.2. So far, 23,809 suspected Measles cases and 100 deaths (CFR,0.42%) have been reported in 2016 from 36 states & FCT (Figure 3 & 4) compared with 21,852 suspected cases and 99 deaths (CFR, 0.45%) from 36 states & FCT at the same period in 2015.
- 2.3. In 2015 (week 1 -53), 24,421 suspected measles cases with 127 deaths (CFR, 0.52%) were reported from 36 States and FCT compared with 15,989 suspected cases with 85 deaths (CFR, 0.53%) at the same period in 2014
- 2.4. Confirmed Measles cases (lab, epi-link and clinical): Between week 1- 44, (2016) 10,671 confirmed Measles cases were recorded compared to 11,267 confirmed at the same time in 2015. (Figure 5). Most affected were within the age group 9 59 months (Figure 6 & 7 respectively). Vaccination status of the measles cases was 68.3% zero dose (Figure 8).
- 2.5. Response measure includes immunization for all vaccine-preventable diseases in some selected/ affected wards/LGAs during SIAs with case management.
- Measles vaccination campaigns in the Northern and Southern States were conducted from 21<sup>st</sup>
  25<sup>th</sup> November, 2015 and 28<sup>th</sup> January 1<sup>st</sup> February, 2016 respectively.





Figure 3: Suspected measles cases by States, week 44, 2016 as at 11<sup>th</sup> November, 2016

## Distribution of Suspected Measles Cases, Wks01-44 2016




Note: Dots (cases) are randomly placed in affected LGAs in the map(s) shown here.

Source: Measles Case-Based database as at 11-Nov-2016

Figure 4: Nigeria: Distribution of suspected measles cases, week 1 - 44, 2016 as at 11/11/16

# Suspected and Confirmed (Lab + Epi Link + Clinical) Measles Cases, Wks01-44, 2014 -2016



Source: Measles Case-Based database as at 11-Nov-2016 (Latest Onset= 29-Oct-2016)

Figure 5: Nigeria: Suspected & Confirmed(Lab+Epi Link + Clinical) Measles cases, WK 1 - 44, 2014, 2015 & 2016




Figure 6: Age and vaccination status of suspected measles cases in Nigeria, week 1 - 44, 2016 as at November  $11^{th}$ , 2016





Figure 7: Breakdown of suspected measles cases by age group in Nigeria, week 1 - 44, 2016 as at 11/11/16

### Vaccination Status of Suspected/ Confirmed(L+E+C) Measles Cases, Weeks01- 44 2016





L+E+C = Lab-confirmed + EpiLink + Clinical

Figure 8: Vaccination status of suspected / Confirmed measles cases in Nigeria, week 1 - 44, 2016 as at 11/11/2016

#### 3. Updates on poliomyelitis for week 44 as at November 4th, 2016

- 3.1. No new WPV1 isolated since the last reported confirmed case.
- 3.2. No new cVDPV2, environmental derived and Polio compatible cases identified
- 3.2.1. In the reporting week 44 (2016), 215 cases of AFP were reported from 173 LGAs in 34 States and FCT
- 3.2.2. AFP Surveillance has been enhanced and outbreak response is on-going in Borno and other high risk states
- 3.3. The 4<sup>th</sup> round of the outbreak response (NIPDs) is on-going in 18 high risk states
- 3.4. Between weeks 1 & 44, 2016, four (4) confirmed Wild Polio Virus (WPV) type 1 were isolated from Jere (1), Gwoza (1) & Monguno (2) LGAs (Borno State) compared to zero case at the same period in 2015 (Figure 9).
- 3.5. Between weeks 1 & 53, 2015 no WPV was isolated compared to six (6) WPVs isolated from 2 States at the same period in 2014.
- 3.3 One (1) circulating Vaccine Derived Polio Virus type 2 (cVDPV2) was isolated in Monguno LGA (Borno State) from week 1 44, 2016 compared to one (1) cVDPV2 isolated in Kwali, FCT at the same period in 2015 (Figure 10).
- 3.4 Between weeks 1 & 53, 2015 one (1) cVDPV2 was isolated in Kwali, FCT while thirty (30) cVDPV2 were isolated from 5 States at the same period in 2014.
- 3.5 Six (6) confirmed WPV were isolated in 2014.






In 2016 Environmental surveillance detected 1 cVDPV2 in Borno State and 1 ambiguous vaccine derived poliovirus (aVDPV2) in Jigawa State.

Figure 10: cVDPV distribution in Nigeria for 2015 & 2016 (Data as at 04/11/16)

- 3.6 In response to the isolation of WPV1 in the Country, an outbreak response plan was developed for supplemental immunizations (House to house, Hit and run, and Health camps) with bOPV in high risk states (Figure 12)
- 3.7 The first outbreak response (OBR) was conducted in 5 States in the North east (Borno, Yobe, Adamawa, Gombe and Taraba) from the 27<sup>th</sup> 30<sup>th</sup> August 2016, while the second and third OBR were conducted in 18 States (11 high risk states plus Taraba, Adamawa, Gombe, Plateau, Nasarawa, Benue and the FCT from the 17<sup>th</sup> 20<sup>th</sup> September 2016 and 15<sup>th</sup> 18<sup>th</sup> October 2016 respectively. The 4<sup>th</sup> outbreak response is scheduled from the 12<sup>th</sup> 15<sup>th</sup> November 2016 in 18 high risk states
- 3.8 From January May, 2016 (4) Supplemental Immunization Activities (SIAs) for Oral Polio Vaccine (OPV) were conducted across the country using tOPV.
- 3.9 The SIAs were strengthened with the following events:
- 3.9.1 Immunization for all vaccine-preventable diseases in some selected wards/LGAs.
- 3.9.2 Use of health camp facilities.
- 3.9.3 Field supportive supervision and monitoring.
- 3.9.4 Improved Enhanced Independent Monitoring (EIM) and Lots Quality Assessments (LQAs) in all Polio-high risk States.
- 3.9.5 High level of accountability framework



9

Outbreak Response Round	Scope	Date	Type of Antigen	Status
Immediate	Borno State (Gwoza, Jere, MMC, Bama and 1 ward in Mafa LGAs)	15 <sup>th</sup> – 18 <sup>th</sup> August 2016	bOPV2	Done
1	Borno, Yobe, Adamawa, Gombe, Taraba	27 <sup>th</sup> – 30 <sup>th</sup> August 2016	bOPV2	Done
2	11 HR States + Adamawa, Gombe, Taraba, Nasarawa, Benue, Plateau, and FCT	17 <sup>th</sup> – 20 <sup>th</sup> September 2016	bOPV2 (+IPV in Borno)	Done
3	11 HR States + Adamawa, Gombe, Taraba, Nasarawa, Benue, Plateau, and FCT	15 <sup>th</sup> – 18 <sup>th</sup> October 2016	bOPV2	Done
4	Tentative	12 <sup>th</sup> – 15 <sup>th</sup> November 2016	bOPV2	Tentative
5	Tentative	3 <sup>rd</sup> – 6 <sup>th</sup> December 2016	bOPV2	Tentative

Figure 12: Polio Outbreak Response Timelines in Nigeria: August-December 2016

### 4 Update on suspected Cholera for week 44 as at 11<sup>th</sup> November, 2016

- 4.1 In reporting week 44 (2016), 2 suspected cases of cholera were recorded in Kosofe LGA (Lagos State) compared with 30 cases and 2 deaths (CFR, 6.67%) from 3 LGAs (Kano State) at the same period in 2015 (Figure 13).
- 4.2 Between weeks 1 and 44 (2016), 714 suspected cholera cases, 14 Lab confirmed and 32 deaths (CFR, 4.48%) from 51 LGAs (12 States) were reported compared with 5184 cases with 29 lab-confirmed and 186 deaths (CFR, 3.59%) from 97 LGAs (19 States) at the same period in 2015 (Figure 13)
- 4.3 Between weeks 1 and 53 (2015), 5301 suspected cholera cases with 29 lab-confirmed and 186 deaths (CFR, 3.51%) from 101 LGAs (18 States and FCT) were reported compared with 35,996 cases with 306 lab confirmed and 755 deaths (CFR, 2.10%) from 182 LGAs (19 States and FCT) at the same period in 2014 (Figure 14).
- 4.4 States are enjoined to intensify surveillance.





Figure 13: Status of LGAs/States that reported Cholera cases in week 1-44, 2015 & 2016



11

# 5. Update on cerebrospinal meningitis (CSM) for week 44 as at 11<sup>th</sup> November, 2016

- 5.1. In the reporting week 44 (2016), 13 suspected cerebrospinal meningitis (CSM) cases were reported from 6 LGAs (4 States) compared with 2 cases from 2 LGAs (Gombe State) at the same period in 2015.
- 5.2. Between weeks 1 & 44 (2016), 773 suspected CSM cases with 39 Lab. confirmed and 31 deaths (CFR, 4.01%) were recorded from 147 LGAs (31 States) compared with 2672 suspected cases with 43 Lab. Confirmed and 130 deaths (CFR, 4.87%) from 161 LGAs (28 States) at the same period in 2015 (Figure 15).
- 5.3. Between weeks 1 & 53, 2015, 2711 suspected CSM cases with 43 lab-confirmed and 131 deaths (CFR, 4.83%) were recorded from 170 LGAs (28 States and FCT) compared with 1175 suspected cases and 81 deaths (CFR, 6.89%) from 125 LGAs (26 States and FCT) at the same period in 2014 (Figure 16)
- 5.4. Timeliness/completeness of CSM case-reporting from States to National Level (2016 versus 2015): on the average, 85.80% of the 26 endemic states sent CSM reports timely while 99.3% were complete in week 1-44, 2016 as against 81.8% timeliness and 99.3% completeness recorded within the same period in 2015.
- 5.5. Intensive Surveillance is on-going in high risk States.





Figure 15: Map of Nigeria showing areas affected by CSM, week 1 – 44, 2015 & 2016




## 6. Update on Guinea worm disease: as at 30<sup>th</sup> September, 2016

- 6.1. As at 30<sup>th</sup> September, 2016, 185 GWD rumour reports were received from 71 LGAs in 16 States. All (100%) of the rumours were investigated within 24 hours and none of these rumours were confirmed to be GWD case.
- 6.2. In 2015, a total of 384 GWD rumour reports were received and investigated from 134 LGAs (24 States), of which 373 (97%) were investigated within 24 hours. None of these rumours were confirmed to be GWD case.
- 6.3. Nigeria has celebrated 7 consecutive years of zero reporting of Guinea worm disease in the country. The Country has been officially certified free of Dracunculiasis transmission by the International Commission for the Certification of Dracunculiasis Eradication (ICCDE).

(For further information, contact NIGEP NC/Director: Mrs. I, Anagbogu: +2348034085607, ifechuba@yahoo.co.uk)

Table 2: Status of Reporting by the State Epidemiologists, Nigeria, Weeks 1 - 44, 2016, as at 11<sup>th</sup> November, 2016



#### **Correspondence:**

nigeriaepidnews@yahoo.com nigeriaepidnews@gmail.com olubunmi.ojo@ncdc.gov.ng elsie.ilori@ncdc.gov.ng rimamdeyati.yashe@ncdc.gov.ng

# Distribution of the Weekly Epidemiology Report (WER)

The FMoH is currently circulating the WER to many institutions and organizations (private and public) including individual health professionals

The WER is also available on the FMOH/NCDC website: <a href="www.fmh.gov.ng">www.fmh.gov.ng</a> & <a href="www.ncdc.gov.ng">www.ncdc.gov.ng</a>

Federal Ministry of Health - Nigeria

#### Updates on Epidemics, Week 1- 44 ( 31st October – 6th November, 2016) as at 11th November, 2016 AFP Cholera Measles Lassa Fever Guineaworm Disease HPAI Other Diseases/Events Cumulative Data Wk01-44 New Cumulative Data Wk01-44 Cumulative Data Wk01-44 Cumulative Data Wk01-44 Report Cases LabCid Deaths Cases LabCid Deaths Cases LabCfd Deaths Cases LabCfd Deaths C Cases LabCfd Deaths Cases LabCfd Deaths Cf Cases LabCfd Deaths Cases LabCfd Deaths Cases LabCfd Deaths Cases LabCfd Deaths CF Cases LabCfd Deaths Cases LabCfd Deaths Cases LabCfd Deaths Cases LabCfd Deaths CFF Cases LabCfd Deaths Cases LabCfd Deaths C Remarks 2 Adamawa 3 Akwa bom 5,476,644 6,533,157 6 Bayelsa 2,267,043 5,670,311 5,799,337 9 Cross River 3,844,999 5,615,784 2,864,778 15 FCT 3,419,323 5,787,728 19 Kaduna 8,152,952 12,983,043 7,784,740 4,394,887 4,406,012 3,186,545 12,350,714 26 Nasarawa 2.504.086 50 10 13 2 5,518,612 5,158,109 28 Oaun 32 Plateau 4,149,116 33 Rivers 7,244,154 34 Sokoto 4,968,458 3,035,153 36 Yobe 3,274,833 4.466.775

Source: Epid Division, Public Health Dept, FMoH Status of Report: T=Timely, L=Late; N=No Report

Please note that the reporting status in this table is from WHO State office

25 1981 15 33 1.6