

Git log format string cheatsheet

Pretty format

```
git log --pretty="format:%H"
```

See the next tables on format variables.

Hash

Commit

%H

%h

Tree

%T

%t

Parent

%P

%p

Commit

%s

%f

%b

%cd

%e

parent hash

(abbrev) parent hash

Author and committer

Author

Name	
<code>%an</code>	author
<code>%aN</code>	author, respecting mailmap
Email	
<code>%ae</code>	author email
<code>%aE</code>	author email, respecting mailmap
Date	
<code>%aD</code>	author date (rfc2882)
<code>%ar</code>	author date (relative)
<code>%at</code>	author date (unix timestamp)
<code>%ai</code>	author date (iso8601)

Also see


[Git log cheatsheet](#)

Committer

Name	
<code>%cn</code>	committer
<code>%cN</code>	committer name, respecting mailmap
Email	
<code>%ce</code>	committer email
<code>%cE</code>	committer email, respecting mailmap
Date	
<code>%cD</code>	committer date (rfc2882)
<code>%cr</code>	committer date (relative)
<code>%ct</code>	committer date (unix timestamp)
<code>%ci</code>	committer date (iso8601)

► **0 Comments** for this cheatsheet. [Write yours!](#)

devhints.io / Search 368+ cheatsheets



Over 368 curated
cheatsheets, by
developers for developers.

Devhints home

Other Git cheatsheets

Tig
cheatsheet

Git branches
cheatsheet

Git extras
cheatsheet

git log
cheatsheet

Git revisions
cheatsheet

Git tricks
cheatsheet

Top cheatsheets

Elixir
cheatsheet

ES2015+
cheatsheet

React.js
cheatsheet

Vim
cheatsheet

Vim scripting
cheatsheet

Capybara
cheatsheet