

# Heroku cheatsheet

[Heroku](#) is a web hosting platform supporting many languages, and this guide is a reference to Heroku's [command-line interface](#).

## create - Create an app

```
heroku create sushi
```

```
git push heroku master
```

## logs - Show logs

```
heroku logs
heroku logs -t      # --tail (stream)
heroku logs -s app  # --source (only on app logs)
```

## pg - PostgreSQL

## access - Collaboration

Manage collaborators

```
heroku access                # List
heroku access:add me@xy.com
heroku access:remove me@xy.com
```

Transfer to another owner

```
heroku apps:transfer new@owner.com
```

## releases

```
heroku releases
heroku releases:info v25
```

Start a database

```
heroku addons:add heroku-postgresql
```

Enable backups

```
heroku addons:add pgbackups:auto-month
```

See: Heroku PostgreSQL ([devcenter.heroku.com](https://devcenter.heroku.com/articles/postgresql))

## apps - Applications

```
heroku apps                # list
heroku apps:create [NAME]
heroku apps:destroy --app APP
heroku apps:info
heroku apps:open           # open in browser
heroku apps:rename NEWNAME
```

```
heroku rollback
```

## config - Environment var configuration

Listing

```
heroku config              # List
heroku config -s           # List in shell format
```

Getting

```
heroku config:get KEY
```

Setting

```
heroku config:set KEY=val
heroku config:set KEY1=val KEY2=val ...
```

```
heroku config:unset KEY1
```

## maintenance

```
heroku maintenance:on
```

```
heroku maintenance:off
```

# Processes

## ps - Managing processes

```
heroku ps          # list
heroku ps:scale web=1 # spawn more dynos
```

## restart

```
heroku restart
```

## run - Running tasks

```
heroku run bash
heroku run console # Rails console
heroku run rake assets:precompile
```

# Domains

## domains - Custom domains

Add both!

```
heroku domains:add example.com
heroku domains:add www.example.com
```

Removing

```
heroku domains:clear
heroku domains:remove example.com
```

## Wildcard domains

```
heroku addons:add wildcard_domains
```

```
*.yourdomain.com => heroku.com
```

See: [Custom domains \(devcenter.heroku.com\)](https://devcenter.heroku.com/articles/custom-domains)

## Other tricks

### htpasswd (for PHP apps)

Create an `.htaccess` file in the webroot:

```
AuthUserFile /app/www/.htpasswd
AuthType Basic
AuthName "Restricted Access"
Require valid-user
```

Create a `.htpasswd` file:

```
$ htpasswd -c .htpasswd [username]
```


See: [gist.github.com](https://gist.github.com)

## References

<https://addons.heroku.com/><https://devcenter.heroku.com/>

**0 Comments** for this cheatsheet. [Write yours!](#)

devhints.io / Search 368+ cheatsheets



Over 368 curated  
cheatsheets, by  
developers for developers.

Devhints home

### Other Devops cheatsheets

docker-compose  
cheatsheet

AWS CLI  
cheatsheet

Chef  
cheatsheet

Deis  
cheatsheet

Docker CLI

Dockerfile

### Top cheatsheets

Elixir  
cheatsheet

ES2015+  
cheatsheet

React.js  
cheatsheet

Vim  
cheatsheet

Vim scripting

Capybara

