

# Vagrant cheatsheet

[Vagrant](#) lets you build isolated virtual environments for your apps.

## Get started

Add some base boxes:

```
vagrant box add precise64 http://files.vagrantup.com/precise64.
```

Work it:

```
mkdir test_box  
cd test_box  
vagrant init precise64
```

Run it:

## Also see

[Vagrant website](#) (vagrantup.com)

[Vagrantfile cheatsheet](#)

```
vagrant up  
vagrant ssh
```


To stop, use one of the following:

```
vagrant ssh      # then: sudo shutdown -h now  
vagrant suspend  
vagrant destroy  # !!
```



**0 Comments** for this cheatsheet. [Write yours!](#)

devhints.io / Search 368+ cheatsheets



### Other Devops cheatsheets

docker-compose  
cheatsheet

AWS CLI  
cheatsheet

### Top cheatsheets

Elixir  
cheatsheet

ES2015+  
cheatsheet

Over 368 curated  
cheatsheets, by  
developers for developers.

Devhints home

**Chef**  
cheatsheet

**Deis**  
cheatsheet

**React.js**  
cheatsheet

**Vim**  
cheatsheet

**Docker CLI**  
cheatsheet

**Dockerfile**  
cheatsheet

**Vim scripting**  
cheatsheet

**Capybara**  
cheatsheet