

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
- transactions
- local
- sample_mflix

transactions

customers

+

Cluster0 > bankdb > customers

View monitoring

Visualize Your Data

Documents 8

Aggregations

Schema

Indexes 1

Validation

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1-8 of 8

<

>

⌵

⌶

⌵

⌶

["_id": {}],

"customer_id": 101,

"name": "Ravi Kumar",

"city": "Hyderabad",

"account_type": "Savings",

"balance": 85000,

"status": "Active"

["_id": {}],

"customer_id": 102,

"name": "Priya Sharma",

"city": "Vijayawada",

"account_type": "Current",

"balance": 125000,

"status": "Active"

["_id": {}],

"customer_id": 103,

"name": "Arjun Reddy",

"city": "Hyderabad",

"account_type": "Savings",

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
- transactions
- local
- sample_mflix

transactions

customers

+

Cluster0 > bankdb > customers

View monitoring

Visualize Your Data

Documents 8

Aggregations

Schema

Indexes 1

Validation

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25

1-7 of 7

<

>

⌵

⌶

⌵

⌶

_id: ObjectId('6a89140bce9950b31e66b8ee')

customer_id: 101

name: "Ravi Kumar"

city: "Hyderabad"

account_type: "Savings"

balance: 85000

status: "Active"

_id: ObjectId('6a891419ce9950b31e66b8f0')

customer_id: 102

name: "Priya Sharma"

city: "Vijayawada"

account_type: "Current"

balance: 125000

status: "Active"

_id: ObjectId('6a891424ce9950b31e66b8f2')

customer_id: 103

name: "Arjun Reddy"

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

{
 "account_type": "Savings"
}

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-5 of 5

	_id ObjectId	customer_id Int32	name String	city String	account_type String	balance Int32	
1	ObjectId('6a89148bce995b...	101	"Ravi Kumar"	"Hyderabad"	"Savings"	85000	
2	ObjectId('6a891424ce995b...	103	"Arjun Reddy"	"Hyderabad"	"Savings"	45000	
3	ObjectId('6a89142ece995b...	104	"Sneha Rao"	"Marangal"	"Savings"	210000	
4	ObjectId('6a8914b3ce995b...	106	"Anjali Singh"	"Hyderabad"	"Savings"	175000	
5	ObjectId('6a8914cbce995b...	108	"Meena Devi"	"Chennai"	"Savings"	320000	

PAPPULA GNANESH...

Project 0

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

{
 "amount": {
 "\$gt": 20000
 }
}

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-9 of 9

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	
1	ObjectId('6a8915b8ce995b...	1001	101	"Deposit"	25000	"UPI"	
2	ObjectId('6a8915cdce995b...	1003	102	"Deposit"	50000	"NEFT"	
3	ObjectId('6a8915dfce995b...	1005	103	"Deposit"	30000	"UPI"	
4	ObjectId('6a8915f6ce995b...	1007	104	"Deposit"	100000	"NEFT"	
5	ObjectId('6a8915fdce995b...	1008	104	"Withdrawal"	25000	"ATM"	
6	ObjectId('6a89160fce995b...	1010	106	"Deposit"	75000	"NEFT"	
7	ObjectId('6a891628ce995b...	1012	107	"Deposit"	40000	"IMPS"	
8	ObjectId('6a891632ce995b...	1014	108	"Deposit"	150000	"NEFT"	
9	ObjectId('6a89163ace995b...	1015	108	"Withdrawal"	30000	"ATM"	

PAPPULA GNANESH...

Project 0

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

{
 "type": "Deposit"
}

Generate query + Explain Reset Find Options

ADD DATA BULK EXPORT CODE

25 1-8 of 8

	_id ObjectId	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String	
1	ObjectId('6a8915b8ce995b...	1001	101	"Deposit"	25000	"UPI"	
2	ObjectId('6a8915cdce995b...	1003	102	"Deposit"	50000	"NEFT"	
3	ObjectId('6a8915dfce995b...	1005	103	"Deposit"	30000	"UPI"	
4	ObjectId('6a8915f6ce995b...	1007	104	"Deposit"	100000	"NEFT"	
5	ObjectId('6a891607ce995b...	1009	105	"Deposit"	15000	"UPI"	
6	ObjectId('6a89160fce995b...	1010	106	"Deposit"	75000	"NEFT"	
7	ObjectId('6a891628ce995b...	1012	107	"Deposit"	40000	"IMPS"	
8	ObjectId('6a891632ce995b...	1014	108	"Deposit"	150000	"NEFT"	

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

DATA EXPLORER

My Queries
Data Modeling

CLUSTERS (1)
Search clusters
Cluster0
admin
bankdb
customers
transactions
local
sample_mflix

customers

transactions

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query

Explain

Reset

Find

Options

ADD DATA

BULK

EXPORT CODE

25 1-7 of 7

	transaction_id Int32	customer_id Int32	type String	amount Int32	mode String
1	1002	101	Withdrawal	10000	ATM
2	1004	102	Withdrawal	15000	ATM
3	1006	103	Withdrawal	5000	ATM
4	1008	104	Withdrawal	25000	ATM
5	1011	106	Withdrawal	20000	ATM
6	1013	107	Withdrawal	12000	ATM
7	1015	108	Withdrawal	30000	ATM

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

DATA EXPLORER

My Queries
Data Modeling

CLUSTERS (1)
Search clusters
Cluster0
admin
bankdb
customers
transactions
local
sample_mflix

customers

transactions

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate query

Explain

ADD DATA

BULK

EXPORT CODE

25 1-3 of 3

{
 "id": {},
 "transaction_id": 1007,
 "customer_id": 104,
 "type": "Deposit",
 "amount": 100000,
 "mode": "NEFT",
 "date": "2026-08-04",
 "status": "Success"
}

{
 "id": {},
 "transaction_id": 1010,
 "customer_id": 106,
 "type": "Deposit",
 "amount": 75000,
 "mode": "NEFT",
 "date": "2026-08-06",
 "status": "Success"
}

{
 "id": {},
 "transaction_id": 1014,
 "customer_id": 108,
 "type": "Deposit",
 "amount": 150000,
}

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

customers

transactions

+

Cluster0 > bankdb > customers

Documents 8AggregationsSchemaIndexes 1Validation

{
 "city": "Hyderabad",
 "balance": {
 "\$gt": 100000
 }
}

ADD DATA BULK EXPORT CODE

{
 "_id": {},
 "customer_id": 106,
 "name": "Anjali Singh",
 "city": "Hyderabad",
 "account_type": "Savings",
 "balance": 175000,
 "status": "Active"
}

ORGANIZATION
PAPPULA GNANESH...

PROJECT
Project 0

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

- admin
- bankdb
 - customers
 - transactions
- local
- sample_mflix

customers

transactions

+

Cluster0 > bankdb > customers

Documents 8AggregationsSchemaIndexes 1Validation

Sort

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE PREVIEW STAGES TEXT WIZARD

Stage1 \$sort

1 {
2 "balance": -1
3 }

Output preview after \$sort stage (Sample of 8 documents)

_id: ObjectId('6a8914cbce9950b31e66b8fe')
customer_id: 108
name: "Keena Devi"
city: "Chennai"
account_type: "Savings"
balance: 320000
status: "Active"

_id: ObjectId('6a89142ecet...
customer_id: 104
name: "Sneha Rao"
city: "Marangal"
account_type: "Savings"
balance: 210000
status: "Active"

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > customers

Documents 8 Aggregations Schema Indexes 1 Validation

Sort

Generate aggregation + Explain Run Options

Sort Customer... SAVE + CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage1 \$sort

```
1 {
2   "balance": -1
3 }
```

Output preview after \$sort stage (Sample of 8 documents)

```
{
  "_id": ObjectId("6a8914cbce9950b31e66b8fe"),
  "customer_id": 108,
  "name": "Meena Devi",
  "city": "Chennai",
  "account_type": "Savings",
  "balance": 320000,
  "status": "Active"
}
```

```
{
  "_id": ObjectId("6a89142ce5..."),
  "customer_id": 104,
  "name": "Sneha Rao",
  "city": "Warangal",
  "account_type": "Savings",
  "balance": 210000,
  "status": "Active"
}
```

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Group

Generate aggregation + Explain

Untitled - modified SAVE + CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT

15 Documents in the collection

Stage1 \$group

```
1 {
2   "_id": null,
3   "total_amount": {
4     "$sum": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 1 document)

```
{
  "_id": null,
  "total_amount": 602000
}
```

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Group

Generate aggregation + Explain

Untitled - modified SAVE + CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT

15 Documents in the collection

Stage1 \$group

```
1 {
2   "_id": null,
3   "average_amount": {
4     "$avg": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 1 document)

```
{
  "_id": null,
  "average_amount": 40133.333333333336
}
```

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

> 15 Documents in the collection

Stage 1 \$group

```
1 {
2   "_id": "$type",
3   "total_amount": {
4     "$sum": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 2 documents)

_id: "Deposit" total_amount : 485000	_id: "Withdrawal" total_amount : 117000
---	--

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

> 15 Documents in the collection

Stage 1 \$group

```
1 {
2   "_id": "$customer_id",
3   "transaction_count": {
4     "$sum": 1
5   }
6 }
```

Output preview after \$group stage (Sample of 8 documents)

_id: 103 transaction_count : 2	_id: 102 transaction_count : 2
-----------------------------------	-----------------------------------

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation Explain Run Options

Untitled - modified SAVE CREATE NEW EXPORT CODE

PREVIEW STAGES TEXT WIZARD

Stage 1 \$lookup

```
1 {
2   "from": "customers",
3   "localField": "customer_id",
4   "foreignField": "customer_id",
5   "as": "customer_details"
6 }
```

Output preview after \$lookup stage (Sample of 10 documents)

_id: ObjectId('6a8915b8ce9950b31e66b902') transaction_id : 1001 customer_id : 101 type : "Deposit" amount : 25000 mode : "UPI" date : "2026-08-01" status : "Success" customer details : Array (1)	_id: ObjectId('6a8915c2ce9950b31e66b904') transaction_id : 1002 customer_id : 101 type : "Withdrawal" amount : 10000 mode : "ATM" date : "2026-08-02" status : "Success" customer details : Array (1)
--	---

Stage 2 \$unwind

```
1 "$customer_details"
```

Output preview after \$unwind stage (Sample of 10 documents)

_id: ObjectId('6a8915b8ce9950b31e66b902') transaction_id : 1001 customer_id : 101 type : "Deposit" amount : 25000 mode : "UPI" date : "2026-08-01"	_id: ObjectId('6a8915c2ce9950b31e66b904') transaction_id : 1002 customer_id : 101 type : "Withdrawal" amount : 10000 mode : "ATM" date : "2026-08-02"
--	---

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation + Explain Run

Preview STAGES TEXT WIZARD

Untitled - modified SAVE + CREATE NEW EXPORT CODE

Stage 1 \$lookup

```
1 {
2   "from": "customers",
3   "localField": "customer_id",
4   "foreignField": "customer_id",
5   "as": "customer"
6 }
```

Output preview after \$lookup stage (Sample of 10 documents)

```
{
  "_id": ObjectId("6a8915b8ce9950b31e66b902"),
  "transaction_id": 1001,
  "customer_id": 101,
  "type": "Deposit",
  "amount": 25000,
  "mode": "UPI",
  "date": "2026-08-01",
  "status": "Success",
  "customer": Array (1)
}
```

Stage 2 \$unwind

```
1 "$customer"
```

Output preview after \$unwind stage (Sample of 10 documents)

```
{
  "_id": ObjectId("6a8915b8ce9950b31e66b902"),
  "transaction_id": 1001,
  "customer_id": 101,
  "type": "Deposit",
  "amount": 25000,
  "mode": "UPI",
  "date": "2026-08-01"
}
```

```
{
  "_id": ObjectId("6a8915c2ce9950b31e66b904"),
  "transaction_id": 1002,
  "customer_id": 101,
  "type": "Withdrawal",
  "amount": 10000,
  "mode": "ATM",
  "date": "2026-08-02",
  "status": "Success",
  "customer": Array (1)
}
```

ORGANIZATION PAPPULA GNANESH... PROJECT Project 0

Data Explorer

My Queries
Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents 15 Aggregations Schema Indexes 1 Validation

Generate aggregation + Explain Run Options

Preview STAGES TEXT WIZARD

Untitled - modified SAVE + CREATE NEW EXPORT CODE

> 15 Documents in the collection

Stage 1 \$group

```
1 {
2   "_id": "$customer_id",
3   "total_transaction": {
4     "$sum": "$amount"
5   }
6 }
```

Output preview after \$group stage (Sample of 8 documents)

```
{ "_id": 101, "total_transaction": 35000 }
{ "_id": 106, "total_transaction": 95000 }
{ "_id": 104, "total_transaction": 95000 }
```

Stage 2 \$lookup

```
1 {
2   "from": "customers",
3   "localField": "_id",
4   "foreignField": "customer_id",
5   "as": "customer"
6 }
```

Output preview after \$lookup stage (Sample of 8 documents)

```
{ "_id": 101, "total_transaction": 35000, "customer": Array (1) }
{ "_id": 107, "total_transaction": 52000, "customer": Array (1) }
{ "_id": 101, "total_transaction": 35000, "customer": Array (1) }
```

Stage 3 \$unwind

```
1 "$customer"
```

Output preview after \$unwind stage (Sample of 8 documents)

```
{ "_id": 101, "total_transaction": 35000, "customer": Object (7) }
{ "_id": 106, "total_transaction": 95000, "customer": Object (7) }
{ "_id": 104, "total_transaction": 95000, "customer": Object (7) }
```

Stage 4 \$project

```
1 {
2   "_id": 0,
3   "customer_id": "$_id",
4   "customer_name": "$customer.name",
5   "total_transaction": 1
6 }
```

Output preview after \$project stage (Sample of 8 documents)

```
{ "total_transaction": 65000, "customer_id": 102, "customer_name": "Priya Sharma" }
{ "total_transaction": 95000, "customer_id": 106, "customer_name": "Anjali Singh" }
{ "total_transaction": 95000, "customer_id": 106, "customer_name": "Anjali Singh" }
```

Organization: PAPPUA ONANESH... Project: Project 0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions**
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > transactions

Documents: 18 | **Aggregations** | Schema | Indexes | Validation

Generate aggregation | Explain | Run | Options

Untitled - modified | SAVE | CREATE NEW | EXPORT CODE

PREVIEW | STAGES | TEXT | WIZARD

```

1 {
2   "_id": 0,
3   "customer_id": "$_id",
4   "customer_name": "$customer.name",
5   "total_transaction": 1
6 }

```

Output preview after aggregation (Sample of 8 documents)

total_transaction: 65000 customer_id: 102 customer_name: "Priya Sharma"	total_transaction: 95000 customer_id: 106 customer_name: "Anjali Singh"	total_transaction: 125000 customer_id: 104 customer_name: "Sneha Rao"
---	---	---

Stage 5: Sort

```

1 {
2   "total_transaction": -1
3 }

```

Output preview after Sort stage (Sample of 8 documents)

total_transaction: 180000 customer_id: 108 customer_name: "Reena Devi"	total_transaction: 125000 customer_id: 104 customer_name: "Sneha Rao"	total_transaction: 95000 customer_id: 106 customer_name: "Anjali Singh"
--	---	---

Organization: PAPPUA ONANESH... Project: Project 0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankdb > customers

Documents: 8 | **Aggregations** | Schema | Indexes | Validation

Generate aggregation | Explain | Run | Options

Sort Customer... - modified | SAVE | CREATE NEW | EXPORT CODE

PREVIEW | STAGES | TEXT | WIZARD

8 Documents in the collection

Stage 1: \$match

```

1 {
2   "status": "Active",
3   "balance": {
4     "$gt": 10000
5   }
6 }

```

Output preview after \$match stage (Sample of 6 documents)

_id: ObjectId('6a89140bc9950b31e66b8ee') customer_id: 101 name: "Ravi Kumar" city: "Hyderabad" account_type: "Savings" balance: 85000 status: "Active"	_id: ObjectId('6a891419ce9950b31e66b8f0') customer_id: 102 name: "Priya Sharma" city: "Vijayawada" account_type: "Current" balance: 125000 status: "Active"	_id: ObjectId('6a891419ce9950b31e66b8f0') customer_id: 102 name: "Priya Sharma" city: "Vijayawada" account_type: "Current" balance: 125000 status: "Active"
--	---	---

Stage 2: \$lookup

```

1 {
2   "from": "transactions",
3   "localField": "customer_id",
4   "foreignField": "customer_id",
5   "as": "transactions"
6 }

```

Output preview after \$lookup stage (Sample of 6 documents)

_id: ObjectId('6a89140bc9950b31e66b8ee') customer_id: 101 name: "Ravi Kumar" city: "Hyderabad" account_type: "Savings" balance: 85000	_id: ObjectId('6a891419ce9950b31e66b8f0') customer_id: 102 name: "Priya Sharma" city: "Vijayawada" account_type: "Current" balance: 125000	_id: ObjectId('6a891419ce9950b31e66b8f0') customer_id: 102 name: "Priya Sharma" city: "Vijayawada" account_type: "Current" balance: 125000
--	---	---

ORGANIZATION: PAPPUA GNANESH... PROJECT: Project 0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)

- Cluster0
 - admin
 - bankub
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankub > customers

Documents | Aggregations | Schema | Indexes | Validation

Smatch | Slookup | Sunwind | Sgroup | Ssort

Generate aggregation + | Explain | Run | Options

Sort Customer... - modified | SAVE | CREATE NEW | EXPORT CODE

PREVIEW | STAGES | TEXT | WIZARD

Stage 3: Sunwind

1. *transactions*

Output preview after Sunwind if stage (Sample of 10 documents)

```
{ "_id": ObjectId("6a89140bc9950b31e66bde"), "customer_id": 101, "name": "Ravi Kumar", "city": "Hyderabad", "account_type": "Savings", "balance": 85000, "status": "Active", "transactions": Object (8) }
```

Stage 4: Sgroup

1. {

```
  "customer_id": "customer_id",
  "customer_name": {
    "first": "fname"
  },
  "city": {
    "first": "scity"
  },
  "balance": {
    "first": "sbalance"
  },
  "total_transactions": {
    "sum": "transactions.amount"
  },
  "transaction_count": {
    "sum": 1
  }
}
```

Output preview after Sgroup if stage (Sample of 6 documents)

```
{ "_id": 104, "customer_name": "Sneha Rao", "city": "Marangal", "balance": 210000, "total_transactions": 125000, "transaction_count": 2 }
```

Alert System Status: All Good

ORGANIZATION: PAPPUA GNANESH... PROJECT: Project 0

Data Explorer

My Queries | Data Modeling

CLUSTERS (1)

- Cluster0
 - admin
 - bankub
 - customers
 - transactions
 - local
 - oplog.rs
 - sample_mflix

Cluster0 > bankub > customers

Documents | Aggregations | Schema | Indexes | Validation

Smatch | Slookup | Sunwind | Sgroup | Ssort

Generate aggregation + | Explain | Run | Options

Sort Customer... - modified | SAVE | CREATE NEW | EXPORT CODE

PREVIEW | STAGES | TEXT | WIZARD

Stage 5: Ssort

1. {

```
  "total_transactions": -1
}
```

Output preview after Ssort if stage (Sample of 6 documents)

```
{ "_id": 108, "customer_name": "Meena Devi", "city": "Chennai", "balance": 320000, "total_transactions": 180000, "transaction_count": 2 }
```