







Mac, Mac core
code (garden, zend) | Spring | Spring boot, | Struts

.Jsp php.asp

page controller
pattern

Spring, Springboot,
Struts, mvc, mvc.core
Zend, Code Ignitor

front controller
pattern

? — getController(choice)
{ if (choice == 1) {

{ return new Home Controller }

else if (choice == 2) {

{ return new Admin Controller }

class DefaultMVCControllerFactory

implements IControllerFactory

createController()

← Based on request

url → create / return
controller object.

main()

✓ L → [builder = createbuilder()]

↑ helper to create MVC
infrastructure — to be used later

✓ L → [builder.Services.AddControllerWithViews()]

↑
[convey that we need
Default Controller Factory,
Razor View Engine]

✓ L → [var app = builder.build()]



created Controller Factory
&
View Engine

this is like
Express object
to be used to create/configure middleware

app.use(req, res, next) => {

middle
ware
Logic



app.use cors()

app.use sessions()

app.use staticFiles()

app.use - - - ()

app.use - - - ()

Middleware
Methods
linked

via

next function

app.MapControllerRoute

("default" {controller} / {method})

/id?

initialises Route collection

key / value pair

its more like
a stack

name	RoutePattern
default	{controller} / {Action} / id?

app.run()

↳ () similar to app.listen()
In node JS

Starts listening at configured
port number. for http request

app. use((request, response, next))

code here executes
when a new request
arrives.

Controller Factory

Razor View
Engine

Route
collection

http:// / HomeIndex 5276
=

Client(chrome)

app.use()

request

request.url

→ "Home/Index"

url

← matches

with
pattern

RouterCollection

↓
Split by (" / ")

↓
"Home" , "Index"

↓
Based on pattern

at — "Home" must be a

Controller

↓
"Home" word is added
with suffix "controller"

↓
"Home Controller"

↓

"HomeController"

word sent
to Controllerfactory

Default
Controller
Factory
obj

Controller object
is
received

Controller object

• Execute()

• Create
controller

— here
object
is created

using

(reflection)

app.view → Controller object. Execute()

Sequence of ground 22 methods

- onActionExecuting()
- ↳ Call to index
- Index is called
- onActionSucceeded()

22

→ filter functions

→ validation functions

→ model binding