

first_website.html X

html programs > first_website.html > ...

```
1  <!DOCTYPE html>
2  <html>
3  <head>
4      <title>my first website</title>
5
6  </head>
7  <body>
8      <!--comment-->
9      <h1>hello world</h1>
10     <hr>
11     <br>
12     <p>this is a samle text</p>
13 </body>
14 </html>
```

add_images.html X

html programs > add_images.html > html

```
1  <!DOCTYPE html>
2  <html>
3  <head>Adding images</head>
4  <body></body>
5
6
7 </html>
```

buttons.html X

html programs > buttons.html > ...

```
1  <!DOCTYPE html>
2  <html>
3  <head><title>buttons</title></head>
4  <body>
5      <a href="https://www.google.com">
6          <button style="background-color: black;color: #00ff00; border-radius: 5px;">click me</button>
7      </a>
8  </body>
9 </html>
```

```
▷ target_tag.html ×
html programs > ▷ target_tag.html > ⏺ html > ⏺ body > ⏺ a
1  <!DOCTYPE html>
2  <html>
3  |  <body>
4  |    <h3>Various options available in the Target Attribute</h3>
5
6  |    <p>
7  |      If you set the target attribute to "_blank", the link will open in a new
8  |      browser window or tab.
9  |    </p>
10
11  |    <a href="https://www.geeksforgeeks.org" target="_blank">GeeksforGeeks</a>
12
13  |    <p>
14  |      If you set the target attribute to "_self", the link will open in the same
15  |      window or tab.
16  |    </p>
17
18  |    <a href="https://www.geeksforgeeks.org" target="_self">GeeksforGeeks</a>
19
20  |    <p>
21  |      If you set the target attribute to "_top", the link will open in the full
22  |      body of the window.
23  |    </p>
24
25  |    <a href="https://www.geeksforgeeks.org" target="_top">GeeksforGeeks</a>
26
27  |    <p>
28  |      If you set the target attribute to "_parent", the link will open in the
29  |      parent frame.
30  |    </p>
31
32  |    <a href="https://www.geeksforgeeks.org" target="_parent">GeeksforGeeks</a>
33  |  </body>
34  |</html>
```

```
▷ hyperlink.html ×
html programs > ▷ hyperlink.html > ...
1  <!DOCTYPE html>
2  <html>
3  |  <head><title>HYPERLINK</title></head>
4  |  <!--href="link"or "mailto:somethiong@mail.com"or"html file name"-->
5  |  <body><a href=first_website.html target=_blank title="mail"><!--_self .will open in same tab-->
6  |    next
7  |  </a></body>
8  |</html>
```

```
▷ image as hyperlink.html ×
html programs > ▷ image as hyperlink.html > ⏺ html
1  <!DOCTYPE html>
2  <html>
3  |  <head> images as hyperlink</head>
4  |  <a href="add_images.html">
5  |    <body></body>
6  |  </a>
7  |</html>
```

```
↳ lists in html.html ✘
html programs > ↳ lists in html.html > ⏺ html > ⏺ body > ⏺ dl > ⏺ dt
1  <!DOCTYPE html>
2  <html>
3      <head><title>lists in html</title></head>
4      <body>
5          <h4>Unordered list</h4>
6      <ul>
7          <li>pizza dough</li>
8          <li>tomato</li>
9          <li>car
10         <ul>
11            <li>swift</li>
12            <li>BmW</li>
13        </ul>
14    </li>
15 </ul>
16    <h4>ordered list</h4>
17 <ol type="A">
18    <li>eat breakfast</li>
19    <li>sleep</li>
20    <li>byeee</li>
21 </ol>
22    <h4>description list</h4>
23 <dl>
24    <dt>HTML</dt>
25    <dd>this add structure to a webpage</dd>
26    <dt>CSS</dt>
27    <dd>this add style to a webpage</dd>
28    <dt>javascript</dt>
29    <dd>this adds functionslity to the webpage</dd>
30 </dl>
31
32    </body>
33 </html>
```

```
↳ tables.html ×
html programs > ↳ tables.html > ...
1  <!DOCTYPE html>
2  <html>
3      <head><title>tables</title></head>
4      <body>
5          <h3>Store Hours</h3>
6          <table bgcolor="black" width="700">
7              <tr bgcolor="gray">
8                  <th width="100">sunday</th>
9                  <th width="100">monday</th>
10                 <th width="100">tuesday</th>
11                 <th width="100">wednesday</th>
12                 <th width="100">thursday</th>
13                 <th width="100">friday</th>
14                 <th width="100">saturday</th>
15             </tr>
16             <tr bgcolor="lightgray" align="center">
17                 <td>closed</td>
18                 <td>opened</td>
19                 <td>opened</td>
20                 <td>opened</td>
21                 <td>opened</td>
22                 <td>opened</td>
23                 <td>closed</td>
24             </tr>
25         </table>
26     </body>
27 </html>
```

```
◊ img_tag.html X
html programs > ◊ img_tag.html > html
1  <!DOCTYPE html>
2  <html>
3
4  <body style="text-align: center;">
5      <h3>GeeksforGeeks logo</h3>
6
7      <img src=
8          "https://media.geeksforgeeks.org/wp-content/uploads/geeksforgeeks-13.png"
9          width="420" height="100"
10         alt="Geeksforgeeks.org"
11         style="border:5px solid black">
12  </body>
13
14  </html>
```

```
textformat.html X
html programs > textformat.html > ...
1  <!DOCTYPE html>
2  <html>
3      <head>
4          <title>textformat</title>
5      </head>
6      <body>
7          <!--html textformatting tags-->
8
9          <p>This is normal text</p>
10         <p>This is <b>bold</b> text</p>
11         <p>This is <i>italic</i> text</p>
12         <p>This is <big>big</big> text</p>
13         <p>This is <small>small</small> text</p>
14         <p>This is <sub>subscript</sub> text</p>
15         <p>This is <sup>superscript</sup> text</p>
16         <p>This is <ins>inserted</ins> text</p>
17         <p>This is <del>deleted</del> text</p>
18         <p>This is <mark>marked</mark> text</p>
19
20
21     </body>
22 </html>
```