

Module 9.2 — LEGO Collection Catalog: Real Inventory and Full Editing

1. Purpose and Scope

A second extension of [Module 9](#), written after loading the household's actual spreadsheet into the application. It changes **two columns and nothing else**: `release_year` and `retired_year` become `release_date` and `retirement_date`.

Everything else here is surface: the seed becomes the real collection, the detail sheet stops being half read-only, the storage filter stops opening as a wall of shelves, and thousands stop running together.

Modules 9 and 9.1 remain the specification of record. This document states the deltas.

Actors

Unchanged (M9).

User Stories

US01. My Actual Collection

As the owner of the spreadsheet in `seed/Lego/`, I want the seeded database to be my real collection, so I am evaluating the application against my own data rather than against six invented sets.

US02. Retirement That Waits for December

As a collector, I do not want a set that retires on 31 December flagged as «retirado» in January. The year is not precise enough to answer "can I still buy this?".

US03. Editing the Set I Already Have

As a user who opened a set and found the theme blank, the PVP wrong or the retirement date newly announced, I want to correct it in place — not delete the copy and register it again.

US04. Readable Thousands

As a user reading a column of euros, I want `1 234,56 €`, not `1234,56 €`.

US05. A Storage Filter That Starts Small

As a user with five areas and eleven containers, I want the arrumação filter to open as a short list of areas, and to expand an area only when I want a specific shelf.

Data Model

Changed Columns — `LegoSetModel`

Was	Now	Notes
<code>release_year</code> (INTEGER)	<code>release_date</code> (DATE)	Year-only sources anchor to 1 January
<code>retired_year</code> (INTEGER)	<code>retirement_date</code> (DATE)	Year-only sources anchor to 31 December

`is_retired` is no longer "the column is not null". It is `retirement_date IS NOT NULL AND retirement_date <= today`, so an announced future retirement is visible without pretending the set has already gone.

The 31 December anchor is the point: a set whose retirement was only ever known to the year stays on sale for that whole year, which is the behaviour the year column got wrong. See [ADR-0012](#).

New Derived Fields

Computed on read, persisted nowhere.

Field	On	Definition
<code>release_year</code>	<code>LegoSetModelOut</code>	<code>release_date.year</code> , or NULL
<code>retired_year</code>	<code>LegoSetModelOut</code>	<code>retirement_date.year</code> , or NULL

They exist so the grid can keep the compact «2022 › 2024» column M9.1 UX-9.10 asked for, while the database keeps the precision.

Functional Requirements

- **FR-9.23 Full Catalog Editing.** Every writable field of `LegoSetModel` — `set_number`, `name`, `theme`, `subtheme`, `release_date`, `retirement_date`, `piece_count`, `minifig_count`, `rrp_eur`, `current_value_eur`, `short_description`, `notes`, cover image — is editable from the detail sheet, through the `PATCH /lego/models/{id}` and `PUT /lego/models/{id}/image` endpoints that already existed. `is_custom` is not editable: a MOC does not become an official set.
- **FR-9.24 Date-Accurate Retirement.** The `retirement` filter, the `retirado` badge, the row tint and the overview's retired-sets count all resolve through `retirement_date <= today`. `sort=year` orders by `release_date`.
- **FR-9.25 Year-Only Sources Anchor Explicitly.** Brickset publishes a release *year* and a `dateLastAvailable` timestamp. The year becomes 1 January; a full timestamp is used as-is; a bare year becomes 31 December. Nothing is invented beyond that rule, and the rule is the same one the migration applied.
- **FR-9.26 Space-Grouped Thousands.** The money/number formatter groups thousands with a non-breaking space at every magnitude, including four-digit amounts that pt-PT leaves ungrouped by default.

Seed

The LEGO seed is the household's real inventory, converted once from `seed/Lego/Lego_Inventory.xlsx` into a committed JSON data file, plus a small set of hand-written entries kept because the spreadsheet contains no example of them: a sale, a gift with no cost basis, a MOC, a missing part, and a retirement date still in the future.

Rules the conversion follows, so the seed never invents data:

- The **Local** column is one free-text label; it is split into the module's flat **area** + **container** pair (BW603 (Right) → Sala › Estante BW603 (direita)).
- **Buy** € of 0 means the price paid was never written down. The copy keeps a zero cost basis, so cost ROI stays **NULL** and the PVP reading takes over (ADR-0010) — no number is guessed.
- The sheet carries no release or retirement information, so both dates stay **NULL** for every imported set.
- Repeated set numbers (four 71049, two 71050) become one catalog entry with four and two copies — not four and two sets.
- The **Legacy** sheet's **Status** maps to **condition** + **missing_parts** (OK → complete, **MISSING** → the listed parts, **Damaged** (light|Heavy) → **WORN / DAMAGED**), and its BrickLink links land in **notes**.
- One casing typo (**icons**) is normalised so the theme filter does not split in two. Nothing else in the sheet is corrected.

UI / Screens

UX-9.17 Set Editing

The detail sheet gains an «Editar conjunto» tab beside «Editar cópia». The split is deliberate and stated on screen: the copy tab holds what is true of *this box*, the set tab holds what is true of *every copy*. **set_number** is disabled for a MOC.

UX-9.18 Dates in the Detail Sheet

The set section shows **Lançamento** and **Retirada** as dates. A retirement date still in the future is shown greyed with «(ainda à venda)», so an announced retirement is never mistaken for a past one.

UX-9.19 Collection Columns

Unchanged. The **Ano** column keeps showing release and retirement *years*, because that is the reading that fits a table.

UX-9.20 Storage Filter

A popover tree rather than a flat list. Areas render collapsed with a chevron and a count; expanding one reveals its containers. Selecting an area means "everything in it" (FR-9.16, unchanged); selecting a container narrows to it. **StorageLocation** remains flat in the database — only this control is hierarchical.

UX-9.21 Numbers

1 234,56 € everywhere money, counts, pieces and percentages are rendered, through the single formatter.

Edge Cases & Business Rules

- **A retirement date in the future.** The set is *not* retired: no badge, no row tint, and it answers **retirement=available**. The date is still shown.
- **A migrated year.** **retired_year = 2023** became **2023-12-31**, so a set that the old column flagged as retired all through 2023 is now correctly retired only from the last day of it.

- **A retirement date before the release date.** Refused at the schema level.
- **Editing `current_value_eur` from the set tab.** Re-stamps `value_updated_at` exactly as the inline value editor does — one rule, two entry points.
- **A set with no dates at all.** The grid's `Ano` column shows —; most of the imported inventory is in this state, and nothing estimates a year for it.

Deferred (explicitly not built now)

- Backfilling release or retirement dates for the imported inventory from an external source — the lookup exists and is a user action, not a migration.
- A precision flag distinguishing "31 December because that is the date" from "31 December because only the year was known"; the anchor rule is documented and identical everywhere, which is cheaper than a column.
- Editing `is_custom`, or moving a set between entities from the detail sheet.
- Re-running the spreadsheet conversion automatically; it is a one-shot import.

Definition of Done

- ☐ One migration converts both year columns to dates, anchoring release to 1 January and retirement to 31 December, and is reversible.
- ☐ `is_retired`, the `retirement` filter, the badge, the row tint and the overview count all agree, and all wait for the date to pass.
- ☐ `LegoSetModelOut` still carries `release_year` / `retired_year`; the collection table is visually unchanged.
- ☐ Every `LegoSetModel` field except `is_custom` is editable from the detail sheet, and saving `current_value_eur` there re-stamps the freshness date.
- ☐ `./fm seed` loads the real inventory idempotently: 93 imported sets, the repeated set numbers collapsed into multi-copy entries, and five storage areas.
- ☐ `eur('1000')` renders `1 000,00 €`; the formatter is the only place that knows.
- ☐ The storage filter opens showing areas only, and expanding is a per-area choice.