

[How to use Asp.net \(http://howtouseasp.net\)](http://howtouseasp.net)

- [Home \(http://howtouseasp.net/\)](http://howtouseasp.net/)
- [About us \(http://howtouseasp.net/sample-page/\)](http://howtouseasp.net/sample-page/)
- [Disclaimer \(http://howtouseasp.net/disclaimer/\)](http://howtouseasp.net/disclaimer/)
- [joy of helping \(http://howtouseasp.net/joy-of-helping/\)](http://howtouseasp.net/joy-of-helping/)

KEEP IN TOUCH

- [\(http://howtouseasp.net/feed/rss/\)](http://howtouseasp.net/feed/rss/)

Type your  
search


## How to use GridView with Insert, Edit, Update, Delete the Ado.net way C#

Mar27

2011 (<http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/>) 14 Comments

(<http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/#comments>) Written by [vikram \(http://howtouseasp.net/author/viksssvik/\)](http://howtouseasp.net/author/viksssvik/)



As I have written before about how to bind data with GridView Control with database.

<http://howtouseasp.net/?p=59> (<http://howtouseasp.net/?p=59>)

Now, I in this article I will use Itemtemplate and Edittemplate where we will do Edit, Update and Delete the records.

Before to do it first of all create a database.

Table - dbo.tbuser		LENOVO-AA2E41...QLQuery1.sql*	Sum
	Column Name	Data Type	Allow Nulls
		int	<input type="checkbox"/>
	uid	varchar(50)	<input type="checkbox"/>
	Name	varchar(50)	<input checked="" type="checkbox"/>
	address	varchar(50)	<input checked="" type="checkbox"/>
	salary	int	<input checked="" type="checkbox"/>

([http://4.bp.blogspot.com/\\_ubcMUFFwdEs/TRrG7UKCy4I/AAAAAAAAAH4/rhupHxGBKBE/s1600/databasetable.JPG](http://4.bp.blogspot.com/_ubcMUFFwdEs/TRrG7UKCy4I/AAAAAAAAAH4/rhupHxGBKBE/s1600/databasetable.JPG))

Or

Run the following script in your Sql Server 2005.

```
SET ANSI_NULLS ON
```

GO

```

SET QUOTED_IDENTIFIER ON

GO

IF NOT EXISTS (SELECT * FROM sys.objects WHERE object_id = OBJECT_ID(N'[dbo].[tbuser]')
AND type in (N'U'))

BEGIN

CREATE TABLE [dbo].[tbuser](

[id] [int] IDENTITY(1,1) NOT NULL,

[uid] [varchar](50) NOT NULL,

[Name] [varchar](50) NULL,

[address] [varchar](50) NULL,

[salary] [int] NULL,

CONSTRAINT [PK_tbuser] PRIMARY KEY CLUSTERED

(

[uid] ASC

)WITH (PAD_INDEX = OFF, STATISTICS_NORECOMPUTE = OFF, IGNORE_DUP_KEY = OFF,
ALLOW_ROW_LOCKS = ON, ALLOW_PAGE_LOCKS = ON) ON [PRIMARY]

) ON [PRIMARY]

END

```

We'll place the GridView control on a form and set the following property.

1. `AutoGenerateColumns="False"`

And set the GridView **Events** name is


`onpageindexchanging="GridView1_PageIndexChanging"`

`onrowcancelingedit="GridView1_RowCancelingEdit"`

`onrowdeleting="GridView1_RowDeleting" onrowediting="GridView1_RowEditing"`

`onrowupdating="GridView1_RowUpdating"`

\*Snapshot how to do set Events of GridView select the GridView and press f4





([http://2.bp.blogspot.com/\\_ubcMUFFwdEs/TRrHXfGWLWI/AAAAAAAAAIE/0Xi6SWLUflw/s1600/GrdEvents.JPG](http://2.bp.blogspot.com/_ubcMUFFwdEs/TRrHXfGWLWI/AAAAAAAAAIE/0Xi6SWLUflw/s1600/GrdEvents.JPG))

Or copy paste the following Source Code

```
<%@ Page Language="C#" AutoEventWireup="true" CodeFile="user.aspx.cs" Inherits="user" %>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head runat="server">

<title>Untitled Page</title>

<style type="text/css">

.style1
{
width: 100%;
}

.style2
{
}

</style>

</head>

<body>

<form id="form1" runat="server">

<table class="style1">

<tr>

<td class="style2">

Uid</td>
```

```

<td>

<asp:TextBox ID="Txt_uid" runat="server"></asp:TextBox>

</td>

</tr>

<tr>

<td class="style2">

Name</td>

<td>

<asp:TextBox ID="Txt_Name" runat="server"></asp:TextBox>

</td>

</tr>

<tr>

<td class="style2">

Address</td>

<td>

<asp:TextBox ID="Txt_Address" runat="server" Height="22px" >

</asp:TextBox>

</td>

</tr>

<tr>

<td class="style2">

Salary</td>

<td>

<asp:TextBox ID="Txt_Salary" runat="server"></asp:TextBox>

</td>

</tr>

<tr>

<td class="style2">

&nbsp;  </td>

```

```

<td>

<asp:Button ID="Button1" runat="server" Height="26px" onclick="Button1_Click"
Text="Insert" Width="89px" />

</td>

</tr>

<tr>

<td class="style2">

    </td>

<td>

    </td>

</tr>

<tr>

<td class="style2" colspan="2">

<asp:GridView ID="GridView1" runat="server" AutoGenerateColumns="False"
CellPadding="1" ForeColor="#333333" GridLines="None"
onpageindexchanging="GridView1_PageIndexChanging"
onrowcancelingedit="GridView1_RowCancelingEdit"
onrowdeleting="GridView1_RowDeleting" onrowediting="GridView1_RowEditing"
onrowupdating="GridView1_RowUpdating" CellSpacing="1">

<RowStyle BackColor="#EFF3FB" />

<Columns>

<asp:TemplateField HeaderText="S.No">

<ItemTemplate>

<%#Container.DataItemIndex +1 %>

<asp:Label ID="Label5" runat="server"></asp:Label>

</ItemTemplate>

</asp:TemplateField>

<asp:TemplateField HeaderText="Uid">

<ItemTemplate>

```

```

<asp:Label ID="Label1" runat="server" Text='<%# Eval("uid") %>'></asp:Label>

<asp:Label ID="lb_id" runat="server" Text='<%# Eval("id") %>'></asp:Label>

</ItemTemplate>

<EditItemTemplate>

<asp:Label ID="lbl_edit" runat="server" Text='<%# Eval("id") %>'></asp:Label>

</EditItemTemplate>

</asp:TemplateField>

<asp:TemplateField HeaderText="Name">

<ItemTemplate>

<asp:Label ID="Label2" runat="server" Text='<%# Eval("Name") %>'></asp:Label>

</ItemTemplate>

<EditItemTemplate>

<asp:TextBox ID="txt_ename" runat="server" Text='<%# Eval("name") %>'></asp:TextBox>

</EditItemTemplate>

</asp:TemplateField>

<asp:TemplateField HeaderText="Salary">

<ItemTemplate>

<asp:Label ID="Label3" runat="server" Text='<%# Eval("Salary") %>'></asp:Label>

</ItemTemplate>

<EditItemTemplate>

<asp:TextBox ID="txt_esal" runat="server" Text='<%# Eval("Salary") %>'></asp:TextBox>

</EditItemTemplate>

</asp:TemplateField>

<asp:TemplateField HeaderText="Address">

<ItemTemplate>

<asp:Label ID="Label4" runat="server" Text='<%# Eval("Address") %>'></asp:Label>

</ItemTemplate>

<EditItemTemplate>

<asp:TextBox ID="txt_eadd" runat="server" Height="81px"

```

```

Text='<%# Eval("address") %>'

TextMode="MultiLine" Width="246px"></asp:TextBox>

</EditItemTemplate>

</asp:TemplateField>

<asp:TemplateField HeaderText="Edit">

<ItemTemplate>

<asp:LinkButton ID="LinkButton1" runat="server" CommandName="edit">Edit</asp:LinkButton>

</ItemTemplate>

<EditItemTemplate>

<asp:LinkButton ID="LinkButton2" runat="server"
CommandName="update">Update</asp:LinkButton>

 <asp:LinkButton ID="LinkButton3" runat="server"
CommandName="cancel">Cancel</asp:LinkButton>

</EditItemTemplate>

</asp:TemplateField>

<asp:TemplateField HeaderText="Delete">

<ItemTemplate>

<asp:LinkButton ID="LinkButton4" runat="server" CommandName="delete"

onclick="return confirm('Are you sure want to delete the current
record ?')">Delete</asp:LinkButton>

</ItemTemplate>

</asp:TemplateField>

</Columns>

<FooterStyle BackColor="#507CD1" Font-Bold="True" ForeColor="White" />

<PagerStyle BackColor="#2461BF" ForeColor="White" HorizontalAlign="Center" />

<SelectedRowStyle BackColor="#D1DDF1" Font-Bold="True" ForeColor="#333333" />

<HeaderStyle BackColor="#507CD1" Font-Bold="True" ForeColor="White" />

<EditRowStyle BackColor="#FF9999" />

<AlternatingRowStyle BackColor="White" />

</asp:GridView>

</td>

```

```

</tr>

<tr>

<td class="style2">

&nbsp;</td>

<td>

&nbsp;</td>

</tr>

<tr>

<td class="style2">

&nbsp;</td>

<td>

&nbsp;</td>

</tr>

</table>

<div>

</div>


</form>

</body>

</html>

```

## Snapshots



S.No.	Id	Name	Salary	Address	Edit	Delete
Databound	Databound	Databound	Databound	Databound	<a href="#">Edit</a>	<a href="#">Delete</a>
Databound	Databound	Databound	Databound	Databound	<a href="#">Edit</a>	<a href="#">Delete</a>
Databound	Databound	Databound	Databound	Databound	<a href="#">Edit</a>	<a href="#">Delete</a>
Databound	Databound	Databound	Databound	Databound	<a href="#">Edit</a>	<a href="#">Delete</a>
Databound	Databound	Databound	Databound	Databound	<a href="#">Edit</a>	<a href="#">Delete</a>

([http://4.bp.blogspot.com/\\_ubcMUFFwdEs/TRrHstMEPRI/AAAAAAAAAII/UESbkDpGZyQ/s1600/GrdDesignView.JPG](http://4.bp.blogspot.com/_ubcMUFFwdEs/TRrHstMEPRI/AAAAAAAAAII/UESbkDpGZyQ/s1600/GrdDesignView.JPG))

## CODING



```

using System;

using System.Collections;

using System.Configuration;

using System.Data;

using System.Linq;

using System.Web;

using System.Web.Security;

using System.Web.UI;

using System.Web.UI.HtmlControls;

using System.Web.UI.WebControls;

using System.Web.UI.WebControls.WebParts;

using System.Xml.Linq;

using System.Data.SqlClient;  // add the namespace


public partial class user : System.Web.UI.Page
{
    SqlConnection con = new SqlConnection(); // for connection

    SqlCommand cmd;

    DataTable dt;

    SqlDataAdapter adp;

    protected void Page_Load(object sender, EventArgs e)
    {
        con.ConnectionString = ConfigurationManager.ConnectionStrings
["cnn"].ConnectionString; //accessing connection name from Web.config

        con.Open();

        if (con.State == ConnectionState.Closed)
        {
            con.Open();
        }

        con.Close();
    }
}

```

```
if (IsPostBack == false)

{

    grdview(); // calling the grdview function

}

}

private void grdview()

{

    if (con.State == ConnectionState.Closed)

    {

        con.Open();

    }

    adp = new SqlDataAdapter("select * from tbuser order by id desc", con); //fetching the
    records from table

    dt = new DataTable();

    adp.Fill(dt);

    if (dt.Rows.Count == 0)

    {

        Response.Write("No record found");

    }

    else

    {

        GridView1.DataSource = dt;

        GridView1.DataBind();

    }

    con.Close();

}
```

```

protected void Button1_Click(object sender, EventArgs e)
{
    if (con.State == ConnectionState.Closed)
    {
        con.Open();
    }

    adp = new SqlDataAdapter("Select uid from tbuser where uid=@uid", con); // will check
    the uid if exists then display else condition

    adp.SelectCommand.Parameters.AddWithValue("@uid", Txt_uid.Text);

    dt = new DataTable();

    adp.Fill(dt);

    adp.Dispose();

    if (dt.Rows.Count == 0)
    {
        // will insert the unique record of uid

        cmd = new SqlCommand("insert into tbuser values(@uid,@Name,@Address,@Salary)", con);

        cmd.Parameters.AddWithValue("@uid", Txt_uid.Text);

        cmd.Parameters.AddWithValue("@Name", Txt_Name.Text);

        cmd.Parameters.AddWithValue("@Address", Txt_Address.Text);

        cmd.Parameters.AddWithValue("@Salary", Txt_Salary.Text);

        cmd.ExecuteNonQuery();

        cmd.Dispose();

        con.Close();

        grdview();
    }
    else
    {
        Response.Write("user name is already exists");
    }
}

```

```

protected void GridView1_PageIndexChanging(object sender, GridViewPageEventArgs e)
{
    GridView1.PageIndex = e.NewPageIndex; // for pageindexing
    grdview();
}

protected void GridView1_RowCancelingEdit(object sender, GridViewCancelEventArgs e)
{
    GridView1.EditIndex = -1; // will cancel the updating
    grdview();
}

protected void GridView1_RowDeleting(object sender, GridViewDeleteEventArgs e)
{
    //will delete the Record

    Label id = ((Label) (GridView1.Rows[e.RowIndex].FindControl("lb_id"))); // here we will
    find the label name "lb_id" which is bound with

    //field name id

    if (con.State == ConnectionState.Closed)
    { con.Open(); }

    cmd = new SqlCommand("delete from tbuser where id=@id", con);

    cmd.Parameters.AddWithValue("@id", id.Text);

    cmd.ExecuteNonQuery();

    cmd.Dispose();

    con.Close();

    grdview();
}

protected void GridView1_RowEditing(object sender, GridViewEditEventArgs e)
{
    GridView1.EditIndex = e.NewEditIndex;

    grdview();
}

```

```

}

protected void GridView1_RowUpdating(object sender, GridViewUpdateEventArgs e)
{
    // The label which is in Edittemplate name "lbl_edit" bind with id field from the table
    Label id = ((Label) (GridView1.Rows[e.RowIndex].FindControl("lbl_edit"))) ;

    if (con.State == ConnectionState.Closed)
    {
        con.Open();
    }

    //In edittemplate where we placed the textbox which were bind with the fields and here
    we will find the

    // controls and will access the fields and update the records

    cmd = new SqlCommand("update tbuser set name=@name,salary=@salary,address=@address where
    id=@id", con);

    cmd.Parameters.AddWithValue("@name", ((TextBox) (GridView1.Rows[e.RowIndex].FindControl
    ("txt_ename"))).Text); //name

    cmd.Parameters.AddWithValue("@salary", Convert.ToInt32(((TextBox) (GridView1.Rows
    [e.RowIndex].FindControl("txt_esal"))).Text)); //salary

    cmd.Parameters.AddWithValue("@address", ((TextBox) (GridView1.Rows
    [e.RowIndex].FindControl("txt_eadd"))).Text); //address

    cmd.Parameters.AddWithValue("@id", id.Text); //id

    cmd.ExecuteNonQuery();

    cmd.Dispose();

    GridView1.EditIndex = -1;

    con.Close();

    grdview();
}
}

```

### Following Snapshots


Select the GridView and click on the Columns and add the TemplateField.





([http://4.bp.blogspot.com/\\_ubcMUFFwdEs/TRrJ5-RrUjI/AAAAAAAAAIM/sEqJDvqZdbc/s1600/GrdGridItemTemplate.JPG](http://4.bp.blogspot.com/_ubcMUFFwdEs/TRrJ5-RrUjI/AAAAAAAAAIM/sEqJDvqZdbc/s1600/GrdGridItemTemplate.JPG))

Following the image will show the Edit Templates option click on it and it will open the Itemtemplate and Edit template fields.




([http://2.bp.blogspot.com/\\_ubcMUFFwdEs/TRrKKgk2N9I/AAAAAAAAAIQ/onO-wRVul3I/s1600/GrdEditTemplate.JPG](http://2.bp.blogspot.com/_ubcMUFFwdEs/TRrKKgk2N9I/AAAAAAAAAIQ/onO-wRVul3I/s1600/GrdEditTemplate.JPG))

Following image after click on the Edit Templates



([http://2.bp.blogspot.com/\\_ubcMUFFwdEs/TRrKWzdLzBI/AAAAAAAAAIU/pYY0hgazY94/s1600/GrdEditITemTempplate.JPG](http://2.bp.blogspot.com/_ubcMUFFwdEs/TRrKWzdLzBI/AAAAAAAAAIU/pYY0hgazY94/s1600/GrdEditITemTempplate.JPG))

Select the Edit Linkbutton and set the CommandName ="edit" and for Update is "update", Cancel="cancel" and for Delete ="delete"





([http://2.bp.blogspot.com/\\_ubcMUFFwdEs/TRrKmw62NQI/AAAAAAAAAIY/JNHhf4G0znk/s1600/GrdEditCommandName.JPG](http://2.bp.blogspot.com/_ubcMUFFwdEs/TRrKmw62NQI/AAAAAAAAAIY/JNHhf4G0znk/s1600/GrdEditCommandName.JPG))

Inserting the records and displaying the user name is already exists...

user name is already exists

Uid	<input type="text" value="A0001"/>
Name	<input type="text" value="Andrew"/>
Address	<input type="text" value="Hawk Street"/>
Salary	<input type="text" value="25000"/>
<input type="button" value="Insert"/>	

S.No	Uid	Name	Salary	Address	Edit	Delete
1	A0002	Amu	15000	12, Sunder Nagar	<a href="#">Edit</a>	<a href="#">Delete</a>
2	A0001	Rajat	12000	H.NO.12, Andra Street	<a href="#">Edit</a>	<a href="#">Delete</a>

([http://1.bp.blogspot.com/\\_ubcMUFFwdEs/TRrQh\\_xSyWI/AAAAAAAAAIk/YXoz-Tw64Vg/s1600/GrdInsert.JPG](http://1.bp.blogspot.com/_ubcMUFFwdEs/TRrQh_xSyWI/AAAAAAAAAIk/YXoz-Tw64Vg/s1600/GrdInsert.JPG))

Editing the records after click the EDIT button and it will open the Edittemplate where we place the Textbox controls

Uid	<input type="text" value="A0001"/>
Name	<input type="text" value="Andrew"/>
Address	<input type="text" value="Hawk Street"/>
Salary	<input type="text" value="25000"/>
<input type="button" value="Insert"/>	

S.No	Uid	Name	Salary	Address	Edit	Delete
1	A0002	Amu	15000	12, Sunder Nagar	<a href="#">Edit</a>	<a href="#">Delete</a>
2	A0001	Rajat	12000	H.NO.12, Andra Street	<a href="#">Edit</a>	<a href="#">Delete</a>

([http://2.bp.blogspot.com/\\_ubcMUFFwdEs/TRrQnSWWMKI/AAAAAAAAAIo/4yzvZFC7VxY/s1600/GrdEdit.JPG](http://2.bp.blogspot.com/_ubcMUFFwdEs/TRrQnSWWMKI/AAAAAAAAAIo/4yzvZFC7VxY/s1600/GrdEdit.JPG))

Here the data will delete after confirmation of the record when we click on DELETE button.

Uid	<input type="text" value="A0001"/>
Name	<input type="text" value="Andrew"/>
Address	<input type="text" value="Hawk Street"/>
Salary	<input type="text" value="25000"/>
<input type="button" value="Insert"/>	

S.No	Uid	Name	Salary	Address	Edit	Delete
1	A0002	Amu	15000	12, Sunder Nagar	<a href="#">Edit</a>	<a href="#">Delete</a>
2	A0001	Rajat	12000	H.NO.12, Andra Street	<a href="#">Edit</a>	<a href="#">Delete</a>

The page at http://localhost:4351/ says:

Are you sure you want to delete the current record?

([http://3.bp.blogspot.com/\\_ubcMUFFwdEs/TRrQvjyr\\_cl/AAAAAAAAAIs/baqTri-93ws/s1600/GrdDelete.JPG](http://3.bp.blogspot.com/_ubcMUFFwdEs/TRrQvjyr_cl/AAAAAAAAAIs/baqTri-93ws/s1600/GrdDelete.JPG))

\*Will add more how to use databound with Gridview Control

Hope you will like it...

Posted in [Asp.net \(http://howtouseasp.net/category/asp-net/\)](http://howtouseasp.net/category/asp-net/)

**SHARE THIS** [Twitter \(http://twitter.com/intent/tweet?status=How to use GridView with Insert, Edit, Update, Delete the Ado.net way C#+»+http://tinyurl.com/48ahy8c\)](http://twitter.com/intent/tweet?status=How+to+use+GridView+with+Insert,+Edit,+Update,+Delete+the+Ado.net+way+C#+%u+http://tinyurl.com/48ahy8c) [Facebook \(http://www.facebook.com/sharer/sharer.php?u=http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/&t=How to use GridView with Insert, Edit, Update, Delete the Ado.net way C#\)](http://www.facebook.com/sharer/sharer.php?u=http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/&t=How+to+use+GridView+with+Insert,+Edit,+Update,+Delete+the+Ado.net+way+C#) [Delicious \(http://del.icio.us/post?url=http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/&title=How to use GridView with Insert, Edit, Update, Delete the Ado.net way C#\)](http://del.icio.us/post?url=http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/&title=How+to+use+GridView+with+Insert,+Edit,+Update,+Delete+the+Ado.net+way+C#) [StumbleUpon \(http://www.stumbleupon.com/submit?url=http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/&title=How to use GridView with Insert, Edit, Update, Delete the Ado.net way C#\)](http://www.stumbleupon.com/submit?url=http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/&title=How+to+use+GridView+with+Insert,+Edit,+Update,+Delete+the+Ado.net+way+C#) [E-mail \(http://www.addtoany.com/email?linkurl=http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/&linkname=How to use GridView with Insert, Edit, Update, Delete the Ado.net way C#\)](http://www.addtoany.com/email?linkurl=http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/&linkname=How+to+use+GridView+with+Insert,+Edit,+Update,+Delete+the+Ado.net+way+C#) [+ \(http://www.addtoany.com/share\\_save?url=http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/&linkname=How to use GridView with Insert, Edit, Update, Delete the Ado.net way C#\)](http://www.addtoany.com/share_save?url=http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/&linkname=How+to+use+GridView+with+Insert,+Edit,+Update,+Delete+the+Ado.net+way+C#)

« [How to use Gridview Control with database and paging in Gridview asp.net c# \(http://howtouseasp.net/how-to-use-gridview-control-with-database-and-paging-in-gridview-asp-net-c/\)](http://howtouseasp.net/how-to-use-gridview-control-with-database-and-paging-in-gridview-asp-net-c/)

» [How to use GridView with Databound fields Ado.net way C# \(http://howtouseasp.net/how-to-use-gridview-with-databound-fields-ado-net-way-c/\)](http://howtouseasp.net/how-to-use-gridview-with-databound-fields-ado-net-way-c/)

## 14 comments on “How to use GridView with Insert, Edit, Update, Delete the Ado.net way C#”

1.  [Mohammed Asif Ali \(http://www.codeproject.com\)](http://www.codeproject.com) on [January 18, 2012 at 3:36 am \(http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/#comment-263\)](http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/#comment-263) said:

I like this add soo much it really gives up the good knowledge for the new learners and for exp persons to know about the complete process of data handling from Database using GridView


Thanks Again to the Author of this ADD

[Reply ↓ \(/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/?replytocom=263#respond\)](http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/?replytocom=263#respond)

2.  [Saahil on March 10, 2012 at 2:40 am \(http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/#comment-314\)](http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/#comment-314) said:

Really Yaar very very nice ,it is proof very helpful for me  
thax Dude ..







[Reply ↓ \(/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/?replytocom=314#respond\)](http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/?replytocom=314#respond)

3.  [praveen on March 10, 2012 at 9:06 am \(http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/#comment-316\)](http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/#comment-316) said:


it looks very understandable

[Reply ↓ \(/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/?replytocom=316#respond\)](http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/?replytocom=316#respond)



4.  Suguna on **March 20, 2012 at 10:01 am** (<http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/#comment-329>) said:  
hi,very nice article.it looks very understandble  
**Reply ↓** (<http://how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/?replytocom=329#respond>)
5.  humayunuma on **April 9, 2012 at 10:03 am** (<http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/#comment-338>) said:  
very nice to capture easily  
**Reply ↓** (<http://how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/?replytocom=338#respond>)
6.  ramesh on **April 25, 2012 at 9:45 am** (<http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/#comment-345>) said:  
good example  
**Reply ↓** (<http://how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/?replytocom=345#respond>)
7.  Rajesh on **May 10, 2012 at 12:10 pm** (<http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/#comment-353>) said:  
Nice article, easy to capture.  
**Reply ↓** (<http://how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/?replytocom=353#respond>)
8.  Rajesh on **June 6, 2012 at 11:57 am** (<http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/#comment-362>) said:  
ThankYou..  
**Reply ↓** (<http://how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/?replytocom=362#respond>)
9.  bob white on **June 7, 2012 at 9:24 pm** (<http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/#comment-363>) said:  
Hi,  
Very informative. I am now able to copy the sample into my website and it will work. What about if I do not want to edit inside the gridview. Would you be able to provide another example to edit in a popup form.  
thanks  
Bob

**Reply ↓** (<http://how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/?replytocom=363#respond>)

◦  **Vikram** (<http://www.howtouseasp.net>) on **June 8, 2012 at 11:05 am** (<http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/#comment-365>) said:

you can refer below link ...

**Click here** (<http://www.aspsnippets.com/Articles/Add-Edit-Update-Records-in-GridView-using-Modal-Popup-in-ASP.Net.aspx>)

with regards  
vik

**Reply ↓** (</how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/?replytocom=365#respond>)

10. bob white on **June 7, 2012 at 9:43 pm** (<http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/#comment-364>) said:



Hi,  
One Question regarding clicking edit link, I still see Delete button after I click edit link, how can I hide it in edit mode?

Bob

**Reply ↓** (</how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/?replytocom=364#respond>)

o



**Vikram** (<http://www.howtouseasp.net>) on **June 8, 2012 at 11:08 am** (<http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/#comment-366>) said:

well in edit try to search delete button and set property visible="false"

**Reply ↓** (</how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/?replytocom=366#respond>)

11. anish on **June 22, 2012 at 2:21 pm** (<http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/#comment-414>) said:



hi, thanks for the best tutorial i have gone through, exactly for my learning purpose.

Am looking for the similar database to be managed in session as temporary tables and later to be placed on main table. Say, when two login users perform the task of editing, deleting..each

willing to have guidance

**Reply ↓** (</how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/?replytocom=414#respond>)

12. dhananjay on **August 31, 2012 at 4:24 am** (<http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/#comment-445>) said:



Nice Post..helpfull for beginners..

**Reply ↓** (</how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/?replytocom=445#respond>)

## Leave a Reply

Your email address will not be published. Required fields are marked \*

Name \*

Email \*

Website

Comment

You may use these HTML tags and attributes: <a href="" title=""> <abbr title=""> <acronym title=""> <b> <blockquote cite=""> <code> <del datetime=""> <em> <i> <q cite=""> <strike> <strong>

Post Comment

## Joy of Helping

Any sort of help to the children who are fatherless, poor & are from far-off areas.

Joy of Helping (<https://www.facebook.com/pages/Joy-of-Helping/361753630568515>)

(<https://www.facebook.com/pages/Joy-of-Helping/361753630568515>)

(<http://www.facebook.com/business/dashboard/>)

Like 758

Type your search

GO



## Facebook Link

Asp dot Net ,Ajax,Xml. (<https://www.facebook.com/pages/Asp-dot-Net-AjaxXml/158909640819236>)

(<https://www.facebook.com/pages/Asp-dot-Net-AjaxXml/158909640819236>)



## Recent Posts

**[ROW\\_NUMBER\(\), NTILE\(\), partition by, Duplicate Records, CTE sql server 2008](http://howtouseasp.net/row_number-ntile-partition-by-duplicate-records-cte-sql-server-2008/)**

([http://howtouseasp.net/row\\_number-ntile-partition-by-duplicate-records-cte-sql-server-2008/](http://howtouseasp.net/row_number-ntile-partition-by-duplicate-records-cte-sql-server-2008/))

**[How to get second highest Salary sql server 2008](http://howtouseasp.net/how-to-get-second-highest-salary-sql-server-2008/)** (<http://howtouseasp.net/how-to-get-second-highest-salary-sql-server-2008/>)

**[Insert values, insert into, insert default value, insert execute and select into sql server 2008](http://howtouseasp.net/insert-values-insert-into-insert-default-value-insert-execute-and-select-into-sql-server-2008/)** (<http://howtouseasp.net/insert-values-insert-into-insert-default-value-insert-execute-and-select-into-sql-server-2008/>)

**[How to Bind GridView with SqlDataReader in Asp.net](http://howtouseasp.net/how-to-bind-gridview-with-sqldatareader-in-asp-net/)** (<http://howtouseasp.net/how-to-bind-gridview-with-sqldatareader-in-asp-net/>)

- **[how to attach files to email without storing on disk using Asp.net FileUpload control](http://howtouseasp.net/how-to-attach-files-to-email-without-storing-on-disk-using-asp-net-fileupload-control/)**

(<http://howtouseasp.net/how-to-attach-files-to-email-without-storing-on-disk-using-asp-net-fileupload-control/>)

## Recent Comments

- Anonymous on [ROW\\_NUMBER\(\), NTILE\(\), partition by, Duplicate Records, CTE sql server 2008](http://howtouseasp.net/row-number-ntile-partition-by-duplicate-records-cte-sql-server-2008/#comment-471) (<http://howtouseasp.net/row-number-ntile-partition-by-duplicate-records-cte-sql-server-2008/#comment-471>)
- dhananjay on [How to use GridView with Insert, Edit, Update, Delete the Ado.net way C#](http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/#comment-445) (<http://howtouseasp.net/how-to-use-gridview-with-insert-edit-update-delete-the-ado-net-way-c/#comment-445>)
- dev on [How can we limit the characters in multiline textbox asp.net using JavaScript](http://howtouseasp.net/how-can-we-limit-the-characters-in-multiline-textbox-asp-net-using-javascript/#comment-443) (<http://howtouseasp.net/how-can-we-limit-the-characters-in-multiline-textbox-asp-net-using-javascript/#comment-443>)
- navneet on [How to display image in Image control after upload on the server asp.net C#](http://howtouseasp.net/how-to-display-image-in-image-control-after-upload-on-the-server-asp-net-c/#comment-439) (<http://howtouseasp.net/how-to-display-image-in-image-control-after-upload-on-the-server-asp-net-c/#comment-439>)
- AnhVu on [How to do Shopping Cart in Asp.net C#](http://howtouseasp.net/how-to-do-shopping-cart-in-asp-net-c/#comment-435) (<http://howtouseasp.net/how-to-do-shopping-cart-in-asp-net-c/#comment-435>)

## Archives

- [February 2013](http://howtouseasp.net/2013/02/) (<http://howtouseasp.net/2013/02/>)
- [September 2012](http://howtouseasp.net/2012/09/) (<http://howtouseasp.net/2012/09/>)
- [April 2012](http://howtouseasp.net/2012/04/) (<http://howtouseasp.net/2012/04/>)
- [January 2012](http://howtouseasp.net/2012/01/) (<http://howtouseasp.net/2012/01/>)
- [October 2011](http://howtouseasp.net/2011/10/) (<http://howtouseasp.net/2011/10/>)
- [August 2011](http://howtouseasp.net/2011/08/) (<http://howtouseasp.net/2011/08/>)
- [May 2011](http://howtouseasp.net/2011/05/) (<http://howtouseasp.net/2011/05/>)
- [April 2011](http://howtouseasp.net/2011/04/) (<http://howtouseasp.net/2011/04/>)
- [March 2011](http://howtouseasp.net/2011/03/) (<http://howtouseasp.net/2011/03/>)

## Categories

- [Asp.net](http://howtouseasp.net/category/asp-net/) (<http://howtouseasp.net/category/asp-net/>)
- [jQuery](http://howtouseasp.net/category/jquery/) (<http://howtouseasp.net/category/jquery/>)
- [Sql Server](http://howtouseasp.net/category/sql-server/) (<http://howtouseasp.net/category/sql-server/>)

## Meta

- [Log in](http://howtouseasp.net/wp-login.php) (<http://howtouseasp.net/wp-login.php>)
- [Entries RSS](http://howtouseasp.net/feed/) (<http://howtouseasp.net/feed/>)
- [Comments RSS](http://howtouseasp.net/comments/feed/) (<http://howtouseasp.net/comments/feed/>)
- [WordPress.org](http://wordpress.org) (<http://wordpress.org>)

[How EvoLve](http://theme4press.com/evolve/) (<http://theme4press.com/evolve/>) theme by Theme4Press • Powered by [WordPress](http://wordpress.org) (<http://wordpress.org>)  
[to use Asp.net](http://howtouseasp.net) (<http://howtouseasp.net>)