

```
In [1]: import numpy as np
import matplotlib.pyplot as plt
%matplotlib inline
```

```
In [2]: import pandas as pd
```

```
In [3]: df = pd.read_csv(r"D:\College\TE\SEM-2\Practical\DSBDA\2\AcademicPerformance.csv")
```

```
In [4]: print(df)
```

	gender	race/ethnicity	parental level of education	lunch	\
0	female	group B	bachelor's degree	standard	
1	female	group C	some college	standard	
2	female	group B	master's degree	standard	
3	male	group A	associate's degree	free/reduced	
4	male	group C	some college	standard	
...	
2235	NaN	NaN	NaN	NaN	
2236	NaN	NaN	NaN	NaN	
2237	NaN	NaN	NaN	NaN	
2238	NaN	NaN	NaN	NaN	
2239	NaN	NaN	NaN	NaN	

	test preparation course	Year_Birth	math score	reading score	\
0	none	1970.0	72.0	72	
1	completed	1961.0	NaN	na	
2	none	1958.0	90.0	95	
3	none	1967.0	NaN	NaN	
4	none	1989.0	76.0	78	
...	
2235	NaN	NaN	NaN	NaN	
2236	NaN	NaN	NaN	NaN	
2237	NaN	NaN	NaN	NaN	
2238	NaN	NaN	NaN	NaN	
2239	NaN	NaN	NaN	NaN	

	writing score	Dt_Admission	College_Fees
0	74	6/16/14	\$84,835.00
1	A	6/15/14	\$57,091.00
2	93	5/13/14	\$67,267.00
3	44	05-11-2014	\$32,474.00
4	75	04-08-2014	\$21,474.00
...
2235	NaN	NaN	NaN
2236	NaN	NaN	NaN
2237	NaN	NaN	NaN
2238	NaN	NaN	NaN
2239	NaN	NaN	NaN

[2240 rows x 11 columns]

```
In [5]: print(df['math score'])
```

```
0      72.0
1      NaN
2     90.0
3      NaN
4     76.0
...
2235    NaN
2236    NaN
2237    NaN
2238    NaN
2239    NaN
Name: math score, Length: 2240, dtype: float64
```

```
In [6]: print(df['math score'].isnull())
```

```
0      False
1       True
2      False
3       True
4      False
...
2235     True
2236     True
2237     True
2238     True
2239     True
Name: math score, Length: 2240, dtype: bool
```

```
In [7]: print(df['reading score'])
```

```
0      72
1      na
2     95
3     NaN
4     78
...
2235    NaN
2236    NaN
2237    NaN
2238    NaN
2239    NaN
Name: reading score, Length: 2240, dtype: object
```

```
In [8]: print(df['reading score'].isnull())
```

```
0      False
1      False
2      False
3       True
4      False
...
2235     True
2236     True
2237     True
2238     True
2239     True
Name: reading score, Length: 2240, dtype: bool
```

```
In [9]: missing_values = ["n/a", "na", "--"]
df = pd.read_csv(r"D:\College\TE\SEM-2\Practical\DSBDA\2\AcademicPerformance.csv", na_v
```

```
In [10]: print(df['reading score'])
```

```
0      72.0
1      NaN
2      95.0
3      NaN
4      78.0
...
2235    NaN
2236    NaN
2237    NaN
2238    NaN
2239    NaN
Name: reading score, Length: 2240, dtype: float64
```

```
In [11]: print(df['reading score'].isnull())
```

```
0      False
1       True
2      False
3       True
4      False
...
2235     True
2236     True
2237     True
2238     True
2239     True
Name: reading score, Length: 2240, dtype: bool
```

```
In [12]: dataset = [11,41,20,3,101,55,68,97,99,6]
```

```
In [13]: sorted(dataset)
```

```
Out[13]: [3, 6, 11, 20, 41, 55, 68, 97, 99, 101]
```

```
In [14]: quantile1, quantile3 = np.percentile(dataset, [25,75])
```

```
In [15]: print(quantile1, quantile3)
```

```
13.25 89.75
```

```
In [16]: iqr_value = (quantile3 - quantile1)
```

```
In [17]: print(iqr_value)
```

```
76.5
```

```
In [18]: lower_bound_value = quantile1 - (1.5*iqr_value)
```

```
In [19]: upper_bound_value = quantile3 + (1.5*iqr_value)
```

```
In [20]: print(lower_bound_value, upper_bound_value)

-101.5 204.5
```

```
In [21]: from datetime import date
df['age'] = date.today().year - df['Year_Birth']
```

```
In [22]: df['Year'] = pd.DatetimeIndex(df['Dt_Admission']).year
df['E_L'] = date.today().year - df['Year']
```

```
In [23]: df.head(5)
```

Out[23]:

	gender	race/ethnicity	parental level of education	lunch	test preparation course	Year_Birth	math score	reading score	writing score	Dt_Admi
0	female	group B	bachelor's degree	standard	none	1970.0	72.0	72.0	74	6/
1	female	group C	some college	standard	completed	1961.0	NaN	NaN	A	6/
2	female	group B	master's degree	standard	none	1958.0	90.0	95.0	93	5/
3	male	group A	associate's degree	free/reduced	none	1967.0	NaN	NaN	44	05-11
4	male	group C	some college	standard	none	1989.0	76.0	78.0	75	04-08

```
In [24]: df['Fees$'] = df['College_Fees'].str.replace(',', '').str.replace('$', '').str.replace(
df['Fees_M$'] = df['Fees$'].apply(lambda X:round(X/1000000))
```

```
In [25]: df.head(5)
```

Out[25]:

	gender	race/ethnicity	parental level of education	lunch	test preparation course	Year_Birth	math score	reading score	writing score	Dt_Admi
0	female	group B	bachelor's degree	standard	none	1970.0	72.0	72.0	74	6/
1	female	group C	some college	standard	completed	1961.0	NaN	NaN	A	6/
2	female	group B	master's degree	standard	none	1958.0	90.0	95.0	93	5/
3	male	group A	associate's degree	free/reduced	none	1967.0	NaN	NaN	44	05-11
4	male	group C	some college	standard	none	1989.0	76.0	78.0	75	04-08

```
In [ ]:
```

