

The W3C CSS Validation Service

W3C CSS Validator results for TextArea (CSS level 3 + SVG)

Jump to: \

Warnings (1)

Validated CSS

W3C CSS Validator results for TextArea (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as CSS level 3 + SVG!

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:





(close the img tag with > instead of /> if using HTML <= 4.01)



The W3C validators rely on community support for hosting and development.

Donate and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

http://jigsaw.w3.org/css-validator/validator\$link
or

```
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

↑ TOP

Warnings (1)

URI: TextArea

3

Imported style sheets are not checked in direct input and file upload modes

↑ TOP

Valid CSS information

```
@import url('https://fonts.googleapis.com/css2?
family=Open+Sans&family=Oswald&display=swap');
 body, html {
    height: 100vh;
 aside {
    grid-area : sidebar;
    background-color : rgb(255, 255, 255);
 #img-logo {
    display : block;
    margin-left : auto;
margin-right : auto;
    width: 250px;
    height: 250px;
 header {
    grid-area : header;
    background-color: #ffd700;
  #menu li {
    list-style-type : none;
    display : block;
    margin-left : auto;
    margin-right : auto;
    width : 50%;
    text-align : center;
    letter-spacing : 0.1em;
  }
 #menu a {
    text-decoration : none;
    font-size : 30px;
    color: rgb(62, 13, 5, 0.8);
    font-weight`: 600;
font-family : 'Oswald', sans-serif;
  #menu a:hover {
    color: rgb(255, 255, 255);
  .navbar-toggler {
```

```
display : block;
margin-left : auto;
   margin-right : auto;
   padding : 10px;
   font-weight: 500;
.active {
  text-decoration : underline;
.img-index {
   width : 100%;
   height: 100%;
   object-fit : cover;
   object-position: 50% 50%;
.img-banner-index {
  opacity: 0.9;
width: 100%;
  height: 100%;
object-fit: cover;
object-position: 50% 50%;
   margin-top : 20px;
   margin-bottom : 20px;
main {
   grid-area : main;
  background-color : white;
font-family : 'Open Sans', sans-serif;
.home-headline h1 {
   text-align : center;
  padding : 25px;
margin-top : 30px;
   margin-bottom : 10px;
  padding : 30px;
color : rgb(62, 13, 5, 0.5);
font-weight : 500;
font-family : 'Oswald', sans-serif;
   letter-spacing : 0.05em;
   font-size : 60px;
.home-headline h3 {
   text-align : center;
   padding : 25px;
   margin-top : 30px;
   margin-bottom : 10px;
  padding : 10px;
color : rgb(62, 13, 5, 0.9);
font-weight : 600;
   letter-spacing : 0.05em;
}
.col-sm {
  width : 24%;
   height : auto;
  text-align : center;
color : rgb(62, 13, 5, 0.85);
padding : 30px;
.col-sm i {
  font-size : 4.4rem;
   padding-top : 10px;
   padding-bottom : 10px;
```

```
.col-sm .homeicon {
 color : rgb(255, 215, 0);
.col-sm h2 {
  margin-top: 50px;
  font-weight: 600;
.col-sm h3 {
  font-weight : 500;
.col-sm h4 {
  font-weight: 600;
.col-sm p {
  padding : 5px;
  margin : 15px;
  text-align : left;
  font-weight : 500;
.home-footer-style {
  background-color : rgb(255, 215, 0);
.homeicon:hover {
  color : rgb(255, 165, 0, 0.6);
.img-about {
  width : 100%;
  height : 100%;
  object-fit : cover;
object-position : 50% 50%;
.about-header-style {
  background-color : rgb(253, 139, 196, 0.7);
.about-footer-style {
  background-color : rgb(253, 139, 196, 0.7);
.about-container {
  box-sizing : border-box;
.about {
  padding: 30px;
  background-image: linear-gradient(to right, rgb(250, 175, 225), rgb(250, 175, 225,
  0.3));
  margin-bottom : 20px;
  margin-right : 20px;
margin-left : 20px;
.about h2 {
  padding : 5px;
  font-weight: 600;
  color : rgb(62, 13, 5, 0.85);
```

```
.about p {
  font-weight: 500;
  color: rgb(62, 13, 5, 0.85);
.about i {
 font-size : 40px;
.founder img {
  border-radius : 50%;
  display : block;
 margin-left : auto;
margin-right : auto;
  padding : 25px;
.img-recipes {
  width : 100%;
  height: 100%;
object-fit: cover;
  object-position: 60%;
.recipes-header-style {
  background-color: rgb(151, 231, 29, 0.5);
.recipes-footer-style {
  background-color: rgb(151, 231, 29, 0.5);
.recipe-header {
  text-align : center;
  padding : 10px;
.recipe-header h1 {
  padding: 25px 50px;
  color : rgb(151, 231, 29, 0.3);
font-family : 'Oswald', sans-serif;
letter-spacing : 0.05em;
  font-size : 60px;
.recipe-header p {
  padding-bottom : 25px;
  color : rgb(62, 13, 5, 0.85);
  font-weight : 500;
.recipe-header a {
  text-align : center;
  padding : 10px;
  color : rgb(62, 13, 5, 0.85);
  text-decoration : none;
.recipe-boxes {
  content : "";
  display : table;
  clear : both;
  padding : 20px 20px;
border : none;
  border-radius : 5px;
  margin: 50px;
  color: rgb(62, 13, 5, 0.85);
```

```
section .recipe-boxes {
 padding : 10px 10px;
.recipe-boxes div {
  float : left;
  height : auto;
  width : 100%;
.center-recipe {
  display : block;
margin-left : auto;
  margin-right : auto;
  width : 50%;
#box1 {
  width : 100%;
  padding: 30px;
  margin-left : auto;
  margin-right : auto;
  border-radius : 1%;
  background-color: rgb(151, 231, 29, 0.5);
#box1 h2 {
  padding : 5px 5px;
  font-weight : 600;
#box1 h3 {
   padding : 5px 5px;
  font-weight: 600;
#box1 i {
  padding: 5px 5px;
  font-size : 20px;
#box1 span {
  padding-right : 10px;
  font-weight : 600;
  font-size : 18px;
#box1 p {
  padding: 5px 5px;
  font-weight: 600;
  font-size : 18px;
#box1 li {
   display : list-item;
#box2 {
  width : 100%;
  padding : 30px;
  margin-left : auto;
  margin-right : auto;
border-radius : 1%;
  background-color: rgb(151, 231, 29, 0.5);
}
```

```
padding : 5px 5px;
  font-weight: 600;
#box2 h3 {
  padding : 5px 5px;
  font-weight: 600;
#box2 i {
  padding: 5px 5px;
  font-size : 20px;
#box2 span {
  padding-right : 10px;
  font-weight : 600;
  font-size : 18px;
#box2 p {
  padding : 5px 5px;
  font-weight : 600;
  font-size : 18px;
#box2 li {
  display : list-item;
#box3 {
  width : 100%;
  padding : 30px;
margin-Left : auto;
  margin-right : auto;
  border-radius : 1%;
  background-color: rgb(151, 231, 29, 0.5);
#box3 h2 { padding : 5px 5px;
  font-weight: 600;
#box3 h3 {
  padding : 5px 5px;
  font-weight: 600;
#box3 i {
  padding : 5px 5px;
  font-size : 20px;
#box3 span {
  padding-right : 10px;
  font-weight: 600;
  font-size : 18px;
}
#box3 p {
  padding : 5px 5px;
  font-weight: 600;
  font-size : 18px;
```

```
display : list-item;
#footer {
  text-decoration : none;
.img-playlists {
  width : 100%;
  height : 100%;
  object-fit : cover;
  object-position: 50% 50%;
div iframe {
   display : inline-block;
  vertical-align : middle;
  width : 100%;
  padding : 20px 20px;
margin-top : 25px;
  margin-bottom : 25px;
  border-width : 0;
.playlists-header-style {
  background-color: rgb(63, 25, 202, 0.5);
  font-weight : 600;
.playlists-footer-style {
  background-color: rgb(63, 25, 202, 0.5);
#playlist-header {
  text-align : center;
  padding : 25px;
  margin-top : 30px;
  margin-bottom : 10px;
  padding : 10px;
  color: rgb(62, 13, 5, 0.9);
#playlist-header h1 {
  color : rgb(63, 25, 202, 0.5);
font-weight : 500;
font-family : 'Oswald', sans-serif;
  letter-spacing : 0.05em;
  font-size : 60px;
.playlisticon i {
  font-size : 70px;
padding : 5px 5px;
  color: rgb(63, 25, 202, 0.8);
.playlisticon i:hover
  color: rgb(63, 25, 202, 0.2);
.img-connect {
  width : 100%;
height : 100%;
  object-fit : cover;
.connect-header-style {
  background-color : rgb(255, 165, 0);
```

```
font-weight : 600;
  font-family : 'Oswald', sans-serif;
#connect-background {
  background-color: rgb(99, 172, 229, 0.15);
  width : 98%;
  height : auto;
  padding : 40px;
border : rgb(255, 165, 0) solid 2px;
  border-radius : 2%;
  margin-left : auto;
  margin-right : auto;
  margin-top : 10px;
  color: rgb(255, 165, 0);
.cwu-form p {
  padding : 5px 5px;
  margin : 15px;
  font-size : 16px;
  font-weight : 500;
.cwu-form h2 {
  padding-top : 15px;
  padding-bottom : 5px;
  font-weight: 600;
.cwu-form h4 \{
  margin-top : 30px;
  margin-bottom : 15px;
  font-weight : 500;
.cwu-form i {
  font-size : 30px;
  margin-left: 5px;
margin-right: 5px;
  margin-top : 5px;
  margin-bottom : 5px;
.handle i {
  font-size : 40px;
  display : inline-block;
color : rgb(255, 165, 0);
text-align : left;
  padding : 15px;
.handle input {
  padding : 5px;
.cwu-form label {
  padding : 5px;
  font-weight: 600;
.cwu-form input {
  padding : 5px;
border : rgb(255, 165, 0) solid 2px;
  border-radius : 3%;
  background-color : rgb(255, 255, 255);
```

.button-style {

```
padding : 30px;
.button-style input {
  border : rgb(255, 165, 0) solid 2px;
  background-color : transparent;
  height: 50px;
  font-weight: 600;
  display : inline-block;
display : block;
  margin-left : auto;
  margin-right : auto;
  width : 50%;
  color: rgb(255, 165, 0);
.cwu-form i:hover {
  color: rgb(99, 172, 229);
input:hover {
  color: rgb(99, 172, 229);
.button-style input:hover {
  color: rgb(99, 172, 229);
.our-details {
  margin-left : auto;
  margin-right : auto;
font-weight : 500;
  text-align : left;
  padding: 20px;
.our-details h5 {
  font-weight : 700;
  color: rgb(255, 165, 0);
text-decoration: underline;
.our-details i {
  font-size : 30px;
padding : 5px;
  margin-bottom : 5px;
.our-details a {
  text-decoration : none;
  color: rgb(255, 165, 0);
.our-details span {
  color : rgb(255, 165, 0);
.our-details a:hover {
  color: rgb(99, 172, 229);
.our-details i:hover {
  color: rgb(99, 172, 229);
.connect-footer-style {
  background-color : rgb(255, 165, 0);
```

}

```
#backtoheader {
  display : none;
position : fixed;
  bottom : 5px;
  right: 5px;
  z-index: 99;
border: rgb(62, 13, 5) solid 3px;
font-size: 18px;
  outline : none;
  background-color : rgb(255, 255, 255);
color : rgb(62, 13, 5);
  cursor : pointer;
  padding: 10px;
   border-radius : 4px;
#backtoheader:hover {
  background-color : white;
  border : none;
footer {
  grid-area : footer;
  padding : 10px 0 20px 0;
  text-align : center;
margin-top : 20px;
#copyright-style {
  font-size: 15px;
  color: rgb(62, 13, 5, 0.8);
  font-weight: 500;
.sm-links {
  display : flex;
  justify-content : center;
  margin : 0 auto;
width : 100%;
  overflow : auto;
}
.sm-links a {
  padding : 10px;
   text-align : center;
  text-decoration : none;
  border-radius : 0;
  font-size : 30px;
   color: rgb(62, 13, 5, 0.8);
.sm-links a:hover {
  color : rgb(255, 255, 255);
.error-container {
  background-color: #ffd700;
.error-logo {
  width : 100%;
  display : block;
  margin-left : auto;
margin-right : auto;
```

.error-container h1 {

```
color : rgb(62, 13, 5, 0.7);
font-family : 'Oswald', sans-serif;
font-size : 100px;
  text-align : center;
.error-container p {
  color : rgb(62, 13, 5, 0.8);
font-family : 'Open Sans', sans-serif;
font-size : 30px;
  font-weight : 500;
  text-align : center;
.error-container a {
  color : rgb(62, 13, 5, 0.8);
font-family : 'Oswald', sans-serif;
font-size : 30px;
  font-weight: 700;
.error-container a:hover {
  color: rgb(255, 255, 255);
@media only screen and (max-width: 320px) {
 body {
    margin: 0;
    display : grid;
    grid-template-columns : 100%;
    grid-template-rows : auto;
    grid-template-areas : "header" "sidebar" "sect1" "sect2" "sect3" "main" "footer";
@media only screen and (max-width: 640px) and (min-width: 320px) {
  body {
    margin: 0;
    display : grid;
    grid-template-columns : 100%;
    grid-template-rows : auto;
    grid-template-areas : "header" "sidebar" "sect1" "sect2" "sect3" "main" "footer";
  .handle i {
    font-size : 30px;
display : inline-block;
color : rgb(255, 165, 0);
    text-align : left;
@media only screen and (min-width: 640px) {
  body {
    margin: 0;
    display : grid;
    grid-template-columns : 100%;
    grid-template-rows : auto;
grid-template-areas : "header" "sidebar" "sect1" "sect2" "sect3" "main" "footer";
  }
@media only screen and (min-width: 700px) {
  body {
    margin : 0;
```

```
display : grid;
    grid-template-columns : 100%;
    grid-template-rows : auto;
    grid-template-areas : "header" "sidebar" "sect1" "sect2" "sect3" "main" "footer";
  .handle i {
    font-size: 30px;
    display : block;
color : rgb(255, 165, 0);
    text-align : left;
}
@media only screen and (min-width: 768px) {
    margin : 0;
    display : grid;
    grid-template-columns : 100%;
    grid-template-rows : auto;
    grid-template-areas : "header" "sidebar" "sect1" "sect2" "sect3" "main" "footer";
  .handle i {
    font-size : 30px;
    display : inline-block;
color : rgb(255, 165, 0);
    text-align : left;
@media only screen and (min-width: 900px) {
  body {
    margin: 0;
    display : grid;
    grid-template-columns : 20% auto auto;
    grid-template-rows : auto;
    grid-template-areas : "sidebar header header header" "sidebar sect1 sect2 sect3"
"sidebar main main main" "sidebar footer footer";
  }
@media only screen and (min-width: 1200px) {
  body {
    margin: 0;
    display : grid;
    grid-template-columns : 20% auto auto;
    grid-template-rows : auto;
    grid-template-areas : "sidebar header header header" "sidebar sect1 sect2 sect3"
"sidebar main main main" "sidebar footer footer";
  .handle i {
    font-size: 30px;
    display : block;
color : rgb(255, 165, 0);
    text-align : left;
```

↑ TOP



COPYRIGHT © 1994-2014 W3C® (MIT, ERCIM, KEIO, BEIHANG), ALL
RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE
AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE
IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.