Surname		Other names				
Pearson Edexcel Level 1/Level 2 GCSE (9-1	Centre Number		Candidate Number			
Mathematics Paper 1 (Non-Calculator)						
			Higher Tier			

# **Instructions**

• Use **black** ink or ball-point pen.

Tracing paper may be used.

• **Fill in the boxes** at the top of this page with your name, centre number and candidate number.

protractor, pair of compasses, pen, HB pencil, eraser.

- Answer **all** questions.
- Answer the questions in the spaces provided
   there may be more space than you need.
- You must **show all your working**.
- Diagrams are **NOT** accurately drawn, unless otherwise indicated.

You must have: Ruler graduated in centimetres and millimetres,

Calculators may not be used.

# Information

- The total mark for this paper is 80
- The marks for **each** question are shown in brackets
  - use this as a guide as to how much time to spend on each question.

### **Advice**

- Read each question carefully before you start to answer it.
- Keep an eye on the time.
- Try to answer every question.
- Check your answers if you have time at the end.

X

Total Marks

Turn over ▶







# Answer ALL questions.

Write your answers in the spaces provided.

You must write down all the stages in your working.

1 (a) Work out  $2\frac{1}{7} + 1\frac{1}{4}$ 



(b) Work out 
$$1\frac{1}{5} \div \frac{3}{4}$$

Give your answer as a mixed number in its simplest form.



(Total for Question 1 is 4 marks)

2 In a village

the number of houses and the number of flats are in the ratio 7:4 the number of flats and the number of bungalows are in the ratio 8:5

There are 50 bungalows in the village.

How many houses are there in the village?

(Total for Question 2 is 3 marks)



3 Renee buys 5 kg of sweets to sell. She pays £10 for the sweets.

Renee puts all the sweets into bags. She puts 250 g of sweets into each bag. She sells each bag of sweets for 65p.

Renee sells all the bags of sweets.

Work out her percentage profit.

.....


(Total for Question 3 is 4 marks)

_							
	A cycle race across America is 3069.25 miles in length.						
	Juan knows his average speed for his previous races is 15.12 miles per hour. For the next race across America he will cycle for 8 hours per day.						
	(a) Estimate how many days Juan will take to complete the race.						
		(3)					
	Juan trains for the race.						
	The average speed he can cycle at increases. It is now 16.27 miles per hour.						
	(b) How does this affect your answer to part (a)?						

(1) (Total for Question 4 is 4 marks)



5 Here is a solid square-based pyramid, VABCD.




The base of the pyramid is a square of side 6 cm.

The height of the pyramid is 4cm.

M is the midpoint of BC and VM = 5 cm.

(a) Draw an accurate front elevation of the pyramid from the direction of the arrow.




(2)

(b) Work out the total surface area of the pyramid.						
	(4) (Total for Question 5 is 6 marks)					

6 A pattern is made from four identical squares.

The sides of the squares are parallel to the axes.



Point A has coordinates (6, 7)

Point B has coordinates (38, 36)


Point *C* is marked on the diagram.

Work out the coordinates of *C*.

(.....

(Total for Question 6 is 5 marks)

7



Shape **T** is reflected in the line x = -1 to give shape **R**. Shape **R** is reflected in the line y = -2 to give shape **S**.

Describe the single transformation that will map shape T to shape S.

(Total for Question 7 is 2 marks)

8 The perimeter of a right-angled triangle is 72 cm. The lengths of its sides are in the ratio 3:4:5

Work out the area of the triangle.

.....cm<sup>2</sup>

(Total for Question 8 is 4 marks)

9	(a) Write down the value of $36^{\frac{1}{2}}$	
	(b) Write down the value of 23°	(1)
	(c) Work out the value of $27^{-\frac{2}{3}}$	(1)


(2)

(Total for Question 9 is 4 marks)

10 The table gives some information about the heights of 80 girls.

Least height	133 cm
Greatest height	170 cm
Lower quartile	145 cm
Upper quartile	157 cm
Median	151 cm

(a) Draw a box plot to represent this information.




(3)

(b) Work out an estimate for the number of these girls with a height between 133 cm and 157 cm.

(2)

(Total for Question 10 is 5 marks)

11



A and B are points on a circle, centre O.

BC is a tangent to the circle. AOC is a straight line. Angle  $ABO = x^{\circ}$ .

Find the size of angle *ACB*, in terms of *x*. Give your answer in its simplest form. Give reasons for each stage of your working.

(Total for Question 11 is 5 marks)

12 Prove that the square of an odd number is always 1 more than a multiple of 4

(Total for Question 12 is 4 marks)

13  $\sqrt{5}(\sqrt{8} + \sqrt{18})$  can be written in the form  $a\sqrt{10}$  where a is an integer.

Find the value of *a*.

*a* = .....

(Total for Question 13 is 3 marks)

**14** *y* is inversely proportional to  $d^2$  When d = 10, y = 4

d is directly proportional to  $x^2$ When x = 2, d = 24

Find a formula for y in terms of x. Give your answer in its simplest form.

(Total for Question 14 is 5 marks)

15 (a) Factorise  $a^2 - b^2$ 

(1)

(b) Hence, or otherwise, simplify fully  $(x^2 + 4)^2 - (x^2 - 2)^2$ 

(3)

(Total for Question 15 is 4 marks)

16 There are only red counters, blue counters and purple counters in a bag. The ratio of the number of red counters to the number of blue counters is 3:17

Sam takes at random a counter from the bag. The probability that the counter is purple is 0.2

Work out the probability that Sam takes a red counter.


(Total for Question 16 is 3 marks)



17 Simplify fully  $\frac{3x^2 - 8x - 3}{2x^2 - 6x}$ 

(Total for Question 17 is 3 marks)

**18** Here is the graph of  $y = \sin x^{\circ}$  for  $-180 \leqslant x \leqslant 180$ 



On the grid, sketch the graph of  $y = \sin x^{\circ} - 2$  for  $-180 \le x \le 180$ 

(Total for Question 18 is 2 marks)

19 The point P has coordinates (3, 4)

The point Q has coordinates (a, b)

A line perpendicular to PQ is given by the equation 3x + 2y = 7

Find an expression for b in terms of a.

(Total for Question 19 is 5 marks)

**20** *n* is an integer such that  $3n + 2 \le 14$  and  $\frac{6n}{n^2 + 5} > 1$  Find all the possible values of *n*.

(Total for Question 20 is 5 marks)

TOTAL FOR PAPER IS 80 MARKS



# Mark Scheme (Results)

Summer 2018

Pearson Edexcel GCSE (9 – 1) In Mathematics (1MA1) Higher (Non-Calculator) Paper 1H

#### **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at <a href="https://www.edexcel.com">www.edexcel.com</a> or <a href="https://www.edexcel.com">www.btec.co.uk</a>. Alternatively, you can get in touch with us using the details on our contact us page at <a href="https://www.edexcel.com/contactus">www.edexcel.com/contactus</a>.

## Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: <a href="https://www.pearson.com/uk">www.pearson.com/uk</a>

Summer 2018
Publications Code 1MA1\_1H\_1806\_MS
All the material in this publication is copyright
© Pearson Education Ltd 2018

## General marking guidance

These notes offer general guidance, but the specific notes for examiners appertaining to individual questions take precedence.

1 All candidates must receive the same treatment. Examiners must mark the last candidate in exactly the same way as they mark the first.

Where some judgement is required, mark schemes will provide the principles by which marks will be awarded; exemplification/indicative content will not be exhaustive. When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the response should be sent to review.

All the marks on the mark scheme are designed to be awarded; mark schemes should be applied positively. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme. If there is a wrong answer (or no answer) indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

Questions where working is not required: In general, the correct answer should be given full marks.

**Questions that specifically require working**: In general, candidates who do not show working on this type of question will get no marks – full details will be given in the mark scheme for each individual question.

#### 3 Crossed out work

This should be marked **unless** the candidate has replaced it with an alternative response.

#### 4 Choice of method

If there is a choice of methods shown, mark the method that leads to the answer given on the answer line.

If no answer appears on the answer line, mark both methods then award the lower number of marks.

#### 5 Incorrect method

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review for your Team Leader to check.

# 6 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working as you can check the answer, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

### 7 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question or its context. (eg. an incorrectly cancelled fraction when the unsimplified fraction would gain full marks).

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect (eg. incorrect algebraic simplification).

## 8 Probability

Probability answers must be given as a fraction, percentage or decimal. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

## 9 Linear equations

Unless indicated otherwise in the mark scheme, full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously identified in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded (embedded answers).

#### 10 Range of answers

Unless otherwise stated, when an answer is given as a range (e.g 3.5 - 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and all numbers within the range.

#### 11 Number in brackets after a calculation

Where there is a number in brackets after a calculation E.g.  $2 \times 6$  (=12) then the mark can be awarded **either** for the correct method, implied by the calculation **or** for the correct answer to the calculation.

#### 12 Use of inverted commas

Some numbers in the mark scheme will appear inside inverted commas E.g. " $12" \times 50$ ; the number in inverted commas cannot be any number – it must come from a correct method or process but the candidate may make an arithmetic error in their working.

## 13 Word in square brackets

Where a word is used in square brackets E.g. [area]  $\times$  1.5 : the value used for [area] does **not** have to come from a correct method or process but is the value that the candidate believes is the area. If there are any constraints on the value that can be used, details will be given in the mark scheme.

#### 14 Misread

If a candidate misreads a number from the question. Eg. uses 252 instead of 255; method or process marks may be awarded provided the question has not been simplified. Examiners should send any instance of a suspected misread to review.

## Guidance on the use of abbreviations within this mark scheme

- M method mark awarded for a correct method or partial method
- **P** process mark awarded for a correct process as part of a problem solving question
- A accuracy mark (awarded after a correct method or process; if no method or process is seen then full marks for the question are implied but see individual mark schemes for more details)
- **C** communication mark
- **B** unconditional accuracy mark (no method needed)
- **oe** or equivalent
- cao correct answer only
- ft follow through (when appropriate as per mark scheme)
- **sc** special case
- dep dependent (on a previous mark)
- indep independent
- awrt answer which rounds to
- **isw** ignore subsequent working

Paper: 1MA1	/1H			
Question	Answer	Mark	Mark scheme	Additional guidance
1 (a)	$\frac{95}{28}$	M1	for a method to add using common denominators with at least one fraction correct (matching numerator with common denominator) eg $\frac{60}{28} + \frac{35}{28}$ or $(2) \frac{4}{28} + (1) \frac{7}{28}$	Use of decimals gets no credit unless it leads to a correct fraction
		A1	$\frac{95}{28}$ oe eg $3\frac{11}{28}$	
(b)	$1\frac{3}{5}$	M1 A1	for $\frac{6}{5} \times \frac{4}{3}$ or $\frac{24}{20} \div \frac{15}{20}$ or $\frac{8}{5}$ oe eg $1\frac{9}{15}$	Use of decimals gets no credit unless it leads to a correct fraction
2	140	P1 P1	for beginning to solve the problem eg $50 \div 5 \times 8$ (= 80) or $14 : 8 : 5$ oe or $14 : 8$ and $8 : 5$ oe (linked) for a full process to solve the problem eg "80" $\div 4 \times 7$ or $\frac{50}{5} \times$ "14" or $140 : 80 : 50$	80 may be seen in the ratio 80 : 50
		A1	cao	If 140 clearly identified as houses in working award full marks

Paper: 1MA1	/1H			
Question	Answer	Mark	Mark scheme	Additional guidance
3	30	P1	for full process to find the number of bags sold eg $5 \times 1000 \div 250$ (= 20)	This could be by repeated addition  Calculations can be in £ or pence
			<b>OR</b> for process to find selling price of 1 kg of sweets eg $0.65 \times 4 = 2.60$	
		P1	for [number of bags] $\times$ 0.65 <b>or</b> "20" $\times$ 0.65 (= 13) <b>or</b> "2.60" $\times$ 5 (= 13)	[number of bags] can only come from $5 \times 10 \div 250 = 0.2$
			<b>OR</b> for 10 ÷ "20" oe (= 0.50)	or $5 \times 100 \div 250 (= 2)$ or $5 \div 250 (= 0.02)$
			<b>OR</b> for $0.65 \times 4 \ (= 2.60)$ and $10 \div 5 \ (= 2)$	
		P1	(dep on previous P1) for a process to find the percentage profit eg ("13" – 10) $\div$ 10 × 100 <b>or</b> (0.65 – "0.50") $\div$ "0.50" × 100 <b>or</b> ("2.60" – "2") $\div$ "2" × 100	3/10 or 0.3 is not enough but should be awarded 2 marks
			<b>OR</b> "13" ÷ 10 ×100 (= 130) oe	Award P3 for 130(%)
		A1	cao	

Paper	Paper: 1MA1/1H						
Ques	tion	Answer	Mark	Mark scheme	Additional guidance		
4	(a)	Estimated value	P1	for using a rounded value in a correct process eg $3000 \div 15$ or $15 \times 8$ or $20 \times 8$	Their rounded value must be used in a calculation		
					Rounding may appear after a correct process eg $15.12 \times 8 = 120.96 \approx 100$ followed by eg $3069.25 \div 100$		
			P1	for a full process to find the number of days eg "3000" ÷ "15" ÷ "10" (= 20) <b>or</b> "3000" ÷ "15" ÷ 8 (= 25)	Accept 3069.25 ÷ 15.12 ÷ 8 oe		
			A1	for a correct answer following through their rounded values			
	(b)	Explanation	C1	eg less days required  or it doesn't affect the answer because I would still round 16.27 down to 15 (or up to 20)	Refers to time taken		

Pape	er: 1MA1	/1 <b>H</b>			
Que	stion	Answer	Mark	Mark scheme	Additional guidance
5	(a)	isosceles triangle, base 6 cm, height 4 cm	M1	for drawing an isosceles triangle or for drawing a triangle of base 6cm and height 4cm	Accept a freehand drawing Only a single triangle is acceptable; do <b>not</b> accept any attempted nets or 3-D diagrams
			A1	for a fully correct diagram	Condone a perpendicular drawn from base to vertex
	(b)	96 cm <sup>2</sup>	M1	for a method to find the area of a triangular face eg $\frac{1}{2} \times 6 \times 5$ (= 15)	
			M1	(dep) for finding the total surface area eg $4 \times "15" + 6 \times 6$	
			A1	for a numerical answer of 96	Ignore incorrect or absent units for this mark
				SC B1 for an answer of 84 if M0 scored	[The SC is from: $4 \times \frac{1}{2} \times 6 \times 4 + 6 \times 6$ ]
			B1	$cm^2$	Ignore incorrect or absent numerical answer for this mark

Paper: 1MA1	/1 <b>H</b>			
Question	Answer	Mark	Mark scheme	Additional guidance
6	(22, 20)	P1	for process to find width or height of diagram eg $38 - 6 (= 32)$ or $36 - 7 (= 29)$	Figures may be shown on the diagram
		P1	for process to find length of side of square eg "32" ÷ 4 (= 8)	
			or process to find half width of diagram eg "32" ÷ 2 (= 16)	
		P1	for process to find x coordinate eg $6 + 2 \times \text{``8''} (= 22)$ or $6 + \text{``16''} (= 22)$ or $(6 + 38) \div 2 (= 22)$	If (6 + 38) ÷ 2 leads to an answer other than 22, award P2 only
		P1	for process to find y coordinate eg $36 - 2 \times \text{``8''} (= 20)$ or $36 - \text{``16''} (= 20)$ or $7 + \text{``8''} + \text{``29''} - 3 \times \text{``8''} (= 20)$	
		A1	cao	Award for P3 for (22, y) or $(x, 20)$ or $x = 22$ or $y = 20$
			SC: award 4 marks for (20, 22)	
7	rotation 180° about (-1, -2) <b>or</b>	B2	rotation 180° about $(-1, -2)$ or enlargement sf $-1$ centre $(-1, -2)$	Condone missing brackets but do not accept centre written as a vector
	enlargement sf -1	(B1	rotation 180° <b>or</b> rotation about (-1, -2)	Do not accept 'half turn' for 'rotation 180°'
	centre (-1, -2)		<b>OR</b> enlargement sf $-1$ <b>or</b> enlargement centre $(-1, -2)$ )	Ignore references to clockwise and
			Award no marks for the description if more than one transformation is given	anticlockwise
			SC B1 for fully correct diagram if B0 scored	Triangles at $(-3, 1)$ , $(-5, 1)$ , $(-4, 3)$ and $(-3, -5)$ , $(-5, -5)$ , $(-4, -7)$

Paper: 1MA1	/1 <b>H</b>			
Question	Answer	Mark	Mark scheme	Additional guidance
8	216	P1	for process to work with ratio eg $72 \div (3 + 4 + 5)$ (= 6) or $72 \div 12$ (= 6)	
		P1	for process to find length of base or height of triangle eg $3 \times \text{``6''} (= 18)$ or $4 \times \text{``6''} (= 24)$	
			<b>OR</b> process to find area scale factor eg "6" × "6" (= 36)	
		P1	complete process to find the area of the triangle eg $\frac{1}{2} \times \text{``}18\text{''} \times \text{``}24\text{''}$ or $\frac{1}{2} \times 3 \times 4 \times \text{``}6\text{''}^2$	
		A1	cao	
9 (a)	6	B1	cao	Accept ±6
(b)	1	B1	cao	
(c)	$\frac{1}{9}$	M1	for evidence of working with a cube root eg $\sqrt[3]{27}$ or $\sqrt[3]{729}$	
			<b>OR</b> evidence of working with a reciprocal $\begin{pmatrix} 1 & \frac{2}{3} \end{pmatrix}$	
			eg $\frac{1}{27^{2/3}}$ or $\left(\frac{1}{27}\right)^{\frac{2}{3}}$	
		A1	cao	

Paper: 1MA1	/1H			
Question	Answer	Mark	Mark scheme	Additional guidance
10 (a)	Box plot drawn	В3	for a fully correct box plot	Condone the lack of a vertical marker at the end of the tails
		(B2	for at least 3 correctly plotted values including box and whiskers/tails)	Note that a box must be present, as must "tails"
		(B1	for at least 2 correctly plotted values including box or whiskers/tails or 5 correct values plotted or clearly identified and no box or whiskers/tails)	
(b)	60	M1	for a method to find $\frac{3}{4}$ of 80 eg $20 + 20 + 20$ or $\frac{3}{4} \times 80$	
		A1	cao	
11	90 - 2x	M1	for identifying an unknown angle eg $BAO = x$ , $AOB = 180 - 2x$ , $OBC = 90$ , $ABC = 90 + x$	Could be shown on the diagram alone
		M1	full method to find the required angle eg a method leading to $180 - x - x - 90$	Needs to be an algebraic method Accept $x + x + 90 + y = 180$ for M2
		A1	for $90-2x$	
		C2	(dep M2) full reasons for their method, from base angles in an <u>isosceles triangle</u> are equal <u>angles</u> in a <u>triangle</u> add up to 180° a <u>tangent</u> to a circle is perpendicular to the <u>radius (diameter)</u> <u>angles</u> on a straight <u>line</u> equal 180° the <u>exterior angle</u> of a triangle is <u>equal</u> to the sum of the <u>interior opposite angles</u>	Underlined words need to be shown; reasons need to be linked to their method; any reasons not linked do not credit.
		(C1	(dep M1) for a <u>tangent</u> to a circle is perpendicular to the <u>radius</u> ( <u>diameter</u> )	Apply the above criteria

Paper: 1MA1	Paper: 1MA1/1H					
Question	Answer	Mark	Mark scheme	Additional guidance		
12	Statement supported by	B1	writing a general expression for an odd number eg $2n+1$	Could be $2n-1$ , $2n+3$ , etc		
	algebra	M1	(dep) for expanding ("odd number") <sup>2</sup> with at least 3 out of 4 correct terms	Note that $4n^2 + 4n + 2$ or $2n^2 + 4n + 1$ in expansion of $(2n + 1)^2$ is to be regarded as 3 correct terms		
		A1	for correct simplified expansion, eg $4n^2 + 4n + 1$			
		C1	(dep A1) for a concluding statement eg $4(n^2 + n) + 1$ (is one more than a multiple of 4)			
13	5	M1	for $\sqrt{40}$ or $\sqrt{90}$			
			OR $2\sqrt{2}$ or $3\sqrt{2}$			
		M1	for $2\sqrt{10}$ or $3\sqrt{10}$ or $\sqrt{4} \times \sqrt{10}$ or $\sqrt{9} \times \sqrt{10}$ or $\sqrt{4 \times 10}$ or $\sqrt{9 \times 10}$			
			<b>OR</b> $2\sqrt{2} + 3\sqrt{2}$			
		A1	cao	Answer of $5\sqrt{10}$ from correct working		
				gets M2 A0		


Paper: 1MA1	Paper: 1MA1/1H					
Question	Answer	Mark	Mark scheme	Additional guidance		
14	$y = \frac{100}{9x^4}$	P1	for setting up a correct proportional relationship, eg $d \propto x^2$ or $d = kx^2$	Condone the use of ' $\alpha$ ' instead of '=' for the four P marks		
		P1	for setting up a second proportional relationship, eg $y \propto \frac{1}{d^2}$ or $y = \frac{K}{d^2}$			
		P1	(dep P1) for a process to find one of the constants of proportionality eg $24 = k \times 2^2$ ( $k = 6$ ) or $4 = K \div 100$ ( $K = 400$ )			
		P1	full process to find y in terms of x eg y = $\frac{"400"}{("6"x^2)^2}$ oe	Both constants must come from a correct process		
		A1	$y = \frac{100}{9x^4}$ oe	Expression must have been simplified, but could be given other equivalent ways eg $y = 11.111x^{-4}$		

Paper: 1MA1	Paper: 1MA1/1H					
Question	Answer	Mark	Mark scheme	Additional guidance		
15 (a)	(a-b)(a+b)	B1	cao	Accept reversed brackets		
(b)	$12(x^2+1)$	M1	for using 'a' = $x^2 + 4$ and 'b' = $x^2 - 2$			
			<b>OR</b> multiplying out both brackets, at least one fully correct	Correct 4 terms if not simplified or 3 terms if simplified		
		M1	(dep) for a correct expression for $(a' + b')(a' - b')$ with no additional brackets, simplified or unsimplified eg $(x^2 + 4 + x^2 - 2)(x^2 + 4 - x^2 + 2)$ or $(2x^2 + 2) \times 6$			
			<b>OR</b> ft for a correct expression without brackets, simplified or unsimplified eg $x^4 + 8x^2 + 16 - x^4 + 4x^2 - 4$			
		A1	for $12(x^2+1)$ or $12x^2+12$ oe			

Paper: 1MA1	/1 <b>H</b>			
Question	Answer	Mark	Mark scheme	Additional guidance
16	0.12	P1	for process to start eg $(1-0.2) \div (3+17)$ (= 0.04)	Just $1 - 0.2 = 0.8$ is <b>not</b> sufficient for P1
			or $(3 + 17) \div (1 - 0.2)$ oe $(= 25)$ or $(100 - 20) \div (3 + 17)$ $(= 4)$	
			or $3 \times 4 (= 12)$ and $17 \times 4 (= 68)$	May be seen in a ratio
		P1	full process to find the required probability	
			eg 3 × "0.04" or $\frac{3}{20}$ × (1 – 0.2) oe or 3 ÷ "25" or 3 × "4" ÷ 100	
		A1	oe	0.12 using incorrect probability notation gets P2
17	$\frac{3x+1}{2x}$	M1	for $(3x+1)(x-3)$ or $2x(x-3)$	Accept $(2x + 0)$ for the first two marks but not for the final answer
		A1	for $(3x+1)(x-3)$ and $2x(x-3)$	
		A1	$\frac{3x+1}{2x}$ oe	
18	Graph drawn	C2	for graph translated by $-2$ in the y direction	Key points: (-180, -2), (-90, -3), (0, -2), (90, -1), (180, -2)
		(C1	for a graph translated in the y direction	
			<b>OR</b> for a correct graph through four of the five key points)	

Paper: 1MA1	aper: 1MA1/1H					
Question	Answer	Mark	Mark scheme	Additional guidance		
19	$b = \frac{2}{3}a + 2$	P1	for process to rearrange the equation to give $y$ in terms of $x$			
	3		eg $y = \frac{7-3x}{2}$ or $y = -\frac{3}{2}x + \left(\frac{7}{2}\right)$ or $m = -\frac{3}{2}$			
		P1	for using their gradient in $mn = -1$			
		P1	for showing a process to find the gradient of $PQ$ eg $\frac{b-4}{a-3}$			
			<b>OR</b> for substituting $x = 3$ and $y = 4$ in $y = \frac{2}{3}x + c$			
		P1	(dep P3) for forming an equation in $a$ and $b$ eg $\frac{b-4}{a-3} = \frac{2}{3}$ or $b = \frac{2}{3}$ or $a = \frac{2}{3}$			
			<b>OR</b> correct equation in terms of $x$ and $y$	2		
			eg $y = \frac{2}{3}x + 2$	$y-4 = \frac{2}{3}(x-3)$ gets P4		
		A1	for $b = \frac{2}{3}a + 2$ oe	Accept 0.66 or 0.67 oe for 2/3		

Paper: 1MA1/	/1H			
Question	Answer	Mark	Mark scheme	Additional guidance
20	2, 3, 4	M1	for method to solve $3n + 2 \le 14$ eg $n \le (14 - 2) \div 3$ oe	This could be shown within an equation rather than an inequality at this stage
		M1	for complete method to rearrange $\frac{6n}{n^2 + 5} > 1$ to the form $an^2 + bn + c$ (< 0)	For the 2rd and 3rd M marks condone no '< 0' and condone use of incorrect inequality signs or '='
		M1	for method to begin to solve $n^2 - 6n + 5 $ (< 0) eg $(n \pm 5)(n \pm 1)$ (< 0)	Accept $\frac{6 \pm \sqrt{(-6)^2 - 4 \times 1 \times 5}}{2 \times 1}$
				(condone one sign error)
		M1	(dep on previous M2) for $n > 1$ and $n \le 4$ or $1 < n < 5$	Must come from correct working Could be shown on a number line
		A1	(dep M4) cao	
			Alternative method	
		M1	for method to solve $3n + 2 \le 14$ eg $n \le (14 - 2) \div 3$ oe	This could be shown within an equation rather than an inequality at this stage
			<b>OR</b> for $3 \times 4 + 2 = 14$	
		M3	for trials with 1, 2, 3 and 4 in the quadratic inequality, correctly evaluated	The values from the trials may be given as improper fractions eg $\frac{24}{21}$ , $\frac{18}{14}$ , $\frac{12}{9}$ , $\frac{6}{6}$
		(M2	for trials with three of 1, 2, 3 and 4, correctly evaluated)	
		(M1	for trials with two of 1, 2, 3 and 4, correctly evaluated)	
		A1	(dep M4) cao	



# Modifications to the mark scheme for Modified Large Print (MLP) papers.

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:

Angles: ±5°

Measurements of length: ±5 mm

Paper	: 1MA1	/1H			
Que	stion	Modification	Mark scheme notes		
5	(a)	Model and a diagram provided. Diagram enlarged. Dashed lines made longer and thicker. Dotted lines made more obvious.  Question reversed: Four different options of the front view of the pyramid have been provided. The pyramid has been put on page one for question 23(a) and the four shapes labelled A to D have been put on page two for question 23(a).  Question changed to 'Look at the model or at the diagrams for Question 23(a) in the Diagram Book. They are shown on two pages in the Diagram Book.  Page one shows a solid square-based pyramid, VABCD.  The base of the pyramid is a square of side 6 cm. The height of the pyramid is 4 cm.  M is the midpoint of BC and VM = 5 cm.  Page two for Question 23 shows four shapes, labelled A, B, C and D. Each square represents a one centimetre square.  Which shape shows the accurate front elevation of the pyramid from the direction of the arrow?'  [See below for diagram]	Award 1 mark for an answer of D Award 2 marks for an answer of C NB: Accept any other unambiguous indication of the answer such the diagram indicated by circling etc.		

Paper: 1MA1	Paper: 1MA1/1H					
Question	Modification	Mark scheme notes				
5		See above for question 5 mark scheme.				
	Question 5 – Page two Each square represents a one centimetre square.  B  B					

Paper	Paper: 1MA1/1H					
Ques	stion	Modification	Mark scheme notes			
6		Diagram enlarged. Crosses changed to solid dots. Wording changed to 'It shows a pattern made from four identical squares.'	Standard mark scheme			
7		Question reversed. Diagram enlarged. Shading changed to dotty shading. Shapes R and S also drawn on the grid. Shapes labelled, shape R, shape S and shape T. Axis extended to go from minus 8 to 5. One unlabelled shape is provided. Wording added 'A cut out shape is available if you wish to use it.' New question wording 'Look at the diagram for Question 7 in the Diagram Book. It shows shape T, shape R and shape S on a grid. A cut out shape is available if you wish to use it.  (a) Describe the single transformation that maps shape T to shape R. [1 mark]  (b) Describe the single transformation that maps shape T to shape S. [1 mark].	(a) B1 for "a reflection in the line $x = -1$ " (b) B1 for "rotation 180° about $(-1, -2)$ " or "enlargement sf $-1$ centre $(-1, -2)$ " Note: award either 0, 1 or 2 for Q7; do not award separate marks for (a) and (b) on MLP scripts.			
10		Values in the table changed: Least height changed from 133 cm to 135 cm. Upper quartile changed from 157 cm to 160 cm. Median changed from 151 cm to 150 cm.				
10	(a)	Diagram enlarged. Wording added 'It shows a grid.' The axis label to the left of the horiz.axis.	Standard mark scheme			
10	(b)	Question wording changed to, 'Work out an estimate for the number of these girls with a height between 135 cm and 160 cm'.	Standard mark scheme			

Paper	Paper: 1MA1/1H					
Que	stion	Modification	Mark scheme notes			
11		Diagram enlarged. Dot at O made bigger.  Dashed line added from OB and an angle arc has been marked labelled $x^{\circ}$ .	Standard mark scheme			
15	(a)	Braille only: $a$ changed to $q$ and $b$ changed to $r$ .	Standard mark scheme with $a$ changed to $q$ and $b$ changed to $r$ for Braille.			
15	(b)	x changed to $y$ – MLP only.	Standard mark scheme with $x$ changed to $y - MLP$ only.			
18		Diagram enlarged. Wording changed to 'It shows'.	Standard mark scheme, but apply normal tolerance for MLP papers in taking readings.			