## GI side effects during treatment period

	Experimental		Control					
Study	Events	Total	Events	Total	Risk Ratio	RR	95%-CI	Weight
nausea								
Stoffel-a, 2017	2	19	6	21	<del></del>	0.37	[0.08; 1.61]	8.1%
Kaundal, 2019	7	31	12	31	*	0.58	[0.27; 1.28]	15.5%
Mehta, 2020	2	20	5	20		0.40	[0.09; 1.83]	7.8%
Von Siebenthal, 2023	33	75	41	75	E3	0.80	[0.58; 1.12]	22.3%
Jongkraijakra, 2023	3	29	4	30	- in-	0.78	[0.19; 3.17]	8.6%
Pasupathy, 2023	6	100	4	100	<del>                                      </del>	1.50	[0.44; 5.15]	10.1%
Random effects model (Hartung-Knapp Heterogeneity: $I^2 = 0\%$ , $p = 0.65$	)	274		277		0.76	[0.56; 1.02]	72.3%
any								
Oflas-A, 2020	5	50	12	50	- 100 H	0.42	[0.16; 1.10]	13.1%
Oflas-B, 2020	5	50	34	50		0.15	[0.06; 0.35]	14.6%
Random effects model (Hartung-Knapp Heterogeneity: $I^2 = 60\%$ , $p = 0.11$	)	100		100		0.24	[0.00; 178.79]	27.7%
Random effects model (Hartung-Knapp Heterogeneity: $I^2 = 59\%$ , $p = 0.02$	)	374		377		0.52	[0.29; 0.93]	100.0%
Test for subgroup differences: $p = 0.03$					0.001 0.1 1 10 1000 avors Alternate Favors Daily	)		