

LAPORAN TUGAS PERTEMUAN 6 (LAYOUT DAN NAVIGASI)



DISUSUN OLEH:

AMEL KALIMBUANG

H0724524

PENDIDIKAN TEKNOLOGI INFORMASI

FAKULTAS KEGURUAN DAN ILMU PENDIDIKAN


UNIVERSITAS SULAWESI BARAT

2026

Konsep Layout di Flutter

Praktikum 1: Mengatur Tata Letak (Layout) di Flutter

1. Output




2. Hasil Kode Program

```
File Edit Selection View Go ... main.dart - Flutter - Visual Studio Code Sign In
EXPLORER
FLUTTER
  aplikasi_amel
    .dart_tool
    .idea
    android
    build
    ios
    lib
      main.dart
    linux
    macos
    test
    web
    windows
    .gitignore
main.dart aplikasi_amel\...
aplikasi_amel > lib > main.dart > HomePage > build
7 class HomePage extends StatelessWidget {
11   Widget build(BuildContext context) {
20     Icon(Icons.archive),
27     SizedBox(width: 10),
28     Text(
29       'Artikel Terbaru',
30       style: TextStyle(fontWeight: FontWeight.bold),
31     ), // Text
32   ],
33 }, // Row
34 const SizedBox(height: 10),
35 Card(
36   child: Column(
37     children: [
38       Image.network(
39         'https://upload.wikimedia.org/wikipedia/commons/thumb/6/6c/B
```


Praktikum 2: Membangun Layout di Flutter

Outputnya :



Praktikum 3: Widget Bertingkat (Nested Widget)

Hasil Kode Program



The screenshot shows the Visual Studio Code interface with the 'pubspec.yaml' file open. The file contains the following content:

```
! pubspec.yaml
50 # following page: https://dart.dev/tools/pub/pubspec
51
52 # The following section is specific to Flutter packages.
53 flutter:
54
55 # The following line ensures that the Material Icons font is
56 # included with your application, so that you can use the icons in
57 # the material Icons class.
58 uses-material-design: true
59
60 assets:
61   - assets/images/
62
63 # To add assets to your application, add an assets section, like this:
64 # assets:
65 #   - images/a_dot_burr.jpeg
66 #   - images/a_dot_ham.jpeg
67
68 # An image asset can refer to one or more resolution-specific "variants" see
```

The bottom panel shows the 'OUTPUT' tab with the following message:

```
Downloading packages...
Got dependencies!
3 packages have newer versions incompatible with dependency constraints.
Try 'flutter pub outdated' for more information.
exit code 0
```

Outputnya


Widget Bertingkat



Ini adalah aplikasi Flutter

Praktikum 4: Contoh Coding: Membuat Tampilan Login Sederhana


Kode program



```
lib > main.dart > LoginPage > build
3 void main() {
4   runApp(const LoginApp());
5 }
6
7 class LoginApp extends StatelessWidget {
8   const LoginApp({super.key});
9
10  @override
11  Widget build(BuildContext context) {
12    return MaterialApp(
13      title: 'Login App',
14      theme: ThemeData(
15        primarySwatch: Colors.blue,
16        visualDensity: VisualDensity.adaptivePlatformDensity,
17        appBarTheme: AppBarTheme(backgroundColor: Colors.white),
18      ), // ThemeData
19      home: const LoginPage(),
20    ); // MaterialApp
21  }
22 }
```


PS C:\Mahasiswa\Flutter\login_sederhana> flutter run
http://127.0.0.1:63831/RR3Covd5ZUs=/devtools/?uri=ws://127.0.0.1:63831/RR3Covd5ZUs=/ws
Starting application from main method in: org.dartlang-app/web_entrypoint.dart.

Outputnya




Praktikum 5: Membangun Layout UI Sederhana (Real Case)

Kode program




Output yg di hasilkan




Praktikum 6: Implementasi Text Section (Styling & Kerapian UI) & Praktikum 7: Image Section & Layout Lebih Rapi

Outpunya (hasil)



Tugas 1 : Praktikum 6




Code Program

```


File Edit Selection View ... main.dart - tugas1_praktikum6 - Visual Studio Code
EXPLORER
  TUGAS1_PRAKTIKUM6
    assets
      images
        labuan_bajo.jpg
    build
    ios
    lib
      main.dart
    linux
    macos
    test
    web
    windows
    .gitignore
    .metadata
    analysis_options.yaml
    pubspec.lock
    pubspec.yaml
    README.md
    tugas1_praktikum6.iml
    OUTLINE
    TIMELINE
    DEPENDENCIES

main.dart
1  class MyApp extends StatelessWidget {
2
3    @override
4    Widget build(BuildContext context) {
5      return MaterialApp(
6        debugShowCheckedModeBanner: false,
7        home: Scaffold(
8          appBar: AppBar(
9            title: const Text("Wisata Indonesia"),
10           backgroundColor: const Color.fromARGB(255, 143, 63, 9), // biar nuar
11         ),
12         body: SingleChildScrollView(
13           child: Column(
14             crossAxisAlignment: CrossAxisAlignment.start,
15             children: [
16               // IMAGE (FULL WIDTH)
17               Image.asset(
18                 "assets/images/labuan_bajo.jpg",
19                 width: double.infinity,
20                 height: 200,
21                 fit: BoxFit.cover,
22               ),
23               const SizedBox(height: 16),
24             ],
25           ),
26         ),
27       );
28     }
29   }
30 }


```



```
lib > main.dart
7 class MyApp extends StatelessWidget {
11   Widget build(BuildContext context) {
12     return MaterialApp(
13       home: Scaffold(
14         body: SingleChildScrollView(
15           // TITLE + RATING
16           padding: const EdgeInsets.all(16),
17           child: Row(
18             mainAxisAlignment: MainAxisAlignment.spaceBetween,
19             children: [
20               // Judul & lokasi
21               Column(
22                 crossAxisAlignment: CrossAxisAlignment.start,
23                 children: const [
24                   Text(
25                     "Labuan Bajo",
26                     style: TextStyle(
27                       fontSize: 20,
28                       fontWeight: FontWeight.bold,
29                     ),
30                   ),
31                   SizedBox(height: 4),
32                   Text(
33                     "Nusa Tenggara Timur, Indonesia"
```



```
34                   ),
35                   SizedBox(height: 4),
36                   Text(
37                     "Nusa Tenggara Timur, Indonesia",
38                     style: TextStyle(
39                       color: Colors.grey,
40                     ),
41                   ),
42                 ],
43               ),
44             // Rating
45             Row(
46               children: const [
47                 Icon(Icons.star, color: Colors.amber),
48                 SizedBox(width: 4),
49                 Text("4.9"),
50               ],
51             ),
52           ),
53         ),
54       ),
55     ),
56   ),
57 ),
58 ),
59 ),
60 ),
61 ),
62 ),
63 ),
64 ),
65 ),
66 ),
67 ),
68 ),
69 ),
70 ),
71 ),
72 ),
73 ),
74 ),
75 ),
76 ),
77 ),
78 ),
79 ),
80 ),
81 ),
82 ),
83 ),
84 ),
85 ),
86 ),
87 ),
88 ),
89 ),
90 ),
91 ),
92 ),
93 ),
94 ),
95 ),
96 ),
97 ),
98 ),
99 ),
100 ),
```



```
101 ),
102 ),
103 ),
104 ),
105 ),
106 ),
107 ),
108 ),
109 ),
110 ),
111 ),
112 ),
113 ),
114 ),
115 ),
116 ),
117 ),
118 ),
119 ),
120 ),
121 ),
122 ),
123 ),
124 ),
125 ),
126 ),
127 ),
128 ),
129 ),
130 ),
131 ),
132 ),
133 ),
134 ),
135 ),
136 ),
137 ),
138 ),
139 ),
140 ),
141 ),
142 ),
143 ),
144 ),
145 ),
146 ),
147 ),
148 ),
149 ),
150 ),
151 ),
152 ),
153 ),
154 ),
155 ),
156 ),
157 ),
158 ),
159 ),
160 ),
161 ),
162 ),
163 ),
164 ),
165 ),
166 ),
167 ),
168 ),
169 ),
170 ),
171 ),
172 ),
173 ),
174 ),
175 ),
176 ),
177 ),
178 ),
179 ),
180 ),
181 ),
182 ),
183 ),
184 ),
185 ),
186 ),
187 ),
188 ),
189 ),
190 ),
191 ),
192 ),
193 ),
194 ),
195 ),
196 ),
197 ),
198 ),
199 ),
200 ),
```

```
lib > main.dart
7 class MyApp extends StatelessWidget {
11   Widget build(BuildContext context) {
12     return MaterialApp(
14       home: Scaffold(
20         body: SingleChildScrollView(
86           const SizedBox(height: 10),
87           // DESKRIPSI
88           const Padding(
89             padding: EdgeInsets.all(16),
90             child: Text(
91               "Labuan Bajo adalah salah satu destinasi wisata terkenal di Indonesia.
92               Tempat ini dikenal sebagai gerbang menuju Taman Nasional Komodo dan
93               bukit eksotis, serta pantai unik seperti Pink Beach. Labuan Bajo men
94               textAlign: TextAlign.justify,
95               style: TextStyle(fontSize: 14),
96             ),
97           ),
98         ),
99       ),
100     ),
101   ),
102 },
103
104
105
106 }
```

```
101   ),
102   ),
103   ),
104   ),
105   ),
106   ),
107   ),
108   ),
109   ),
110   ),
111   ),
112   ),
113   ),
114   ),
115   ),
116   ),
117   ),
```

```
118   ),
119   ),
120   ),
121   ),
122   ),
123   ),
124   ),
125   ),
126   ),
127   ),
128   ),
129   ),
130   ),
131   ),
132   ),
133   ),
134   ),
135   ),
136   ),
```

1) Fungsi Column

`Column` digunakan untuk menyusun widget secara **vertikal (atas ke bawah)**.

Contoh pada aplikasi:

- gambar
- judul
- tombol
- deskripsi

Semua disusun dari atas ke bawah menggunakan `Column`.

2) Fungsi Row

`Row` digunakan untuk menyusun widget secara **horizontal (kiri ke kanan)**.

Contoh:

- judul & rating (sejajar kiri-kanan)
- icon CALL, ROUTE, SHARE

3) Bagian Tersulit

Bagian tersulit dalam praktikum ini adalah:

- mengatur layout agar rapi
- menentukan posisi widget menggunakan `Row` dan `Column`
- memastikan gambar tampil dengan benar (tidak gepeng dan full width)

Selain itu, pengaturan `Padding` dan `SizedBox` juga penting agar tampilan tidak terlalu rapat.

Konsep Navigasi dan Route di Flutter



Praktikum 1: Navigasi Sederhana (Home → Detail)

Latihan Praktikum 1 Navigasi


Coba ubah:

1. Ganti teks tombol
2. Tambahkan teks di halaman Detail
3. Ubah warna AppBar

Outputnya:



Tampilan Kode



```
lib > main.dart > ...
8  class MyApp extends StatelessWidget {
11  @override
12  Widget build(BuildContext context) {
13    return MaterialApp(
14      debugShowCheckedModeBanner: false,
15      home: const HomePage(),
16    ); // MaterialApp
17  }
18  }
19
20  // ===== HOME PAGE =====
21  class HomePage extends StatelessWidget {
22    const HomePage({super.key});
23
24    @override
25    Widget build(BuildContext context) {
26      return Scaffold(
27        appBar: AppBar(
28          title: const Text("Home Page"),
29        ),
30      );
31    }
32  }
33  }
```

PS C:\Mahasiswa\Flutter\navigasi_sederhana> flutter run
The Flutter DevTools debugger and profiler on Edge is available at:
http://127.0.0.1:53421/tqvek30DwgU=/devtools/?uri=ws://127.0.0.1:53421/tqvek30DwgU=/ws
Starting application from main method in: org-dartlang-app/web_entrypoint.dart.


Praktikum 2: Navigasi dengan Kirim Data (Home → Detail)

Latihan Praktikum

Coba ubah:

1. Ganti nama & NIM
2. Tambahkan data baru (misalnya jurusan)
3. Tampilkan 3 data sekaligus

Outputnya:




Praktikum 2.5: Form Input → Kirim Data ke Detail

Latihan Praktikum 2.5

1. Tambahkan input jurusan
2. Tampilkan di halaman detail
3. Ubah tampilan jadi lebih rapi

Outputnya:




Input Data

Nama
Amel Kalimbuang

NIM
H0724524

Kirim Data



Detail

Nama: Amel Kalimbuang
NIM: H0724524

Praktikum 3: Navigasi dengan Named Route

Latihan Praktikum




1. Tambahkan halaman baru (`/profil`)
2. Tambahkan tombol ke halaman tersebut
3. Ubah teks di setiap halaman

Challenge

Buat:

- 3 halaman berbeda
- navigasi saling terhubung

Outputnya:




Praktikum 3.5: Named Route + Form Input + Kirim Data

Latihan Praktikum 3.5

1. Tambahkan input jurusan
2. Kirim ke halaman detail
3. Tampilkan semua data

Outputnya:




Praktikum 4: Menampilkan Data dengan ListView

Latihan Praktikum 4

1. Tambahkan 5 data baru
2. Ubah icon
3. Tambahkan subtitle

Outputnya:





Praktikum 5: ListView + Navigasi (Mini App Sederhana)

Latihan Praktikum 5


1. Tambahkan subtitle
2. Tambahkan icon berbeda
3. Tambahkan 10 data baru

Outputnya:




Praktikum 6: Mini Project: Aplikasi Wisata (ListView + Model + Gambar + Detail)

Outputnya yang di hasilkan:




Tugas 2: Praktikum 6 (Layout & Navigasi)


Kode Program



```
lib > main.dart
1  import 'package:flutter/material.dart';
2
3  void main() {
4    runApp(MyApp());
5  }
6
7  // ===== MAIN =====
8  class MyApp extends StatelessWidget {
9    @override
10   Widget build(BuildContext context) {
11     return MaterialApp(
12       title: 'Kuliner App',
13       debugShowCheckedModeBanner: false,
14       home: HomePage(),
15     );
16   }
17 }
18
19 // ===== MODEL =====
20 class Kuliner {
21   String nama;
22   String gambar;
23   String deskripsi;
24
25   Kuliner({
26     required this.nama,
```



```
lib > main.dart
20  class Kuliner {
21
22    Kuliner({
23      required this.nama,
24      required this.gambar,
25      required this.deskripsi,
26    });
27  }
28
29  // ===== HOME =====
30  class HomePage extends StatelessWidget {
31
32    final List<Kuliner> dataKuliner = [
33      Kuliner(
34        nama: "Nasi Goreng",
35        gambar: "assets/images/Nasi-Goreng-Padang.jpg",
36        deskripsi: "Makanan khas Indonesia yang digoreng dengan bumbu rempah.",
37      ),
38      Kuliner(
39        nama: "Sate Ayam",
40        gambar: "assets/images/sate_ayam.jpg",
41        deskripsi: "Daging ayam yang dibakar dan disajikan dengan saus kacang.",
42      ),
43      Kuliner(
44        nama: "Bakso",
45        gambar: "assets/images/bakso_malang.JPG",
46      ),
47    ];
48  }
```



```
lib > main.dart
33  class HomePage extends StatelessWidget {
34
35    final List<Kuliner> dataKuliner = [
36      Kuliner(
37        nama: "Nasi Goreng",
38        gambar: "assets/images/Nasi-Goreng-Padang.jpg",
39        deskripsi: "Makanan khas Indonesia yang digoreng dengan bumbu rempah.",
40      ),
41      Kuliner(
42        nama: "Sate Ayam",
43        gambar: "assets/images/sate_ayam.jpg",
44        deskripsi: "Daging ayam yang dibakar dan disajikan dengan saus kacang.",
45      ),
46      Kuliner(
47        nama: "Bakso",
48        gambar: "assets/images/bakso_malang.JPG",
49        deskripsi: "Bola daging dengan kuah hangat yang lezat.",
50      ),
51    ];
52  }
53
54  @override
55  Widget build(BuildContext context) {
56    return Scaffold(
57      appBar: AppBar(
58        title: Text("Daftar Kuliner"),
59        backgroundColor: Colors.orange,
60      ),
61      body: ListView.builder(
62        itemCount: dataKuliner.length,
63        itemBuilder: (context, index) {
64          final item = dataKuliner[index];
65
66          return Card(
67            margin: EdgeInsets.all(10),
68            child: ListTile(
69              leading: Image.asset(
70                item.gambar,
```

This screenshot shows the implementation of the `HomePage` class in `main.dart`. The class extends `StatelessWidget` and implements the `build(BuildContext context)` method. It returns a `Scaffold` widget with a `ListView.builder` for displaying a list of items. Each item is represented by a `Card` widget containing an image, a title, and a subtitle. A `Navigator.push` call is used to navigate to the `DetailPage` when an item is tapped.

```
lib > main.dart
33 class HomePage extends StatelessWidget {
34   Widget build(BuildContext context) {
35     return Scaffold(
36       body: ListView.builder(
37         itemBuilder: (context, index) {
38           leading: Image.asset(
39             item.gambar,
40             width: 60,
41             height: 60,
42             fit: BoxFit.cover,
43           ),
44
45           title: Text(item.nama),
46           subtitle: Text(item.deskripsi),
47
48           onTap: () {
49             Navigator.push(
50               context,
51               MaterialPageRoute(
52                 builder: (context) => DetailPage(data: item),
53               ),
54             );
55           },
56         ),
57       ),
58     );
59   }
60 }
```


This screenshot shows the implementation of the `DetailPage` class in `main.dart`. The class extends `StatelessWidget` and implements the `build(BuildContext context)` method. It takes a `Kuliner` object as a parameter and displays its details. The page features an `AppBar` with the item's name and a `Column` widget containing the item's image and description.

```
lib > main.dart > HomePage > dataKuliner
96 // ===== DETAIL =====
97 class DetailPage extends StatelessWidget {
98   final Kuliner data;
99
100   DetailPage((required this.data));
101
102   @override
103   Widget build(BuildContext context) {
104     return Scaffold(
105       appBar: AppBar(
106         title: Text(data.nama),
107         backgroundColor: Colors.orange,
108       ), // AppBar
109
110       body: Column(
111         crossAxisAlignment: CrossAxisAlignment.start,
112         children: [
113           Image.asset(
114             data.gambar,
115             width: double.infinity,
116             height: 220,
117             fit: BoxFit.cover,
118           ), // Image.asset
119
120           // Text
121         ],
122       ),
123     );
124   }
125 }
```


This screenshot shows the implementation of the `DetailPage` class in `main.dart`, focusing on the styling of the text elements. The `Text` widgets are wrapped in `Padding` and styled with `TextStyle` properties such as `fontSize`, `fontWeight`, and `textAlign`.

```
lib > main.dart > HomePage > dataKuliner
97 class DetailPage extends StatelessWidget {
98   Widget build(BuildContext context) {
99
100     Padding(
101       padding: EdgeInsets.all(16),
102       child: Text(
103         data.nama,
104         style: TextStyle(
105           fontSize: 22,
106           fontWeight: FontWeight.bold,
107         ), // TextStyle
108       ), // Text
109     ), // Padding
110
111     Padding(
112       padding: EdgeInsets.symmetric(horizontal: 16),
113       child: Text(
114         data.deskripsi,
115         textAlign: TextAlign.justify,
116       ), // Text
117     ), // Padding
118   ], // Column
119 ); // Scaffold
120 }
```

Bagian pubspec.yaml



Output yang di hasilkan:



A. Judul

Mini Project Aplikasi Kuliner

B. Deskripsi

Aplikasi ini menampilkan daftar makanan khas Indonesia seperti nasi goreng, sate, dan bakso. Pengguna dapat melihat detail makanan dengan klik pada item.

C. Penjelasan Kode

- **ListView** → menampilkan daftar makanan
- **Navigator** → berpindah halaman
- **Kirim data** → menggunakan constructor

D. Kendala

Kendalanya itu gambar tidak muncul karena path salah dan lupa pubspec.yaml

E. Kesimpulan

Saya belajar membuat aplikasi Flutter dengan ListView, navigasi, dan pengiriman data.