

```

/*
=====
=====
    NOCTURNE & CO. – EXOTIC PET STORE
    Application logic (vanilla JS, hash-
    routed single page app)

=====
===== */

(function(){
"use strict";

/* -----
-----
    0. Small utilities
-----
----- */
const qs = (sel, ctx=document) =>
ctx.querySelector(sel);
const qsa = (sel, ctx=document) =>
Array.from(ctx.querySelectorAll(sel));
const uid = (prefix='id') => prefix + '_' +
Math.random().toString(36).slice(2,9) +
Date.now().toString(36).slice(-4);
const esc = (str='') =>
String(str).replace(/[\<>"']/g, m =>
({'&': '&','<': '<','>': '>','"': '&q
uot;',"'": '&#39;'}[m]));
const money = (n) => '₹' +

```

```

Number(n||0).toLocaleString('en-IN');
const clamp = (n,min,max) => Math.max(min,
Math.min(max,n));

function toast(msg, ms=2600){
  let t = qs('#toast');
  t.textContent = msg;
  t.classList.add('show');
  clearTimeout(toast._t);
  toast._t =
setTimeout(()=>t.classList.remove('show'),
ms);
}

/* -----
-----
1. Default data (seed content –
placeholder imagery via Unsplash)
-----
----- */
const PLACEHOLDER = {
  hero: 'https://images.unsplash.com/photo-
1585110396000-c9ffd4e4b308?
q=80&w=1600&auto=format&fit=crop',
  iguana:
'https://images.unsplash.com/photo-
1590952244953-a5eb1373c1f6?
q=80&w=900&auto=format&fit=crop',
  tarantula:
'https://images.unsplash.com/photo-
1601758124277-f0086d5d0c0e?
q=80&w=900&auto=format&fit=crop',
  hedgehog:
'https://images.unsplash.com/photo-

```

```

1425082661705-1834bfd09dca?
q=80&w=900&auto=format&fit=crop',
  turtle:
    'https://images.unsplash.com/photo-
1437622368342-7a3d889d1698?
q=80&w=900&auto=format&fit=crop',
    snake:
    'https://images.unsplash.com/photo-
1531386151447-fd76ad50012f?
q=80&w=900&auto=format&fit=crop',
    fish: 'https://images.unsplash.com/photo-
1524704796725-9fc3044a58b2?
q=80&w=900&auto=format&fit=crop',
    accessories:
    'https://images.unsplash.com/photo-
1520716963369-9b0a5b160130?
q=80&w=900&auto=format&fit=crop',
    food: 'https://images.unsplash.com/photo-
1585110396000-c9ffd4e4b308?
q=80&w=900&auto=format&fit=crop'
  };

```

```

function defaultData(){
  const cats = [
    { id:'cat_iguana',
      name:'Iguana',          icon:'🦎',
      image: PLACEHOLDER.iguana,
      isLiveAnimal:true,  order:1 },
    {
      id:'cat_tarantula',name:'Tarantula',
      icon:'🕷️', image:
      PLACEHOLDER.tarantula,
      isLiveAnimal:true,  order:2 },
    { id:'cat_hedgehog',

```

```

    name: 'Hedgehog',          icon: '🦔',
    image: PLACEHOLDER.hedgehog,
    isLiveAnimal: true, order: 3 },
    { id: 'cat_turtle',
    name: 'Turtle',            icon: '🐢',
    image: PLACEHOLDER.turtle,
    isLiveAnimal: true, order: 4 },
    { id: 'cat_other',    name: 'Other Exotic
    Pets',    icon: '🐍', image:
    PLACEHOLDER.snake,
    isLiveAnimal: true, order: 5 },
    { id: 'cat_fish',
    name: 'Fish',              icon: '🐟',
    image: PLACEHOLDER.fish,
    isLiveAnimal: true, order: 6 },
    { id: 'cat_access',
    name: 'Accessories',      icon: '🏠',
    image: PLACEHOLDER.accessories,
    isLiveAnimal: false, order: 7 },
    { id: 'cat_food',
    name: 'Food',             icon: '🍖',
    image: PLACEHOLDER.food,
    isLiveAnimal: false, order: 8 },
    ];

    const now = Date.now();
    const prods = [
      { id: uid('p'), name: 'Blue Axanthic
    Iguana', categoryId: 'cat_iguana',
    price: 24999, availability: 'in-stock',
    featured: true, sold: false, newArrival: true,
      images: [PLACEHOLDER.iguana],
    shortDesc: 'Striking blue-toned morph,
    captive bred and hand-tame.',

```

```
      description: 'A captive-bred Blue
Axanthic Iguana known for its calm
temperament and striking cool-toned scales.
Comes with a health check record.',
      age: '8 months', morph: 'Axanthic
Blue', care: 'Requires UVB lighting, 80-90°F
basking spot, large vertical enclosure and
a varied leafy-green diet.',
      createdAt: now-1000 },
    { id: uid('p'), name: 'Chilean Rose Hair
Tarantula', categoryId: 'cat_tarantula',
price: 3499, availability: 'in-stock',
featured: true, sold: false,
newArrival: false,
      images: [PLACEHOLDER.tarantula],
shortDesc: 'Docile beginner-friendly
species, low maintenance.',
      description: 'One of the most popular
beginner tarantulas – hardy, long-lived and
famously low-key. Ideal first arachnid.',
      age: '2 years', morph: 'Standard Rose
Hair', care: 'Ambient room temperature,
moderate humidity, feed appropriately-sized
crickets weekly.',
      createdAt: now-2000 },
    { id: uid('p'), name: 'African Pygmy
Hedgehog', categoryId: 'cat_hedgehog',
price: 8999, availability: 'limited',
featured: true, sold: false, newArrival: true,
      images: [PLACEHOLDER.hedgehog],
shortDesc: 'Friendly pygmy hedgehog, hand-
raised from birth.',
      description: 'Hand-raised African
Pygmy Hedgehog, socialised daily. Comes
```

```
with a starter care guide and diet chart.',
  age:'10 weeks', morph:'Salt &
Pepper', care:'Needs a heated enclosure
kept above 72°F, wheel for exercise, and a
low-fat insectivore diet.',
  createdAt: now-3000 },
  { id:uid('p'), name:'Red-Eared Slider
Turtle', categoryId:'cat_turtle',
price:2499, availability:'in-stock',
featured:false, sold:false,
newArrival:false,
  images:[PLACEHOLDER.turtle],
shortDesc:'Hardy aquatic turtle, great for
beginners.',
  description:'A hardy, active aquatic
turtle suited to a well-filtered aquarium
setup with a basking dock.',
  age:'4 months', morph:'Standard',
care:'Requires a basking lamp, UVB,
filtered aquatic setup and a pellet + leafy
green diet.',
  createdAt: now-4000 },
  { id:uid('p'), name:'Corn Snake – Amber
Motley', categoryId:'cat_other',
price:6999, availability:'in-stock',
featured:false, sold:false,
newArrival:true,
  images:[PLACEHOLDER.snake],
shortDesc:'Gentle, easy-care beginner snake
morph.',
  description:'A calm, easy-to-handle
corn snake in a warm amber motley pattern.
Excellent first snake.',
  age:'1 year', morph:'Amber Motley',
```

```
care:'Ambient 75-85°F gradient, secure
enclosure, feed appropriately-sized frozen-
thawed rodents.',
  createdAt: now-5000 },
  { id:uid('p'), name:'Betta Fish –
Halfmoon', categoryId:'cat_fish',
price:899, availability:'in-stock',
featured:false, sold:false,
newArrival:false,
  images:[PLACEHOLDER.fish],
shortDesc:'Vivid halfmoon betta with
flowing fins.',
  description:'A vibrant halfmoon betta
with a dramatic 180° tail spread. Best kept
alone in a heated, filtered tank.',
  age:'6 months', morph:'Halfmoon',
care:'Heated tank 76-82°F, gentle
filtration, pellet diet with occasional
live/frozen treats.',
  createdAt: now-6000 },
  { id:uid('p'), name:'Bio-Active
Terrarium Kit', categoryId:'cat_access',
price:5499, availability:'in-stock',
featured:true, sold:false,
newArrival:false,
  images:[PLACEHOLDER.accessories],
shortDesc:'Complete bio-active habitat
starter kit.',
  description:'A full starter kit
including substrate, drainage layer,
backdrop and cleanup crew starter for a
naturalistic enclosure.',
  age:'–', morph:'–', care:'Follow
included setup guide; suitable for
```

```
reptiles, amphibians and invertebrates.',
  createdAt: now-7000 },
  { id:uid('p'), name:'Digital Habitat
Thermostat', categoryId:'cat_access',
price:2299, availability:'in-stock',
featured:false, sold:false,
newArrival:true,
  images:[PLACEHOLDER.accessories],
shortDesc:'Precision temperature controller
with probe.',
  description:'A reliable digital
thermostat for heat mats and lamps, keeping
enclosure temperatures precise and safe.',
  age:'-', morph:'-', care:'Plug-and-
play; suitable for most heat sources up to
600W.',
  createdAt: now-8000 },
  { id:uid('p'), name:'Premium
Insectivore Blend', categoryId:'cat_food',
price:699, availability:'in-stock',
featured:false, sold:false,
newArrival:false,
  images:[PLACEHOLDER.food],
shortDesc:'Balanced dried-insect nutrition
blend, 500g.',
  description:'A nutrient-dense dried
insect blend formulated for hedgehogs,
reptiles and other insectivorous pets.',
  age:'-', morph:'-', care:'Store in a
cool dry place. Serve as directed for your
species and body weight.',
  createdAt: now-9000 },
  { id:uid('p'), name:'Frozen Rodent Pack
(10)', categoryId:'cat_food', price:1199,
```



```
availability:'sold-out', featured:false,
sold:true, newArrival:false,
  images:[PLACEHOLDER.food],
shortDesc:'Frozen feeder rodents, mixed
sizes, pack of 10.',
  description:'Humanely farmed, flash-
frozen feeder rodents in mixed sizes suited
to juvenile and adult snakes.',
  age:'-', morph:'-', care:'Keep
frozen. Thaw fully before feeding, never
microwave.',
  createdAt: now-10000 },
];

return {
  branding: {
    name: 'ExoVault',
    tagline: 'Rare Pets. Responsible
Care.',
    logoInitial: 'EV',
    favicon: ''
  },
  theme: {
    bg: '#090b0a',
    accent: '#1f9d63',
    text: '#f4f7f5',
    button: '#1f9d63',
    font: 'fraunces',
    mode: 'dark'
  },
  hero: {
    heading: 'Discover the
Extraordinary',
    sub: 'Premium exotic pets, habitats,
```

```
accessories and nutrition – all in one
place.',
  image: PLACEHOLDER.hero,
  btn1: 'Explore Pets',
  btn2: 'Shop Accessories'
},
announcement: {
  enabled: true,
  text: 'Online payment only · Delivery
charges extra · No COD'
},
categories: cats,
products: prods,
contact: {
  whatsapp: '',
  phone: '',
  email: '',
  instagram: '',
  address: '',
  hours: ''
},
delivery: {
  charge: 249,
  message: 'Delivery charges are
calculated at checkout based on your
location and are separate from the product
price.',
  areas: 'Delivery areas will be
announced here. Live-animal delivery
availability varies by species, season and
destination.',
  estimatedTime: ''
},
payment: {
```

```

        upi: '',
        qr: '',
        bank: '',
        instructions: 'Please complete online
payment via UPI or bank transfer and share
the payment screenshot on WhatsApp to
confirm your order. Cash on Delivery is not
available.'
    },
    legal: {
        footerDisclaimer: 'Availability,
sale, possession and transportation of
exotic animals may be subject to applicable
laws, permits, documentation and local
regulations. Customers are responsible for
complying with applicable requirements.
Species shown may not be available or legal
to own, sell or transport in every region –
please confirm local regulations before
enquiring.'
    }
};
}

/* -----
-----

    2. Storage layer (persistent, shared
across all visitors –
    this powers the no-code admin panel)
-----

----- */
const STORE_KEY = 'exovault-store-data-v1';
const ENQUIRY_KEY = 'exovault-enquiries-
v1';

```

```

let DATA = null;
let ENQUIRIES = [];
let storageAvailable = true;

async function loadData(){
  try{
    const res = await
window.storage.get(STORE_KEY, true);
    if(res && res.value){
      DATA = JSON.parse(res.value);
      DATA = Object.assign(defaultData(),
DATA); // backfill any new fields
    } else {
      DATA = defaultData();
      await window.storage.set(STORE_KEY,
JSON.stringify(DATA), true);
    }
  }catch(e){
    storageAvailable = false;
    DATA = defaultData();
  }
  try{
    const eres = await
window.storage.get(ENQUIRY_KEY, true);
    ENQUIRIES = eres && eres.value ?
JSON.parse(eres.value) : [];
  }catch(e){ ENQUIRIES = []; }
}

async function saveData(){
  try{
    await window.storage.set(STORE_KEY,
JSON.stringify(DATA), true);
  }catch(e){ toast('Could not save –

```

```

storage unavailable'); }
}
async function saveEnquiries(){
  try{
    await window.storage.set(ENQUIRY_KEY,
JSON.stringify(ENQUIRIES), true);
  }catch(e){ /* silent */ }
}

/* -----
-----

    3. Cart (in-memory, session only – cart
is for non-animal items)
-----
----- */
let CART = []; // {productId, qty}

function addToCart(productId, qty=1){
  const existing =
CART.find(c=>c.productId===productId);
  if(existing) existing.qty =
clamp(existing.qty+qty,1,99);
  else CART.push({productId, qty});
  renderCartCount();
  renderCartDrawer();
  toast('Added to cart');
}
function removeFromCart(productId){
  CART =
CART.filter(c=>c.productId!==productId);
  renderCartCount(); renderCartDrawer();
}
function setQty(productId, qty){
  const item =

```

```

CART.find(c=>c.productId===productId);
  if(!item) return;
  item.qty = clamp(qty,1,99);
  renderCartCount(); renderCartDrawer();
}
function cartProducts(){
  return CART.map(c => ({...c, product:
DATA.products.find(p=>p.id===c.productId)})
).filter(c=>c.product);
}
function cartSubtotal(){
  return cartProducts().reduce((sum,c)=>
sum + c.product.price*c.qty, 0);
}

function renderCartCount(){
  const n = CART.reduce((s,c)=>s+c.qty,0);
  const el = qs('#cartCount');
  el.textContent = n;
  el.classList.toggle('hidden', n===0);
}

function renderCartDrawer(){
  const body = qs('#drawerBody');
  const items = cartProducts();
  if(items.length===0){
    body.innerHTML = `<div class="empty-
state"><h3>Your cart is empty</h3><p>Browse
accessories & food to add items.</p>
</div>`;
  } else {
    body.innerHTML = items.map(c => `
    <div class="cart-item">
      
    <div class="cart-item-info">
        <div class="cart-item-
name">${esc(c.product.name)}</div>
        <div class="cart-item-
price">${money(c.product.price)}</div>
        <div class="qty-row">
            <button class="qty-btn" data-
qty-down="${c.productId}">-</button>
            <span>${c.qty}</span>
            <button class="qty-btn" data-
qty-up="${c.productId}">+</button>
        </div>
        <div class="cart-remove" data-
remove="${c.productId}" role="button"
tabindex="0">Remove</div>
    </div>
</div>
`).join('');
}
const subtotal = cartSubtotal();
const delivery = items.length ?
(DATA.delivery.charge||0) : 0;
qs('#drawerFoot').innerHTML = `
    <div class="summary-row">
<span>Subtotal</span>
<span>${money(subtotal)}</span></div>
    <div class="summary-row">
<span>Delivery</span><span>${delivery?
money(delivery):'-'}</span></div>
    <div class="summary-row total">
<span>Total</span>
<span>${money(subtotal+delivery)}</span>

```

```

</div>
    <button class="btn btn-primary btn-block" id="checkoutBtn" style="margin-top:16px;"
    ${items.length?'':'disabled'}>Place Order
    via WhatsApp</button>
    <p class="field-hint" style="text-align:center; margin-top:10px;">Online
    payment only · Delivery charges extra · COD
    not available</p>
    `;
    const cb = qs('#checkoutBtn');
    if(cb) cb.addEventListener('click',
    checkout);
}

function checkout(){
    const items = cartProducts();
    if(!items.length) return;
    const subtotal = cartSubtotal();
    const delivery = DATA.delivery.charge||0;
    logEnquiry({
        productName:
    items.map(i=>i.product.name).join(', '),
        quantity:
    items.reduce((s,i)=>s+i.qty,0),
        type: 'Cart Order',
        amount: subtotal+delivery
    });
    if(!hasWhatsApp()){ toast('WhatsApp
    number not set yet – add it in Admin →
    Contact. Your order was logged in
    Enquiries.');
```



```

    ${c.product.name} x${c.qty} –
    ${money(c.product.price*c.qty)}`).join('%0A
    ');

    const msg = `Hello, I'd like to place an
    order:%0A${lines}%0A%0ASubtotal:
    ${money(subtotal)}%0ADelivery:
    ${money(delivery)}%0ATotal:
    ${money(subtotal+delivery)}%0A%0APlease
    confirm availability and share payment
    details. (Online payment only)`;

    window.open(`https://wa.me/${DATA.contact.w
    hatsapp}?text=${msg}`, '_blank');
    toast('Opening WhatsApp to confirm your
    order...');
}

/* -----
-----

    4. WhatsApp helpers
-----
----- */
function hasWhatsApp(){
    return !(DATA.contact.whatsapp &&
    DATA.contact.whatsapp.trim());
}
function waLink(text){
    return
    `https://wa.me/${DATA.contact.whatsapp}?
    text=${encodeURIComponent(text)}`;
}
function enquireProduct(productId){
    const p =
    DATA.products.find(x=>x.id===productId);

```

```

    if(!p) return;
    logEnquiry({ productName:p.name,
    quantity:1, type:'Product Enquiry',
    amount:p.price });
    if(!hasWhatsApp()){ toast('WhatsApp
    number not set yet – add it in Admin →
    Contact'); return; }
    const msg = `Hello, I'm interested in
    ${p.name}. Please share availability, price
    and delivery details.`;
    window.open(waLink(msg), '_blank');
  }

  function logEnquiry(partial){
    const e = Object.assign({
      id: uid('enq'),
      name:'', phone:'', address:'',
      paymentStatus:'Pending', orderStatus:'New',
      date: new Date().toISOString()
    }, partial);
    ENQUIRIES.unshift(e);
    saveEnquiries();
    if(currentAdminPanel==='enquiries')
    renderAdminEnquiries();
    renderAdminDashboard();
  }

  /* -----
  -----
  5. Theme application
  -----
  ----- */
  const FONT_MAP = {
    fraunces: "'Fraunces', serif",

```

```

    inter: "'Inter', system-ui, sans-serif",
    mono: "'JetBrains Mono', monospace"
  };
  function applyTheme(){
    const r = document.documentElement.style;
    r.setProperty('--bg', DATA.theme.bg);
    r.setProperty('--accent',
DATA.theme.accent);
    r.setProperty('--text', DATA.theme.text);
    const displayFont =
FONT_MAP[DATA.theme.font] ||
FONT_MAP.fraunces;
    r.setProperty('--font-display',
displayFont);
    document.body.classList.toggle('light-
mode', DATA.theme.mode==='light');
  }

  /* -----
-----
    6. Chrome: nav / footer / announcement
-----
----- */
  function renderChrome(){
    const initial =
(DATA.branding.logoInitial||'N').slice(0,1)
.toUpperCase();
    qs('#brandMark').textContent = initial;
    const footerMark =
qs('#brandMarkFooter'); if(footerMark)
footerMark.textContent = initial;
    qsa('.brand-
name').forEach(el=>el.textContent =
DATA.branding.name);

```

```

    qs('#brandTagline').textContent =
DATA.branding.tagline;
    document.title = `${DATA.branding.name} –
${DATA.branding.tagline}`;

    const ann = qs('#announcement');
    ann.classList.toggle('hidden',
!DATA.announcement.enabled);
    qs('#announcementText').innerHTML =
`<strong>◆</strong>
${esc(DATA.announcement.text)}`;

    // footer
    qs('#footerBrandName').textContent =
DATA.branding.name;
    qs('#footerAbout').textContent = `Premium
${esc(DATA.branding.name)} – curated exotic
pets, habitats, accessories and
nutrition.`;
    qs('#footerDisclaimer').textContent =
DATA.legal.footerDisclaimer;
    const footerWa = qs('#footerWa');
    footerWa.href = hasWhatsApp() ?
waLink('Hello, I have a question about your
store.') : '#';
    footerWa.onclick = (e)=>{
if(!hasWhatsApp()){ e.preventDefault();
toast('WhatsApp number not set yet – add it
in Admin → Contact'); } };
    const catFooter =
qs('#footerCategories');
    catFooter.innerHTML =
sortedCategories().slice(0,5).map(c=>`<a
href="#/shop/${c.id}">${esc(c.name)}

```

```

</a>`).join('');
}

function sortedCategories(){
  return
  [...DATA.categories].sort((a,b)=>a.order-
b.order);
}

/* -----
-----
7. Router
-----
----- */
const views =
['home', 'shop', 'product', 'contact', 'admin']
;
function setActiveView(name){
  views.forEach(v => qs('#view-
'+v).classList.toggle('active', v===name));
  qsa('.nav-links a, .mobile-menu
a').forEach(a=>{
    a.classList.toggle('active',
a.dataset.view===name);
  });
  window.scrollTo({top:0,
behavior:'auto'});
  closeMobileMenu();
}

function router(){
  const hash =
location.hash.replace(/^#\//?, '');
  const [route, ...rest] = hash.split('/');

```

```

    if(route==='shop'){
        setActiveView('shop');
        renderShop(rest[0]||null);
    } else if(route==='product'){
        setActiveView('product');
        renderProductDetail(rest[0]);
    } else if(route==='contact'){
        setActiveView('contact');
        renderContact();
    } else if(route==='admin'){
        setActiveView('admin');
        renderAdmin();
    } else {
        setActiveView('home');
        renderHome();
    }
}

/* -----
-----
      8. Home view
-----
----- */
function renderHome(){
    qs('#heroImage').src = DATA.hero.image;
    qs('#heroHeading').innerHTML =
highlightLastWord(DATA.hero.heading);
    qs('#heroSub').textContent =
DATA.hero.sub;
    qs('#heroBtn1').textContent =
DATA.hero.btn1;
    qs('#heroBtn2').textContent =
DATA.hero.btn2;

```

```

    const grid = qs('#catGrid');
    grid.innerHTML = sortedCategories().map(c
=> `
        <a href="#/shop/${c.id}" class="cat-
card glass">
            <span class="cat-icon">${c.icon}
</span>
            <span class="cat-name">${esc(c.name)}
</span>
            <span class="cat-
count">${countInCategory(c.id)}
listed</span>
        </a>
    `).join('');

    const featured =
DATA.products.filter(p=>p.featured &&
!p.sold).slice(0,6);
    const featWrap = qs('#featuredGrid');
    featWrap.innerHTML = featured.length ?
featured.map(p=>productCard(p)).join('') :
`<div class="empty-state"><h3>No featured
listings yet</h3><p>Check back soon.</p>
</div>`;
    bindProductCardEvents(featWrap);
}
function highlightLastWord(text){
    const words = text.trim().split(' ');
    if(words.length<2) return esc(text);
    const last = words.pop();
    return `${esc(words.join(' '))}
<em>${esc(last)}</em>`;
}

```

```

function countInCategory(catId){
  return
  DATA.products.filter(p=>p.categoryId===catI
d).length;
}

/* -----
-----
      9. Shop / product listing view
-----
----- */
let shopState = { category:null, search:'',
sort:'featured', availability:'',
priceMax:null };

function renderShop(categoryId){
  shopState.category = categoryId || null;
  const chipRow = qs('#chipRow');
  chipRow.innerHTML = [<button class="chip
${!shopState.category?'active':''}" data-
cat="">All</button>`]

.concat(sortedCategories().map(c=><button
class="chip
${shopState.category===c.id?'active':''}"
data-cat="${c.id}">${c.icon} ${esc(c.name)}
</button>`))
  .join('');
  qsa('[data-cat]', chipRow).forEach(btn=>{
    btn.addEventListener('click', ()=>{
      const cid = btn.dataset.cat;
      location.hash = cid ? `#/shop/${cid}`
: `#/shop`;
    });
  });
}

```



```

});

qs('#searchInput').value =
shopState.search;
qs('#sortSelect').value = shopState.sort;
qs('#availSelect').value =
shopState.availability;

const cat =
DATA.categories.find(c=>c.id===shopState.ca
tegory);
qs('#shopTitle').textContent = cat ?
cat.name : 'All Products';
qs('#shopDesc').textContent = cat
? `Browse our ${cat.name.toLowerCase()}
listings.`
: 'Search and filter our full exotic
pet & supply catalogue.';

const legalNote = qs('#shopLegalNote');
if(cat && cat.isLiveAnimal){
  legalNote.style.display='flex';
  legalNote.querySelector('span:last-
child').textContent = 'Live animals:
availability and legal documentation vary
by species and region. This species may not
be available, legal to own, sell or
transport everywhere – please confirm local
regulations before enquiring.';
} else {
  legalNote.style.display='none';
}

renderShopGrid();

```

```

}

function renderShopGrid(){
  let list = [...DATA.products];
  if(shopState.category) list =
list.filter(p=>p.categoryId===shopState.category);
  if(shopState.search){
    const s =
shopState.search.toLowerCase();
    list = list.filter(p=>
p.name.toLowerCase().includes(s) ||
(p.shortDesc||'').toLowerCase().includes(s)
||
(p.morph||'').toLowerCase().includes(s));
  }
  if(shopState.availability) list =
list.filter(p=>p.availability===shopState.availability);
  if(shopState.priceMax) list =
list.filter(p=>p.price<=shopState.priceMax)
;

  switch(shopState.sort){
    case 'price-asc':
list.sort((a,b)=>a.price-b.price); break;
    case 'price-desc':
list.sort((a,b)=>b.price-a.price); break;
    case 'newest':
list.sort((a,b)=>b.createdAt-a.createdAt);
break;
    default: list.sort((a,b)=> (b.featured-
a.featured) || (b.createdAt-a.createdAt));
  }
}

```

```

    const grid = qs('#productGrid');
    if(!list.length){
        grid.innerHTML = `
```

```

        <span class="pcard-cat">${cat?
esc(cat.name): ''}</span>
        <h3 class="pcard-
name">${esc(p.name)}</h3>
        <p class="pcard-
desc">${esc(p.shortDesc||'')}</p>
        <div class="pcard-meta">
            <span class="pcard-
price">${money(p.price)}</span>
            <span class="pcard-avail
${p.availability=== 'in-
stock'? 'in': ''}">${esc(availLabel)}</span>
        </div>
        <div class="pcard-actions">
            <button class="btn btn-ghost"
data-view="${p.id}">View Details</button>
            <button class="btn btn-primary"
data-enquire="${p.id}">WhatsApp</button>
        </div>
    </div>
</div>
`;
}
function bindProductCardEvents(scope){
    qsa('[data-view]',
scope).forEach(b=>b.addEventListener('click
',(e)=>{ location.hash =
`#/product/${b.dataset.view}`; }));
    qsa('[data-enquire]',
scope).forEach(b=>b.addEventListener('click
',(e)=>{ e.stopPropagation();
enquireProduct(b.dataset.enquire); }));
    qsa('.pcard',
scope).forEach(c=>c.addEventListener('click

```

```

    , (e)=>{
        if(e.target.closest('button')) return;
        location.hash =
`#/product/${c.dataset.id}`;
    });
}

function bindShopControls(){

    qs('#searchInput').addEventListener('input'
    , (e)=>{ shopState.search=e.target.value;
    renderShopGrid(); });

    qs('#sortSelect').addEventListener('change'
    , (e)=>{ shopState.sort=e.target.value;
    renderShopGrid(); });

    qs('#availSelect').addEventListener('change'
    , (e)=>{
    shopState.availability=e.target.value;
    renderShopGrid(); });
}

/* -----
-----
    10. Product detail view
-----
----- */
function renderProductDetail(id){
    const p =
DATA.products.find(x=>x.id===id);
    const wrap = qs('#productDetailWrap');
    if(!p){
        wrap.innerHTML = `<div class="empty-

```

```

state"><h3>Product not found</h3><p>It may
have been removed.</p><a href="#/shop"
class="btn btn-primary" style="margin-
top:16px;">Back to Shop</a></div>`;
    return;
  }
  const cat =
DATA.categories.find(c=>c.id===p.categoryId
);
  const images = p.images &&
p.images.length ? p.images :
[PLACEHOLDER.accessories];
  const availLabel = { 'in-stock':'In
Stock', 'limited':'Limited Availability',
'sold-out':'Sold Out' }[p.availability] ||
p.availability;

  wrap.innerHTML = `
    <div class="pd-grid">
      <div>
        <div class="pd-gallery-main glass">
</div>
        <div class="pd-thumbs">
          ${images.map((img,i)=>`<button
class="pd-thumb ${i===0?'active':''}" data-
img="${esc(img)}"></button>`).join('')}
        </div>
      </div>
      <div>
        <div class="pd-cat">${cat?
esc(cat.name):''}</div>
        <h1 class="pd-name">${esc(p.name)}

```

```

</h1>
    <div class="pd-
price">${money(p.price)}</div>

    ${cat && cat.isLiveAnimal ? `
    <div class="legal-note"
style="margin-bottom:22px;">
        <span class="ic">△</span>
        <span>Live animal listing.
Availability, sale and transport may be
subject to local laws, permits and
documentation. Not guaranteed legal or
available in every region.</span>
    </div>` : ''}

    <p class="pd-
desc">${esc(p.description||p.shortDesc||'')}
</p>

    <div class="pd-facts">
        <div class="pd-fact glass"><div
class="pd-fact-label">Age / Size</div><div
class="pd-fact-val">${esc(p.age||'-')}
</div></div>
        <div class="pd-fact glass"><div
class="pd-fact-label">Morph / Species</div>
<div class="pd-fact-
val">${esc(p.morph||'-')}</div></div>
        <div class="pd-fact glass"><div
class="pd-fact-label">Availability</div>
<div class="pd-fact-val">${esc(availLabel)}
</div></div>
        <div class="pd-fact glass"><div
class="pd-fact-label">Category</div><div

```

```

class="pd-fact-val">${cat?
esc(cat.name):'-'}</div></div>
</div>

<div class="pd-actions">
  <button class="btn btn-primary"
id="pdWhatsapp">🗨️ Enquire on
WhatsApp</button>
  ${cat && !cat.isLiveAnimal &&
!p.sold) ? `<button class="btn btn-ghost"
id="pdAddCart">Add to Cart</button>` : ''}
</div>

<div class="pd-info-block glass">
  <h4>🌿 Care Information</h4>
  <p>${esc(p.care||'Care details
available on request via WhatsApp.')}</p>
</div>
<div class="pd-info-block glass">
  <h4>🚚 Delivery Information</h4>
  <ul>

<li>${esc(DATA.delivery.message)}</li>
    <li>Estimated delivery:
    ${esc(DATA.delivery.estimatedTime)}</li>
    <li>${esc(DATA.delivery.areas)}
  </li>
  </ul>
</div>
<div class="pd-info-block glass">
  <h4>💳 Payment Information</h4>
  <ul>
    <li>Online payment only – UPI /
    Bank Transfer</li>
  </ul>
</div>

```



```

        <li>Cash on Delivery: Not
        available</li>

        <li>${esc(DATA.payment.instructions)}</li>
    </ul>
</div>

<div class="admin-card glass"
style="margin-top:8px;">
    <h4 style="margin-
bottom:6px;">Quick Enquiry Form</h4>
    <p class="field-hint"
style="margin-bottom:16px;">Optional –
helps us follow up faster alongside
WhatsApp.</p>
    <form id="enquiryForm">
        <div class="field-row">
            <div class="field">
                <label>Name</label><input type="text"
name="name" required></div>
            <div class="field">
                <label>Phone</label><input type="tel"
name="phone" required></div>
            </div>
            <div class="field">
                <label>Delivery Address</label><textarea
name="address" rows="2"></textarea></div>
            <div class="field">
                <label>Quantity</label><input type="number"
name="qty" min="1" value="1"></div>
            <button type="submit"
class="btn btn-primary btn-block">Submit
Enquiry</button>
        </form>

```

```

        </div>
    </div>
</div>
`;

    qsa('.pd-
thumb').forEach(t=>t.addEventListener('click', ()=>{
        qs('#pdMainImg').src = t.dataset.img;
        qsa('.pd-
thumb').forEach(x=>x.classList.remove('active'));
        t.classList.add('active');
    }));

    qs('#pdWhatsapp').addEventListener('click',
    ()=>enquireProduct(p.id));
    const addCartBtn = qs('#pdAddCart');
    if(addCartBtn)
    addCartBtn.addEventListener('click',
    ()=>addToCart(p.id,1));

    qs('#enquiryForm').addEventListener('submit',
    (e)=>{
        e.preventDefault();
        const fd = new FormData(e.target);
        logEnquiry({
            name: fd.get('name'), phone:
fd.get('phone'), address:
fd.get('address'),
            quantity: Number(fd.get('qty'))||1,
            productName: p.name, type:'Product
Enquiry', amount: p.price

```

```

    });
    toast('Enquiry submitted – we will
reach out shortly');
    enquireProduct(p.id);
    e.target.reset();
  });

  // related
  const related =
DATA.products.filter(x=>x.categoryId===p.ca
tegorId && x.id!==p.id).slice(0,3);
  if(related.length){
    wrap.insertAdjacentHTML('beforeend', `
      <div style="margin-top:90px;">
        <h3 style="font-size:24px; margin-
bottom:24px;">You may also like</h3>
        <div class="product-grid"
id="relatedGrid">${related.map(r=>productCa
rd(r)).join('')}</div>
      </div>
    `);

    bindProductCardEvents(qs('#relatedGrid'));
  }
}

/* -----
-----
11. Contact view
-----
----- */
function renderContact(){
  const c = DATA.contact;
  const empty = (val, label) => !val ||

```

```

!val.trim()
    ? `<span style="color:var(--text-faint); font-style:italic;">Not added yet –
set in Admin → Contact</span>`
    : null;

qs('#contactGrid').innerHTML = `
    <div class="contact-card glass">
        <div class="contact-ic">☺</div>
        <div><div class="contact-
label">WhatsApp</div><div class="contact-
val">${
            hasWhatsApp() ? `<a
href="${waLink('Hello, I have a question
about your store.')}]"
target="_blank">+${esc(c.whatsapp)}</a>` :
empty()
        }</div></div>
    </div>
    <div class="contact-card glass">
        <div class="contact-ic">☎</div>
        <div><div class="contact-
label">Phone</div><div class="contact-
val">${c.phone && c.phone.trim() ?
esc(c.phone) : empty()}</div></div>
    </div>
    <div class="contact-card glass">
        <div class="contact-ic">✉</div>
        <div><div class="contact-
label">Email</div><div class="contact-
val">${
            c.email && c.email.trim() ? `<a
href="mailto:${esc(c.email)}">${esc(c.email
)}</a>` : empty()
        }

```

```

    }</div></div>
</div>
<div class="contact-card glass">
    <div class="contact-ic">📷</div>
    <div><div class="contact-
label">Instagram</div><div class="contact-
val">${c.instagram && c.instagram.trim() ?
esc(c.instagram) : empty()}</div></div>
</div>
<div class="contact-card glass">
    <div class="contact-ic">📍</div>
    <div><div class="contact-label">Store
Location</div><div class="contact-
val">${c.address && c.address.trim() ?
esc(c.address) : empty()}</div></div>
</div>
<div class="contact-card glass">
    <div class="contact-ic">🕒</div>
    <div><div class="contact-
label">Business Hours</div><div
class="contact-val">${c.hours &&
c.hours.trim() ? esc(c.hours) : empty()}
</div></div>
</div>
`;
const mapBox =
qs('#contactMapFrame').closest('.map-box');
if(c.address && c.address.trim()){
    mapBox.style.display = '';
    qs('#contactMapFrame').src =
`https://maps.google.com/maps?
q=${encodeURIComponent(c.address)}&z=14&out
put=embed`;
} else {

```

```

        mapBox.style.display = 'none';
    }
}

/* -----
-----
12. Admin panel
----- */
let isAdmin = false;
const ADMIN_PASSWORD = 'admin123'; // demo-
only client-side gate
let currentAdminPanel = 'dashboard';

function renderAdmin(){
    if(!isAdmin){

qs('#adminLoginShell').style.display='flex'
;
        qs('#adminShell').style.display='none';
        return;
    }

qs('#adminLoginShell').style.display='none'
;
    qs('#adminShell').style.display='grid';
    showAdminPanel(currentAdminPanel);
}

function bindAdminLogin(){

qs('#adminLoginForm').addEventListener('sub
mit', (e)=>{
    e.preventDefault();

```

```

    const val =
    qs('#adminPasswordInput').value;
    if(val === ADMIN_PASSWORD){
        isAdmin = true;

    qs('#adminLoginError').style.display='none'
    ;
        renderAdmin();
    } else {

    qs('#adminLoginError').style.display='block
    '
    ;
        }
    });
}

const ADMIN_NAV = [
    {id:'dashboard', label:'Dashboard',
    icon:'📊'},
    {id:'branding', label:'Branding',
    icon:'🔗'},
    {id:'theme', label:'Theme', icon:'🎨'},
    {id:'homepage', label:'Homepage',
    icon:'🏠'},
    {id:'products', label:'Products',
    icon:'📦'},
    {id:'categories', label:'Categories',
    icon:'📁'},
    {id:'enquiries', label:'Enquiries /
    Orders', icon:'📬'},
    {id:'delivery', label:'Delivery',
    icon:'🚚'},
    {id:'payment', label:'Payment',
    icon:'💰'},

```

```

    {id:'contact', label:'Contact',
    icon:'📞'},
  ];

function buildAdminSidebar(){
  qs('#adminSide').innerHTML = `
    <div class="admin-side-title">Admin
    Panel</div>
    ${ADMIN_NAV.map(n=>`<div class="admin-
    nav-item" data-panel="${n.id}">
    <span>${n.icon}</span><span>${n.label}<
    /span></div>`).join('')}
    <div style="margin-top:20px; padding-
    top:16px; border-top:1px solid var(--
    border);">
      <button class="btn btn-ghost btn-sm
    btn-block" id="adminLogoutBtn">Log
    Out</button>
    </div>
  `;
  qsa('.admin-nav-item').forEach(item=>{
    item.addEventListener('click',
    ()=>showAdminPanel(item.dataset.panel));
  });

  qs('#adminLogoutBtn').addEventListener('cli
  ck', ()=>{
    isAdmin = false;
    renderAdmin();
  });
}

function showAdminPanel(id){
  currentAdminPanel = id;

```



```

    qsa('.admin-nav-
item').forEach(i=>i.classList.toggle('active', i.dataset.panel===id));
    const map = {
      dashboard: renderAdminDashboard,
      branding: renderAdminBranding,
      theme: renderAdminTheme,
      homepage: renderAdminHomepage,
      products: renderAdminProducts,
      categories: renderAdminCategories,
      enquiries: renderAdminEnquiries,
      delivery: renderAdminDelivery,
      payment: renderAdminPayment,
      contact: renderAdminContact,
    };
    (map[id]||renderAdminDashboard)();
  }

function adminMain(html){
  qs('#adminMain').innerHTML = html; }

function renderAdminDashboard(){
  if(currentAdminPanel!=='dashboard')
  return;
  const totalProducts =
  DATA.products.length;
  const inStock =
  DATA.products.filter(p=>p.availability==='in-stock').length;
  const featured =
  DATA.products.filter(p=>p.featured).length;
  const enq = ENQUIRIES.length;
  adminMain(`
    <div class="admin-head"><div>

```

```

<h2>Dashboard</h2><p>Overview of your
store, at a glance.</p></div></div>
  <div class="stat-grid">
    <div class="stat-card glass"><div
class="stat-num">${totalProducts}</div><div
class="stat-label">Total Products</div>
</div>
    <div class="stat-card glass"><div
class="stat-num">${inStock}</div><div
class="stat-label">In Stock</div></div>
    <div class="stat-card glass"><div
class="stat-num">${featured}</div><div
class="stat-label">Featured</div></div>
    <div class="stat-card glass"><div
class="stat-num">${enq}</div><div
class="stat-label">Enquiries</div></div>
  </div>
  <div class="admin-card glass">
    <h4>Recent Enquiries</h4>
    ${ENQUIRIES.length ? `
      <table class="admin-table"><thead>
<tr><th>Product</th><th>Type</th>
<th>Date</th></tr></thead><tbody>
      ${ENQUIRIES.slice(0,5).map(e=>`<tr>
<td>${esc(e.productName||'-')}</td>
<td>${esc(e.type)}</td><td>${new
Date(e.date).toLocaleString()}</td>
</tr>`}).join('')}
      </tbody></table>` : `
```

```

/* ---- Branding ---- */
function renderAdminBranding(){
  const b = DATA.branding;
  adminMain(`
    <div class="admin-head"><div>
<h2>Branding</h2><p>Website name, logo and
tagline.</p></div></div>
    <div class="admin-card glass">
      <form id="brandingForm">
        <div class="field-row">
          <div class="field"><label>Website
Name</label><input type="text" name="name"
value="${esc(b.name)}" required></div>
          <div class="field"><label>Logo
Initial (shown in mark)</label><input
type="text" name="logoInitial"
maxlength="2"
value="${esc(b.logoInitial)}"></div>
        </div>
        <div class="field">
<label>Tagline</label><input type="text"
name="tagline" value="${esc(b.tagline)}">
</div>
        <div class="field"><label>Favicon
URL (optional)</label><input type="text"
name="favicon" value="${esc(b.favicon)}"
placeholder="https://..."></div>
        <button class="btn btn-primary"
type="submit">Save Branding</button>
      </form>
    </div>
  `);

  qs('#brandingForm').addEventListener('submi

```

```

t', async (e) => {
  e.preventDefault();
  const fd = new FormData(e.target);
  Object.assign(DATA.branding, {
    name: fd.get('name'),
    logoInitial: fd.get('logoInitial') || 'N',
    tagline: fd.get('tagline'),
    favicon: fd.get('favicon') });
  await saveData(); renderChrome();
  toast('Branding saved');
  });
}

/* ---- Theme ---- */
function renderAdminTheme() {
  const t = DATA.theme;
  adminMain(`
    <div class="admin-head"><div>
<h2>Theme</h2><p>Colors, font and mode.</p>
</div></div>
    <div class="admin-card glass">
      <form id="themeForm">
        <div class="field-row">
          <div class="field">
            <label>Background Color</label>
            <div class="color-input-wrap">
              <input type="color" name="bgColor"
value="${t.bg}"><input type="text"
name="bg" value="${t.bg}"></div>
            </div>
            <div class="field"><label>Accent
/ Button Color</label>
              <div class="color-input-wrap">
                <input type="color" name="accentColor"

```

```
value="${t.accent}"><input type="text"
name="accent" value="${t.accent}"></div>
</div>
</div>
<div class="field-row">
  <div class="field"><label>Text
Color</label>
    <div class="color-input-wrap">
      <input type="color" name="textColor"
value="${t.text}"><input type="text"
name="text" value="${t.text}"></div>
    </div>
    <div class="field">
      <label>Font</label>
      <select name="font">
        <option value="fraunces"
${t.font==='fraunces'? 'selected': ''}>Fraunc
es (Serif, Premium)</option>
        <option value="inter"
${t.font==='inter'? 'selected': ''}>Inter
(Sans, Modern)</option>
        <option value="mono"
${t.font==='mono'? 'selected': ''}>JetBrains
Mono (Technical)</option>
      </select>
    </div>
  </div>
  <div class="field">
    <label>Mode</label>
    <select name="mode"><option
value="dark"
${t.mode==='dark'? 'selected': ''}>Dark</opti
on><option value="light"
${t.mode==='light'? 'selected': ''}>Light
```

```

(experimental)</option></select>
    </div>
    <button class="btn btn-primary"
type="submit">Apply Theme</button>
  </form>
</div>
`);
const form = qs('#themeForm');
// keep color swatches & text in sync
['bg', 'accent', 'text'].forEach(key=>{
  const colorInput =
form.querySelector(`[name=${key}Color]`);
  const textInput =
form.querySelector(`[name=${key}]`);
  colorInput.addEventListener('input',
()=> textInput.value = colorInput.value);
  textInput.addEventListener('input',
()=>{ if(/^#[0-9a-f]
{6}$/i.test(textInput.value))
colorInput.value = textInput.value; });
});
form.addEventListener('submit', async
(e)=>{
  e.preventDefault();
  const fd = new FormData(form);
  Object.assign(DATA.theme, {
bg:fd.get('bg'), accent:fd.get('accent'),
text:fd.get('text'),
button:fd.get('accent'),
font:fd.get('font'), mode:fd.get('mode')
});
  await saveData(); applyTheme();
toast('Theme applied');
});

```

```

}

/* ---- Homepage ---- */
function renderAdminHomepage(){
  const h = DATA.hero, a =
DATA.announcement;
  adminMain(`
    <div class="admin-head"><div>
<h2>Homepage</h2><p>Hero section and
announcement banner.</p></div></div>
    <div class="admin-card glass">
      <h4>Hero Section</h4>
      <form id="heroForm">
        <div class="field">
<label>Heading</label><input type="text"
name="heading" value="${esc(h.heading)}">
</div>
        <div class="field">
<label>Description</label><textarea
name="sub">${esc(h.sub)}</textarea></div>
        <div class="field"><label>Hero
Image URL</label><input type="text"
name="image" value="${esc(h.image)}"></div>
        <div class="field-row">
          <div class="field"><label>Button
1 Label</label><input type="text"
name="btn1" value="${esc(h.btn1)}"></div>
          <div class="field"><label>Button
2 Label</label><input type="text"
name="btn2" value="${esc(h.btn2)}"></div>
        </div>
        <button class="btn btn-primary"
type="submit">Save Hero</button>
      </form>

```

```

    </div>
    <div class="admin-card glass">
      <h4>Announcement Banner</h4>
      <form id="annForm">
        <div class="field field-check">
          <input type="checkbox" name="enabled"
            id="annEnabled" ${a.enabled?'checked':''}>
          <label for="annEnabled"
            style="margin:0;">Show banner</label></div>
          <div class="field"><label>Banner
            Text</label><input type="text" name="text"
            value="${esc(a.text)}"></div>
          <button class="btn btn-primary"
            type="submit">Save Banner</button>
        </form>
      </div>
    `);

    qs('#heroForm').addEventListener('submit',
    async (e)=>{
      e.preventDefault(); const fd = new
      FormData(e.target);
      Object.assign(DATA.hero, {
        heading:fd.get('heading'),
        sub:fd.get('sub'), image:fd.get('image'),
        btn1:fd.get('btn1'), btn2:fd.get('btn2')
      });
      await saveData(); toast('Hero saved');
    });
    qs('#annForm').addEventListener('submit',
    async (e)=>{
      e.preventDefault(); const fd = new
      FormData(e.target);
      Object.assign(DATA.announcement, {

```



```

enabled: fd.get('enabled')==='on', text:
fd.get('text') });
    await saveData(); renderChrome();
toast('Banner saved');
  });
}

/* ---- Products ---- */
function renderAdminProducts(){
  adminMain(`
    <div class="admin-head">
      <div><h2>Products</h2>
      <p>${DATA.products.length} total listings.
    </p></div>
      <button class="btn btn-primary"
id="addProductBtn">+ Add Product</button>
    </div>
    <div class="admin-card glass"
style="padding:0; overflow-x:auto;">
      <table class="admin-table">
        <thead><tr><th></th><th>Name</th>
<th>Category</th><th>Price</th>
<th>Status</th><th>Featured</th><th></th>
</tr></thead>
        <tbody id="productsTbody"></tbody>
      </table>
    </div>
  `);
  const tbody = qs('#productsTbody');
  tbody.innerHTML = DATA.products.map(p=>{
    const cat =
DATA.categories.find(c=>c.id===p.categoryId
);
    return `<tr>

```

```

        <td></td>
        <td>${esc(p.name)}</td>
        <td>${cat?esc(cat.name):'-'}</td>
        <td>${money(p.price)}</td>
        <td><span class="tag
${p.availability=== 'in-
stock'? 'ok': p.availability=== 'limited'? 'war
n': 'off'}">${esc(p.availability)}</span>
</td>
        <td>${p.featured? ' <span class="tag
ok">Yes</span>': ' <span
class="tag">No</span>'}</td>
        <td><div class="row-actions">
            <button data-edit="${p.id}"
title="Edit"><img alt="pencil icon" data-bbox="425 465 440 475"/></button>
            <button data-del="${p.id}"
title="Delete"><img alt="trash icon" data-bbox="445 500 460 510"/></button>
        </div></td>
    </tr>`;
    }).join('') || `<tr><td colspan="7"
style="text-align:center; padding:40px;
color:var(--text-faint);">No products yet.
</td></tr>`;

```

```

qs('#addProductBtn').addEventListener('click', ()=>openProductForm(null));
    qsa('[data-
edit]').forEach(b=>b.addEventListener('click', ()=>openProductForm(b.dataset.edit)));
    qsa('[data-
del]').forEach(b=>b.addEventListener('click', ()=>confirmModal(

```

```

        'Delete product?', 'This will
        permanently remove this product listing.',
        async ()=>{
            DATA.products =
            DATA.products.filter(p=>p.id!==b.dataset.de
            l);
            await saveData();
            renderAdminProducts(); toast('Product
            deleted');
            }));
        }

function openProductForm(productId){
    const editing = !!productId;
    const p = editing ?
    DATA.products.find(x=>x.id===productId) : {
        id:'', name:'', categoryId:
        DATA.categories[0]?.id||'', price:0,
        availability:'in-stock',
        featured:false, sold:false,
        newArrival:false, images:[''],
        shortDesc:'', description:'', age:'',
        morph:'', care:''
    };
    const overlay = qs('#modalOverlay');
    overlay.innerHTML = `
        <div class="modal" style="max-
        width:640px; max-height:88vh; overflow-
        y:auto;">
            <h3>${editing?'Edit Product':'Add
            Product'}</h3>
            <form id="productForm">
                <div class="field-row">
                    <div class="field">

```

```
<label>Name</label><input type="text"
name="name" value="${esc(p.name)}"
required></div>

    <div class="field">
<label>Category</label><select
name="categoryId">${DATA.categories.map(c=>
`<option value="${c.id}"
${p.categoryId===c.id?'selected':''}>${esc(
c.name)}</option>`).join('')}</select>
</div>
    </div>
    <div class="field-row">
    <div class="field"><label>Price
(₹)</label><input type="number"
name="price" value="${p.price}" min="0"
required></div>
    <div class="field">
<label>Availability</label>
    <select name="availability">
    <option value="in-stock"
${p.availability==='in-
stock'? 'selected':''}>In Stock</option>
    <option value="limited"
${p.availability==='limited'? 'selected':''}
>Limited</option>
    <option value="sold-out"
${p.availability==='sold-
out'? 'selected':''}>Sold Out</option>
    </select>
    </div>
    </div>
    <div class="field-row">
    <div class="field"><label>Age /
Size</label><input type="text" name="age"
```

```

value="{{esc(p.age)}}"></div>
    <div class="field"><label>Morph /
Species</label><input type="text"
name="morph" value="{{esc(p.morph)}}"></div>
    </div>
    <div class="field"><label>Short
Description (card)</label><input
type="text" name="shortDesc"
value="{{esc(p.shortDesc)}}"></div>
    <div class="field"><label>Full
Description</label><textarea
name="description">{{esc(p.description)}}
</textarea></div>
    <div class="field"><label>Care
Information</label><textarea
name="care">{{esc(p.care)}}</textarea></div>
    <div class="field">
        <label>Image URLs (gallery)
    </label>
        <div class="gallery-input-list"
id="galleryInputs">
            {{(p.images.length?p.images:
['']).map(img=>`<div class="gallery-input-
row"><input type="text" value="{{esc(img)}}"
placeholder="https://..."><button
type="button" data-rm-img>X</button>
</div>`).join('')}}
        </div>
        <button type="button" class="btn
btn-ghost btn-sm" id="addImgRow">+ Add
Image URL</button>
    </div>
    <div class="field-row">
        <div class="field field-check">

```

```

<input type="checkbox" name="featured"
id="pfFeatured" ${p.featured?'checked':''}>
<label for="pfFeatured"
style="margin:0;">Mark as Featured</label>
</div>

    <div class="field field-check">
<input type="checkbox" name="sold"
id="pfSold" ${p.sold?'checked':''}><label
for="pfSold" style="margin:0;">Mark as Sold
Out</label></div>
    </div>
    <div class="modal-actions">
        <button type="button" class="btn
btn-ghost"
id="cancelProductForm">Cancel</button>
        <button type="submit" class="btn
btn-primary">${editing?'Save Changes':'Add
Product'}</button>
    </div>
</form>
</div>
`;
overlay.classList.add('open');

qs('#addImgRow').addEventListener('click',
()=>{

qs('#galleryInputs').insertAdjacentHTML('be
foreend', `<div class="gallery-input-row">
<input type="text" placeholder="https://...">
<button type="button" data-rm-
img>X</button></div>`);
    bindRemoveImgRows();

```

```

});
bindRemoveImgRows();
function bindRemoveImgRows(){
  qsa('[data-rm-img]').forEach(b=>{
    b.onclick = ()=>{ if(qsa('.gallery-
input-row').length>1) b.closest('.gallery-
input-row').remove(); };
  });
}

qs('#cancelProductForm').addEventListener('
click', closeModal);

qs('#productForm').addEventListener('submit
', async (e)=>{
  e.preventDefault();
  const fd = new FormData(e.target);
  const images = qsa('.gallery-input-row
input').map(i=>i.value.trim()).filter(Boole
an);
  const record = {
    id: editing ? p.id : uid('p'),
    name: fd.get('name'), categoryId:
fd.get('categoryId'), price:
Number(fd.get('price'))||0,
    availability: fd.get('availability'),
    featured: fd.get('featured')==='on', sold:
fd.get('sold')==='on',
    newArrival: editing ? p.newArrival :
true,
    images: images.length?images:
[PLACEHOLDER.accessories],
    shortDesc: fd.get('shortDesc'),

```

```

description: fd.get('description'), care:
fd.get('care'),
    age: fd.get('age'), morph:
fd.get('morph'),
    createdAt: editing ? p.createdAt :
Date.now()
    };
    if(record.sold)
record.availability='sold-out';
    if(editing){
        const idx =
DATA.products.findIndex(x=>x.id===p.id);
        DATA.products[idx] = record;
    } else {
        DATA.products.unshift(record);
    }
    await saveData();
    closeModal();
    renderAdminProducts();
    toast(editing?'Product
updated': 'Product added');
    });
}

```

```

/* ---- Categories ---- */
function renderAdminCategories(){
    adminMain(`
        <div class="admin-head">
            <div><h2>Categories</h2>
            <p>${DATA.categories.length} categories.
            </p></div>
            <button class="btn btn-primary"
            id="addCatBtn">+ Add Category</button>
        </div>
    `);
}

```



```

    <div class="admin-card glass"
    style="padding:0; overflow-x:auto;">
      <table class="admin-table">
        <thead><tr><th></th><th>Name</th>
        <th>Icon</th><th>Live Animal</th>
        <th>Order</th><th></th></tr></thead>
        <tbody id="catsTbody"></tbody>
      </table>
    </div>
    `);
    const tbody = qs('#catsTbody');
    tbody.innerHTML =
    sortedCategories().map(c=>`
      <tr>
        <td></td>
        <td>${esc(c.name)}</td>
        <td style="font-size:18px;">${c.icon}
      </td>
        <td>${c.isLiveAnimal?'<span
        class="tag warn">Yes</span>':'<span
        class="tag">No</span>'}</td>
        <td>${c.order}</td>
        <td><div class="row-actions">
          <button data-edit-cat="${c.id}"
          title="Edit">✎</button>
          <button data-del-cat="${c.id}"
          title="Delete">🗑️</button>
        </div></td>
      </tr>
    `).join('');

    qs('#addCatBtn').addEventListener('click',
    ()=>openCategoryForm(null));

```

```

    qsa('[data-edit-cat]').forEach(b=>b.addEventListener('click',
    (),=>openCategoryForm(b.dataset.editCat)));
    qsa('[data-del-cat]').forEach(b=>b.addEventListener('click',(),=>{
        const inUse =
DATA.products.some(p=>p.categoryId===b.data
set.delCat);
        confirmModal('Delete category?', inUse
? 'Products in this category will remain
but lose their category link.' : 'This
category will be permanently removed.',
async ()=>{
            DATA.categories =
DATA.categories.filter(c=>c.id!==b.dataset.
delCat);
            await saveData();
renderAdminCategories(); toast('Category
deleted');
        });
    }));
}
function openCategoryForm(catId){
    const editing = !!catId;
    const c = editing ?
DATA.categories.find(x=>x.id===catId) : {
id:'', name:'', icon:'🌿', image:'',
isLiveAnimal:true, order:
DATA.categories.length+1 };
    const overlay = qs('#modalOverlay');
    overlay.innerHTML = `
    <div class="modal">

```

```
<h3>${editing?'Edit Category':'Add
Category'}</h3>
<form id="catForm">
  <div class="field-row">
    <div class="field">
      <label>Name</label><input type="text"
name="name" value="${esc(c.name)}"
required></div>
      <div class="field"><label>Icon
(emoji)</label><input type="text"
name="icon" value="${esc(c.icon)}"
maxlength="4"></div>
    </div>
    <div class="field"><label>Image
URL</label><input type="text" name="image"
value="${esc(c.image)}"></div>
    <div class="field-row">
      <div class="field"><label>Display
Order</label><input type="number"
name="order" value="${c.order}" min="1">
</div>
      <div class="field field-check"
style="align-self:end;"><input
type="checkbox" name="isLiveAnimal"
id="catLive"
${c.isLiveAnimal?'checked':''}><label
for="catLive" style="margin:0;">Live Animal
Category</label></div>
    </div>
    <div class="modal-actions">
      <button type="button" class="btn
btn-ghost"
id="cancelCatForm">Cancel</button>
      <button type="submit" class="btn
```

```

    btn-primary">${editing?'Save Changes':'Add
    Category'}</button>
    </div>
  </form>
</div>
`;
overlay.classList.add('open');

qs('#cancelCatForm').addEventListener('click', closeModal);
qs('#catForm').addEventListener('submit',
async (e)=>{
  e.preventDefault();
  const fd = new FormData(e.target);
  const record = {
    id: editing?c.id:uid('cat'), name:
fd.get('name'), icon: fd.get('icon')||'🐾',
    image:
fd.get('image')||PLACEHOLDER.accessories,
    isLiveAnimal:
fd.get('isLiveAnimal')==='on',
    order: Number(fd.get('order'))||1
  };
  if(editing){ const idx =
DATA.categories.findIndex(x=>x.id===c.id);
DATA.categories[idx]=record; }
  else DATA.categories.push(record);
  await saveData(); closeModal();
  renderAdminCategories();
  toast(editing?'Category updated':'Category
  added');
  });
}

```

```

/* ---- Enquiries ---- */
function renderAdminEnquiries(){
  adminMain(`
    <div class="admin-head"><div>
<h2>Enquiries / Orders</h2>
<p>${ENQUIRIES.length} total submissions.
</p></div></div>
    <div class="admin-card glass"
style="padding:0; overflow-x:auto;">
      <table class="admin-table">
        <thead><tr><th>Date</th>
<th>Customer</th><th>Phone</th>
<th>Product</th><th>Qty</th>
<th>Address</th><th>Payment</th><th>Order
Status</th></tr></thead>
        <tbody id="enqTbody"></tbody>
      </table>
    </div>
`);
  const tbody = qs('#enqTbody');
  tbody.innerHTML = ENQUIRIES.length ?
ENQUIRIES.map(e=>`
    <tr>
      <td>${new
Date(e.date).toLocaleDateString()}</td>
      <td>${esc(e.name||'-')}</td>
      <td>${esc(e.phone||'-')}</td>
      <td>${esc(e.productName||'-')}</td>
      <td>${e.quantity||1}</td>
      <td style="max-width:180px; white-
space:normal;">${esc(e.address||'-')}</td>
      <td>
        <select data-payment="${e.id}">
          <option

```

```

    ${e.paymentStatus=== 'Pending'? 'selected': ''
    }>Pending</option>
        <option
    ${e.paymentStatus=== 'Paid'? 'selected': ''}>P
    aid</option>
        <option
    ${e.paymentStatus=== 'Failed'? 'selected': ''}
    >Failed</option>
        </select>
    </td>
    <td>
        <select data-status="${e.id}">
            <option
    ${e.orderStatus=== 'New'? 'selected': ''}>New<
    /option>
            <option
    ${e.orderStatus=== 'Confirmed'? 'selected': ''
    }>Confirmed</option>
            <option
    ${e.orderStatus=== 'Dispatched'? 'selected': ''
    '}>Dispatched</option>
            <option
    ${e.orderStatus=== 'Completed'? 'selected': ''
    }>Completed</option>
            <option
    ${e.orderStatus=== 'Cancelled'? 'selected': ''
    }>Cancelled</option>
        </select>
    </td>
</tr>
` ).join('') : `<tr><td colspan="8"
style="text-align:center; padding:40px;
color:var(--text-faint);">No enquiries yet
– they'll appear here when customers

```

```

enquire or order.</td></tr>`;

    qsa('[data-
payment]').forEach(s=>s.addEventListener('c
hange', async ()=>{
    const e =
    ENQUIRIES.find(x=>x.id===s.dataset.payment)
    ; e.paymentStatus = s.value; await
    saveEnquiries(); toast('Updated');
    }));
    qsa('[data-
status]').forEach(s=>s.addEventListener('ch
ange', async ()=>{
    const e =
    ENQUIRIES.find(x=>x.id===s.dataset.status);
    e.orderStatus = s.value; await
    saveEnquiries(); toast('Updated');
    }));
}

/* ---- Delivery ---- */
function renderAdminDelivery(){
    const d = DATA.delivery;
    adminMain(`
        <div class="admin-head"><div>
        <h2>Delivery Settings</h2><p>Kept separate
        from product price throughout the site.</p>
        </div></div>
        <div class="admin-card glass">
        <form id="deliveryForm">
            <div class="field"><label>Delivery
            Charge (₹)</label><input type="number"
            name="charge" value="${d.charge}" min="0">
            </div>

```

```

        <div class="field"><label>Delivery
Message</label><textarea
name="message">${esc(d.message)}</textarea>
</div>

        <div class="field"><label>Delivery
Areas</label><textarea
name="areas">${esc(d.areas)}</textarea>
</div>

        <div class="field"><label>Estimated
Delivery Time</label><input type="text"
name="estimatedTime"
value="${esc(d.estimatedTime)}"></div>
        <button class="btn btn-primary"
type="submit">Save Delivery
Settings</button>
    </form>
</div>
`);

qs('#deliveryForm').addEventListener('submi
t', async (e)=>{
    e.preventDefault(); const fd = new
FormData(e.target);
    Object.assign(DATA.delivery, {
charge:Number(fd.get('charge'))||0,
message:fd.get('message'),
areas:fd.get('areas'),
estimatedTime:fd.get('estimatedTime') });
    await saveData(); toast('Delivery
settings saved');
    });
}

/* ---- Payment ---- */

```



```

function renderAdminPayment(){
  const p = DATA.payment;
  adminMain(`
    <div class="admin-head"><div>
<h2>Payment Settings</h2><p>Online payment
only – Cash on Delivery is not offered.</p>
</div></div>
    <div class="admin-card glass">
      <form id="paymentForm">
        <div class="field"><label>UPI
ID</label><input type="text" name="upi"
value="${esc(p.upi)}"></div>
        <div class="field"><label>QR Code
Image URL</label><input type="text"
name="qr" value="${esc(p.qr)}"
placeholder="https://..."></div>
        <div class="field"><label>Bank
Details</label><textarea
name="bank">${esc(p.bank)}</textarea></div>
        <div class="field"><label>Payment
Instructions</label><textarea
name="instructions">${esc(p.instructions)}
</textarea></div>
        <button class="btn btn-primary"
type="submit">Save Payment
Settings</button>
      </form>
    </div>
  `);

  qs('#paymentForm').addEventListener('submit', async (e)=>{
    e.preventDefault(); const fd = new
FormData(e.target);

```

```

        Object.assign(DATA.payment, {
            upi:fd.get('upi'), qr:fd.get('qr'),
            bank:fd.get('bank'),
            instructions:fd.get('instructions') });
        await saveData(); toast('Payment
settings saved');
    });
}

/* ---- Contact settings ---- */
function renderAdminContact(){
    const c = DATA.contact;
    adminMain(`
        <div class="admin-head"><div>
<h2>Contact Settings</h2><p>Shown on the
Contact page and used for the WhatsApp
button.</p></div></div>
        <div class="admin-card glass">
            <form id="contactForm">
                <div class="field"><label>WhatsApp
Number (with country code, no +)</label>
<input type="text" name="whatsapp"
value="${esc(c.whatsapp)}"
placeholder="919876543210"></div>
                <div class="field-row">
                    <div class="field">
<label>Phone</label><input type="text"
name="phone" value="${esc(c.phone)}"></div>
                    <div class="field">
<label>Email</label><input type="email"
name="email" value="${esc(c.email)}"></div>
                    </div>
                <div class="field-row">
                    <div class="field">

```

```

<label>Instagram</label><input type="text"
name="instagram"
value="{esc(c.instagram)}"></div>
    <div class="field">
<label>Business Hours</label><input
type="text" name="hours"
value="{esc(c.hours)}"></div>
    </div>
    <div class="field"><label>Store
Address</label><textarea
name="address">{esc(c.address)}</textarea>
</div>
    <button class="btn btn-primary"
type="submit">Save Contact Info</button>
    </form>
</div>
`);

qs('#contactForm').addEventListener('submit
', async (e)=>{
    e.preventDefault(); const fd = new
FormData(e.target);
    Object.assign(DATA.contact, {
whatsapp:fd.get('whatsapp').replace(/^[0-
9]/g,''), phone:fd.get('phone'),
email:fd.get('email'),
instagram:fd.get('instagram'),
hours:fd.get('hours'),
address:fd.get('address') });
    await saveData(); renderChrome();
toast('Contact info saved');
    });
}

```

```

/* -----
-----
13. Modal helpers
-----
----- */
function closeModal(){
  qs('#modalOverlay').classList.remove('open'
); qs('#modalOverlay').innerHTML=''; }
function confirmModal(title, desc,
onConfirm){
  const overlay = qs('#modalOverlay');
  overlay.innerHTML = `
    <div class="modal">
      <h3>${esc(title)}</h3>
      <p>${esc(desc)}</p>
      <div class="modal-actions">
        <button class="btn btn-ghost"
id="modalCancel">Cancel</button>
        <button class="btn btn-danger"
id="modalConfirm">Delete</button>
      </div>
    </div>
  `;
  overlay.classList.add('open');

  qs('#modalCancel').addEventListener('click'
, closeModal);

  qs('#modalConfirm').addEventListener('click'
, ()=>{ onConfirm(); closeModal(); });
}

/* -----
-----

```

14. Mobile menu / nav wiring

```
-----  
----- */  
function closeMobileMenu(){  
  
  qs('#hamburger').classList.remove('open');  
  
  qs('#mobileMenu').classList.remove('open');  
}  
function bindNav(){  
  
  qs('#hamburger').addEventListener('click',  
    ()=>{  
  
    qs('#hamburger').classList.toggle('open');  
  
    qs('#mobileMenu').classList.toggle('open');  
    });  
    qs('#cartBtn').addEventListener('click',  
    ()=>{  
      qs('#drawer').classList.add('open');  
  
      qs('#drawerOverlay').classList.add('open');  
    });  
  
    qs('#drawerOverlay').addEventListener('click', closeDrawer);  
  
    qs('#drawerCloseBtn').addEventListener('click', closeDrawer);  
    function closeDrawer(){  
      qs('#drawer').classList.remove('open');  
  
      qs('#drawerOverlay').classList.remove('open'
```

```

');
}
qs('#heroBtn1').addEventListener('click',
()=> location.hash = '#/shop');
qs('#heroBtn2').addEventListener('click',
()=> location.hash = '#/shop/cat_access');
}

/* -----
-----

15. Init
-----
----- */
async function init(){
  await loadData();
  applyTheme();
  renderChrome();
  bindNav();
  bindShopControls();
  bindAdminLogin();
  buildAdminSidebar();
  window.addEventListener('hashchange',
router);
  router();
  renderCartCount();
  renderCartDrawer();

  // floating WhatsApp
  qs('#waFloat').addEventListener('click',
(e)=>{
    e.preventDefault();
    if(!hasWhatsApp()){ toast('WhatsApp
number not set yet – add it in Admin →
Contact'); return; }

```

```
        window.open(waLink(`Hello, I have a
question about ${DATA.branding.name}.`),
'_blank');
    });
    qs('#waFloat').href = '#';

    if(!storageAvailable){
        toast('Running in offline demo mode –
admin changes won\u2019t persist on
reload');
    }
}

document.addEventListener('DOMContentLoaded', init);

})();
```