

# Viewing Computing Ethics through an OPEN SOURCE Lens

Andrew A. Anda, Ph.D.

aanda@stcloudstate.edu

Computer Science Department St. Cloud State University



#### Abstract

In the context of teaching an upper-division undergraduate Computing Ethics course, we describe how the OPEN SOURCE model may be studied by students, and presented by an instructor, as a unifying methodology for the concomitant exploration of the ten topical units specified and prescribed by the 2001 ACM Computer Science Computing Curricula.



#### OPEN SOURCE

The OPEN SOURCE model consists of the professional practice whereby source code is published under a specific <u>license</u> that defines a set of intellectual property *rights* & *obligations* for the *use* of that code.



#### OPEN SOURCE

The OPEN SOURCE model consists of the professional practice whereby source code is published under a specific <u>license</u> that defines a set of intellectual property *rights* & *obligations* for the *use* of that code.

The primary right (& benefit) is that one (& often many) may peruse the code free from any legal obligation.



#### OPEN SOURCE

The OPEN SOURCE model consists of the professional practice whereby source code is published under a specific <u>license</u> that defines a set of intellectual property *rights* & *obligations* for the *use* of that code.

The primary right (& benefit) is that one (& often many) may peruse the code free from any legal obligation.

Under many common licensing conditions, OPEN SOURCE enables and facilitates <u>collaborative</u> <u>user</u>-generated software development.



∃ two primary distinct definitions of OPEN SOURCE software:



∃ two primary distinct definitions of OPEN SOURCE software:

✓ **Free**: (*Free Software Foundation*)



∃ two primary distinct definitions of OPEN SOURCE software:

- √ Free: (Free Software Foundation)
- **√ Open**: (Open Source Initiative)



∃ two primary distinct definitions of OPEN SOURCE software:

- √ Free: (Free Software Foundation)
- **√ Open**: (Open Source Initiative)

The differences between them are philosophical and ideological.



∃ two primary distinct definitions of OPEN SOURCE software:

- ✓ **Free**: (*Free Software Foundation*)
- **√ Open**: (Open Source Initiative)

The differences between them are philosophical and ideological.

Note: OPEN SOURCE is not synonymous with public domain.





The *popularity* and *impact* of the OS SW model has been burgeoning and extending beyond SW into:

 $\checkmark$  the arts



- the arts
- the sciences



- the arts
- the sciences
- √ engineering



- the arts
- the sciences
- √ engineering
- business



The *popularity* and *impact* of the OS SW model has been burgeoning and extending beyond SW into:

- the arts
- the sciences
- √ engineering
- business

All exploiting the social networking benefits inherent in the OS model.



The *popularity* and *impact* of the OS SW model has been burgeoning and extending beyond SW into:

- the arts
- the sciences
- √ engineering
- business

All exploiting the social networking benefits inherent in the OS model.

Surely, the OS model will be used pervasively and profoundly in many contexts of students' future lives.



The OS model has affected *computing* earliest and most profoundly.



The OS model has affected *computing* earliest and most profoundly.

For students in any of the computing disciplines, a preliminary examination of the OS model in the context of computer software can serve as a *gateway* to an understanding of the *broader* applications of the model.



The OS model has affected *computing* earliest and most profoundly.

For students in any of the computing disciplines, a preliminary examination of the OS model in the context of computer software can serve as a *gateway* to an understanding of the *broader* applications of the model.

Computing educators should therefore integrate an introduction to the OPEN SOURCE model into the computing curriculum.



The OS model has affected *computing* earliest and most profoundly.

For students in any of the computing disciplines, a preliminary examination of the OS model in the context of computer software can serve as a *gateway* to an understanding of the *broader* applications of the model.


Computing educators should therefore integrate an introduction to the OPEN SOURCE model into the computing curriculum.

A Computing Ethics course would be an appropriate context for this introduction.



## Computing Ethics


A Computing Ethics (sometimes labeled Computing and Society) course focuses primarily on issues relating to the bidirectional interaction of computing and society.



#### **Computing Ethics**

A Computing Ethics (sometimes labeled Computing and Society) course focuses primarily on issues relating to the bidirectional interaction of computing and society.

The Final Report of the Joint ACM/IEEE-CS Task Force on Computing Curricula 2001 for Computer Science provides a ten-unit template for a course [CS280T] syllabus having a recommended 40 hours (minimum) instructional focus on social and professional issues related to computing.



### **Computing Ethics**


A Computing Ethics (sometimes labeled Computing and Society) course focuses primarily on issues relating to the bidirectional interaction of computing and society.

The Final Report of the Joint ACM/IEEE-CS Task Force on Computing Curricula 2001 for Computer Science provides a ten-unit template for a course [CS280T] syllabus having a recommended 40 hours (minimum) instructional focus on social and professional issues related to computing. Some currently popular texts for the Computing Ethics course are careful to cover comprehensively this ten-unit template.




## OS & Computing Ethics

I will outline how the OS model may be exploited as a unifying context for the presentation, examination, and discussion of most, if not all, of the ten units in the CS280T Computing Ethics course template.



## OS & Computing Ethics

I will outline how the OS model may be exploited as a unifying context for the presentation, examination, and discussion of most, if not all, of the ten units in the CS280T Computing Ethics course template. It should be left to an instructor's discretion the degree to which OS is discussed in the service of each unit, as well as the degree to which OS is discussed when integrating those units in recapitulation.



## OS & Computing Ethics

I will outline how the OS model may be exploited as a unifying context for the presentation, examination, and discussion of most, if not all, of the ten units in the CS280T Computing Ethics course template. It should be left to an instructor's discretion the degree to which OS is discussed in the service of each unit, as well as the degree to which OS is discussed when integrating those units in recapitulation. At SCSU, our CSCI program expects and requires students taking our Computing Ethics course (CSCI 332) to be at the upper division level having had experience programming in teams/groups.



I will outline how the OS model may be exploited as a unifying context for the presentation, examination, and discussion of most, if not all, of the ten units in the CS280T Computing Ethics course template. It should be left to an instructor's discretion the degree to which OS is discussed in the service of each unit, as well as the degree to which OS is discussed when integrating those units in recapitulation. At SCSU, our CSCI program expects and requires students taking our Computing Ethics course (CSCI 332) to be at the upper division level having had experience programming in teams/groups. I assign a term paper which discusses the OS model in the context of the ten units as described below.



- SP1 History of Computing
- SP2 Social Context of Computing
- SP3 Methods and Tools of Analysis & [SP10] Philosophical Frameworks
- SP4 Professional and Ethical Responsibilities
- SP5 Risks and Liabilities of Computer-Based Systems
- SP6 Intellectual Property (IP)
- SP7 Privacy and Civil Liberties
- SP8 Computer Crime
- SP9 Economic Issues in Computing




In this unit, historical antecedents for OS both inside and outside of the context of computing can be explored.



In this unit, historical antecedents for OS both inside and outside of the context of computing can be explored.

One can look back at the evolution of professions and natural philosophy. Both have come to rely on peer review.



In this unit, historical antecedents for OS both inside and outside of the context of computing can be explored.

One can look back at the evolution of professions and natural philosophy. Both have come to rely on peer review.

In computing, one can identify numerous precursors and antecedents to the formal origins of the OS model, most early examples relying on the process of review, publication and comment.




In this unit, historical antecedents for OS both inside and outside of the context of computing can be explored.

One can look back at the evolution of professions and natural philosophy. Both have come to rely on peer review.

In computing, one can identify numerous precursors and antecedents to the formal origins of the OS model, most early examples relying on the process of review, publication and comment.

The origins of both the Free and Open movements can be outlined.




## [SP2] Social Context of Computing

OS has utility only in the context of a social network.



## [SP2] Social Context of Computing

OS has utility only in the context of a social network. Ridley provides an anthropological foundation for explanations of why the OS model has proven effective.



## [SP2] Social Context of Computing

OS has utility only in the context of a social network. Ridley provides an anthropological foundation for explanations of why the OS model has proven effective.

Sunstein discusses current research into the relative effectiveness of a variety of collaborative models in various contexts.



### [SP2] Social Context of Computing

OS has utility only in the context of a social network. Ridley provides an anthropological foundation for explanations of why the OS model has proven effective.

Sunstein discusses current research into the relative effectiveness of a variety of collaborative models in various contexts.

International issues and higher education have been addressed by MIT with its *OpenCourseWare* initiative.




### [SP3] Methods and Tools of Analysis & [SP10] Philosophical Frameworks

I have combined these two units in this outline because they are so interrelated.



# [SP3] Methods and Tools of Analysis & [SP10] Philosophical Frameworks

I have combined these two units in this outline because they are so interrelated. Quinn critiques OS and IP in the context of rights-based/social contract and consequentialist/utilitarian arguments.



# [SP3] Methods and Tools of Analysis & [SP10] Philosophical Frameworks


I have combined these two units in this outline because they are so interrelated.

Quinn critiques OS and IP in the context of rights-based/social contract and consequentialist/utilitarian arguments.


Berry explores the use of the OS model in collaborative ethical analysis in a specific domain (Internet research). Sunstein could be used for further analysis.



The instructor and/or the students can proceed through the tenets of various applicable professional *codes of ethics* related to computing to argue for the applicability of the OS model in each case.



The instructor and/or the students can proceed through the tenets of various applicable professional *codes of ethics* related to computing to argue for the applicability of the OS model in each case. E.g., consider that the act of *disclosure* in various contexts often serves to satisfy one or more ethical obligations. The primary attribute of the OS model *is* disclosure.



The instructor and/or the students can proceed through the tenets of various applicable professional *codes of ethics* related to computing to argue for the applicability of the OS model in each case.

E.g., consider that the act of *disclosure* in various contexts often serves to satisfy one or more ethical obligations. The primary attribute of the OS model *is* disclosure.

One can discuss the obligation of maintaining professional competence and currency. In reading other's code, maintaining code, and originating code, one is developing, honing, and enhancing one's acumen, knowledge, and abilities. Kasper Edwards analyzes this learning process.



One of the primary topical concerns of this unit is *the* role of the professional in public policy. As the OS model increasingly mediates and hosts public policy debate and analysis, those having a more sound understanding of and facility with the OS model will better address their professional obligations in the context of public policy.



One of the primary topical concerns of this unit is *the* role of the professional in public policy. As the OS model increasingly mediates and hosts public policy debate and analysis, those having a more sound understanding of and facility with the OS model will better address their professional obligations in the context of public policy.

We have witnessed the profound effect the *blogosphere* has produced, just in the last decade, in the context of public policy debate. See Sunstein for a discussion of the influence of *blogs* on public policy.



Failures of software can be harmful in the contexts of any of the rest of the units of this outline,
One of the strongest justifications for the adoption of the OS software model is the model's effectiveness in assessing and mitigating risk.



Failures of software can be harmful in the contexts of any of the rest of the units of this outline,

One of the strongest justifications for the adoption of the OS software model is the model's effectiveness in assessing and mitigating risk.

With a nod to Norbert Wiener, a cybernetic definition of computer-based systems includes people as an integral component of the system, able to influence and be influenced by the hardware and software.



Instructors and/or their students could proceed to identify how the use of the OS model could have prevented or mitigated classic failure cases.



Instructors and/or their students could proceed to identify how the use of the OS model could have prevented or mitigated classic failure cases. Bauer & Pizka and Crowston & Howison discuss the evolution of OS software projects functionally and socially and the implications for risk.



Instructors and/or their students could proceed to identify how the the use of the OS model could have prevented or mitigated classic failure cases. Bauer & Pizka and Crowston & Howison discuss the evolution of OS software projects functionally and socially and the implications for risk. Another noted benefit of the OPEN SOURCE software model is that there are *many eyes* examining and testing the software as a whole or in part.



An exploration and examination of OS *licensing* requires concomitant exploration and examination of the tools and analysis of *intellectual property* (IP) in general.



An exploration and examination of OS *licensing* requires concomitant exploration and examination of the tools and analysis of *intellectual property* (IP) in general.

Ridley provides some anthropological bases for the seemingly altruistic behavior of OS model participants. He explains the cooperative drive as an evolutionary one whereby the exchange of favors confers mutual benefit.



#### Licencing:

a major attribute of some licenses, e.g. the popular GPL, is that the are *sticky*, i.e. they behave *virally* like an infection wherein a segment of code confers the license to code that uses it.



#### Licencing:

a major attribute of some licenses, e.g. the popular GPL, is that the are *sticky*, i.e. they behave *virally* like an infection wherein a segment of code confers the license to code that uses it.

Recently, the US Patent and Trademark Office has decided to use a *Community Patent Review* OS model peer review process in an attempt to improve its actual and perceived performance.



#### [SP7] Privacy and Civil Liberties


The visibility of the code in OS software helps to ensure that no hidden *trapdoors* should lurk in applications which protect privacy or perform a critical or trusted function. Cryptographic and other types of security systems which are not OS are now considered highly suspect.



#### [SP7] Privacy and Civil Liberties

The visibility of the code in OS software helps to ensure that no hidden *trapdoors* should lurk in applications which protect privacy or perform a critical or trusted function. Cryptographic and other types of security systems which are not OS are now considered highly suspect.

There is currently national activism regarding public dissatisfaction with electronic closed-source voting systems.



#### [SP7] Privacy and Civil Liberties

The visibility of the code in OS software helps to ensure that no hidden *trapdoors* should lurk in applications which protect privacy or perform a critical or trusted function. Cryptographic and other types of security systems which are not OS are now considered highly suspect.

There is currently national activism regarding public dissatisfaction with electronic closed-source voting systems.

The EFF is also sponsoring and advocating the use of an OS Internet anonymizer project,



### [SP8] Computer Crime

In this context, OS software has proven to be essentially a double edged sword.



### [SP8] Computer Crime

In this context, OS software has proven to be essentially a double edged sword.

A *predator-prey* dynamic can be recognized operating on the Internet mediated by OS and disclosure on both sides involving the *White Hats* (*Hackers*) who detect, publicize, and repair vulnerabilities, versus the malicious *Black Hats* (*Crackers*) and parasitic *Script Kiddies*. Both the White Hats and the Black Hats are creating and inspecting OS software.



In this context, OS software has proven to be essentially a double edged sword.

A *predator-prey* dynamic can be recognized operating on the Internet mediated by OS and disclosure on both sides involving the *White Hats* (*Hackers*) who detect, publicize, and repair vulnerabilities, versus the malicious *Black Hats* (*Crackers*) and parasitic *Script Kiddies*. Both the White Hats and the Black Hats are creating and inspecting OS software.


Ordinary users will utilize the White Hat products and services for their own protection and safety, whereas Script Kiddies will rush to exploit the malware developed by the Black Hats. A current intense security policy debate concerns the utility of vulnerability disclosure, and more critically,



This is the unit that may interest students the most, as it concerns the apparent conundrum of OS economics and motivation. The chief challenge for many in trying to grok the OS model economics.



This is the unit that may interest students the most, as it concerns the apparent conundrum of OS economics and motivation. The chief challenge for many in trying to grok the OS model economics. Ridley is again appropriate reading for helping to understand the OS economy explained by Eric S. Raymond as a *gift culture*.




I find it useful to adopt and present the following economic classification of software products:

monopoly value the value you gain not just from having the use of a program but from having it be *unavailable to your competitors*.

market value its value as a salable commodity.

use value its economic value as a *tool*. ( > 75% overall)



I find it useful to adopt and present the following economic classification of software products:

monopoly value the value you gain not just from having the use of a program but from having it be unavailable to your competitors.

market value its value as a salable commodity.

use value its economic value as a *tool*. ( > 75% overall)

A more mathematical economic discourse is offered by Johnson.



#### Conclusion

In the context of teaching an upper-division undergraduate Computing Ethics course, we described how the OS model may be studied by students, and presented by an instructor, as a unifying methodology for the concomitant exploration of the ten topical units specified and prescribed by the 2001 ACM Computer Science Computing Curricula.