

Zava ExM Meeting Concierge

Final implementation report

September 30 2026

UAT-readiness revision: October 1, 2026



Implementation result

The proof of concept is built and demonstrated within the accepted Zava PP Lab Dev scope. It reads Dataverse governance rules and checks calendar conflicts. It protects board meetings and moves eligible meetings through a Power Automate flow with independent checks. The final automatic run moved the conflicting normal meeting and sent the executive assistant notification.

The solution and agent display names are now Zava ExM Meeting Concierge. Existing object identifiers and internal names stayed the same, so the integrations still work.




Figure 1. Saved solution overview with the new solution display name and renamed agent alongside the existing components.

This report covers the configuration, demonstrated results, handover, and accepted testing limits. The user waived two remaining scenarios and further dynamic rule verification. These are not completed tests.

How the solution works

A solution-aware cloud flow starts when Outlook creates a new calendar event. It calls the Copilot Studio agent and waits for the result. The agent reads current policy and calendar data, chooses an eligible replacement interval, and sends any proposed change to the enforcement flow.

Component	What is implemented
Copilot Studio agent	Reads and interprets current policy, checks conflicts, selects a replacement interval, and coordinates the outcome.
CalendarGovernanceRule table	Stores active governance instructions as natural-language text in Dataverse.
New Event cloud flow	Starts on the Outlook new-event trigger and runs the agent. It triggers only on creation, so an update does not start the flow again.
ModifycalendarWithRuleCheck	Is the only enabled calendar write path. It independently checks the proposed change.
Office 365 Outlook tools	Read Graph calendar data and send the qualifying notification to the fixed executive assistant recipient.

Current governance rule

“Board meetings are critical and cannot be moved. Any meeting that has "board meeting" in the subject is considered a board meeting.”

The active row is Initial Calendar Governance Rule. It stores policy in the multiline Rule Text column. There are no separate protection keyword or category fields. The original rule was restored after the completed dynamic-rule demonstration.

Enabled agent tools

GetActiveCalendarGovernanceRules reads active rows from the fixed Dataverse table.

ReadCalendarGraphViaOutlook reads events and calendarView data through GET. ModifycalendarWithRuleCheck takes eventId, new start, new end, and reason. NotifyExecutiveAssistant sends the actual outcome to NancyW@DIAx50808308.OnMicrosoft.com only when a new protected meeting has a real conflict. This includes a failure outcome when applicable.

The agent uses GPT5ReasoningPreview. Web search is off. Four agent tools are enabled. Earlier setup tools remain disabled because they were unsuitable or duplicated other tools.

Independent checks before calendar changes

The enforcement flow does not treat the agent’s explanation as permission to change the calendar. On every call, it reads the actual target event, current Dataverse rules, and current conflicts in the target interval. It then checks whether a write is allowed.

Checks before a change

The flow excludes the target event itself, cancelled events, and events marked free. A conflict must overlap: the other event starts before the target ends and ends after the target starts. Adjacent meetings do not count as conflicts.

AI Builder checks the actual event against the current natural-language rules. It returns ALLOW, PROTECTED, or DENY. A write requires ALLOW and nonempty rules. It also requires all conflict pages, with no pages left to read, a real conflict, and an eligible event type. The requested duration must be positive and equal the original duration. The flow rejects cancelled events and series masters.

An allowed request sends a Microsoft Graph PATCH with UTC start and end values and an ETag If-Match condition. This version check prevents an update to a target event that has changed. It does not reserve the replacement slot. The synchronous response confirms success or gives a rejection. A protected meeting returns “Board meetings are protected and cannot be moved”. Missing required data or classification errors mean no PATCH.




Figure 2. Saved enforcement-flow run showing the conflict read, filter, classification, condition, and response. This shows the flow structure. The next page summarizes the result evidence.

The agent checks replacement-slot availability, working hours, and the search across two business days. The flow does not independently check the full replacement-slot search.

Demonstration results and accepted scope

Scenario	Recorded result
Normal meeting without a conflict	Partial. The initial unnecessary move was corrected. The strict no-conflict flow regression passed with no PATCH. The final autonomous scenario was not repeated.
Normal meeting conflicts with a board meeting	Passed in a live agent session. The normal meeting moved and kept its 30-minute duration. The board meeting stayed unchanged.
New board meeting conflicts with a normal meeting	Passed in the final automatic run. The normal meeting moved to the next interval. The success notification appeared in Sent Items.

Scenario	Recorded result
Direct attempt to move a protected event	Passed. Independent reads returned the exact protection rejection. The board meeting did not change.
Subject case variations	Uppercase passed at flow level. Title case and lowercase passed in agent demonstrations. This was not a full parameterized test suite.
Two protected meetings conflict	Not tested. The user waived this remaining scenario.
No available replacement slot	Not tested. The user waived this remaining scenario.
Dynamic rule change	Previously demonstrated successfully by changing only the Dataverse rule. Further verification was waived. The original rule was restored.

Additional evidence and corrections

A protected event with no actual conflict caused no move and no notification. The flow correctly ignored an adjacent event. In the earlier dynamic demonstration, the agent read the changed rule. The enforcement flow then denied the newly protected normal meeting.

Earlier runs had connection and query problems, inconsistent agent behavior, and mismatched flow input mapping. These were corrected before the final successful automatic run. Failed runs do not count as passing evidence.

There was no new end-to-end test after the display name change. Saving the names and publishing the agent confirmed only that administrative change. The functional evidence predates the rename. Historical screenshots may therefore show the former name.

Final automatic result

The final automatic demonstration kept the new board meeting unchanged. It moved the normal meeting by 30 minutes on October 1, 2026. The times below are Eastern Daylight Time.

Meeting	Before	After
Board meeting	11:00–11:30 AM	11:00–11:30 AM
Normal conflict check	11:00–11:30 AM	11:30 AM–12:00 PM

The new-event flow finished in 2 minutes 18 seconds. The enforcement flow finished in 4 seconds. The successful notification appeared in Outlook Sent Items at 3:30 PM on September 30. It included meeting subjects, old and new times, the flow outcome, and the working-hours fallback. Sent Items shows that the message was sent. It does not prove delivery or that the recipient read it.




Figure 3. Saved Outlook Sent Items evidence of the successful executive assistant notification from the final automatic demonstration.

Retained demonstration fixtures

The October 1 calendar still holds the demonstration meetings: the protection-check meeting at 10:00–10:30 AM, the Q4 board meeting at 10:30–11:00 AM, the final board meeting at 11:00–11:30 AM, and the moved normal meeting at 11:30 AM–12:00 PM. Diagnostic and success notification messages were kept as evidence.

Handover and operation

Connections and deployment boundary

The implementation uses existing Outlook and Dataverse OAuth connections and an authenticated Copilot Studio connection. Unattended runs use the configured owner connections. This report contains no embedded credentials. No external hosting was added.

The unmanaged solution contains one agent, two cloud flows, one table, five connection references, 22 agent components, and one generated AI Skill Config. Connection credentials, the policy row, calendar events, messages, and run history are environment data. A future deployment must configure connections and seed the rule separately.

Calendar and working hours

The calendar is aandino@diav50808308.onmicrosoft.com / Calendar. The calendar, notification recipient, and agent schema are fixed for this lab. They are not environment variables. The working hours API was unavailable. The agent therefore uses Monday through Friday, 9 AM to 5 PM in the event's originalStartTimeZone. The demonstration meetings use Eastern time.

Maintaining the proof of concept

Maintain policy in the active CalendarGovernanceRule row. Keep both cloud flows on. Check the new-event flow and enforcement flow together when investigating a request. Confirm a move against both the enforcement response and the actual event interval. Keep internal solution and agent names unchanged when changing display names.

Before moving beyond this lab, review connection ownership, the fixed recipient and calendar, model availability, and scheduling requirements. Natural-language classification is probabilistic: the AI can interpret a rule differently. Deterministic flow checks limit writes but do not independently check the full replacement-slot search. The preview model and lack of a formal evaluation set also remain limitations.

Completion status

Handover recorded no remaining authentication, licensing, or manual configuration blocker. The accepted build scope is complete. The user stopped further testing of the two protected-meeting and no-slot scenarios, along with further dynamic-rule verification. This is a demonstrated lab proof of concept, not production certification.

User acceptance testing (UAT): gaps and next steps

This revision was added October 1, 2026. The September 30 findings and accepted lab proof of concept remain unchanged. The actions below are recommendations for future work before UAT. They are not completed work or UAT approval. No flows, connections, policies, or app configuration changed. Priorities are suggested. No owners or dates are assigned.

Actions before UAT

A confirmed design limitation is a documented constraint. A verification or evidence gap means the report does not establish that a control has been checked. It does not mean the control is missing. The UAT criteria are recommendations, not a compliance determination.

Gap / suggested priority	Future action needed	Evidence / acceptance needed before UAT
Policy assurance; Confirmed design limitation; P1	AI Builder ALLOW / PROTECTED / DENY is probabilistic: AI can interpret rules differently. Add a deterministic board-protection check that cannot be overridden. Review policy and evaluator versions before activation. Alternatively, obtain explicit, justified acceptance of the remaining risk for an approved alternative.	Review versioned policy, evaluator, and input mapping. Test board case variants and adversarial instructions. ALLOW, rule presence, complete paging, conflict, eligible-type, and unchanged positive-duration checks remain useful. They do not guarantee deterministic policy protection. Source: Checks before a change; Current governance rule.
Destination validation; Confirmed design limitation; P1	Have the enforcement flow independently check the selected slot immediately before writing. Confirm it is free, within approved working hours, and within the two-business-day horizon. Define how to handle another booking taking that slot. The target event ETag does not lock	Test concurrent destination bookings and stale targets. Reject conflicting or stale requests, or check actual event state before trying again. Do not make an unauthorized move. Re-read the selected slot immediately before writing. Source: replacement-search boundary following Figure 2; Calendar and

	destination bookings.	working hours.
Identity and privilege; Verification / evidence gap; P1	Verify agent read/write scopes, allowed callers and mailboxes, permission to edit policy, OAuth consent, and connection ownership. A GET-only tool does not prove that its underlying credential has read-only access.	Review permissions and caller/mailbox restrictions. Test rejection of unauthorized callers and policy edits. Show how owner connections behave during unattended runs. Source: Enabled agent tools; Connections and deployment boundary.
Replay, recovery and audit; Verification / evidence gap; P1	Verify durable idempotency so repeated requests do not repeat a write. When an outcome is uncertain, check the actual event before trying again. Do not retry blindly. Establish event/correlation, policy-version, and evaluator-decision logs. Define access, retention, data minimization, monitoring alerts, and stop/recovery procedures.	Test duplicates, replays, and timeouts against actual event state. Provide an accessible decision/write audit trail. Demonstrate stopping runs and rollback/recovery. Creation-only triggering and ETag checks help, but do not replace these controls. Source: Checks before a change; Maintaining the proof of concept.
Test completeness; Verification / evidence gap; P1	Complete the waived two-protected-meeting and no-slot tests. Repeat autonomous no-conflict and post-rename runs. Add full board/case, adversarial, missing/changed-rule, failure, invalid-input, duplicate, recurrence, unauthorized, and concurrency tests.	Use a formal evaluation set with pass/fail criteria and event/write evidence at the stated test level. Keep historical waived and partial statuses. Sent Items proves sent, not delivered. Confirm the notification outcome separately. Source: Demonstration results and accepted scope; Additional evidence and corrections.
UAT portability and support; Confirmed design limitation and Verification / evidence gap; P2	Review configurable mailbox, recipient, hours, and schema settings/environment variables where suitable. Recreate connections and seed approved policy. Confirm license, DLP, consent, and preview-model availability/support, or a supported alternative. Define deployment, support, and change-control roles, plus rollback for promotion.	Import into isolated UAT and validate connections and policy. Approve test mailboxes and notification recipients. Record configuration and the model/support decision. Preserve internal identities that integrations depend on. Source: Connections and deployment boundary; Calendar and working hours; Maintaining the proof of concept.

UAT entry checklist

UAT entry approval is still pending. Approve the scope, data, test mailboxes, and notification recipients first. Close the action register or document justified acceptance of remaining risks. Pass the required tests with actual event and write evidence. Validate the solution, connections, and policy in isolated UAT. Assign responsibility for monitoring, stopping runs, and recovery. Use only authorized test recipients. Suggested accountable roles are the solution owner, platform administrator, security/governance reviewer, and test lead. No individual is assigned.