
# Statistics of JavaMelody monitoring taken at 1/11/17 7:06 PM from 1/11/17 7:05 PM on /escm\_EASAPP01 (/synergy-production-4.3.1)



## Statistics http - all

Request	% of cumulativ e time	Hits	Mean time (ms)		Standard deviation	% of cumulativ e cpu time	Mean cpu time (ms)	% of system error	Mean size (Kb)		Mean time sql (ms)
http global	100	7	1,468	4,046	1,501	100	1,345	0.00	10	18	35
http warning	39	1	4,046	4,046	0	39	3,687	0.00	49	34	16
http severe	0	0	-1	0	-1	0	-1	0.00	0	-1	-1

4 hits/min on 7 requests

## Statistics sql - all

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
sql global	100	7,264	2	165	7	0.00
sql warning	2	25	14	47	8	0.00
sql severe	4	15	46	68	15	0.00

1,756 hits/min on 123 requests

## </> Statistics jsp - all

Request	% of cumulativ e time		Mean time (ms)		deviation		Mean cpu time (ms)			Mean time sql (ms)
jsp global	100	5	768	1,342	580	100	743	0.00	6	12
jsp warning	0	0	-1	0	-1	0	-1	0.00	-1	-1
jsp severe	0	0	-1	0	-1	0	-1	0.00	-1	-1

3 hits/min on 5 requests

🕕 Statistics http system errors - all

None


√ Statistics system errors logs - all

None

## Current requests

Thread	Request	Elapsed time (ms)	Mean time (ms)	Mean cpu time (ms)		Mean hits sql	Time sql (ms)	Mean time sql (ms)	Executed method
DefaultQu	notification_resending_job_group.Notification Scheduled Job	\$255,290			6,456		13,731		java.io.RandomAccessFile.open(Na
artzSched	update synergy_order_line set provisioned_notif_sent=? where id=?	■16	15						tive Method)
uler_Work	and provisioned_notif_sent=?								
er-2									

2 current requests



Host: EASAPP01@10.10.3.16

Java memory used: 1,485 Mb / 3,641 Mb

Nb of http sessions: 1

Nb of active threads (current http requests): 0

Nb of active jdbc connections: 1

Nb of used jdbc connections (opened if no datasource): 0



Threads on EASAPP01@10.10.3.16: Number = 68, Maximum = 69, Total started = 989




18 job(s) on EASAPP01@10.10.3.16 with 1 running

Statistics job - all


Job	% of cumulativ		Mean time (ms)		deviation		Mean cpu time (ms)			Mean time sql (ms)
job global	100	3	929	2,381	1,260	100	499	0.00	61	349
job warning	85	1	2,381	2,381	0	86	1,296	0.00	172	1,017
job severe	0	0	-1	0	-1	0	-1	0.00	-1	-1

18 jobs



205 cache(s) on EASAPP01@10.10.3.16


### **Detailed statistics**













## Detailed statistics http - all

Request	% of cumulativ e time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of cumulativ e cpu time	Mean cpu time (ms)	% of system error	Mean size (Kb)	Mean hits sql	Mean time sql (ms)
/dashboard/myAccountInfo GET	39	1	4,046	4,046	0	39	3,687	0.00	49	34	16
/login/doAuth POST	25	1	2,657	2,657	0	24	2,281	0.00	0	82	188
/logout/sessionTimedOut GET	16	1	1,656	1,656	0	17	1,640	0.00	1	3	15
/login/auth GET	15	1	1,547	1,547	0	15	1,484	0.00	20	7	0
/dashboard/index GET	1	1	188	188	0	1	171	0.00	0	1	0
/ GET	1	1	156	156	0	1	125	0.00	0	3	31
/css/merchant.css GET	0	1	31	31	0	0	31	0.00	0	0	0

4 hits/min on 7 requests



## Detailed statistics sql - all

Detailed statistics sql - all	0/ -4	1114-	M 4i	<b>1</b> 44:	Ctdd	% of system
Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
update order_notification_queue set sent_count=?, times_sent=?, retry_count=? where id=? and sent_count=?	37	2,000	3	165	8	0.00
/* SELECT b FROM OrderNoticationQueueDTO b WHERE b.sentCount = :status AND b. retryCount <= :rcount AND b. id > :previousLineld */ WITH query AS (select ROW, NUMBER() OVER (ORDER BY CURRENT_ITIMESTAMP) as _ hibenate row nr _ ordernoticO_id as id144_ ordernoticO_bc as cot144_ ordernoticO_late time mail_generated as date4_144_ ordernoticO_late_late_late as lasto_144_ ordernoticO_late_late_late_late_late_late_late_late	24	1,000	3	160	9	0.00
/* SELECT a FROM ConfigPropertiesDTO a WHERE a.property_name=:property_name */ select configprop0_id as id86_, configprop0_display_order as display2_86_, configprop0_is_required_value as is3_86_, configprop0_property_name as property4_86_, configprop0_property_value as property5_86_, configprop0_property_value2 as property6_86_ from config_properties configprop0_where configprop0_property_name=?	23	3,471	1	31	3	0.00
/ load one-to-many org.weceem.content.WcmContent.children // select children // parent_id as parent 1 / 9 . 1_, children // ais id 1_, children // chi	4	464	1	20	4	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowEmailSent = :wfeStatus AND b.id > :previousLineId order by b.id '* WITH query AS (select ROW_NUMBER() OVER (order by synergyord0id) as hibernate row_nrsynergyord0atson_type as action_2 3s_ synergyord0associated_promo_id as associated3_38_, synergyord0_ata_tent_1_notif_sent as data6_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_3_notif_sent as data6_38_, synergyord0_cancelation_date as cancelateg_38_, synergyord0_cancelation_date as cancelateg_38_, synergyord0_cancelation_date as cancelateg_38_, synergyord0_cancelation_send as cantra0_38_, synergyord0_contact_period_unit as contact13_38_, synergyord0_contact_period_unit as contact13_38_, synergyord0_contact_period_unit as contact11_38_,	1	46	5	62	11	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_id) as _hibemate_row_rrsynergyord0_ids as id38_, synergyord0_action_type as action_238_, synergyord0_associated_promo_id as associated3_38_, synergyord0_atal_ret1_notif_sent as data6_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_cancelation_date as cancelate9_38_, synergyord0_cancelation_date3_cancelate9_synergyord0_cancelation_send as canted14_38_, synergyord0_contact_period_unit as contact13_38_, synergyord0_contact_period_unit as contact13_38_, synergyord0_contact_period_unit as contact11_38_, synergyord0_customer_approval	0	2	54	62	10	0.00
/* SELECT a from OfferWorkflowNotificationMapDTO a WHERE a.offerId.id = :offerid */ select offerworkf0_id as id157_, offerworkf0_bcc_address as bcc2_157_, offerworkf0_cc_address as cc3_157_, offerworkf0_language_id as language12_157_, offerworkf0_applicable_op as applicable4_157_, offerworkf0_offer_id as offer13_157_, offerworkf0_post_notif_need as post5_157_, offerworkf0_pre_provision_bcc_address as pre6_157_, offerworkf0_pre_provision_caddress as pre7_157_, offerworkf0_pre_provision_language_id as pre14_157_, offerworkf0_pre_notif_need as pre8_157_, offerworkf0_pre_provision_to_address as pre8_157_, offerworkf0_pre_notif_settings as prov10_157_, offerworkf0_pwf_id as pwf15_157_, offerworkf0_to_address as to11_157_ from offer_pwf_notif_map offerworkf0_where offerworkf0_offer_id=?	0	89	1	18	4	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW, NUMBER() OVER (order by synergyord0_id) as hibemate_row_nrsynergyord0_ids as id38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_atf_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_idata_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_idata_retn_1_notif_sent as data8_3, synergyord0_cancelation_date as catelaf3_38_, synergyord0_cancelation_date as catelaf3_38_, synergyord0_cancelation_date as catelaf3_38_, synergyord0_cancelation_date as comments38_, synergyord0_comments_as comments38_, synergyord0_contact_period_unit as contactf1_3_38_, synergyord0_contact_period_as contactf1_3_38_, synergyord0_contact_period_unit as contactf1_3_38_, synergyord0_customer_approval	0	1	68	68	0	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineId order by b.id > 'WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_id) as hibemate_row_nrsynergyord0_ids as id38_, synergyord0_action_type as action_23 synergyord0_associated_promo_id as associated3_38_, synergyord0_atl_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_3_notif_sent as data6_38_, synergyord0_cata_retn_2_notif_sent as data7_38_, synergyord0_data_retn_3_notif_sent as data8_3, synergyord0_cancelation_date as cancelateg_38_, synergyord0_cancelation_date as cancelateg_38_, synergyord0_cancelation_date as cancelateg_38_, synergyord0_contact_period_unit as contact113_38_, synergyord0_contact_period_unit as contact114_38_, synergyord0_contact_period_unit as contact113_38_, synergyord0_contact_period_unit as contact113_38_, synergyord0_contact_period_unit as contact114_38_, synergyord0_conta	0	1	63	63	0	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowEmailSent = :wfeStatus AND b.id > :previousLineId order by b.id * WITH query AS (select ROW_NUMBER() OVER (order by synergyord0id) as hibernate row_nrsynergyord0das aid38_, synergyord0action_type as action_2 3s_, synergyord0associated_promo_id as associated3_38_, synergyord0_att_code as att4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data6_38_, synergyord0_cancelation_date as cancelatig_38_, synergyord0_cancelation_cancelation_send as cantid_cancelation_cancela	0	2	31	47	21	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b. status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyordO_id) as hibernate_row_nr, synergyordO_id as id38_, synergyordO_action_type as action2_38_, synergyordO_associated_promo_id as associated3_38_, synergyordO_adat_code as att4_38_, synergyordO_business_contact as business5_38_, synergyordO_data_retn_1_notif_sent as data6_38_, synergyordO_data_retn_2_notif_sent as data6_38_, synergyordO_cancelation_data as cate13_38_, synergyordO_cancelation_data as cate13_38_, synergyordO_cancelation_data as comments38_, synergyordO_cancelation_data_retn_2_notif_sent as data6_38_, synergyordO_cancelation_data6_sent as data6_sent as data6_38_, synergyordO_cancelation_data6_sent as data6_sent as data6_sent as	0	1	63	63	0	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW, NUMBER() OVER (order by synergyordO_id) as hibemate_row_nr_, synergyordO_id as id38_, synergyordO_action_type as action2_38_, synergyordO_associated_promo_id as associated3_38_, synergyordO_adat_code as atf4_38_, synergyordO_business_contact as business5_38_, synergyordO_data_retn_1_notif_sent as data6_38_, synergyordO_data_retn_2_notif_sent as data7_38_, synergyordO_data_retn_3_notif_sent as data8_3, synergyordO_cancelation_date as catelaf9_38_, synergyordO_cancelation_date as catelaf9_38_, synergyordO_cancelation_date as comments38_, synergyordO_cancelation_date as comments38_, synergyordO_comments_as comments38_, synergyordO_contact_period_unit as contact13_38_, synergyordO_contact_period_unit as contact13_38_, synergyordO_contact_period_unit as contact113_38_, synergyordO_contact_period_unit as	0	1	62	62	0	0.00
/* load org.weceem.content.WcmSpace */ select wcmspace0id as id0_0_, wcmspace0version as version0_0_, wcmspace0aliasuri as aliasuri0_0_, wcmspace0name as name0_0_from wcm_space0_wmspace0_ where wcmspace0id=?	0	4	11	47	23	0.00

Request	% of cumulative	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT b FROM SynergyOrderLine b WHERE b. status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord_id) ashibernate_row_nr, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_adta_reta_code as atf4_38_, synergyord0_besses_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_3_notif_sent as data8_38_, synergyord0_cancelation_date_ascelating38_, synergyord0_cancelating_data_retn_3_notif_sent ascelating38_, synergyord0_cancelating_data_retn_3_notif_sent ascelating38_, synergyord0_cancelating_data_retn_3_notif_sent ascelating_data_retn_3_notif_sent ascelating_data_retn_3_notif_sent_ascelating_da	<b>time</b> 0	1	47	47	0	0.00
/* Select b from BaseUserOrgMapDTO b,UserDTO a where a.id=b.base_user_id and a.userName=:baseUserName */ select baseuserorOid as id99_, baseuserorO_base_user_id as base3_99_ from base_user_org_map baseuserorO_cross join base_user usertid1_where userdto1_id=baseuserorO_base_id and usertid1a_usertid1_user_name=?	0	1	47	47	0	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b. status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER) (OVER (order by synergyord0_id) as _hibernate_row_nr, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_att_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_3_notif_sent as data8_38_, synergyord0_catelation_date_ascelatl9_38_, synergyord0_cart_notification_send as can10_38_, synergyord0_ci_change_pending_as_ci11_38_, synergyord0_comments as_comments38_, synergyord0_contact_period_unit as_contact13_38_, synergyord0_contact_period_ascental_subscription_line_as_current15_38_, synergyord0_cutomer_approval	0	1	47	47	0	0.00
/* Select b from BaseUserOrgMapDTO b where b.base_user_id=:baseUserId */ select baseuseror0_id as id99_, baseuseror0_base_org_id as base2_99_, baseuseror0_base_user_id as base3_99_ from base_user_org_map baseuseror0_where baseuseror0_base_user_id=?	0	3	15	16	0	0.00
// Select b from ServiceProviderUserDTO b where b.baseUserid=baseUserid AND b.serviceProviderOrganizationDTO.baseOrganizationDTO.bd=baseOrganizationDTO.baseOrganizationDTO.baseOrganizationDTO.baseOrganizationDTO.baseOrganizationDTO.id=baseOrgld and b.is_user_deactivated=:is_user_deactivated */ select servicepro0_id as id94_, servicepro0_ad_user_name as ad2_94_, servicepro0_base_user_id as base14_94_, servicepro0_inner_error_message as error4_94_, servicepro0_inner_error_message as error4_94_, servicepro0_inner_error_message as error4_94_, servicepro0_inner_error_message as error4_94_, servicepro0_ises_rovicepro0_inter_ordate_inner_error_message as error4_94_, servicepro0_inter_ordate_inner_error_message as error4_94_, servicepro0_inter_ordate_inner_error_message as error4_94_, servicepro0_perror_ordate_inner_error_message as error4_94_, servicepro0_perror_ordate_inner_error_message as error4_94_, servicepro0_perror_ordate_inner_er	0	2	16	16	0	0.00
// SELECT b FROM SynergyOrderLine b WHERE b. status.id in (:status) AND b.oiroproductOffertd = :offertd AND b.workFlowEmailSent = :wfeStatus AND b.id > :previousLineld order by b.id */ WITH duery AS (select ROW NUMBER() OVER (order by synergyord()) as a hibemate row_nr_, synergyord()_id as id38_, synergyord()_action type as action2_38_, synergyord()_associated_promo_id as associated3_38_, synergyord()_adta_rein_1_notif_sent as data6_38_, synergyord()_dusiness_contact as business_38_, synergyord()_data_rein_1_notif_sent as data6_38_, synergyord()_data_rein_2_notif_sent as data6_38_, synergyord()_cancelation_date as cancelate()_38_, synergyord()_cant_notification_send as cart()_38_, synergyord()_cant_as comments38_, synergyord()_contact_period_unit as contact()_as_, synergyord()_contact_period_unit as contact()_ine as current()_sa_, synergyord()_customer_approval_stat	0	1	32	32	0	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowEmailSent = :wfeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyordO_id) as = .hibernate_row_nr, synergyordO_id as id38_, synergyordO_action_type as action2_38_, synergyordO_associated_promo_id as associated3_38_, synergyordO_att_code as atf4_38_, synergyordO_business_contact as business5_38_, synergyordO_adta_retn_1_notif_sent as data6_38_, synergyordO_data_retn_2_notif_sent as data7_38_, synergyordO_data_retn_3_notif_sent as data8_38_, synergyordO_cactaletion_date acnacelat9_38_s, synergyordO_cactaletion_date acnacelat9_38_s, synergyordO_cactaletion_date acnacelat9_38_, synergyordO_cactaletion_date acnacelat9_38_, synergyordO_cactaletion_date acnacelat9_38_, synergyordO_cactaletion_date acnacelat9_38_, synergyordO_cactaletion_date acnacelat9_38_, synergyordO_cactaletion_date acnacelat9_38_, synergyordO_cactaletion_date_spend_cactaletion_dat	0	1	32	32	0	0.00
/* from WcmContent c where c.parent = ? and c.aliasURI = ? */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr _, wcmcontent0_id as id9_, wcmcontent0_version as version9_, wcmcontent0_aliasuri as aliasuri9_, wcmcontent0_changed_by as changed4_9_, wcmcontent0_changed_on as changed5_9_, wcmcontent0_content_dependencies as content6_9_, wcmcontent0_created_by as created7_9_, wcmcontent0_created_on as created8_9_, wcmcontent0_description as descripi9_9_, wcmcontent0_identifier as identifier9_, wcmcontent0_language as language9_, wcmcontent0_meta_created propright as meta12_9_, wcmcontent0_meta_created propright as meta14_9_, wcmcontent0_meta_created propright as meta14_9_, wcmcontent0_meta_created propright as meta14_9_, wcmcontent0_meta_created propriets as meta14_9_, wcmcontent0_publish from as publish18_9_, wcmcontent0_publish_from as publish18_9_, wcmcontent0_publish_from as publish18_9_, wcmcontent0_publish_from as publish18_9_, wcmcontent0_publish_from as publish18_9_, wcmcontent0_status_id as s	0	3	10	16	8	0.00
/* criteria query */ select this_id as id10_0_, this_version as version10_0_, this_name as name10_0_ from tags this_ order by this_id asc update synergy order line set provisioned notif sent=? where id=? and provisioned notif sent=?	0	1 2	<b>31</b>	31 16	0	0.00
/* criteria query, "select this_id as id9_0, this_version as version9_0, this_aliasuri as aliasuri9_0, this_changed_by as changed4_9_0, this_changed_on as changed5_9_0, this_content_dependencies as content6_9_0, this_created_by as created4_9_0_, this_created on as created8_9_0, this_description as descript9_9_0, this_identifier as identifier9_0, this_language as language9_0, this_meta_copyright as meta12_9_0, this_meta_creator as meta13_9_0, this_meta_publisher as meta14_9_0, this_meta_source as meta15_9_0, this_order_index as order16_9_0, this_parent_id as parent17_9_0, this_publish-from as publish18_9_0, this_publish_until as publish19_0, this_parent_id as parent17_9_0, this_status_id as status21_9_0, this_this_ustatus_id as status21_9_0, this_this_ustatus_id as status21_9_0, this_this_ustatus_id as this_parent_id_status_id as this_parent_id_status_id_	0	1	31	31	0	0.00
/* criteria query */ select this_id as id27_1_, this_is_activated as is2_27_1_, this_activation_token as activation3_27_1_, this_cachepermison as cacheper4_27_1, this_entity_id as entity21_27_1_, this_create_datetime as create5_27_1_, this_current_login as current6_27_1, this_deleted as deleted27_1_, this_external_6_27_1, this_external_6_27_1_, this_external_6_27_1	0	6	2	17	6	0.00
update base_user set current_login=? where id=?  /* load collection com.ensim.synergy.server.user.db.UserDTO.organizationTypes */ select organizatiouser_id as user1_27_0_,	0	1	16 16	16 16	0	0.00
organizati0_organization_type as organiza2_0_ from user_organization_types organizati0_ where organizati0_user_id=?  /* load one-to-many com.ensim.synergy.server.notification.db.NotificationMessageSectionDTO.notificationMessageLines */ select notificatiomessage_section_id as message4_28_1_, notificati0id as id1_, notificati0id as id29_0_, notificati0full_content as	0	2	8	16	11	0.00
full2_29_0_notificati0_message_section_id=?  // SELECT b FROM SynergyOrderLine b WHERE b .status.id in (.status) AND b.origProductOfferId = :offerId AND b.workFlowEmailSent = :wfeStatus AND b.id > :previousLineld order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyordd_id) ashibernate_row_nr, synergyordd_id) as id38_, synergyordd_action_type as action2_38_, synergyordd_associated_promo_id as associated3_38_, synergyordd_bata_retn_2_notif_sent as data_38_, synergyordd_bata_retn_2_notif_sent_as data_38_, synergyordd_bata_retn_2_notif_sent_as data_38_, synergyordd_care_tn_tn_sent_as_ynergyordd_care_tn_tn_sent_as_ynergyordd_care_tn_tn_sent_as_ynergyordd_care_tn_tn_sent_as_ynergyordd_care_tn_tn_sent_as_ynergyordd_care_tn_tn_sent_as_ynergyordd_care_tn_tn_sent_as_ynergyordd_care_	0	1	16	16	0	0.00
/* SELECT b FROM ServiceRequestQueueDTO b WHERE b.status in (:status) AND b.retryCount < :rcount AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by servicereq0id) ashibernate_row_nr, servicereq0_id as id227_, servicereq0_action_required as action2_227_, servicereq0_action_type as action3_227_, servicereq0_api_data as api4_227_, servicereq0_error_code as error5_227_, servicereq0_error_message as error6_227_servicereq0_last_retried_date as last7_227_, servicereq0_request_for_user as request8_227_, servicereq0_retry_count as retry9_227_ servicereq0_status as status227_, servicereq0_status as status227_, servicereq0_status as retry0_status as status227_, servicereq0_status in (? , ?)) and servicereq0_retry_count and servicereq0_id ? ) SELECT *FROM query WHEREhibernate_row_nr BETWEEN ? AND ?	0	1	16	16	0	0.00
/* load com.ensim.synergy.server.order.db.SynergyOrderLine */ select synergyord0_id as id38_3_, synergyord0_action_type as action2_38_3_, synergyord0_associated_promo_id as associated_3_38_3_, synergyord0_atl_code as atf4_38_3_, synergyord0_business_contact as business5_38_3_, synergyord0_dir_tent_1_notif_sent as data6_38_3_, synergyord0_data_retn_3_notif_sent as data6_38_3_, synergyord0_cata_retn_3_notif_sent as data6_38_3_, synergyord0_cata_retn_3_notif_sent as data8_38_3_, synergyord0_cat_notif_sent as cart10_38_3_, synergyord0_cat_notif_sent as cart10_38_3_, synergyord0_cid_change_pending as ci11_38_3_, synergyord0_comments as comments38_3_, synergyord0_contact_period_unit as contact13_38_3_, synergyord0_contact_period_as contact14_38_3_, synergyord0_cutstomer_approval_status as customer16_38_3_, synergyord0_data_retnion_period as data17_38_3_, synergyord0_data_retention_unit as data18_38_3_, synergyord0_data_wipe_notif_sent as data19_38_3_, s	0	2	7	15	10	0.00
update base_user set last_login=? where id=?  /* Select b from CustomerSearchOptionDTO b order by b.display_order */ select customerse0id as id214_, customerse0display_order as	0	1	15 15	15 15	0	0.00
display2_214_, customerse0is_default as is3_214_, customerse0_is_enable as is4_214_, customerse0_isearch_option as search5_214_ from cust_default_search_option customerse0_ order by customerse0_display_order			.5	.5		0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
WITH query AS (/* criteria query */ select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr, thisid as id9_0_, thisversion as version9_0_, thisaliasuri as aliasuri9_0_, thischanged_by as changed_9_0_, thischanged_on as changed_9_0_, thiscreated_9_0_, thisneta_source as metal_9_0_, thisneta_source as metal_9_0_, thismeta_source as metal_9_0_, thisorder_index as order16_9_0_, thisparent_id as parent17_9_0_, thispublish_rom as publish18_9_0_, thispublish_until as publish19_9_0_, thisspace_id as space20_9_0_, thisstatus_id as status21_9_0_, thistitle_swidth_as	0	2	7	15	10	0.00
/* load com.ensim.synergy.server.user.permisson.db.PermissionTypeDTO */ select permission0_ id as id20_0_, permission0_description as descript2_20_0_, permission0_order_index as order3_20_0_ from permission_type permission0_ where permission0_id=?	0	16	0	15	3	0.00
/* SELECT b.organization_name from ServiceProviderOrganizationDTO a, ServiceProviderBatchDataDTO b WHERE a.baseOrganizationDTO.id=:ids AND a.id=b.sp_organization_id*/ select servicepro1_organization_name as col_0_0_ from service_provider_organization servicepro0_cross join service_provider servicepro1_where servicepro0_org_id=? and servicepro0_ids=ervicepro1_sp_organization_id	0	1	15	15	0	0.00
/* SELECT b FROM OrderMaster b left outer join b.currentOrderLine orderLine WHERE b.trial = true and b.trial_retry_count<=3 and orderLine.provisionDate is not null and orderLine.cancelationDate is NULL 's select ordermaste0_ id as id37_, ordermaste0_ active as active37_, ordermaste0_sales_agent_id as sales3_37_, ordermaste0_linked_d7de_id as linked4_37_, ordermaste0_bcd_id as bcd5_37_, ordermaste0_bcd_id as bcd5_37_, ordermaste0_case_no_11 as case8_37_, ordermaste0_case_no_10 as case8_37_, ordermaste0_case_no_10 as case8_37_, ordermaste0_case_no_2 as case11_37_, ordermaste0_case_no_3 as case12_37_, ordermaste0_case_no_10 as case13_37_, ordermaste0_case_no_5 as case14_37_, ordermaste0_case_no_5 as case15_37_, ordermaste0_case_no_5 as case15_3	0	1	15	15	0	0.00
// SELECT a.baseOrganizationDTO.id, b FROM ServiceProviderOrganizationDTO a, ServiceProviderBatchDataDTO b WHERE a.baseOrganizationDTO.id in (baseOrgids) 7/ select servicepro0_org_id as col_0_0, servicepro1_aid as col_1_0_, servicepro1_id as id96_, servicepro1_billing_emails as billing2_96_, servicepro1_city as city96_, servicepro1_country_code as country4_96_, servicepro1_email as email96_, servicepro1_email as email96_, servicepro1_entity_id as entity6_96_, servicepro1_organization_name as organiza7_96_, servicepro1_phone_proa_erae_code as phone8_96_, servicepro1_phone_phon	0	1	15	15	0	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b. status.id in (:status) AND b. origProductOffertd = :offertd AND b.workFlowEmailSent = :wfeStatus AND b.id > :previousLineld order by b.id * / WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_id) ashibernate_row_nr, synergyord0_id as id39_, synergyord0action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_id=1_code as atl4_38_, synergyord0_business_contact as business5_38_, synergyord0_id=1_ent1 notif_sent as data6_38_, synergyord0_date_sent_2 notif_sent as data7_38_, synergyord0_id=1_ent3 notif_sent as data8_38_, synergyord0_cancelation_date as cancelate3_38_, synergyord0_id=1_ent3 notif_sent as data8_38_, synergyord0_contact_period_id=1_ent3 notif_sentsynergyord0_contact_period_id=1_ent3 notif_sent3 synergyord0_contact_period as contact14_38_, synergyord0_contact_period_id=2_ent3 notif_sent3 synergyord0_contact_period_stat	0	1	15	15	0	0.00
/* load one-to-many com.ensim.synergy.server.notification.db.NotificationMessageTypeDTO.notificationMessages */ select notificatio_type_id as type6_30_1notificatio_id as id1notificatio_id as id20_0_notificatio_entity_id as entity4_32_0notificatio_language_id as language5_32_0notificatio_type_id as type6_32_0notificatio_use_flag as use2_32_0notificatio_optlock as optlock32_0_from notification_message notificatio_where notificatio_type_id=?	0	1	15	15	0	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowEmailSent = :wfesIatus AND b.id > previousLineId order by b.id */ WITH query AS (select ROW NUMBER() OVER (order by synergyord0_id) as hibernate_row_nr, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_att_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_3_notif_sent as data8_38_, synergyord0_data_retn_2_notif_sent as cancelat9_38_, synergyord0_cancelation_date_accelat9_38_, synergyord0_cancelation_date_accelat9_38_, synergyord0_cancelat0_data_retn_2_notification_send as cart10_38_, synergyord0_cintact_period_unit as contact13_38_, synergyord0_contact_period as contact14_38_, synergyord0_current_subscription_line as current15_38_, synergyord0_current_stat	0	1	0	0	0	0.00
synergyorto_customer_approvar_sustainer_approvar_approvar_sustainer_approvar_ap	0	1	0	0	0	0.00
/* load one-to-many com.ensim.synergy.server.util.db.CurrencyDTO.exchangeDTO */ select exchangedt0_currency_id as currency_6_16_1_, exchangedt0_id as id1_, exchangedt0_id as id15_0_, exchangedt0_create_datetime as create2_15_0_, exchangedt0_currency_id as currency_6_15_0_, exchangedt0_entity_id as entity3_15_0_, exchangedt0_create_datetime as create2_15_0_, exchangedt0_create_datetime as rate15_0_, exchangedt0_optiock as optiock15_0_from currency_exchanged_to_where exchangedt0_currency_id=?	0	1	0	0	0	0.00
/* criteria query */ select this_id as id11_0_, this_version as version11_0_, this_action as action11_0_, this_controller as controller11_0_, this_description as descript5_11_0_, this_name as name11_0_, this_object_id as object7_11_0_, this_user_id as user8_11_0_ from breadcrumb this_where this_user_id=? order by this_id asc	0	3	0	0	0	0.00
/* select b from ProviderInvoiceDefaultSettingDTO b where b.providerId='providerId '/ select providerin0_id as id124_, providerin0_apply_tax as apply2_124_, providerin0_discount_approver_email as discount3_124providerin0_enable_deposit_payment as enable4_124_, providerin0_enable_dax as enable5_124_, providerin0_has_agents as hase_124_, providerin0_enable_deposit_payment_mode as invoice7_124_, providerin0_invoice_pdf_template as invoice8_124_, providerin0_payment_module_status as payment9_124_, providerin0_price_discount_allowed as price10_124_, providerin0_price_discount_allowed as price10_124_, providerin0_price_discount_allowed as price10_124_, providerin0_price_discount_allowed_as_price10_124_, providerin0_price_discount_allowed_as_price10_as_tax15_124_, providerin0_use_promo_model as_use14_124_from provider_misc_setting_providerin0_where_providerin0_priceder_id=?	0	1	0	0	0	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b.provisionedNotifSent = 0 AND b.status.id in (:status) AND b.orderld is not null AND b.id > :previousLineld '/ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibemate_row_nr, synergyord0_id as id33, synergyord0_action_type as action 2_38, synergyord0_associated_promo_id as associated3_38, synergyord0_atf_code as atf4_38, synergyord0_business_contact as business5_38, synergyord0_data_retn_1_notif_sent as data6_38, synergyord0_data_retn_2_notif_sent as data6_38, synergyord0_cancelation_date as cancelatig_38, synergyord0_cart_notification_send as cartf0_38, synergyord0_ci_change_pending as cif1_38, synergyord0_comments as comments38, synergyord0_contact_period_unit as contact13_38, synergyord0_contact_period_as contact14_38, synergyord0_current_subscription_line as current15_38, synergyord0_customer_approval_status as customer16_38, synergyord0_custome	0	2	0	0	0	0.00
"SELECT b from OrganizationDTO b WHERE b.id=:hid */ select organizati0_id as id51_, organizati0_date_time_format as date2_51_, organizati0_email_signature as email3_51_, organizati0_entity_id as entity4_51_, organizati0_is_deleted as is5_51_, organizati0_org_type as org6_51_ from organization organizati0_ where organizati0_id=?	0	2	0	0	0	0.00
/* select b.roleDTO from ServiceProviderUserRoleMapDTO b where b.serviceProviderUserDTO id in (select u.id from ServiceProviderUserDTO u. where u.baseUser.id=:UserId and u.serviceProviderOrganizationDTO.id in (select w.id from ServiceProviderOrganizationDTO.id where w.baseOrganizationDTO.id=BaseOrgId)) /* select roledto1id as id23_, roledto1_sauthority_level as authority_2_23_, roledto1_lnheritable as inherita3_23_, roledto1_sa_segent_superadmin as is4_23_, roledto1_is_customer_superadmin as is5_23_, roledto1_is_customer_superadmin as is5_23_, roledto1_profile_identifier as profile9_23_, roledto1_is_ps_superadmin as is7_23_, roledto1_profile_identifier as profile9_23_, roledto1_role_identifier as role10_23_, roledto1_profile_identifier as profile9_23_, roledto1_role_identifier as role10_23_, roledto1_user_serviceprovider_user_role_map_servicepro0_inner_join role roledto1_on servicepro0_role_id=roledto1_id where servicepro0_user_serviceprovider_map_id in (select servicepro2_id_fr	0	1	0	0	0	0.00
"SELECT b from OrganizationDTO b WHERE b.id=:organizationID */ select organizati0_id as id51_, organizati0_date_time_format as date2_51_, organizati0_email_signature as email3_51_, organizati0_entity_id as entity4_51_, organizati0_is_deleted as is5_51_, organizati0_org_type as org6_51_ from organization organizati0_ where organizati0_id=?	0	1	0	0	0	0.00
update service_provider_user set set_of_permission=?, permission_updated_time=? where id=?  /* SELECT b from WcmSpaceDTO b WHERE b.id=:hid */ select wcmspacedt0id as id0_, wcmspacedt0aliasuri as aliasuri0_,	0	2	0	0	0	0.00
wcmspacedt0_name as name0_, wcmspacedt0version as version0_ from wcm_space wcmspacedt0_ where wcmspacedt0_id=?  /* SELECT p FROM PaymentGatewayPluginDTO p */ select paymentgat0_id as id184_, paymentgat0base_plugin_id as base2_184_,	0	1	0	0	0	0.00
paymentgat0_financial_institution_id as financial3_184_ from plugin_payment_gateway paymentgat0_  /* SELECT a.baseOrganizationDTO.id, b FROM PartnerOrganizationDTO a, PartnerBatchDatatDTO b WHERE a.baseOrganizationDTO.id in (baseOrglds) AND a.par_id=b.par_id=b.par_id=b.par_id=b.par_id=b.par_id=b.par_id=b.par_id=b.par_id=b.par_id=society as address3_50_partnerbat1_address_country as address4_50_partnerbat1_address_country as address4_50_partnerbat1_address_country as address5_50_partnerbat1_address_country as address6_50_partnerbat1_address_country as address6_50_partnerbat1_address_country as address6_50_partnerbat1_address_street as address8_50_partnerbat1_billing_language_id as billing17_50_partnerbat1_communication_language_id as communi18_50_partnerbat1_is_onboarded as is9_50_partnerbat1_name as name50_partnerbat1_product_centitious as organi211_50_partnerbat1_par_par_seq_nr as par13_50_partnerbat1_product_centificates as product14_50_partnerbat1_product_centificates_id_as product15_50_partnerbat1	0	1	0	0	0	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT c from ReportMasterDTO c WHERE c.role_scope=:role_scope and c.active=1 */ select reportmast0_id as id263_, reportmast0_activation_time as activation2_263_, reportmast0_is_active as is3_263_, reportmast0_created_by as created19_263_, reportmast0_ime as creation4_263_, reportmast0_deactivation_time as deactivate_53_, reportmast0_execution_time as execution6_263_, reportmast0_is_available as is8_263_, reportmast0_is_sub_reports_available as is9_263_, reportmast0_is_available as is9_263_, reportmast0_report_is_available as	0	1	0	0	0	0.00
/* load collection com.ensim.synergy.server.user.permisson.db.RoleDTO.permissions */ select permission0_role_id as role1_23_1_, permission0_permission_id as permission2_1_, permission1_id as id22_0_, permission1foreign_id as foreign2_22_0_, permission1_organization_types as organiza3_22_0_, permission1_type_id as type4_22_0_from permission_role_map permission0_inner join permission permission1_ on permission0_permission_id=permission1_id where permission0_role_id=? order by permission0_permission_id	0	1	0	0	0	0.00
WITH query AS (/* criteria query */ select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as hibernate_row_nr_, this_id as id1 0_, this_version as version1 0_, this_code as code1_0_, this_description as descript4_1_0_, this_public content as public5_1_0_ from worm_status this_where this_code=?) SelECT *FROM query WHERE _hibernate_row_nrBUTWEEN ? AND ?	0	2	0	0	0	0.00
/* SELECT b from OrgSpaceMapDTO b WHERE b.org_id=:orgId */ select orgspacema0id as id221_, orgspacema0creation_date as creation2_221_, orgspacema0is_active as is3_221_, orgspacema0is_production as is4_221_, orgspacema0_org_id as org5_221_, orgspacema0_rank as rank221_, orgspacema0space_id as space7_221_ from org_space_map orgspacema0_ where orgspacema0_org_id=?	0	1	0	0	0	0.00
/* SELECT b FROM ServiceRequestQueueDTO b WHERE b.actionRequired = 1 AND b.status != :status AND b.id > :previousLineld order by b.id * WITH query AS (select ROW_NUMBER() OVER (order by servicereq0_id) as _hibernate_row_nr, servicereq0_id as id227_, servicereq0_ato_ner_, servicereq0_ato_ner_, servicereq0_ato_ner_, applied as apid_227_, servicereq0_ato_ner_, apid_ata_s apid_227_, servicereq0_ato_ner_, apid_ata_s apid_227_, servicereq0_error_code as error_, 227_, servicereq0_error_, remssage as error_, 227_, servicereq0_att_, retro-good_ser_, response as sr10_227_, servicereq0_ser_, response as sr10_227_, servicereq0_status as status227_, servicereq0_ato_, actionrequired_ato_error_, required_ato_error_, reduced_ato_error_, reduced_ato	0	1	0	0	0	0.00
/* load org.weceem.content.WcmStatus */ select wcmstatus0_id as id1_0_, wcmstatus0version as version1_0_, wcmstatus0code as code1_0_, wcmstatus0_description as descript4_1_0_, wcmstatus0_public_content as public5_1_0_ from wcm_status wcmstatus0_where wcmstatus0_id=?	0	4	0	0	0	0.00
/* SELECT a FROM LanguageDTO a WHERE a.code = :code ORDER BY a.description ASC */ select languagedt0_id as id13_, languagedt0_code as code13_, languagedt0_deler_indicator as delete3_113_, languagedt0_description as descript4_13_, languagedt0_indicator as delete3_113_, languagedt0_indicator as delete3_113_, languagedt0_indicator as uniquagedt0_indicator as uniquagedt0_i	0	1	0	0	0	0.00
/* criteria query */ select this_id as id23_0_, this_authority_level as authority2_23_0_, this_inheritable as inherita3_23_0_, this_is_agent_superadmin as is4_23_0_, this_is_customer_superadmin as is5_23_0_, this_is_reseller_superadmin as is6_23_0_, this_is_preseller_superadmin as is6_23_0_, this_is_s_p_superadmin as is7_23_0_, this_role_identifier as profile9_23_0_, this_role_identifier as profile9_23_0_, this_role_identifier as role10_23_0_, this_role_type as role11_23_0_, this_user_activated_by_default as user12_23_0_ from role this_where this_id=?	0	1	0	0	0	0.00
/* load com.ensim.synergy.server.order.db.OrderStateDTO */ select orderstate0id as id42_1_, orderstate0_automatic_trash_decision as automatic2_42_1_, orderstate0_csv_differential as csv3_42_1_, orderstate0_display_name as display4_42_1_, orderstate0_instory5_42_1_, orderstate0_insplay_name as display4_42_1_, orderstate0_insplay_logous_decision as manual8_42_1_, orderstate0_op_iden_map as op17_42_1_, orderstate0_insplay_logous_decision as manual8_42_1_, orderstate0_op_iden_map as op17_42_1_, orderstate0_insplay_logous_decision as decision as decision as decision as decision as decision as op10_42_1_, orderstate0_insplay_logous_decision_as op10_42_1_, orderstat	0	2	0	0	0	0.00
WITH query AS (/* criteria query */ select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr, this_id as id92_0_, this_ad attributes as ad2_92_0_, this_street_addres1 as street3_92_0_, this_street_addres2 as street4_92_0_, this_use_value = name as base5_92_0_, this_cityas_company as company 92_0_, this_country_code as country8_92_0_, this_country_code as country8_92_0_, this_create_datetime as create9_92_0_, this_department as department92_0_, this_display_name as display1_92_0_, this_fax_phone_number as a fax14_92_0_, this_fax_phone_number as fax14_92_0_, this_fax_phone_num	0	2	0	0	0	0.00
// SELECT d from ReportMasterDTO d where d.id in(SELECT c.id from ReportMasterDTO c join c.roleDTOs b WHERE c.role_scope=:role_scope and c.active=1 and b.id in(:roleDtos)) order by d.executionTime desc */ WITH query AS (select ROW_NUMBER() OVER (order by reportmast0_execution_time desc) ashibernate_row nr, reportmast0_id as id263_, reportmast0_activation_time as activation2 263_, reportmast0_is_active as is3_263_, reportmast0_created_by as created19_263_, reportmast0_execution_time as creation4_263_, reportmast0_execution_time as execution6_263_, reportmast0_generated_for_no_of_months as generated7_263_, reportmast0_is_multi_reports_available as is8_263_, reportmast0_is_sub_reports_available as is9_263_, reportmast0_is_put_reports_available as is9_263_, reportmast0_is_put_reports_available as is9_263_, reportmast0_query_fle_name as jasper10_263_, reportmast0_is_us_treports_available_avail	0	1	0	0	0	0.00
/* SELECT b FROM ServiceProviderBatchDataDTO b WHERE b.id = :organization_id */ select servicepro0id as id96_, servicepro0_billing_emails as billing2_96_, servicepro0_city as city96_, servicepro0_country_code as country4_96_, servicepro0_email as email96_, servicepro0_entity_id as entity6_96_, servicepro0_organization_name as organiza7_96_, servicepro0_phone_email as phone8_96_, servicepro0_phone_country_code as phone9_96_, servicepro0_phone_phone_number as phone10_96_, servicepro0_postal_code as postal1_96_, servicepro0_sol_das postal1_96_, servicepro0_street_addres1_as street14_96_, servicepro0_street_addres1_as street14_96_, servicepro0_street_addres2_as street15_96_, servicepro0_vat_number as vat16_96_ from service provider servicepro0_wider_servicepro	0	1	0	0	0	0.00
/* SELECT b FROM SMSNotificationHistoryDTO b WHERE b.sentStatus = :status AND b.retryCount <= :rcount AND b.id > :previousLineId  '/ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as _hibernate_row_nr _, smsnotificOid as  id356_, smsnotificOcontent as content356_, smsnotificOforeign_id as foreign_356_, smsnotificO_last_sent_date_time as last4_356_,  smsnotificO_phone_number as phone5_356_, smsnotificO_retry_count as retry6_356_, smsnotificO_sent_count as sent7_356_,  smsnotificO_sent_status as sent8_356_, smsnotificO_sub_state as sub9_356_, smsnotificO_table_id as table10_356_,  smsnotificO_receiver_user_id as receiver11_356_ from sms_notification_history smsnotificO_where smsnotificO_sent_count  smsnotificO_retry_count<=? and smsnotificO_ide?) SELECT * FROM query WHEREhibernate_row_nr BETWEEN ? AND ?	0	1	0	0	0	0.00
/* criteria query */ select this_id as id96_0_, this_billing_emails as billing2_96_0_, this_city as city96_0_, this_country_code as country4_96_0_, this_email as email96_0_, this_entity_id as entity6_96_0_, this_organization_name as organiza7_96_0_, this_phone_area code as phone8_96_0_, this_phone_country_code as phone9_96_0_, this_phone_phone_number as phone10_96_0_, this_postal_code as postal11_96_0_, this_sp.organization_id as sp12_96_0_, this_state_province as state13_96_0_, this_street_addres1 as street14_96_0_, this_street_addres2 as street15_96_0_, this_vat_number as vat16_96_0_ from service_provider this_where this_entity_id=?	0	1	0	0	0	0.00
/* update com.ensim.synergy.server.jarScheduling.db.RegisteredServerDTO */ update registered_server set host_address=?, host_name=?, jar_location=? where id=?	0	1	0	0	0	0.00
// criteria query */ select this_id as id33_3_ this_org_id as org5_93_3_, this_created_on as created2_93_3_, this_currency_id as currency6_93_3_, this_use_marketplace as use3_93_3_, this_use_reseller_model as use4_93_3_, organizat12_id as id51_0_, organizat12_date_time_format as date2_51_0_, organizat12_email_signature as email3_51_0_, organizat12_emitly_id as entity4_51_0_, organizat12_is_deleted as is5_51_0_, organizat12_org_type as org6_51_0_, currencyd13_id as id16_1_, currencyd13_code as code16_1_, currencyd13_email_sexhange_line as current13_16_1_, currencyd13_is_default as is4_1_, currencyd13_is_provider_id as provider_id_13_email_sexhange_line_as untitiple_country_symbol as multiple_6_16_1_, currencyd13_id as id15_1_, currencyd13_id as id15_2_, exchanged14_id as id15_2_, exchanged14_id as id15_2_, exchanged14_currency_id a	0	2	0	0	0	0.00
/* SELECT a FROM SyncConfigDTO a WHERE a.propertyName=:property_name */ select syncconfig0id as id225_, syncconfig0_property_name as property2_225_, syncconfig0_property_value as property3_225_ from sync_config syncconfig0_ where syncconfig0_property_name=?	0	1	0	0	0	0.00
WITH query AS (/* criteria query */ select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr, min(this_id) as y0_from entity this_) SELECT * FROM query WHEREhibernate_row_nr BETWEEN ? AND ?	0	3		0	0	0.00
// criteria query "/ select this_id as id27_0_, thisis_activated as is2_27_0_, thisactivation_token as activation3_27_0_, this_create_datetime as create_527_0_ this_current_login as current6_27_0_, this_cleated as deleted27_0_, this_external_id_as external_8_27_0_, this_cleated_as external_8_27_0_, this_cle	0	1	0	0	0	0.00
/* Select p.permission.id from PermissionUserDTO p where p.baseUser.id=:basUserId and p.orgType=:_orgType */ select permissionpermission_id as col_0_0_ from permission_user permission0_ where permission0user_id=? and permission0org_type=?	0	2		0	0	0.00
/* criteria query */ select count(*) as y0_ from wcm_status this_  /* SELECT b from LanguageDTO b where b.id = :id */ select languagedt0id as id13_, languagedt0code as code13_, languagedt0delect_indicator as delete3_13_, languagedt0description as descript4_13_ languagedt0iso639code as iso5_13_, languagedt0_provisioning_language as provisio6_13_, languagedt0_right_to_left as right7_13_, languagedt0_status as status13_, languagedt0_ui_presentation as ui9_13_ from language languagedt0_where languagedt0_id=?	0	1	0	0	0	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* criteria query */ select this_id as id9_0, this_version as version9_0, this_aliasuri as aliasuri9_0, this_changed_by as changed4_9_0, this_changed_on as changed5_9_0, this_content_dependencies as content6_9_0, this_created_by as created7_9_0, this_created8_9_0, this_description as descript9_9_0, this_identifier as identifier9_0, this_language as language9_0_, this_meta_copyright as meta12_9_0, this_meta_creator as meta13_9_0, this_meta_publisher as meta14_9_0, this_meta_source as meta15_9_0, this_order_index as order16_9_0, this_parent_id as parent17_9_0, this_publish from as publish18_9_0, this_publish_until as publish18_9_0, this_space_id as space20_9_0, this_status_id satuas21_9_0, this_thid as title9_0, this_valid_for as valid23_9_0, this_color as color9_0, this_color as color9_0, this_specific_content as user29_9_0, this_unt as urly_0, this_specific_content as user29_9_0, this_und as urly_0, this_specific_content as user29_9_0, this_undex_urly_0, this_undex_ur	0	1	0	0	0	0.00
/* SELECT b FROM NotificationMessageTypeDTO b WHERE b.userTemplateId = :userTemplateId AND b.ownerId = :ownerId */ select notificatioid as id30_, notificatio_bcc_email as bcc2_30_, notificatio_category_id as category_11_30notificatio_cc_email as cc3_30_, notificatio_mail_priority as mail4_30_, notificatio_original_template_id as original5_30_, notificatio_owner_id as owner6_30_, notificatio_to_address_default as to7_30_, notificatio_to_address_required as to8_30_, notificatio_user_template_id as user9_30_, notificatio_owner_id=0_ owner_id=7_ and notificatio_owner_id=0_ owner_id=0_ owner_id=0	0	2	0	0	0	0.00
// load com.ensim.customer.Customer.Organization.DT.O */ select customeror0_id as id81_0_, customeror0_api_pass_key as api18_81_0_, customeror0_orgal_d as org65_81_0_, customeror0_city_and as city2_81_0_, customeror0_contractual_statement as contract9_81_0_, customeror0_contractual_statement as contract9_81_0_, customeror0_custom_field as custom25_81_0_, customeror0_custom_field as custom25_81_0_, customeror0_custom_field as custom25_81_0_, customeror0_custom24_81_0_, customeror0_custom_field as custom25_81_0_, customeror0_custom25_81_0_, custom25_81_0_, c	0	1	0	0	0	0.00
/* from IDMPolicyDTO b where b.name=:name */ select idmpolicyd0id as id143_, idmpolicyd0name as name143_, idmpolicyd0_value_bool as value3_143_, idmpolicyd0_value_int as value4_143_, idmpolicyd0_value_text as value5_143_ from idm_policyd idmpolicyd0_where idmpolicyd0_mame=?	0	5	0	0	0	0.00
/* SELECT a FROM LanguageDTO a WHERE a.uiPresentation = :uiPresentation and a.status= :status ORDER BY a.description ASC */ select languagedt0id as id13_, languagedt0_code as code13_, languagedt0_delete_indicator as delete3_13_, languagedt0_description as descript4_13_, languagedt0iso639code as iso5_13_, languagedt0_provisioning_language as provisio6_13_, languagedt0_right_to_left as right7_13_, languagedt0_status as status13_, languagedt0_ui_presentation as ui9_13_ from language languagedt0_where languagedt0_ui_presentation=? and languagedt0_status=? order by languagedt0_oscription ASC	0	2	0	0	0	0.00
/* load com.ensim.synergy.server.util.db.InternationalDescriptionDTO */ select internatio0_foreign_id as foreign1_17_0_, internatio0_language_id as language2_17_0_, internatio0_psudo_column as psudo3_17_0_, internatio0_table_id as table4_17_0_, internatio0_content as content17_0_ from international_description internatio0_where internatio0_foreign_id=? and internatio0_janguage_id=? and internatio0_psudo_column=? and internatio0_table_id=?	0	2	0	0	0	0.00
/* SELECT b FROM RegisteredServerDTO b WHERE b.hostAddress =:hostAddress */ select registered0_id as id208_ registered0_host_address as host2_208_ registered0_host_address as host2_208_ registered0_bast_address=?  registered_server registered0_where registered0_host_address=?	0	1	0	0	0	0.00
/* criteria query */ select this_id as id18_0_, this_name as name18_0_ from synergy_table this_where this_name=?  /* select b. roleDTO from ServiceProviderUserRoleMapDTO b where b.serviceProviderUserDTO id in (select uid from ServiceProviderUserDTO u where to baseUser id=UserId and u serviceProviderOrganizationDTO id in (select wid from ServiceProviderOrganizationDTO where to baseOrganizationDTO id=BaseOrg(d)) and b.is_primary=is_primary */ select roledto1_id as id23_ roledto1_authority_level as authority_2_23_ roledto1_ineritable as inherita3_23_, roledto1_is_agent_superadmin as is4_23_, roledto1_is_customer_superadmin as is5_23_, roledto1_is_preseller_superadmin as is6_23_, roledto1_is_preseller_superadmin as is6_23_, roledto1_incle_identifier as roled 1.23_, roledto1_incle_identifier as roled 1.23_, roledto1_user_activated_by_default as user12_23_, from service_provider_user_role_map servicepro0_	0	1	0	0	0	0.00
inner join role roledto1_ on servicepro0_role_id=roledto1_id where (servicepro0_user_serviceprovider_map_id  /* SELECT b FROM ProductOfferDTO b */ select productoff0_id as id67_, productoff0_allow multiple_instances as allow2_67_, productoff0_alloc as aloc67_productoff0_productoff0_alloc as aloc67_productoff0_self0_for as approval, the should hour as approval4_67_, productoff0_is billiaght as is5_67_, productoff0_self0_for as billingfs_67_productoff0_content_productoff0_content_productoff0_category_id as category_9_67_, productoff0_condition_available as condition10_67_, productoff0_contract_period_as contract11_67_, productoff0_contract_period_unit as contract12_67_, productoff0_creator_org_id as creator73_67_, productoff0_current_terms_and_conditions as current13_67_productoff0_custom_field10_as custom15_67_, productoff0_custom_field10_as custom15_67_, productoff0_custom_field12_as custom15_67_productoff0_custom_field2_as custom19_67_, productoff0_custom_field2_as custom19_67_, productoff0_cus	0	1	0	0	0	0.00
/* Select b from BaseUserOrgMapDTO b where b.base_user_id=:baseUserld AND b.base_org_id=:baseOrgId */ select baseuseror0id as id99_, baseuseror0_base_org_id as base2_99_, baseuseror0_base_user_id as base3_99_ from base_user_org_map baseuseror0_where baseuseror0_base_user_id=? and baseuseror0_base_org_id=?	0	1	0	0	0	0.00
// criteria query */ select this _id as id177_0_, this _action_code as action2_177_0_, this_action_name as action3_177_0_, this_is_solvency_required as is4_177_0_ from order_ui_action this_	0	1	0	0	0	0.00
// from SecurityQuestionsDTO */ select securityqu0id as id153_, securityqu0security_question as security2_153_ from security_questions securityqu0  // SELECT a.baseOrganizationDTO.id, a FROM ResellerOrganizationDTO a WHERE a.baseOrganizationDTO.id in (:baseOrglds) */ select	0	1	0	0	0	0.00
reselleror0_org_id_as_col_0_0, reselleror0_id_as_col_1_0_, reselleror0_id_as_id_as_equals_id_a	0	'	U	0	0	0.00
// load com.ensim.synergy.server.util.db.CurrencyDTO */ select currencydt0_id as id16_1_, currencydt0code as code16_1_, currencydt0current_exchange_line as current3_16_1_, currencydt0_is_default as is4_16_1_, currencydt0is_active as is5_16_1_, currencydt0multiple_country_symbol as multiple6_16_1_, currencydt0optlock as optlock16_1_, currencydt0provider_id as provider8_16_1_, currencydt0_symbol as symbol as symbol 16_1_, exchangedt1_currency_id_3_, exchangedt1_id as id3_, exchangedt1_id as id15_0_ exchangedt1_create_datetime as create2_15_0_ exchangedt1_currency_id_as currency_id_5_0_from currency currencydt0_left_outer_id_as currency_id_6_16_2_vechangedt1_currency_id_6_16_2_2_vechangedt1_currency_id_6_16_2_2_2_2_2_2_2_2_2_2_2_2_2_2_2_2_2_	0	1	0	0	0	0.00
/* SELECT b FROM PermissionDTO b WHERE b.id = :hid */ select permission0id as id22_, permission0_foreign_id as foreign2_22_, permission0_proganization_types as organiza3_22_, permission0_type_id as type4_22_ from permission0 permission0_ where permission0_id=?	0	1	0	0	0	0.00
/* criteria query */ select this_id as id14_0_, thisis_active as is2_14_0_, thiscode as code14_0_, thisiso3166code as iso4_14_0_ from country this_ where thiscode=?	0	1	0	0	0	0.00
// Select b.roleDTO from ServiceProviderUserRoleMapDTO b where b.serviceProviderUserDTO ide:spUserMapId '/ select roledto1_id as id23_, roledto1_isuthority_level as authority2_23_, roledto1_inheritable as inherita3_23_, roledto1_is_agent_superadmin as is4_23_, roledto1_is_customer_superadmin as is5_23_, roledto1_is_reseller_superadmin as is6_23_, roledto1_is_sp_superadmin as is7_23_, roledto1_organization_type as organiza8_23_, roledto1_profile_identifier as profile9_23_, roledto1_inde_identifier as role10_23_, roledto1_inde_identifier as super12_3_ roledto1_organization_type as organiza8_23_, roledto1_by_default as user12_23_ roledto1_profile_identifier as profile9_23_, roledto1_inde_identifier as role10_23_, roledto1_user_adviated_identifier as role10_23_, roledto1_identifier as role10_23_, roledto1_identifi	0	2	0	0	0	0.00
/* Select b.userName from UserDTO b where b.id=:id */ select userdto0user_name as col_0_0_ from base_user userdto0_ where userdto0id=?	0	1	0	0	0	0.00
// SELECT b FROM OrganizationDTO b WHERE b.id = :hid '/ select organizatio_id as id51_, organizatio_date_time_format as date2_51_, organizatio_enail_signature as email3_51_, organizatio_enail_signature as email3_51_, organizatio_enail3_titly_d as enaily_disparatio_id=?  organizatio_org_type as org6_51_ from organizatio_organizatio_ where organizatio_id=?	0	1	0	0	0	0.00
// load com.ensim.bgcSEAP.account.AccountDTO */ select accountdto0_id as id85_0_, accountdto0_account_id as account2_85_0_, accountdto0_billable_to as billable_4_85_0_, accountdto10_billing_emails as billing5_85_0_, accountdto0_billing_emails as billing5_85_0_, accountdto0_billing_emails as billing5_85_0_, accountdto0_billing_emails as billing5_85_0_, accountdto0_billing_emails as billing6_85_0_, accountdto0_billing_emails as comported to accountd to account	0	1	0	0	0	0.00
/* load com.ensim.synergy.server.provisioningWorkflow.db.ProvisioningWorkflowDTO */ select provisioni0_id as id155_2_, provisioni0_pwf_code as pwf2_155_2_, provisioni0_pwf_name as pwf3_155_2_, pwfpropeti1_id as pwf7_155_4_, pwfpropeti1_das id156_0_, pwfpropeti1_as id156_0_, pwfpropeti1_as id156_0_, pwfpropeti1_as id156_0_, pwfpropeti1_op_iden as op6_156_0_, pwfpropeti1_pwf_id as pwf7_156_0_, pwfpropeti1_send_notification as send4_156_0_, pwfpropeti1_send_notification_at as send5_156_0_, pwfpropeti1_send_notification_at as send5_156_0_ipwfpropeti1_as pwf_156_0_ipwfpropeti1_send_notification_at as send5_156_0_ipwfpropeti1_send_notification_at as send5_156_0_ipwfpropeti1_op_iden as op2_154_1_from provisioning_workflow_gen provisioni0_left outer join pwf_propeti1_oppropeti1_oppropeti1_pwf_id left outer join pwf_propeti1_op_iden=provisioni2_id where provisioni0_id=?	0	5	0	0	0	0.00
/* SELECT b FROM DateTimeFormatDTO b WHERE b.id = formatId */ select datetimefo0_id as id138datetimefo0_format as format138_, datetimefo0_format_date_jquery as format3_138_, datetimefo0_format_date_only as format4_138_ from date_time_format datetimefo0_ where datetimefo0_id=?	0	1	0	0	0	0.00
/* criteria query */ select this_id as id26_0_, this_create_datetime as create2_26_0_, this_description as descript3_26_0_, this_external_id as external4_26_0_, this_language_id as language6_26_0_, this_optlock as optlock26_0_ from entity this_created the control of the contr	0	1	0	0	0	0.00
/* load com.ensim.synergy.server.order.db.SsidsDTO */ select ssidsdto0id as id141_0_, ssidsdto0ssid as ssid141_0_ from ssids ssidsdto0_ where ssidsdto0_id=?	0	2	0	0	0	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* criteria query */ select this_id as id86_0_, this_display_order as display2_86_0_, this_is_required_value as is3_86_0_, this_property_name as property4_86_0_, this_property_value as property5_86_0_, this_property_value2 as property6_86_0_ from config_properties this_	0	2	0	0	0	0.00
/* SELECT b FROM CustomerUserDTO b WHERE b.baseUser.id = :userId */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as _hibernate_row_nrcustomerus0id as id91_, customerus0cust_acc_hid as cust29_91_, customerus0al_ver_name as ad3_91_, customerus0base_user_id as base28_91_, customerus0creator_base_org_id as creator4_91_, customerus0creator_org_type as creator5_91_, customerus0creator_base_user_id as creator6_91_, customerus0double_accout_map_id as domain31_91_, customerus0customer_org_id as customer30_91_, customerus0double_encypted_password as double7_91_, customerus0error_message as error8_91_, customerus0_iner_error_message as innref_91_customerus0_is_user_deactivated as is10_91_, customerus0_is_business_contact as isbusiness1_91_, customerus0_ispassword_never_expire as ispassword12_91_, customerus0_istech_contact as istech13_91_, customerus0_inative_value as native14_91_, customerus0o	0	1	0	0	0	0.00
/* select p from PermissionDTO p join p.roles r where r.id in (:tags) and p.id =:permission */ select permission0_id as id22_, permission0_foreign_id as foreign2_22_, permission0_organization_types as organiza3_22_, permission0_type_id as type4_22_ from permission permission0_ inner join permission_role_map roles1_on permission0_id=roles1_permission_id inner join role roledto2_on roles1_role_id=roledto2_id where (roledto2_id in (?)) and permission0_id=?	0	2	0	0	0	0.00
/* SELECT b FROM OrderMaster b WHERE b.id = :hid */ select ordermaste0_id as id37_, ordermaste0_active as active37_, ordermaste0_asles_agent_id as sales_337_, ordermaste0_inked_order_id as linked4_37_, ordermaste0_bcd_id as bcd5_37_, ordermaste0_bill_cycle_day as bill6_37_, ordermaste0_case_no_1 as case_8_37_, ordermaste0_case_no_10_tas_case_8_37_, ordermaste0_case_no_10_tas_case_8_37_, ordermaste0_case_no_10_tas_case_10_37_, ordermaste0_case_no_2 as case11_37_, ordermaste0_case_no_3 as case12_37_, ordermaste0_case_no_4 as case13_37_, ordermaste0_case_no_5 as case14_37_, ordermaste0_case_no_6 as case15_37_, ordermaste0_case_no_7 as case16_37_, ordermaste0_case_no_8 as case17_37_, ordermaste0_case_no_9 as case18_37_, ordermaste0_is_closed as is19_37_, ordermaste0_created_by as created20_37_, ordermaste0_creator_org_id as created20_37_, ordermaste0_creator_org_id as created21_37_, ordermaste0_creator_org_id as created22_37_, ordermaste0_current_order_line as current50	0	1	0	0	0	0.00
/* Select b.serviceProviderOrganizationDTO from ServiceProviderUserDTO b where b.baseUser.id=:baseUserld and b.is_user_deactivated=:is_user_deactivated /* select servicepro1_id as id93_servicepro1_org_id as org5_93_, servicepro1_created_on as created2_93_servicepro1_erency_id as currency_6_93_s_servicepro1_use_marketplace as use3_93_, servicepro1_use_provider_org_ideactivated_organization_servicepro1_use_reseller_model as use4_93_from service_provider_user_servicepro0_inner.join service_provider_org_id=servicepro1_id_where servicepro0_inner.join_service_prod_id=?and_servicepro1_id_deactivated=?	0	1	0	0	0	0.00
/* SELECT b FROM LanguageDTO b where lower(b.iso639code) =:digit2Code */ select languagedt0id as id13_, languagedt0code as code13_, languagedt0delete_indicator as delete3_13_, languagedt0description as descript4_13_, languagedt0_iso639code as iso5_13_, languagedt0_provisioning_language as provisio6_13_, languagedt0_ript_0_let as right_0_let	0	2	0	0	0	0.00
/* SELECT a.baseOrganizationDTO.id, b from CustomerOrganizationDTO a, CustomerBatchDataDTO b WHERE a.baseOrganizationDTO.id in (ids) AND a.customer_id=b.customer_id "/ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as hibemate_row_nr, customeror0_org_id as col_0_0_, customerba1_ids as col_1_0_, customerba1_id as id81_, customerba1_city_name as city2_81_, customerba1_comm_language as comm3_81_, customerba1_customer_id as customerf_81_, customerba1_delete_indicator as delete6_81_, customerba1_is_onboarded as is7_81_, customerba1_legal_language as legals_81_, customerba1_macro_segment amacro_9_81_, customerba1_master_account_idl as master11_81_, customerba1_master_account_billing_day as master10_81_, customerba1_master_account_id as master11_81_, customerba1_street_name as street15_81_, customerba1_vat_number as	0	2	0	0	0	0.00
/* Select b from ServiceProviderUserDTO b where b.baseUser.id=:baseUserld */ select servicepro0id as id94_, servicepro0ad_user_name as ad2_94_, servicepro0_base_user_id as base14_94_, servicepro0_double_encrypted_password as double3_94_, servicepro0_error_message as rerorla_94_, servicepro0_ins_user_deactivated as is6_94_, servicepro0_ins_user_deactivated as is6_94_, servicepro0_isbusiness_contact as isbusiness7_94_, servicepro0_istech_contact as istech8_94_, servicepro0_operation_status_id as operation9_94_, servicepro0_oss_provision_date as oss10_94_, servicepro0_permission_updated_time as permission11_94_, servicepro0_retry_count as retry12_94_, servicepro0_permission_updated_time as permission11_94_, servicepro0_retry_count as retry12_94_, servicepro0_base_user_id=?	0	1	0	0	0	0.00
/* load one-to-many com.ensim.synergy.server.notification.db.NotificationMessageDTO.notificationMessageSections */ select notificatiomessage_id as message4_32_1_, notificatioid as id1_, notificatio_id as id28_0_, notificatiomessage_id as message4_28_0_, notificatiosection as section28_0_, notificatiopotlock as optlock28_0_ from notification_message_section notificatio_where notificatio_message_id=? order by notificatiosection	0	1	0	0	0	0.00
/* SELECT a.baseOrganizationDTO.id, b from CustomerOrganizationDTO a, CustomerBatchDataDTO b WHERE a.baseOrganizationDTO.id in (ids) AND a.customer_id=b.customer_id d 's select customeror0_org_id as col_0_0_, customerba1_id as col_1_0_, customerba1_id as id81_, customerba1_city_name as city2_81_, customerba1_comm_language as comm3_81_, customerba1_customer_id as customer4_81_, customerba1_idelete_indicator as delete6_81_, customerba1_is_onboarded as is7_81_, customerba1_legal_language as legal8_81_, customerba1_macro_segment as macro9_81_, customerba1_macro_segment as macro9_81_, customerba1_master_account_biling_day as master10_81_, customerba1_master_account_id as master11_81_, customerba1_party_type as party12_81_, customerba1_phonetic_name as phonetic13_81_, customerba1_stop_order_indicator as stop14_81_, customerba1_street_name as street15_81_, customerba1_vat_number as vat16_81_, customerba1_zip_code as zip17_81_from customer_organization customeror0_c	0	2	0	0	0	0.00
/* SELECT b FROM AdhocEmailQueueDTO b WHERE b.retryCount <= :rcount AND b.sentCount = 0 AND b.id > :previousId */ WITH query AS (select ROW, NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as _hibernate_row_nr _, adhocemail0_id as id188_, adhocemail0_bcc as bcc188_, adhocemail0_cc as cc188_, adhocemail0_content_type as content4_188_, adhocemail0_sis_encrypted as is5_188_, adhocemail0_ltl_body as full6_188_, adhocemail0_priority as priority188_, adhocemail0_reclever_email as reclever8_188_, adhocemail0_retry_count as retry_0.188_, adhocemail0_subject as subject188_from adhocemail0_queue adhocemail0_where adhocemail0_retry_count<=? and adhocemail0_sent_count=0 and adhocemail0_id>?) SELECT *FROM query WHERE _hibernate_row_nrBETWEEN ? AND ?	0	1	0	0	0	0.00
/* load com.ensim.synergy.server.tax.db.TaxMgmntSystemMasterDTO */ select taxmgmntsy0_id as id307_0_, taxmgmntsy0_idsplay_name as display2_307_0_, taxmgmntsy0_internal_identifier_name as internal3_307_0_ from tax_mgmt_system_master taxmgmntsy0_ where taxmgmntsy0_id=?	0	1	0	0	0	0.00
/* load com.ensim.synergy.server.user.db.UserDTO */ select userdto0_id as id27_0_, userdto0_is_activated as is2_27_0_, userdto0_activation token as activation3_27_0_, userdto0_cachepermison as cacheper4_27_0_, userdto0_entity_id as entity21_27_0_, userdto0_create_datetime as create5_27_0_, userdto0_current_login as current6_27_0_, userdto0_deleted as deleted27_0_, userdto0_external_id as external8_27_0_, userdto0_external_id2 as external8_27_0_, userdto0_failed_attempts as failed10_27_0_, userdto0_global_id as global11_27_0_, userdto0_is_local as is12_27_0_, userdto0_language_id as language22_27_0_, userdto0_last_togin as last13_27_0_ userdto0_last_status_change as last14_27_0_, userdto0_logout as logout27_0_, userdto0_password as password27_0_, userdto0_password set_by_user as password17_27_0_, userdto0_primary_role_id as primary23_27_0_, userdto0_theme as theme27_0_, userdto0_user_name as user19_27_0_, userdto0_optlock as optlock27_0_ from base user userdto0_	0	1	0	0	0	0.00
/* criteria query */ select thisid as id107_0_, this_change_pwd_url as change2_107_0_, this_organization_type as organiza3_107_0_ from change_pwd_url_settings this_ where lower(this_organization_type) like ?	0	3	0	0	0	0.00
/* SELECT b FROM ServiceProviderOrganizationDTO b WHERE b.baseOrganizationDTO.id = :orgId */ select servicepro0id as id93_, servicepro0org_id as org5_93_, servicepro0created_on as created2_93_, servicepro0currency_id as currency6_93_, servicepro0_use_marketplace as use3_93_, servicepro0_use_reseller_model as use4_93_ from service_provider_organization servicepro0_ where servicepro0_org_id=?	0	1	0	0	0	0.00
// Select b from ServiceProviderUserDTO b where b.baseUser.id=:baseUserId AND b.serviceProviderOrganizationDTO.id=:spOrgld */ select servicepro0id as id94_, servicepro0_ad_user_name as ad2_94_, servicepro0_base_user_id as base14_94_, servicepro0_assevorderorganizationDTO.id=:spOrgld */ select servicepro0_double_nerrypted_password as double3_94_, servicepro0_error_message as error4_94_, servicepro0_isuser_servicepro0_isuser_servicepro0_isuser_servicepro0_isuser_servicepro0_isuser_servicepro0_isuser_servicepro0_isuser_servicepro0_isuser_servicepro0_isuser_servicepro0_premission_updated_time as permission11_94_, servicepro0_retry_count as retry12_94_, servicepro0_provicepro0_isuser_service	0	2	0	0	0	0.00
/* load one-to-many com.ensim.synergy.server.user.db.UserDTO.permissions */ select permission0_user_id as user4_27_1_, permission0_id as id1permission0_id as id21_0_, permission0_user_id as user4_21_0_, permission0_is_grant as is2_21_0_, permission0_org_type as org3_21_0_, permission0_permission0_id as permission5_21_0_from permission_user permission0_where permission0_user_id=?	0	1	0	0	0	0.00
// SELECT b.id from ServiceProviderOrganizationDTO a, ServiceProviderBatchDataDTO b WHERE a.baseOrganizationDTO.id=:ids AND a.id=b.sp_organization_id */ select servicepro1_id as col_0_0 from service_provider_organization servicepro0_cross join service_provider servicepro1_where servicepro1_id=2 and servicepro1_id=2 and servicepro1_id=2 and servicepro1_id=2 and servicepro1_id=2 and servicepro1_id=2 and servicepro1_id=3 and ser	0	1	0	0	0	0.00
/* Select b from UserContactDTO b where b baseUser.id - haseUserId '/ select usercontac0id as id92_ usercontac0ad attributes as ad2_92_ usercontac0street_addres1 as street3_92_ usercontac0street_addres2 as street4_92_ usercontac0user_id as user28_92_, usercontac0company as company92_, usercontac0company as display11_92_ usercontac0fax_area_code as fax12_92_ usercontac0dax_ountry_code as fax13_92_, usercontac0first_name as first15_92_ usercontac0notification_include as notific16_92_ usercontac0preson_intitial as person17_92_, usercontac0job_title as job18_92_ usercontac0last_name as last19_92_, usercontac0mobile_number as mobile20_92_, usercontac0phone_number as phone21_92_ usercontac0glusercontac0first_name.	0	4	0	0	0	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT b FROM OrderMaster b WHERE b.orderNumber = :orderNumber */ select ordermaste0_ id as id37_, ordermaste0_active as active37_, ordermaste0_sales_agent_id as sales3_37_, ordermaste0_linked_order_id as linked4_37_, ordermaste0_bcd_id as bcd5_37_, ordermaste0_bill_cycle_day as bill6_37_, ordermaste0_case_no_1 as case7_37_, ordermaste0_case_no_10_as case8_37_, ordermaste0_case_no_11 as case9_37_, ordermaste0_case_no_12_as case10_37_, ordermaste0_case_no_2 as case11_37_, ordermaste0_case_no_3 as case12_37_, ordermaste0_case_no_4 as case18_37_, ordermaste0_case_no_5 as case14_37_, ordermaste0_case_no_6 as case15_37_, ordermaste0_case_no_7 as case18_37_, ordermaste0_case_no_8 as case17_37_, ordermaste0_case_no_5 as case18_37_, ordermaste0_c	0	2	0	0	0	0.00
/* SELECT b from DashboardPropertiesDTO b WHERE upper(b.property_name)=:propName and b.language.id=:languageID */ select dashboardp0id as id100_, dashboardp0_language_id as language4_100_, dashboardp0property_name as property2_100_, dashboardp0_property_value as property3_100_ from dashboard_properties dashboardp0_where upper(dashboardp0_property_name)=? and dashboardp0_language_id=?	0	3	0	0	0	0.00
/* from UserSecurityQuestionAnswerDTO b where b.user_id=:user_id */ select usersecuri0id as id152_, usersecuri0answer as answer152_, usersecuri0_own_question as own3_152_, usersecuri0_security_question_id as security4_152_, usersecuri0_user_id as user5_id=2 from user_security_question_answer_usersecuri0_where usersecuri0_id=?	0	1	0	0	0	0.00
/* FROM PortalAuthenticationDTO p where p.id = (SELECT min(port.id) FROM PortalAuthenticationDTO port ) */ select portalauth0_id as id222_portalauth0_auth_value as auth2_222_portalauth0_value1 as value3_222_portalauth0_unique_auth_id as unique4_222_portalauth0_value2 as value5_222_from portalauth0_authentication portalauth0_where portalauth0_id=(select min(portalauth1_id) from portalauthentication portalauth1_id)	0	1	0	0	0	0.00

1,696 hits/min on 123 requests

## </> Netailed statistics jsp - all

Request	% of cumulativ e time		Mean time (ms)		deviation		Mean cpu time (ms)		Mean hits sql	Mean time sql (ms)
/grails/login/auth.dispatch	34	1	1,342	1,342	0	34	1,281	0.00	7	0
/grails/logout/sessionTimedOut.dispatch	32	1	1,265	1,265	0	34	1,265	0.00	3	15
/grails/dashboard/myAccountInfo.dispatch	23	1	922	922	0	24	906	0.00	16	16
/grails/dashboard/index.dispatch	4	1	172	172	0	4	156	0.00	1	0
/grails/home.dispatch	3	1	141	141	0	2	109	0.00	3	31

3 hits/min on 5 requests

Detailed statistics http system errors - all

None



Last http system errors - all



Detailed statistics system errors logs - all

None




None

## **Detailed current requests**

Thread	Request	Elapsed time (ms)	Mean time (ms)	Cpu time (ms)	Mean cpu time (ms)	Hits sql	Mean hits sql	Time sql (ms)	Mean time sql (ms)	Executed method
DefaultQu	notification_resending_job_group.Notification Scheduled Job	<b>55,290</b>				6,456		13,731		java.io.RandomAccessFile.open(Na
artzSched	update synergy_order_line set provisioned_notif_sent=? where id=?	₿16	52							tive Method)
uler_Work	and provisioned_notif_sent=?									
er-2	·									
	/* load one-to-many	347	21							
	com.ensim.synergy.server.order.db.SynergyOrderLine.orderServiceItems									
	*/ select orderservi0 .order line id as order20 38 3 , orderservi0 .id as									
	id3_, orderservi0id as id39_2_, orderservi0is_bundle as is2_39_2_,									
	orderservi0is_composit as is3_39_2_,									
	orderservi0custom_po_allow_zero as custom4_39_2_,									
	orderservi0diff_operator as diff5_39_2_, orderservi0diff_quantity as									
	diff6_39_2_, orderservi0product_group_id as product7_39_2_,									
	orderservi0order_line_id as order20_39_2_,									
	orderservi0possible_values as possible8_39_2_,									
	orderservi0possible_val_meta_id as possible21_39_2_,									
	orderservi0prepay_required as prepay9_39_2_, orderservi0quantity as									
	quantity39_2_, orderservi0service_id as service11_39_2_,									
	orderservi0service_item_id as service12_39_2_, orderservi0item_type									
	as item22_39_2_, orderservi0tax_code as tax13_39_2_,									
	orderservi0tax_on_tax_amount as tax14_39_2_,									
	orderservi0response_code as response15_39_2_,									
	orderservi0response_code_desc as response16_39_2_,									
	orderservi0total_tax_amount as total17_39_2_,									
	orderservi0unify_resource_reference as unify18_39_2_,									
	orderservi0unit as unit39_2_, possibleva1id as id70_0_,									
	possibleva1identifier as identifier70_0_, possibleva1possible_value as									
	possible3_70_0_, serviceite2id as id63_1_, serviceite2item_type as									
	item2_63_1_ from order_service_item orderservi0_ left outer join									
	possible_values_meta possibleva1_ on									
	orderservi0possible_val_meta_id=possibleva1id inner join									
	item_type_map_meta serviceite2_ on									
	orderservi0item_type=serviceite2id where									
	orderservi0 .order line id=?									

2 current requests



EASAPP01@10.10.3.16 Java memory used: 1,485 Mb / 3,641 Mb Nb of http sessions: Nb of active threads (current http requests): 0 Nb of active jdbc connections: Nb of used jdbc connections (opened if no datasource): 0 OS: Windows Server 2012, amd64/64 (4 cores) Java(TM) SE Runtime Environment, 1.7.0\_51-b13 Java: JVM: Java HotSpot(TM) 64-Bit Server VM, 24.51-b03, mixed mode PID of process: 6732 Apache Tomcat/8.0.22 Server: Webapp context: /escm 1/11/17 7:05 PM Start: 1/11/17 7:05 PM

-Dfile.encoding=UTF-8
-Doom.sun.management.jmxremote.port=3333
-Doom.sun.management.jmxremote.ssl=false
-Doom.sun.management.jmxremote.authenticate=false
-Xms1024m
-Xmx4096m
-XX:MaxPermSize=2048m
-Diava.util.logging\_config.file=C\tomcat8\conf\logging\_properties
-Diava.util.logging\_config.file=C\tomcat8\conf\logging\_properties
-Diava.util.logging\_manager=org\_apache,juli\_ClassLoaderLogManager
-Diava.endorsed.dirs=C\tomcat8\endorsed
-Doatalina.base=C\tomcat8
-Doatalina.home=C\tomcat8
-Diava.io.tmpdir=C\tomcat8 JVM arguments: Mean age of http sessions (min): Busy threads = 1 / 250
Bytes received = 734
Bytes sent = 362,419
Request count = 66
Error count = 2
Sum of processing times (ms) = 29,029
Max processing time (ms) = 4,046 Tomcat "http-nio-8080": Non heap memory = 137 Mb (Perm Gen, Code Cache), Loaded classes = 18,387, Garbage collection time = 4,174 ms, Process cpu time = 562,937 ms, Committed virtual memory = 3,477 Mb, Free physical memory = 11,721 Mb, Total physical memory = 16,383 Mb, Free swap space = 14,686 Mb, Total swap space = 20,991 Mb Memory: 125 Mb / 2,048 Mb Perm Gen memory: Free disk space: 15,386 Mb

Dependencies:

193 dependencies;
EASTAX,jar,
IPaymentManagement.jar,
ISMSManagement.jar,
ISMSManagement.jar,
PhoneInventroyClient.jar,
SMSConnector, jar,
ServiceConnectorPDK.jar,
TaxConnectorInterface.jar,
activation-1.1,jar,
ant-1.7.1,jar,
ant-1.7.1,jar,
ant-1.2.7.7,jar,
apache-commons-net.jar,
apache-commons-net.jar,
aps-1.3,jar,
aspectjit-1.6.10,jar,
aspectjit-1.6.10,jar,
aspectjit-1.6.10,jar,
aspectjit-1.6.10,jar,
aspectjit-1.6.10,jar,
aspectjit-1.6.10,jar,
aspectjit-1.6.10,jar,
comail-jdk.14-138,jar,
bcprov-jdk.16-146,jar,
agp-0.9.1.2,jar,
castor-1.2,jar,
cglib-2.2,jar,
commons-beanutils-1.8.3,jar,
commons-beanutils-1.8.3,jar,
commons-collections-3.2.1,jar,
commons-collections-3.2.1,jar,
commons-digester-3.1,jar,
commons-digester-3.2,jar,
commons-digester-3.2,jar,
commons-lel-1.0,jar,
commons-lel-1.0,jar,
commons-lang-3.4,jar,
commons-lang-3.4,jar,
commons-lang-3.4,jar,
commons-lang-3.4,jar,
commons-lang-3.4,jar,
commons-lang-3.4,jar,
commons-lang-3.4,jar,
commons-validator-1.3.1,jar,
commons-validator-1.3.1,jar,
compass-2.2.1,jar,
commons-validator-2.6.2,jar,
cxf-rt-otote-2.6.2,jar,
cxf-rt-otote-3.6.2,jar,
cxf-rt-otote-3.6.2, cxt-ft-ws-addr-z.b.z.Jar,
cxt-ft-ws-policy-z.6.2.jar,
cxt-tools-common-z.6.2.jar,
cxt-tools-wsdlto-core-2.6.2.jar,
cxt-tools-wsdlto-core-2.6.2.jar,
cxt-tools-wsdlto-frontend-jaxws-2.6.2.jar,
cxt-tools-wsdlto-frontend-jaxws-2.6.2.jar,
dnajava-2.1.5.jar,
dnaj41-6.1.jar,
eas-report.jar,
ecj-3.7.2.jar,
ehcache-core-2.4.6.jar,
escm-encrypt-decrypt.jar,
escm-encrypt-decrypt.jar,
geronimo-javamail 1.4\_spec-1.7.1.jar,
grails-bootstrap-2.2.0.jar,
grails-datastore-core-1.1.2.RELEASE.jar,
grails-datastore-gorm-1.1.2.RELEASE.jar,
grails-datastore-gorm-1.1.2.RELEASE.jar,
grails-datastore-gorm-1.1.2.RELEASE.jar,
grails-datastore-gorm-1.1.2.RELEASE.jar,
grails-datastore-gorm-1.1.2.RELEASE.jar,
grails-datastore-gorm-1.1.2.RELEASE.jar,
grails-datastore-gorm-1.1.2.RELEASE.jar,
grails-logging-2.2.0.jar,
grails-logging-2.2.0.jar,
grails-logging-2.2.0.jar, grails-odatastore-simple-1.1.2.RELEASE.jar, grails-datastore-simple-1.1.2.RELEASE.jar, grails-holgmate-2.2.0.jar, grails-holgmay-2.2.0.jar, grails-plugin-bean-fields-1.0.jar, grails-plugin-obean-fields-1.0.jar, grails-plugin-codes-2.2.0.jar, grails-plugin-codes-2.2.0.jar, grails-plugin-cometres-2.2.0.jar, grails-plugin-domain-class-2.2.0.jar, grails-plugin-domain-class-2.2.0.jar, grails-plugin-domain-class-2.2.0.jar, grails-plugin-domain-class-2.2.0.jar, grails-plugin-filters-2.2.0.jar, grails-plugin-minetypes-2.2.0.jar, grails-plugin-minetypes-2.2.0.jar, grails-plugin-searchable-0.6.4.jar, grails-plugin-searchable-0.6.4.jar, grails-plugin-searchable-0.6.4.jar, grails-plugin-services-2.2.0.jar, grails-plugin-services-2.2.0.jar, grails-plugin-services-2.2.0.jar, grails-plugin-minetypes-2.2.0.jar, grails-plugin-minetypes-2.2.0.jar, grails-plugin-minetypes-2.2.0.jar, grails-plugin-weceem-1.1.3.5NAPSHOT.jar, grails-plugin-weceem-1.1.3.5NAPSHOT.jar, grails-plugin-weceem-1.1.3.5NAPSHOT.jar, grails-spring-2.2.0.jar, grails-plugin-weceem-1.1.3.5NAPSHOT.jar, grails-spring-2.2.0.jar, grail groovy-all-2.0.5\_jar, hessian-4.0.7\_jar, hessian-4.0.7\_jar, hessian-4.0.7\_jar, hessian-4.0.7\_jar, hessian-4.0.7\_jar, hibernate-core-3.6.10.Final.jar, hibernate-core-3.6.10.Final.jar, hibernate-jpa-2.0-api-1.0.1.Final.jar, hibernate-jpa-2.0-api-1.0.1.Final.jar, hibernate-yalidator-4.1.0.Final.jar, hitporie-4.4.4.jar, httporie-4.4.4.jar, httporie-4.4.4.jar, itext-2.1.7\_jar, itext-2.1.7\_jar, itext-2.1.7\_jar, jasper-compiler-jdt-5.5.1\_jar, jasper-compiler-jdt-5.5.1\_jar, jasper-ports-5.6.1\_jar, jasper-ports-5.6.1\_jar, jasper-ports-to-tons-5.6.1\_jar, jasper-ports-tunctions-5.6.1\_jar, jasper-ports-tunctions-5.6.1\_jar, jasper-ports-tunctions-5.6.1\_jar, jasper-ports-javaflow-5.6.1\_jar, jasper-ports-javaflow-1.0.1.7\_jar, jreechart-1.0.12\_jar, jasper-ports-6.2\_jar, jobin-1.5.9\_jar, jsch.jar, json-simple-1.1.jar,

jsr311-api-1.1.1.jar,
jstl-1.1.2.jar,
jstl-1.1.2.jar,
jstl-1.1.2.jar,
jstl-1.3.0.jar,
jul-to-sll4j-1.6.2.jar,
jog4j-1.2.16.jar,
lucene-analyzers.jar,
lucene-core.jar,
lucene-core.jar,
lucene-spellchecker.jar,
mail-1.4.3.jar,
neethi-3.0.2.jar,
opencsv-2.1.jar,
oro-2.0.8.jar,
pol-1.0.16.jar,
seture-spellchecker.jar,
mail-1.4.3.jar,
neethi-3.0.2.jar,
opencsv-2.1.jar,
oro-2.0.8.jar,
pol-1.0.16.jar,
seture-spellchecker.jar,
sitemesh-2.4.jar,
secure-channel-facade.jar,
sitemesh-2.4.jar,
spring-asm-3.1.2.RELEASE.jar,
spring-asm-3.1.2.RELEASE.jar,
spring-beans-3.1.2.RELEASE.jar,
spring-orote-3.1.2.RELEASE.jar,
spring-orote-3.1.2.RELEASE.jar,
spring-orote-3.1.2.RELEASE.jar,
spring-orote-3.1.2.RELEASE.jar,
spring-dobeans-3.1.2.RELEASE.jar,
spring-modules-cache-0.8.jar,
spring-modules-cache-0.8.jar,
spring-security-core-3.0.7.RELEASE.jar,
spring-security-web-3.0.7.RELEASE.jar,
spring-security-web-3.0.7.RELEASE.jar,
spring-sesh-3.1.2.RELEASE.jar,
spring-sesh-

## Detailed threads

#### Threads on EASAPP01@10.10.3.16: Number = 68, Maximum = 69, Total started = 989

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
ajp-nio-8009-Acceptor-0	yes	5	RUNNABLE	sun.nio.ch.ServerSocketChannelImpl.accept0(Native Method)	0	0
ajp-nio-8009-ClientPoller-0	yes	5	RUNNABLE	sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)	0	0
ajp-nio-8009-ClientPoller-1	yes	5	RUNNABLE	sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)	0	0
AsyncFileHandlerWriter-357935641	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	46	31
Attach Listener	yes	5	RUNNABLE		0	0
com.ensim.synergy.server.user.db.UserDT O.data	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
com.ensim.synergy.server.user.db.UserDT O.data	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
com.ensim.synergy.server.user.db.UserDT O.data	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
com.mchange.v2.async.ThreadPoolAsynch ronousRunner\$PoolThread-#0	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	13,328	3,187
com.mchange.v2.async.ThreadPoolAsynch ronousRunner\$PoolThread-#1	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	12,000	3,265
com.mchange.v2.async.ThreadPoolAsynch ronousRunner\$PoolThread-#2	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	20,109	5,515
com.mchange.v2.async.ThreadPoolAsynch ronousRunner\$PoolThread-#3	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	20,328	5,406
com.mchange.v2.async.ThreadPoolAsynch ronousRunner\$PoolThread-#4	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	13,390	3,359
com.mchange.v2.async.ThreadPoolAsynch ronousRunner\$PoolThread-#5	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	11,437	2,843
Compass Executor Thread [pool-1-thread-10]	yes	5	● WAITING	sun.misc.Unsafe.park(Native Method)	500	500
Compass Executor Thread [pool-1-thread-1]	yes	5	● WAITING	sun.misc.Unsafe.park(Native Method)	234	218
Compass Executor Thread [pool-1-thread-2]	yes	5	● WAITING	sun.misc.Unsafe.park(Native Method)	265	234
Compass Executor Thread [pool-1-thread-3]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	125	109
Compass Executor Thread [pool-1-thread-4]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	250	234
Compass Executor Thread [pool-1-thread-5]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	328	281
Compass Executor Thread [pool-1-thread- 6]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	46	31
Compass Executor Thread [pool-1-thread-7]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	15	0
Compass Executor Thread [pool-1-thread-8]	yes	5	● WAITING	sun.misc.Unsafe.park(Native Method)	390	375
Compass Executor Thread [pool-1-thread- 9]	yes	5	● WAITING	sun.misc.Unsafe.park(Native Method)		375
Compass Scheduled Executor Thread [pool-3-thread-1]	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)		203
ContainerBackgroundProcessor[StandardEngine[Catalina]]	yes	5	TIMED_WAITING	java.lang.Thread.sleep(Native Method)	0	0

Debas   Deba	Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
Default/District/Schooluty   Worker 10		no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	109	
DebuilDichartSchreider_Winder-2	DefaultQuartzScheduler_Worker-1	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	1,296	1,156
Definitional materials	DefaultQuartzScheduler_Worker-10	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	0	0
DefaulDuartSchelder_Worker-4	DefaultQuartzScheduler_Worker-2	no	5	RUNNABLE	java.io.RandomAccessFile.open(Native Method)	24,734	18,609
Defaul/ClasartScheduler_WorkerS   0.0	DefaultQuartzScheduler_Worker-3	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	78	62
DefaulQuartsScheduler_Worker4	DefaultQuartzScheduler_Worker-4	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	125	109
Defunitional processing	DefaultQuartzScheduler_Worker-5	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	0	0
DefinationantsScheduler, Worker-8         Inc.         5 TIMED_WAITING         Invaling_Object.vair(Native Method)         0	DefaultQuartzScheduler_Worker-6	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	0	0
Defunitionant/Scheduler/Worker-9         1.00         5         *** TIMED_WAITING         invaliang_Object_wait/Native Method)         1.00         0           Finalizer         2.90         8         *** WAITING         invaliang_Object_wait/Native Method)         1.00         0           GC Dearmon         9.90         2         *** TIMED_WAITING         invaliang_Object_wait/Native Method)         0         0           Intp-no-8000-Clear/Deliced         9.90         5         *** RUNNABLE         sun-no.ch/WindowsBelector/masSubselector poli(Native Method)         0         1.01           Intp-no-8000-Clear/Deliced         9.90         5         *** RUNNABLE         sun-no.ch/WindowsBelector/masSubselector poli(Native Method)         0         1.01           Intp-no-8000-Clear/Deliced         9.90         5         *** RUNNABLE         sun-no.ch/WindowsBelector/masSubselector/poli(Native Method)         0         1.02           Intp-no-8000-avec-1         9.90         5         *** WAITING         sun-misc.Unsele_park(Native Method)         1.01         1.03           Intp-no-8000-avec-3         9.90         5         ** WAITING         sun-misc.Unsele_park(Native Method)         2.02         5         9.02           Intp-no-8000-avec-3         9.90         5         ** WAITING         sun-misc.Unsele_park(Native	DefaultQuartzScheduler_Worker-7	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	0	0
Default/Lauris-Sheduler_Worker-9   7.0	DefaultQuartzScheduler_Worker-8	no	5	TIMED WAITING	java.lang.Object.wait(Native Method)	0	0
Penaltzer	DefaultQuartzScheduler_Worker-9	no	5	_	java.lang.Object.wait(Native Method)	0	0
Numprile-9889-Acceptor-0	Finalizer	yes	8	WAITING	java.lang.Object.wait(Native Method)	1,359	671
hthp-nio-8880-ClienPoller-0         yes         5         ® LNNNABLE         sun nio ch Windows SelectorinpilSSub Selector polit(Native Method)         0         0           http-nio-8880-ClienPoller-1         yes         5         ® RUNNABLE         sun nio ch Windows SelectorinpilSSub Selector polit(Native Method)         3.3         3.31           http-nio-8880-exec-1         yes         5         ® WAITING         sun misc. Unsafe park(Native Method)         4.06         3.285           http-nio-8880-exec-2         yes         5         ® WAITING         sun misc. Unsafe park(Native Method)         4.06         2.326           http-nio-8880-exec-3         yes         5         ® WAITING         sun misc. Unsafe park(Native Method)         2.275         1.12           http-nio-8880-exec-3         yes         5         ® WAITING         sun misc. Unsafe park(Native Method)         2.26         5         5         5         5         5         5         5         5         6         7         6         7         6         7         6         7         6         7         7         7         7         7         7         7         7         7         7         7         7         7         7         7         7         7         7	GC Daemon	yes	2	TIMED_WAITING	java.lang.Object.wait(Native Method)	0	0
http-nio-8080-ClientPoliter1	http-nio-8080-Acceptor-0	yes	5	_	sun.nio.ch.ServerSocketChannelImpl.accept0(Native Method)	15	15
Number   N	http-nio-8080-ClientPoller-0	yes	5	RUNNABLE	sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)	0	0
http-rio-8080-exec-10         yes         5         ∀WAITING         sun_misc_Unsafe_park(Native Method)         4,082         3,285           http-rio-8080-exec-2         yes         5         WAITING         sun_misc_Unsafe_park(Native Method)         1,171         1,031           http-rio-8080-exec-3         yes         5         WAITING         sun_misc_Unsafe_park(Native Method)         2,237         1,812           http-rio-8080-exec-4         yes         5         *WAITING         sun_misc_Unsafe_park(Native Method)         2,237         1,812           http-rio-8080-exec-5         yes         5         *WAITING         sun_misc_Unsafe_park(Native Method)         2,046         1,538           http-rio-8080-exec-6         yes         5         *WAITING         sun_misc_Unsafe_park(Native Method)         3,046         2,738           http-rio-8080-exec-6         yes         5         *WAITING         sun_misc_Unsafe_park(Native Method)         3,046         2,738           http-rio-8080-exec-9         yes         5         *WAITING         sun_misc_Unsafe_park(Native Method)         5         5         3,333           Java2ND Disposer         yes         10         *WAITING         sun_misc_Unsafe_park(Native Method)         15         15           javaaneddy secm <td>http-nio-8080-ClientPoller-1</td> <td>yes</td> <td>5</td> <td>RUNNABLE</td> <td>sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)</td> <td>31</td> <td>31</td>	http-nio-8080-ClientPoller-1	yes	5	RUNNABLE	sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)	31	31
http-nio-8080-exec-10         yes         5         OwanTING         sun-misc. Unsafe.park(Native Method)         4,062         3,285           http-nio-8080-exec-2         yes         5         OwanTING         sun-misc. Unsafe.park(Native Method)         1,171         1,031           http-nio-8080-exec-3         yes         5         OwanTING         sun-misc. Unsafe.park(Native Method)         2,275         1,812           http-nio-8080-exec-4         yes         5         OwanTING         sun-misc. Unsafe.park(Native Method)         2,204         1,583           http-nio-8080-exec-6         yes         5         OwanTING         sun-misc. Unsafe.park(Native Method)         2,204         1,583           http-nio-8080-exec-6         yes         5         OwanTING         sun-misc. Unsafe.park(Native Method)         3,046         2,786           http-nio-8080-exec-6         yes         5         OwanTING         sun-misc. Unsafe.park(Native Method)         3,046         2,786           http-nio-8080-exec-6         yes         5         OwanTING         sun-misc. Unsafe.park(Native Method)         3,046         2,786           Java2D Disposer         yes         5         OwanTING         sun-misc. Unsafe.park(Native Method)         1,171         3,175         1,175         3,175	http-nio-8080-exec-1	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	1,578	1,281
http-rio-8080-exec-2         yes         5         OwaTING         sunmisc.Unsafe.park(Native Method)         1,171         1,031           http-rio-8080-exec-3         yes         5         OwaTING         sunmisc.Lineafe.park(Native Method)         2,2375         1,812           http-rio-8080-exec-4         yes         5         RUNNABLE         java.lang.Thread.divative Method)         62.2         66         56           http-rio-8080-exec-6         yes         5         WAITING         sun.misc.Unsafe.park(Native Method)         2.046         1,593           http-rio-8080-exec-6         yes         5         WAITING         sun.misc.Unsafe.park(Native Method)         2.046         2,786           http-rio-8080-exec-7         yes         5         WAITING         sun.misc.Unsafe.park(Native Method)         60         2.786           http-rio-8080-exec-9         yes         5         WAITING         sun.misc.Unsafe.park(Native Method)         60         63         53           Java2D Disposer         yes         5         WAITING         java.lang.Dipect.wait(Native Method)         15         15         15           javanelody escm         yes         5         TIMED_WAITING         java.lang.Dipect.wait(Native Method)         10         2.243 <t< td=""><td>http-nio-8080-exec-10</td><td>yes</td><td>5</td><td></td><td>sun.misc.Unsafe.park(Native Method)</td><td>4,062</td><td>3,265</td></t<>	http-nio-8080-exec-10	yes	5		sun.misc.Unsafe.park(Native Method)	4,062	3,265
http-rio-8080-exec-3         yes         5         WAITING         sun.misc.Unsafe.park(Native Method)         2.375         1,812           http-rio-8080-exec-4         yes         5         RUNNABLE         java.lang.Thread.dumpThread(Native Method)         625         562           http-rio-8080-exec-5         yes         5         WAITING         sun.misc.Unsafe.park(Native Method)         2.046         1,533           http-rio-8080-exec-6         yes         5         WAITING         sun.misc.Unsafe.park(Native Method)         3.046         2,796           http-rio-8080-exec-7         yes         5         WAITING         sun.misc.Unsafe.park(Native Method)         3.046         2,796           http-rio-8080-exec-8         yes         5         WAITING         sun.misc.Unsafe.park(Native Method)         609         583           http-rio-8080-exec-9         yes         5         WAITING         sun.misc.Unsafe.park(Native Method)         15         15         15           javamelody escm         yes         10         WAITING         sun.misc.Unsafe.park(Native Method)         11         17         15         15           javamelody escm         yes         5         MAITING         sun.misc.Unsafe.park(Native Method)         11         0         15	http-nio-8080-exec-2	yes	5		sun.misc.Unsafe.park(Native Method)	1,171	1,031
http-nic-8080-exec-4         yes         5         RUNNABLE         javalang.Thread.dumpThreads(Native Method)         625         562           http-nic-8080-exec-5         yes         5         WAITING         sun-misc.Unsafe.park(Native Method)         2,246         1,593           http-nic-8080-exec-6         yes         5         WAITING         sun-misc.Unsafe.park(Native Method)         3,046         2,786           http-nic-8080-exec-7         yes         5         WAITING         sun-misc.Unsafe.park(Native Method)         3,046         2,786           http-nic-8080-exec-9         yes         5         WAITING         sun-misc.Unsafe.park(Native Method)         5         5         3,342           JavareIody exer         yes         10         WAITING         javalang.Object.wait(Native Method)         15         15           javareIody exer         yes         10         WAITING         javalang.Object.wait(Native Method)         11         15           javareIody exer         yes         15         TIMED_WAITING         javalang.Object.wait(Native Method)         10         2,781         2,437           net.sf.ehcache.CacheManager@14391581         yes         15         TIMED_WAITING         javalang.Object.wait(Native Method)         2,781         2,781         2,437 <td>http-nio-8080-exec-3</td> <td>yes</td> <td>5</td> <td></td> <td>sun.misc.Unsafe.park(Native Method)</td> <td>2,375</td> <td>1,812</td>	http-nio-8080-exec-3	yes	5		sun.misc.Unsafe.park(Native Method)	2,375	1,812
http-nio-8080-exec-5         yes         5         ⊕ WAITING         sun.misc.Unsafe.park(Native Method)         2,046         1,593           http-nio-8080-exec-6         yes         5         ⊕ WAITING         sun.misc.Unsafe.park(Native Method)         3,046         2,796           http-nio-8080-exec-8         yes         5         ⊕ WAITING         sun.misc.Unsafe.park(Native Method)         3,046         2,796           http-nio-8080-exec-8         yes         5         ⊕ WAITING         sun.misc.Unsafe.park(Native Method)         609         593           Javac2D Disposer         yes         10         ⊕ WAITING         javalang.Object.wait(Native Method)         15         15           javamelody escm         yes         10         ⊕ WAITING         javalang.Object.wait(Native Method)         16         78           jobin escm         yes         5         ⊕ TIMED_WAITING         javalang.Object.wait(Native Method)         10         140         78           net.sf.ehcache.CacheManager@14391581         yes         5         ⊕ TIMED_WAITING         javalang.Object.wait(Native Method)         2,781         2,437           net.sf.ehcache.CacheManager@14391685         yes         5         ⊕ TIMED_WAITING         javalang.Object.wait(Native Method)         0         0         0	http-nio-8080-exec-4	yes	5	_	java.lang.Thread.dumpThreads(Native Method)	625	562
http-nio-8080-exec-7         yes         5         ⊕WAITING         sun.misc.Unsafe.park(Native Method)         3,046         2,796           http-nio-8080-exec-8         yes         5         ⊕WAITING         sun.misc.Unsafe.park(Native Method)         609         593           http-nio-8080-exec-9         yes         5         ⊕WAITING         sun.misc.Unsafe.park(Native Method)         578         531           Java2D Disposer         yes         10         ⊕WAITING         java.lang.Object.wait(Native Method)         15         15           javamelody escr         yes         5         ⊕TIMED_WAITING         java.lang.Object.wait(Native Method)         140         78           jrobin escr         yes         5         ⊕TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0         0           main         no         5         ⊕RUNNABLE         java.lang.Object.wait(Native Method)         2.781         2.437           net.sf.ehcache.CacheManager@1439158f         yes         5         ⊕TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0           net.sf.ehcache.CacheManager@4edadd7d0e         yes         5         ⊕TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0           net.sf.ehcache.Cac	http-nio-8080-exec-5	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2,046	1,593
http-nio-8080-exec-7         yes         5         WAITING         sun.misc.Unsafe.park(Native Method)         3,046         2,796           http-nio-8080-exec-8         yes         5         WAITING         sun.misc.Unsafe.park(Native Method)         609         593           http-nio-8080-exec-9         yes         5         WAITING         sun.misc.Unsafe.park(Native Method)         578         531           Java2D Disposer         yes         10         WAITING         java.lang.Object.wait(Native Method)         15         15           javamelody escm         yes         5         TIMED_WAITING         java.lang.Object.wait(Native Method)         140         78           robin escm         yes         5         TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0         0           main         no         5         RUNNABLE         java.lang.Object.wait(Native Method)         2,781         2,437           net.sf.ehcache.CacheManager@14391581         yes         5         TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0           net.sf.ehcache.CacheManager@4edadd7doe         yes         5         TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0           net.sf.ehcache.CacheManager@	http-nio-8080-exec-6	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	859	765
http-nic-8080-exec-9         yes         5         WAITING         sun.misc.Unsafe,park(Native Method)         578         531           Java2D Disposer         yes         10         WAITING         java.lang.Object.wait(Native Method)         15         15           javamelody escm         yes         5         TIMED_WAITING         java.lang.Object.wait(Native Method)         140         78           jrobin escm         yes         5         TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0           main         no         5         RUNNABLE         java.net.DualStackPlainSocketImpl.accept0(Native Method)         0         0           net.sf.ehacche.CacheManager@1439158f         yes         5         TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0           net.sf.ehacche.CacheManager@44d07doe         yes         5         TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0           net.sf.ehacche.CacheManager@558da38e         yes         5         TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0           NioBlockingSelector.BlockPoller-1         yes         5         TIMED_WAITING         java.lang.Object.wait(Native Method)         15         0           NioB	http-nio-8080-exec-7	yes	5		sun.misc.Unsafe.park(Native Method)	3,046	2,796
http-nio-8080-exec-9         yes         5         ⊕MAITING         sun.misc.Unsafe.park(Native Method)         578         531           Java2D Disposer         yes         10         ⊕WAITING         java.lang.Object.wait(Native Method)         15         15           javamelody escm         yes         5         ↑TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0           main         no         5         ↑TIMED_WAITING         java.net.DualStackPlainSocketImpl.accept0(Native Method)         2,781         2,437           net.sf.ehcache.CacheManager@1439158f         yes         5         ↑TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0           net.sf.ehcache.CacheManager@4add7d0e         yes         5         ↑TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0           net.sf.ehcache.CacheManager@558da38e         yes         5         ↑TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0           not.sf.ehcache.CacheManager@558da38e         yes         5         ↑TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0           notBlockingSelector.BlockPoller-1         yes         5         ♠RUNNABLE         sun.nio.ch.WindowsSelectorImplSsubSelector.pollo(Native Method)	http-nio-8080-exec-8	yes	5		sun.misc.Unsafe.park(Native Method)	609	593
Java2D Disposer         yes         10         WAITING         java.lang.Object.wait(Native Method)         15         15           javamelody escm         yes         5         TIMED_WAITING         java.lang.Object.wait(Native Method)         140         78           jrobin escm         yes         5         TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0           main         no         5         RUNNABLE         java.lang.Object.wait(Native Method)         2,781         2,437           net.sf.ehcache.CacheManager@1439158f         yes         5         TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0           net.sf.ehcache.CacheManager@4add7d0e         yes         5         TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0           net.sf.ehcache.CacheManager@558da38e         yes         5         TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0           net.sf.ehcache.CacheManager@558da38e         yes         5         TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0           net.sf.ehcache.CacheManager@558da38e         yes         5         RUNNABLE         sun.nio.ch.WindowsSelector.pollO(Native Method)         15         0	http-nio-8080-exec-9	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	578	531
	Java2D Disposer	yes	10	_	java.lang.Object.wait(Native Method)	15	15
Name	javamelody escm	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	140	78
main         no         5         RUNNABLE         java.net.DualStackPlainSocketImpl.accept0(Native Method)         2,781         2,437           net.sf.ehcache.CacheManager@1439158f         yes         5         TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0           net.sf.ehcache.CacheManager@548dd7d0e         yes         5         TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0           net.sf.ehcache.CacheManager@558da38e         yes         5         TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0           NioBlockingSelector.BlockPoller-1         yes         5         RUNNABLE         sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)         15         0           NioBlockingSelector.BlockPoller-2         yes         5         RUNNABLE         sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)         15         0           Reference Handler         yes         10         WAITING         java.lang.Object.wait(Native Method)         156         156           RMI TCP Accept-0         yes         5         RUNNABLE         java.net.DualStackPlainSocketImpl.accept0(Native Method)         0         0           RMI TCP Accept-3333         yes         5         RUNNABLE         java.net.DualStackPlainSo	jrobin escm	yes	5	TIMED WAITING	java.lang.Object.wait(Native Method)	0	0
net.sf.ehcache.CacheManager@4add7d0e yes 5 TIMED_WAITING java.lang.Object.wait(Native Method) 0 0 0 net.sf.ehcache.CacheManager@558da38e yes 5 TIMED_WAITING java.lang.Object.wait(Native Method) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	main	no	5		java.net.DualStackPlainSocketImpl.accept0(Native Method)	2,781	2,437
net.sf.ehcache.CacheManager@4add7d0e         yes         5         OTIMED_WAITING         java.lang.Object.wait(Native Method)         0         0           net.sf.ehcache.CacheManager@558da38e         yes         5         OTIMED_WAITING         java.lang.Object.wait(Native Method)         0         0           NioBlockingSelector.BlockPoller-1         yes         5         RUNNABLE         sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)         15         0           NioBlockingSelector.BlockPoller-2         yes         5         RUNNABLE         sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)         15         0           Reference Handler         yes         10         WAITING         java.lang.Object.wait(Native Method)         156         156           RMI TCP Accept-0         yes         5         RUNNABLE         java.net.DualStackPlainSocketImpl.accept0(Native Method)         0         0           RMI TCP Accept-0         yes         5         RUNNABLE         java.net.DualStackPlainSocketImpl.accept0(Native Method)         0         0           RMI TCP Accept-3333         yes         5         RUNNABLE         java.net.DualStackPlainSocketImpl.accept0(Native Method)         0         0           Signal Dispatcher         yes         5         TIMED_WAITING         java.lang.Object.w	net.sf.ehcache.CacheManager@1439158f	yes	5	TIMED WAITING	java.lang.Object.wait(Native Method)	0	0
NioBlockingSelector.BlockPoller-1 yes 5 RUNNABLE sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method) 15 0 NioBlockingSelector.BlockPoller-2 yes 5 RUNNABLE sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method) 15 0 Reference Handler yes 10 WalTING java.lang.Object.wait(Native Method) 156 156 RMI TCP Accept-0 yes 5 RUNNABLE java.net.DualStackPlainSocketImpl.accept0(Native Method) 0 0 RMI TCP Accept-0 yes 5 RUNNABLE java.net.DualStackPlainSocketImpl.accept0(Native Method) 0 0 RMI TCP Accept-3333 yes 5 RUNNABLE java.net.DualStackPlainSocketImpl.accept0(Native Method) 0 0 RMI TCP Accept-3333 yes 5 RUNNABLE java.net.DualStackPlainSocketImpl.accept0(Native Method) 0 0 Signal Dispatcher yes 9 RUNNABLE java.net.DualStackPlainSocketImpl.accept0(Native Method) 0 0 Timer-0 yes 5 TIMED_WAITING java.lang.Object.wait(Native Method) 0 0	net.sf.ehcache.CacheManager@4add7d0e	yes	5		java.lang.Object.wait(Native Method)	0	0
NioBlockingSelector.BlockPoller-1         yes         5         RUNNABLE         sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)         15         0           NioBlockingSelector.BlockPoller-2         yes         5         RUNNABLE         sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)         15         0           Reference Handler         yes         10         WAITING         java.lang.Object.wait(Native Method)         156         156           RMI TCP Accept-0         yes         5         RUNNABLE         java.net.DualStackPlainSocketImpl.accept0(Native Method)         0         0           RMI TCP Accept-0         yes         5         RUNNABLE         java.net.DualStackPlainSocketImpl.accept0(Native Method)         0         0           RMI TCP Accept-3333         yes         5         RUNNABLE         java.net.DualStackPlainSocketImpl.accept0(Native Method)         0         0           Signal Dispatcher         yes         9         RUNNABLE         accept-0ualStackPlainSocketImpl.accept0(Native Method)         0         0           Timer-0         yes         5         TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0         0	net.sf.ehcache.CacheManager@558da38e	yes	5	_	java.lang.Object.wait(Native Method)	0	0
Reference Handler         yes         10         WAITING         java.lang.Object.wait(Native Method)         156         156           RMI TCP Accept-0         yes         5         RUNNABLE         java.net.DualStackPlainSocketImpl.accept0(Native Method)         0         0           RMI TCP Accept-0         yes         5         RUNNABLE         java.net.DualStackPlainSocketImpl.accept0(Native Method)         0         0           RMI TCP Accept-3333         yes         5         RUNNABLE         java.net.DualStackPlainSocketImpl.accept0(Native Method)         0         0           Signal Dispatcher         yes         9         RUNNABLE         0         0           Timer-0         yes         5         TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0	NioBlockingSelector.BlockPoller-1	yes	5	_	sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)	15	0
Reference Handler         yes         10         → WAITING         iava.lang.Object.wait(Native Method)         156         156           RMI TCP Accept-0         yes         5         → RUNNABLE         java.net.DualStackPlainSocketImpl.accept0(Native Method)         0         0           RMI TCP Accept-0         yes         5         → RUNNABLE         java.net.DualStackPlainSocketImpl.accept0(Native Method)         0         0           RMI TCP Accept-3333         yes         5         → RUNNABLE         java.net.DualStackPlainSocketImpl.accept0(Native Method)         0         0           Signal Dispatcher         yes         9         → RUNNABLE         0         0           Timer-0         yes         5         → TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0	NioBlockingSelector.BlockPoller-2	yes	5	_	sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)	15	0
RMI TCP Accept-0         yes         5         RUNNABLE         java.net.DualStackPlainSocketImpl.accept0(Native Method)         0         0           RMI TCP Accept-3333         yes         5         RUNNABLE         java.net.DualStackPlainSocketImpl.accept0(Native Method)         0         0           Signal Dispatcher         yes         9         RUNNABLE         0         0           Timer-0         yes         5         TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0	Reference Handler	yes	10	WAITING	java.lang.Object.wait(Native Method)	156	156
RMI TCP Accept-0         yes         5              □ RUNNABLE          java.net.DualStackPlainSocketImpl.accept0(Native Method)          0         0           RMI TCP Accept-3333         yes         5              □ RUNNABLE          java.net.DualStackPlainSocketImpl.accept0(Native Method)          0         0           Signal Dispatcher         yes         9         □ RUNNABLE          0         0           Timer-0         yes         5         □ TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0	RMI TCP Accept-0	yes	5		java.net.DualStackPlainSocketImpl.accept0(Native Method)	0	0
RMI TCP Accept-3333         yes         5         ● RUNNABLE         java.net.DualStackPlainSocketImpl.accept0(Native Method)         0         0           Signal Dispatcher         yes         9         ● RUNNABLE         0         0           Timer-0         yes         5         ● TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0	RMI TCP Accept-0	yes	5	_	java.net.DualStackPlainSocketImpl.accept0(Native Method)	0	0
Signal Dispatcher         yes         9         RUNNABLE         0         0           Timer-0         yes         5         → TIMED_WAITING         java.lang.Object.wait(Native Method)         0         0	RMI TCP Accept-3333	yes	5		java.net.DualStackPlainSocketImpl.accept0(Native Method)	0	0
Timer-0 yes 5		yes	9			0	0
	Timer-0	yes	5	_	java.lang.Object.wait(Native Method)	0	0
	Timer-1	yes	5	_	java.lang.Object.wait(Native Method)	0	0

he cpu times and user times of these threads are measured from the start of the serve

## Detailed jobs

## 18 job(s) on EASAPP01@10.10.3.16 with 1 running

Group	Name	Class name	Mean time	Running for	Previous execution	Next execution	Period or cron expression	Paused
branding_sync_cro n_job_group	Branding Synchronization Cron Job	com.ensim.synergy.server.theming.BrandingSynchronizationJob	23:59:59			1/11/17 7:15 PM	0 0/15 * * * ?	no
invoice_payment_n otif_schedule_job_ group	Invoice Payment Notification Scheduled Job	com.ensim.synergy.server.notification.InvoiceAndPa ymentNotification	23:59:59			1/11/17 7:15 PM	0 0/15 * * * ?	no
	Invoice PDF Generation Schedule Job	com.ensim.synergy.server.invoicePDFGenerator.lnv oicePDFGenerationJob	23:59:59			1/12/17 12:00 AM	0 0 0/6 1/1 * ? *	no
manual_provisionin g_notification_job_ group	Manual Provisioning Notification Job	com.ensim.synergy.server.notification.workflowBatc hJobs.WorkflowNotificationScheduledJob	00:00:02		1/11/17 7:06 PM	1/11/17 7:08 PM	0 0/2 * * * ?	no
notification_resendi ng_job_group	Notification Scheduled Job	com.ensim.synergy.server.notification.NotificationSc heduledJob	23:59:59	00:00:53	1/11/17 7:06 PM	1/11/17 7:08 PM	0 0/2 * * * ?	no
order_schedule_job _group	Order Scheduled Job	com.ensim.synergy.server.order.orderBatchJob.Ord erScheduledJob	23:59:59			1/12/17 12:01 AM	0 01 00 ? * *	no
portal_authenticatio n_job_group	portal_authentication_job	com.ensim.synergy.server.license.scheduler.PortalA uthenticationScheduler	23:59:59			1/12/17 12:01 AM	0 01 00 ? * *	no
promotion_deactiva ting_job_group	Promotion Deactivating Job	com.ensim.synergy.server.promotion.PromoDeactiv ateScheduler	23:59:59			1/12/17 12:01 AM	0 01 00 ? * *	no
bpt_notification_sch eduled_job_group	Provisioning Engine Notification Scheduled Job	com.ensim.synergy.server.runningBatchJobs.BPTN otificationScheduledJob	23:59:59			1/11/17 8:00 PM	0 0/60 * * * ?	no
schedule_jars_job_ group	Schedule Jars Job	com.ensim.synergy.server.jarScheduling.VariousJar ExecutionScheduler	23:59:59			1/11/17 8:00 PM	0 0/60 * * * ?	no
organization_import _jars_job_group	Schedule Organization Import Job	com.ensim.synergy.server.util.crm_settings.organiza tionImport.OrganizationImportScheduleJob	23:59:59			1/11/17 7:15 PM	0 0/15 * * * ?	no
report_data_replica tion_job_group	Schedule Report Data Replication Job	com.ensim.synergy.reportDataReplication.ReportDataReplicationTaskSchedular	23:59:59			1/12/17 6:00 AM	0 0 6 1/1 * ? *	no

Group	Name	Class name	Mean time	Running for	Previous execution	Next execution	Period or cron expression	Paused
report_schedule_jo b_group	Schedule Reporting Scheduled Job	com.ensim.synergy.report.ReportGenTaskSchedule r	23:59:59			2/2/17 4:00 AM	0 0 4 2 1/1 ? *	no
revenue_jars_job_g roup	Schedule Revenue Job	com.ensim.synergy.server.jarScheduling.RevenueTaskScheduler	23:59:59			2/2/17 12:00 AM	0 0 0 2 1/1 ? *	no
service_request_sc hedule_job_group	Service Request Scheduled Job	com.ensim.synergy.server.end_user_catalog.servic eRequestJob.ServiceRequestScheduledJob	00:00:00		1/11/17 7:06 PM	1/11/17 7:08 PM	0 0/2 * * * ?	no
Subscription_Rene wal_schedule_job_ group	Subscription Renewal Scheduled Job	com.ensim.synergy.server.subscription.Subscription BatchJob	23:59:59			1/12/17 12:01 AM	0 01 00 ? * *	no
trial_notification_sc heduled_job_group	Trial Notification Scheduled Job	com.ensim.synergy.server.notification.TrialNotificationScheduledJob	00:00:00		1/11/17 7:06 PM	1/11/17 7:08 PM	0 0/2 * * * ?	no
version_schedule_j ob_group	Version Scheduled Job	com.ensim.synergy.server.productoffer.versionBatc hJob.VersionScheduledJob	23:59:59			1/12/17 12:15 AM	0 15 00 ? * *	no

Configuration reference

## n Detailed statistics job - all

Job	% of cumulativ e time	Hits	Mean time (ms)		deviation	% of cumulativ e cpu time		% of system error	Mean hits sql	Mean time sql (ms)
manual_provisioning_notification_job_group.Manual Provisioning Notification Job	85	1	2,381	2,381	0	86	1,296	0.00	172	1,017
trial_notification_scheduled_job_group.Trial Notification Scheduled Job	10	1	297	297	0	8	125	0.00	11	15
service_request_schedule_job_group.Service Request Scheduled Job	3	1	109	109	0	5	78	0.00	2	16
promotion_deactivating_job_group.Promotion Deactivating Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
report_schedule_job_group.Schedule Reporting Scheduled Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
order_schedule_job_group.Order Scheduled Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
branding_sync_cron_job_group.Branding Synchronization Cron Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
bpt_notification_scheduled_job_group.Provisioning Engine Notification Scheduled Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
invoice_payment_notif_schedule_job_group.Invoice Payment Notification Scheduled Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
notification_resending_job_group.Notification Scheduled Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
revenue_jars_job_group.Schedule Revenue Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
Subscription_Renewal_schedule_job_group.Subscription Renewal Scheduled Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
report_data_replication_job_group.Schedule Report Data Replication Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
version_schedule_job_group.Version Scheduled Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
schedule_jars_job_group.Schedule Jars Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
organization_import_jars_job_group.Schedule Organization Import Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
portal_authentication_job_group.portal_authentication_job	0	0	-1	0	-1	0	-1	0.00	-1	-1
invoice_pdf_generation_schedule_job.Invoice PDF Generation Schedule Job	0	0	-1	0	-1	0	-1	0.00	-1	-1

18 jobs



## Last jobs errors - all

None



#### 205 cache(s) on EASAPP01@10.10.3.16

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
com.ensim.IDMRead Only.CustomerOrga nizationRoDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.IDMRead Only.CustomerUser RoDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.jasper.R eportConfigDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. common.DateTimeF ormatDTO	0	1	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.end_user_cat alog.db.Asynchrono usOperationStatusD TO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.end_user_cat alog.db.Incremental UsageDetailsDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.end_user_cat alog.db.ServiceRequ estQueueDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemD TO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemD TO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, imemoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemD TO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, imemoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemP riceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemP riceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemP riceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
com.ensim.synergy. server.item.db.ltemT ypeDTO	0	0	0	-1	` '	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 900, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemT ypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 900, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemT ypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 900, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemU serPriceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemU serPriceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemU serPriceDTO	0		0	-1	-1	timeToLiveSeconds = 300, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.Reso urceBundleElement MapDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.Reso urceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.Servi ceBundleElementMa pDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.Servi ceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.Servi celtemDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.Sugg estedServicesDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage DTO.notificationMes sageSections	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage DTO.notificationMes sageSections	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage DTO.notificationMes sageSections	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage LineDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage LineDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage LineDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage SectionDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage SectionDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage SectionDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage SectionDTO.notificat ionMessageLines	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage SectionDTO.notificat ionMessageLines	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage SectionDTO.notificat ionMessageLines	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage TypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage TypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
com.ensim.synergy. server.notification.db .NotificationMessage TypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.notification.db .SMSNotificationHist oryDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .SMSTemplateConte ntDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .SMSTemplateDetail sDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rBillingTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rBillingTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rBillingTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rExportStatusDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rLineTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rLineTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rLineTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rProcessDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 1200, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rProcessDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 1200, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rProcessDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = false, time ToLiveSeconds = 1200, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rUIActionDTO	0	18	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.order.db.Stat eActionMapCustome rDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.order.db.Stat eActionMapIspDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.order.db.Stat eActionMapReseller DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.payment.db.P aymentMethodDTO.j ava	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.payment.db.P aymentMethodDTO.j ava	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.payment.db.P aymentMethodDTO.j ava	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.payment.db.P aymentResultDTO.ja va	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.payment.db.P aymentResultDTO.ja va	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.payment.db.P aymentResultDTO.ja va	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.plugin.bpaCo nnectors.BpaMeterM asterDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.plugin.bpaCo nnectors.BpaUsage DataDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.b 2b.db.ResellerPrice PlanDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.b 2b.db.ResellerSpecif icDiscountDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferCategoryDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferCodeMapDT O	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferCodeTypeDT O	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
com.ensim.synergy. server.productoffer.d b.OfferConditionDT O	0	0	0	-1	,	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferGroupDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferInPlaceRene walPathDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferInPlaceUpgra dePathDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferInplaceUpgra deProductDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferMacroDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldieSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferVersionDefinit ionDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferVersionDetail sDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferWorkflowNotif icationMapDTO	1	77	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.PossibleValuesDT O	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.PricePlanCompon entDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.PricePlanDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.ProductOfferDTO	1	79	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.ProductOfferMarke tContentDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.ProductOfferStatus DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.ProviderPricingMa pDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.TrialOfferUpgrade PathDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer. MarketplaceCurrenc yDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.provisioningW orkflow.db.Provisioni ngOperationsDTO	0	8	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.provisioningW orkflow.db.Provisioni ngWorkflowDTO	0	5	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.provisioningW orkflow.db.Provisioni ngWorkflowDTO.pwf Propeties	0	5	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.provisioningW orkflow.db.Workflow PropertiesDTO	0	40	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.saleschannel. PricePlanElementDT O	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.saleschannel. PricePlanTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.saleschannel. SynergyPriceModel DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.saleschannel. TariffFrequencyDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synctool.db.S yncConfigDTO	0	1	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synctool.db.S yncServicesDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synctool.db.S yncToolDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
com.ensim.synergy. server.synergyitems. db.CompositeProduc tElementDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synergyitems. db.GoodTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synergyitems. db.RatingRulesDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synergyitems. db.ResourceGroupL abeIDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synergyitems. db.ServiceItemType DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synergyitems. db.SystemUnitsDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synergyitems. db.UnifyResourceDT O	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synergyitems. db.UniqueItemDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, time ToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.tax.ltemTaxD ataMasterDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, time ToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.usagedata.de tails.Usage_Data_D etailsDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.usagedata.m aster.Usage_Data_ MasterDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.contact.d b.UserContactDTO	0	1	0	100	50	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.db.Comp anyDTO	10	1	0	-1	-1	-
com.ensim.synergy. server.user.db.Comp anyDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.db.Comp anyDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.db.User DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = true, maxElementsOnDisk = 0, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.db.User DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = true, maxElementsOnDisk = 0, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.db.User DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = true, maxElementsOnDisk = 0, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionTyp eDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionTyp eDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionTyp eDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionUser DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionUser DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionUser DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.RoleAssignmen tDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.RoleDTO	1	1	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.RoleDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.RoleDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.config_pro perties.db.ConfigPro pertiesDTO	0	45	0	100	98	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
com.ensim.synergy. server.util.db.Abstra ctGenericStatus	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Abstra ctGenericStatus	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Abstra ctGenericStatus	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Countr yDTO	0	1	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Curren cyDTO	10	1	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Curren cyDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Curren cyDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Curren cyExchangeDTO	1	1	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 60, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Curren cyExchangeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, time ToLiveSeconds = 600, time ToldleSeconds = 60, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Curren cyExchangeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, time ToLiveSeconds = 600, time ToldleSeconds = 60, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.genera ted.SynergyTable	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.genera ted.SynergyTable	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.genera ted.SynergyTable	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Interna tionalDescription	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Interna tionalDescription	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Interna tionalDescription	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Interna tionalDescriptionDT	0	2	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, imeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Interna tionalDescriptionDT O	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Interna tionalDescriptionDT	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Langua geDTO	30	3	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Langua geDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Langua geDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Notifica tionCategoryDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, time ToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Prefere nceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Prefere nceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Prefere nceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Prefere nceTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 500, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Prefere nceTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 500, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Prefere nceTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 500, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Synerg yTable	0	2	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.TimeP eriodsDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.grails.taggable.T ag	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.grails.taggable.T agLink	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.hibernate.cache. StandardQueryCach e	0	3	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 100000, timeToldleSeconds = 1800, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.hibernate.cache. StandardQueryCach e	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 10000, timeToIdleSeconds = 1800, memoryStoreEvictionPolicy = LRU, diskPersistent = false]

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
org.hibernate.cache. StandardQueryCach e	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 100000, timeToIdleSeconds = 1800, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.hibernate.cache. UpdateTimestamps Cache	0	4	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
org.hibernate.cache. UpdateTimestamps Cache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
org.hibernate.cache. UpdateTimestamps Cache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
org.weceem.content. WcmContent	4	232	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = falsel
org.weceem.content. WcmRelatedContent	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false
org.weceem.content. WcmSpace	0	2	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.weceem.content. WcmStatus	0	4	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
thirdLevel-RO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
thirdLevel-RO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
thirdLevel-RO	2	2	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
thirdLevel-RW	0	0	0	-1	-1	ehcache [maxElementsInMemory = 500, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false)
thirdLevel-RW	0	0	0	-1	-1	ehcache [maxElementsInMemory = 500, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
thirdLevel-RW	0	0	0	-1	-1	ehcache [maxElementsInMemory = 500, overflowToDisk = false, eternal = false, time ToLiveSeconds = 3600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
weceem.contentCac he	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.contentCac he	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = falsej
weceem.contentCac he	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = falsej
weceem.contentFing erprintCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.contentFing erprintCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.contentFing erprintCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.contentTree FingerprintCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.contentTree FingerprintCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.contentTree FingerprintCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.dataFeeds	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 60, timeToIdleSeconds = 60, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.dataFeeds	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, time ToLiveSeconds = 60, timeToIdleSeconds = 60, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.dataFeeds	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 60, timeToIdleSeconds = 60, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.eternalCac	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.eternalCac	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.eternalCac	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.gspCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.gspCache	0	0	0	-1	-1	1
weceem.gspCache	0	0	0	-1	-1	
weceem.uriToConte ntCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.uriToConte ntCache	0	3	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.uriToConte ntCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]

Configuration reference

Last collect time: 328 ms Display time: 11376 ms Memory overhead estimate: < 1 Mb Disk usage: 5 Mb

JavaMelody 1.44.0