
# Statistics of JavaMelody monitoring taken at 1/11/17 6:50 PM from 1/11/17 12:49 PM on /escm\_EASAPP01 (/synergy-production-4.3.1)



#### Statistics http - all

Request	% of cumulativ e time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of cumulativ e cpu time	Mean cpu time (ms)	% of system error	Mean size (Kb)		Mean time sql (ms)
http global	100	116	88	1,937	294	100	72	0.00	5	3	13
http warning	24	6	427	969	357	28	405	0.00	11	3	10
http severe	64	6	1,110	1,937	577	60	843	0.00	24	57	240

0 hits/min on 55 requests

#### Statistics sql - all

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
sql global	100	2,035,080	8	8,171	41	0.00
sql warning	53	141,687	66	8,171	101	0.00
sql severe	6	2,112	525	4,078	175	0.00

5,640 hits/min on 221 requests


#### </> Statistics jsp - all

Request	% of cumulativ e time		Mean time (ms)		deviation		Mean cpu time (ms)			Mean time sql (ms)
jsp global	100	15	197	734	244	100	171	0.00	5	21
jsp warning	0	0	-1	0	-1	0	-1	0.00	-1	-1
jsp severe	0	0	-1	0	-1	0	-1	0.00	-1	-1

0 hits/min on 5 requests



None



None



None



Nb of active jdbc connections: 1
Nb of used jdbc connections (opened if no datasource): 0



Threads on EASAPP01@10.10.3.16: Number = 69, Maximum = 257, Total started = 5,073



18 job(s) on EASAPP01@10.10.3.16 with 0 running

## 🦫 Statistics job - all


Job	% of cumulativ e time		Mean time (ms)		deviation		Mean cpu time (ms)			Mean time sql (ms)
job global	100	771	6,463	4,785,34 6	172,341	100	8	0.00	549	1,123
job warning	0	0	-1	0	-1	0	-1	0.00	-1	-1
job severe	0	0	-1	0	-1	0	-1	0.00	-1	-1

18 jobs

**Data caches** 

205 cache(s) on EASAPP01@10.10.3.16


#### **Detailed statistics**













### Detailed statistics http - all

Request	% of cumulative time	Hits	Mean time (ms)		Standard deviation	% of cumulative cpu	Mean cpu time (ms)	% of system error	Mean size (Kb)	Mean hits sql	Mean time sql (ms)
	e time					time		enoi			(1113)
/dashboard/myAccountInfo GET	38	3	1,307	1,937	548	41	1,161	0.00	49	33	141
/login/doAuth POST	26	3	<del>                                     </del>	1,657	644	18		0.00	0	81	340
/logout/sessionTimedOut GET	13	3		969	447	15		0.00	1	0	0
/login/auth GET	11	3		797	343	12		0.00	20	7	20
/dashboard/index GET	1	3	<del>                                     </del>	156	81	2		0.00	0	1	0
/ GET	1	3		125	59	1	51	0.00	0	3	10
/js/jquery-ui-1.8.17.custom.min.js GET	1	2	62	125	88	1	54	0.00	103	0	0
/js/jquery-1.5.2.min.js GET	1	2	1	125	88	1	54	0.00	111	0	0
/css/theme/jquery-ui-1.8.17.custom.css GET	1	2		110	77	0		0.00	0	0	0
/js/validator.js GET	0	2	1	63	33	0		0.00	11	0	0
/js/jquery.alerts.js GET	0	2	<del></del>	31	10	0	23	0.00	3	0	0
/js/jquery.bpopup.min.js GET	0	2		31	21	0	15	0.00	2	0	0
/css/jquery.alerts.css GET	0	2	15	31	21	0	15	0.00	0	0	0
/css/logintypedialog.css GET	0	2	15	31	21	0	15	0.00	0	0	0
/js/jquery-validate/additional-methods.min.js GET	0	2	9	19	13	0	15	0.00	0	0	0
/js/jquery.ba-dotimeout.min.js GET	0	2	8	16	11	0	7	0.00	0	0	0
/js/main.js GET	0	2	8	16	11	0	7	0.00	0	0	0
/css/jquery.ui.timepicker.css GET	0	2	8	16	11	0	7	0.00	0	0	0
/js/jquery.elastic.source.js GET	0	2	7	15	10	0	7	0.00	0	0	0
/js/datatable.js GET	0	2	7	15	10	0	7	0.00	0	0	0
/js/usageGraphJS/jqplot.canvasAxisLabelRenderer.min.js GET	0	2	7	15	10	0	7	0.00	0	0	0
/css/merchant.css GET	0	2	7	15	10	0	7	0.00	0	0	0
/js/placeholders.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/jquery-validate/jquery.validate.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/MonthPicker.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/jquery.tablesorter.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/jquery.leanModal.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/escm_alert.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/jquery.blockUl.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/jquery.flexslider.js GET	0	2	0	0	0	0		0.00	0	0	0
/css/modern_ui/usageGraph/jquery.jqplot.css GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/payment/jquery.tzCheckbox.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/jquery-validate/jquery.metadata.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/clearinput.js GET	0	2		0	0	0		0.00	0	0	0
/css/modern_ui/usageGraph/jquery.jqplot.min.css GET	0	2		0	0	0		0.00	0	0	0
/css/modern_ui/usageGraph/examples.css GET	0	2		0	0	0		0.00	0	0	0
/js/usageGraphJS/jqplot.canvasAxisTickRenderer.min.js GET	0	2		0	0	0		0.00	0	0	0
/css/tablesorter.css GET	0	2	0	0	0	0		0.00	0	0	0
/js/jquery.qtip-1.0.0-rc3.min.js GET	0	2		0		0		0.00	0	0	0
/css/modern_ui/jquery.multiselect.css GET	0	2	+	0	0	0		0.00	0	0	0
/js/jquery.slimscroll.min.js GET	0	2	0	0	0	0		0.00	0	0	0
/js/usageGraphJS/jquery.jqplot.min.js GET	0	2		0	0	0		0.00	0	0	0
/js/panels.js GET	0	2	0	0	0	0		0.00	0	0	0
/css/payment/iguery.tzCheckbox.css GET	0	2	0	0		0	_	0.00	0	0	0
/js/usageGraphJS/jqplot.enhancedLegendRenderer.min.js GET	0	2		0		0		0.00	0	0	0
/js/usageGraphJS/jqplot.dateAxisRenderer.min.js GET	0	2		<del> </del>		0		0.00	0	0	0
/js/usageGraphJS/jqplot.oateAxisReilderei.min.js GET /js/usageGraphJS/jqplot.pointLabels.min.js GET	0	2	<del>                                     </del>	0		0		0.00	0	0	0
/js/usageGraphJS/excanvas.min.js GET	0	2		0	1	0		0.00	0	0	0
· · · · · · · · · · · · · · · · · · ·	0	2		0	1	0			0	0	0
/js/payment/jquery.dataTables.js GET				<del>                                     </del>				0.00			
/js/jquery.scrollToTop.min.js GET	0	2	t	0	1	0		0.00	0	0	0
/js/usageGraphJS/jqplot.cursor.min.js GET	0	2	+	0		0		0.00	0	0	0
/js/jquery.ui.timepicker.js GET	0	2		0		0		0.00	0	0	0
/js/usageGraphJS/jqplot.canvasTextRenderer.min.js GET	0	2		0	1	0		0.00	0	0	0
/js/slideBlock.js GET	0	2		0	1	0		0.00	0	0	0
/js/usageGraphJS/jqplot.highlighter.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0

0 hits/min on 55 requests



# Detailed statistics sql - all

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT sum(b.quantity) FROM OrderAgedItemDTO b WHERE b.lockedForCancelation = false AND b.orderItemId=:orderItemId */ select sum(orderagedi0_quantity) as col_0_0_ from order_aged_item orderagedi0_where orderagedi0_locked_for_cancellation=0 and orderagedi0_order_item_id=?	53	140,612	66	8,171	102	0.00
/* SELECT b FROM PhoneInventoryDTO b WHERE b orderId = :orderID and (b. status= :ReservedNumber or b.status = :TobeReservedNumber) */ select phoneinven0_id as id194_, phoneinven0_area_code as area2_194_, phoneinven0_blilling_system_status as billing3_194_, phoneinven0_code as country4_194_, phoneinven0_number_system_status as number5_194_, phoneinven0_order_id as order6_194_, phoneinven0_phone_number_system_status as number5_194_, phoneinven0_order_id as order6_194_, phoneinven0_phone_number_suffix as phone8_194_, phoneinven0_phone_number_suffix as phone8_194_, phoneinven0_update_timestamp as update11_194_ from phone_num_inventory phoneinven0_ where phoneinven0_order_id=2 and (phoneinven0_status=?)	6	2,000	548	4,078	147	0.00
/* load com.ensim.synergy.server.order.db.OrderedPricePlanElementDTO */ select orderedpri0_id as id41_0_, orderedpri0_commisioning_percent as commisio2_41_0_, orderedpri0_order_service_item_id as order7_41_0_, orderedpri0_price_mode as price3_41_0_, orderedpri0_price_plan_type as price4_41_0_, orderedpri0_terriff_freq as tariff5_41_0_, orderedpri0_tariff_period as tariff6_41_0_ from order_pp_element orderedpri0_ where orderedpri0_order_service_item_id=?	5	231,726	3	8,093	19	0.00
/* SELECT b FROM LanguageDTO b WHERE b.id = :hid */ select languagedt0id as id13_, languagedt0code as code13_, languagedt0_delete_indicator as delete3_13_, languagedt0_description as descript4_13_, languagedt0_iso639code as iso5_13_, languagedt0_provisioning_language as provisio6_13_, languagedt0_right_to_left as right7_13_, languagedt0_status as status13_, languagedt0_ui_presentation as uig_13_ from language languagedt0_ where languagedt0_id=?	3	180,676	3	6,562	18	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* load one-to-many com.ensim.synergy.server.order.db.OrderServiceItemDTO.orderAttCodes */ select orderattco0_order_item_id as order9_39_1_, orderattco0_id as id1_, orderattco0_id as id43_0_, orderattco0_base_price as base2_43_0_, orderattco0_mmx_value as max4_43_0_, orderattco0_order_item_id as order9_43_0_, orderattco0_order_priceplanele_id as order9_43_0_, orderattco0_order_priceplanele_id as order9_43_0_, orderattco0_order_priceplanele_id as order9_43_0_, orderattco0_order_priceplanele_id as order9_43_0_norderattco0_order_priceplanele_id as order9_43_0_norderattco0_order_priceplanele_id as order9_43_0_norderattco0_order_priceplanele_id as order9_43_0_norderattco0_order_priceplanele_id as order_priceplanele_id as order_priceplanele_i	3	154,484	3	8,078	25	0.00
/* criteria query */ select this_id as id16_1., this_code as code16_1., this_current_exchange_line as current3_16_1., this_is_default as is4_16_1., this_is_active as is5_16_1., this_multiple_country_symbol as multiple6_16_1., this_optlock as optlock16_1., this_provider_id as provider8_16_1., this_symbol as symbol16_1., exchangedt2_currency_6_16_3_, exchangedt2_id as id3_exchangedt2_id as id15_0_exchangedt2_create_datetime as create2_15_0_exchangedt2_currency_id as currency_id where this_id=?	1	81,242	3	8,093	41	0.00
// SELECT b FROM ServiceDTO b WHERE b.id =: hid // select servicedto0_id as id55_, servicedto0_allow bulk_assignment as allow2_55_, servicedto0_allowmultipleorder_samedomain as allowmul3_55_, servicedto0_automated_connector_path as automated4_55_, servicedto0_blilling_day as billing6_55_, servicedto0_billing_rule as billing7_55_, servicedto0_deleted_order_can_place as deleted8_55_, servicedto0_configuration_allowto_agent as configur9_55_, servicedto0_configuration_sallows_agent as configur9_55_, servicedto0_configuration_sallows_agent as configur9_55_, servicedto0_display_order as display_15_55_, servicedto0_dynamic_validation_req as dynamic16_55_, servicedto0_delety_assignt as dynamic16_55_, servicedto0_escm_ctr1_panel_require as escm.	1	79,834	3	6,578	28	0.00
/* SELECT b FROM OfferVersionDefinitionDTO b WHERE b.id = :hid */ select offerversi0id as id164_, offerversi0_align_orders_auto as align2_164_, offerversi0_align_reseller_org_orders as align4_164_, offerversi0_align_ent_action_id as alignments_164_, offerversi0_align_creseller_org_orders as align4_164_, offerversi0_align_ent_action_id as announce6_164_, offerversi0_align_ent_action_id as announce6_164_, offerversi0_applicable_from as applicable7_164_, offerversi0_approved_by as approved_23_164_, offerversi0_contract_period_unit as contract24_164_, offerversi0_de_of_creation_as date8_164_, offerversi0_de_of_creation_as date8_164_, offerversi0_de_of_creation_as date8_164_, offerversi0_de_of_creation_as date8_164_, offerversi0_align_ent_loutit_to as send11_164_, offerversi0_offer_id as offer26_164_, offerversi0_operation_status_id as operation12_164_, offerversi0_order_id_as pervious15_164_, offerversi0_affer_id_as offerversi0_pervious_version_id_as pervious15_164_, offerver	1	77,242	3	6,610	25	0.00
/* SELECT b FROM SynergyTable b WHERE b.name = :name */ select synergytab0id as id18_, synergytab0name as name18_ from synergy_table synergytab0_ where synergytab0name=?	1	79,242	3	672	10	0.00
/* SELECT b.itemName FROM ServiceItemDTO b WHERE b.id=:itemId */ select serviceite0item_name as col_0_0_ from service_item_serviceite0_ where serviceite0id=?	1	77,242	3	8,093	30	0.00
/* SELECT b FROM SynergyTable b WHERE b.id = :id */ select synergytab0id as id18_, synergytab0name as name18_ from synergy table synergytab0_ where synergytab0id=?	1	79,242	3	3,734	16	0.00
/* SELECT b FROM ServiceltemDTO b WHERE b.id = :hid */ select serviceite0id as id56_, serviceite0bom_cost as bom2_56_, serviceite0creator_org_id as creator32_56_, serviceite0custom_field1 as custom3_56_, serviceite0custom_field10 as custom4_56_, serviceite0custom_field11 as custom5_56_, serviceite12_as custom5_56_, serviceite0_custom_field2 as custom7_56_, serviceite0_custom_field3 as custom15_56_, serviceite0_custom_field3 as custom10_56_, serviceite0_custom_field3 as custom10_56_, serviceite0_custom_field3 as custom11_56_, serviceite0_custom_field3 as custom11_56_, serviceite0_custom_field3 as custom14_56_, serviceite0_custom_field3 as custom14_56_, serviceite0_custom_field3 as custom14_56_, serviceite0_custom_field3 as custom14_56_, serviceite0_ind0_serviceite0_ind0_serviceite0_ind0_serviceite0_ind0_serviceite0_ind0_serviceite0_ind0_serviceite0_ind0_serviceite0_ind0_serviceite0_ind0_serviceite0_ind0_serviceite0_ind0_serviceite0_ind0_serviceite0_ind0_serviceite0_ind0_serviceite0_ind0_serviceite0_serviceite0_ind0_serviceite0_ind0_serviceite0_ind0_serviceite0_serviceite0_ind0_serviceite0_serviceite0_ind0_serviceite0_	1	63,370	4	8,093	33	0.00
/* SELECT b FROM UnifyResourceDTO b WHERE b.id = :hid */ select unifyresou0id as id76_, unifyresou0allow_unlimited as allow2_76_, unifyresou0applicable_ppu_percentage_as applicable3_76_, unifyresou0bulk_user_avail_order as bulk4_76_, unifyresou0cf_ppu_unit as cf6_76_, unifyresou0cf_reserved_unit as cf7_76_, unifyresou0conv_op_ppu as conv8_76_, unifyresou0conv_op_resv as conv9_76_, unifyresou0is_customer_specific as is10_76_, unifyresou0default_value as default11_76_, unifyresou0_depend_on_resid as depend12_76_, unifyresou0domain_type as domain13_76_, unifyresou0_ediable_after_provision as editable14_76_, unifyresou0_instance_information as instance16_76_, unifyresou0_is_mandatory as is17_76_, unifyresou0_oss_ppu_unit as oss18_76_, unifyresou0_oss_reports_ppu as oss19_76_, unifyresou0_oss_reserved_unit as oss20_76_, unifyresou0_is_overusage_as is21_76_, unifyresou0	1	63,370	3	8,093	33	0.00
/* SELECT b FROM SystemUnitsDTO b WHERE b.unitCode = :code */ select systemunit0_id as id74_, systemunit0_pay_per_use as pay2_74_, systemunit0_reserved as reserved74_, systemunit0_unit_code as unit4_74_, systemunit0_unit_display_name as unit5_74_ from system_units systemunit0_where systemunit0_unit_code=?	1	63,370	3	703	9	0.00
/* SELECT b FROM SystemUnitsDTO b WHERE b.id = :hid */ select systemunit0id as id74_, systemunit0pay_per_use as pay2_74_, systemunit0reserved as reserved74_, systemunit0unit_code as unit4_74_, systemunit0unit_display_name as unit5_74_ from system_units systemunit0_ where systemunit0id=?	1	63,370	3	688	10	0.00
// Select b from UserContactDTO b where b_baseUser.id=:baseUserId */ select usercontac0_ id as id92_ usercontac0_ ad attributes as ad2_92_, usercontac0_street_addres1 as street3_92_, usercontac0_street_addres2 as street4_92_, usercontac0_user_id as user28_92_, usercontac0_company as company92_, usercontac0_company as company92_, usercontac0_country_code as country_8_92_, usercontac0_create_datetime as create9_92_, usercontac0_department as department92_, usercontac0_display_name as display11_92_, usercontac0_fax_area_code as fax12_92_, usercontac0_fax_country_code as fax13_92_, usercontac0_fax_phone_number as fax14_92_usercontac0_first_name as first15_92_, usercontac0_notification_include as notific16_92_, usercontac0_person_initial as person17_92_, usercontac0_job_title as job18_92_, usercontac0_last_name as last19_92_, usercontac0_mobile_number as mobile20_92_, usercontac0_phone_number1_92_, usercontac0_fice_name	0	107,251	1	3,766	12	0.00
/* SELECT b FROM OrderSubscriptionDetailsDTO b WHERE b.id =:hid */ select ordersubsc0id as id242_ ordersubsc0notification_reminder1 as notifica2_242_, ordersubsc0notification_reminder2 as notifica3_242_, ordersubsc0notification_reminder3 as notifica3_242_, ordersubsc0noter_master_id as order5_242_, ordersubsc0prev_subscription_id as prev6_242_, ordersubsc0renew_decision_st enewal9_242_, ordersubsc0renew_with_active_user as renew8_242_, ordersubsc0notification_renewal_status as notifica10_242_, ordersubsc0subscription_end_adate as subscrif14_242_, ordersubsc0subscription_operation_status as subscrif14_242_, ordersubsc0subscription_operation_status as subscrif14_242_, ordersubsc0subscription_operation_status as notification_status as notification_status as notification_status as notification_status as notification_operation_status as notification_operation_operation_status as notification_operat	0	78,488	1	79	4	0.00
/* load com.ensim.synergy.server.order.db.SynergyOrderLine */ select synergyord0_id as id38_3_, synergyord0_action_type as action2_38_3_, synergyord0_associated_promo_id as associated3_38_3_, synergyord0_atf_code as atf4_38_3_, synergyord0_business_contact as business5_38_3_, synergyord0_data_retn_1_notif_sent as data6_38_3_, synergyord0_data_retn_2_notif_sent as data6_38_3_, synergyord0_data_retn_2_notif_sent as data6_38_3_, synergyord0_cart_notification_send as carnelatio_38_3_, synergyord0_cart_notification_send as carnelatio_38_3_, synergyord0_cart_notification_send as carnelatio_38_3_, synergyord0_cart_notification_send as carnelatio_star_synergyord0_comments as comments38_3_, synergyord0_comtact_period_unit as contact14_38_3_, synergyord0_current_subscription_line as current15_38_3_, synergyord0_current_subscription_line as current15_38_3_, synergyord0_data_retention_unit as data18_38_3_, synergyord0	0	29,318	3	703	13	0.00
/* select b from OrganizationDTO b where b.entity_id = :entityId and b.org_type=:orgType */ select organizati0_id as id51_, organizati0_date_time_format as date2_51_, organizati0_email_signature as email3_51_, organizati0_entity_id as entity4_51_, organizati0_is_deleted as is5_51_, organizati0_org_type as org6_51_ from organizati0 organizati0_ where organizati0_entity_id=? and organizati0_org_type=?	0	2,000	44	641	35	0.00
/* Select b from BaseUserOrgMapDTO b where b.base_user_id=:baseUserId */ select baseuseror0_id as id99_, baseuseror0_base_org_id as base2_99_, baseuseror0_base_user_id as base3_99_ from base_user_org_map baseuseror0_where baseuseror0_base_user_id=?	0	2,947	27	657	22	0.00
update order_subscription_details set notification_reminder1=? where id=? and notification_reminder1=? update synergy_order_line set provisioned_notif_sent=? where id=? and provisioned_notif_sent=?	0	25,000 2,000	37	1,952 1,315	19 59	0.00
update order_subscription_details set notification_reminder2=? where id=? and notification_reminder2=?	0	25,000	2	1,067	12	0.00
update order_subscription_details set notification_reminder3=? where id=? and notification_reminder3=?  // SELECT b EPOM OrderMetter b WHERE b orderNumber = probably makes */ colors ordermette0*, id as id27, ordermette0*, active as	0	25,000 8,000	7	458 3,734	8 46	0.00
// SELECT b FROM OrderMaster b WHERE b.orderNumber = :orderNumber / select ordermaste0_ id as id37_ ordermaste0_ active as active37_ ordermaste0_ sales agent id as sales3_37_ ordermaste0_ inliked_order id as linked_37_, ordermaste0_ bcd id as bod5_37_, ordermaste0_ linked_order_id as linked_37_, ordermaste0_ case_no_12 as case_137_, ordermaste0_ case_no_12 as case_137_, ordermaste0_ case_no_12 as case_137_, ordermaste0_ case_no_12 as case_137_, ordermaste0_ case_no_2 as case_137_, ordermaste0_ case_no_2 as case_137_, ordermaste0_ case_no_2 as case_137_, ordermaste0_ case_no_2 as case_137_, ordermaste0_ case_no_3 as case_137_, ordermaste0_ creator_org_type_as creator_237_, ordermaste0_ current_order	U	8,000	,	3,734	46	0.00
/* FROM ProductOfferDTO b WHERE b.id = :offerId */ select productoff0_id as id67_, productoff0_allow_multiple_instances as allow2_67_, productoff0_allow_as aloc67_, productoff0_allow_as approval4_67_, productoff0_allow_flates a is5_67_, productoff0_allow_flates a is5_67_, productoff0_allow_flates a is5_67_, productoff0_allow_flates a isf_67_, productoff0_allow_flates a isf_67_, productoff0_astallogue_id as catalogue_867_, productoff0_catalogue_id as custom1_867_, productoff	0	49,490	1	78	4	0.00

Request	% of cumulative	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT b FROM OrderMaster b WHERE b.id = :hid */ select ordermaste0_id as id37_, ordermaste0_active as active37_, ordermaste0_sales_agent_id as sales3_37_, ordermaste0_inked_order_id as linked4_37_, ordermaste0_bcd_id as bcd5_37_, ordermaste0_bll_cycle_day as bill6_37_, ordermaste0_case_no_1 as case7_37_, ordermaste0_case_no_11 as case8_37_, ordermaste0_case_no_12 as case8_37_, ordermaste0_case_no_12 as case10_37_, ordermaste0_case_no_2 as case11_37_, ordermaste0_case_no_5 as case12_37_, ordermaste0_case_no_5 as case14_37_, ordermaste0_case_no_6 as case15_37_, ordermaste0_case_no_5 as case15_37_, ordermaste0_case_no_5 as case14_37_, ordermaste0_case_no_9 as case18_37_, ordermaste0_case_no_9 as case18_3	0	29,076	2	703	7	0.00
// SELECT b FROM SynergyOrderLine b WHERE b.status.id = :status AND b.orderld is not null AND b.id > :previousLineld */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_atl_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data6_38_, synergyord0_data_retn_3_notif_sent as data6_38_, synergyord0_cancelation_date as cancelaty_38_, synergyord0_cancelation_offication_send as carfiol_38_, synergyord0_cance_pending as cirl_38_, synergyord0_cancelation_date as contact14_38_, synergyord0_current_subscription_line as current15_38_, synergyord0_customer_approval_status as customer16_38_, synergyord0_data_retention_period as d	0	1,000	57	142	9	0.00
/*/ load one-to-many com.ensim.synergy.server.order.db.SynergyOrderLine.orderServiceItems */ select orderservi0_order_line_id as order20_38_3_, orderservi0_id as id3_, orderservi0_id as id3_9_2_, orderservi0_is_bundle as is2_39_2_, orderservi0_is_composit as is3_39_2_, orderservi0_id_id_outstom_po_allow_zero as custom4_39_2_, orderservi0_id_poperator as diff5_39_2_, orderservi0_id_ff_quantity as diff6_39_2_, orderservi0_product_group_id_as product7_39_2_, orderservi0_order_line_id_as order20_39_2_, orderservi0_possible_values as possible8_39_2_, orderservi0_possible_values as possible8_39_2_, orderservi0_possible_values, orderservi0_id_prepay_required as prepay_39_2_, orderservi0_id_id_as_values_id_id_as_values	0	6,000	8	750	16	0.00
/* SELECT b.accountDTO.customer_id FROM CustomerAccountMapDTO b WHERE b.id = :accMapId */ select accountdto1customer_id as col_0_0_from customer_account_map customerac0_, customer_account accountdto1_where customerac0_iaccount_hib_id=accountdto1_and and customerac0_id=?	0	8,000	5	8,078	90	0.00
/* SELECT a FROM ConfigPropertiesDTO a WHERE a.property_name=:property_name */ select configprop0_id as id86_, configprop0_display_order as display2_86_, configprop0_js_required_value as is3_86_, configprop0_property_name as property4_86_, configprop0_property_value as property5_86_, configprop0_property_value2 as property6_86_ from config_properties configprop0_property_name=?	0	11,242	3	577	8	0.00
/* SELECT b.id FROM CustomerOrganizationDTO b WHERE b.customer_id = :customerID */ select customeror0id as col_0_0_ from customer_organization customeror0_ where customeror0customer_id=?	0	8,000	4	3,750	43	0.00
/* SELECT b FROM CustomerOrganizationDTO b WHERE b.id = :orgld */ select customeror0_id as id81_, customeror0_api_pass_key as api18_81_, customeror0_orgi_d as org63_81_, customeror0_city_name as city2_81_, customeror0_contractual_statement as contract19_81_, customeror0_created_on as created20_81_, customeror0_currency_id as currency21_81_, customeror0_custom_field1 as custom22_81_, customeror0_custom_field1 as custom22_81_, customeror0_custom_field1 as custom24_81_, customeror0_custom_field2 as custom25_81_, customeror0_custom_field3 as custom28_81_, customeror0_custom_field3 as custom31_81_, customeror0_custom_field3 as custom38_81_, customeror0_custom_field3_81_, customeror0_customeror0_custom_field3_81_, customeror0_cust	0	4,000	8	734	20	0.00
/* load com.ensim.synergy.server.user.db.UserDTO */ select userdto0_id as id27_0_, userdto0_is_activated as is2_27_0_, userdto0_activation. token as activation3_27_0_, userdto0_cachepermison as cacheper4_27_0_, userdto0_entity_id as entity21_27_0_, userdto0_create_datetime as create5_27_0_, userdto0_current_login as current6_27_0_, userdto0_deted as deleted27_0_, userdto0_external_id as external8_27_0_, userdto0_external_id2 as external9_27_0_, userdto0_failed_attempts as failed10_27_0_, userdto0_global_id as global11_27_0_, userdto0_is_local as is12_27_0_, userdto0_language_id as language22_27_0_, userdto0_last_login_as last13_27_0_ userdto0_last_status_change as last14_27_0_ exerdto0_login_last_status_change as last14_27_0_, userdto0_primary_role_id as primary23_27_0_, userdto0_theme as theme27_0_, userdto0_user_name as user19_27_0_, userdto0_optlock as optlock27_0_ from base_user_userdto0_	0	6,003	5	703	13	0.00
/* criteria query ** select this_id as id37_5_, this_active as active37_5_, this_sales_agent_id as sales3_37_5_, this_linked_order_id as linked4_37_5_, this_bcd_id as bcd5_37_5_, this_bill_cycle_day as bill6_37_5_, this_case_no_1 as case7_37_5_, this_case_no_12 as case10_37_5_, this_case_no_12 as case13_37_5_, this_case_no_2 as case11_37_5_, this_case_no_3 as case12_37_5_, this_case_no_4 as case13_37_5_, this_case_no_5 as case14_37_5_, this_case_no_6 as case15_37_5_, this_case_no_7 as case16_37_5_, this_case_no_8 as case17_37_5_, this_case_no_6 as case13_37_5_, this_created_by as created2_37_5_, this_creater_org_id as created2_37_5_, this_creater_org_type as created2_37_5_, this_current_order_line as current50_37_5_, this_customer_account_map_hid as customer_24_37_5_, this_customer_id as customer_25_37_5_, this_customer_account_map_hid_scustomer_24_37_5_, this_customer_25_37_5_, this_customer_account_map_hid_scustomer_25_37_5_, this_customer_account_map_hid_scustomer_25_37_5_, this_customer_account_map_hid_scustomer_25_37_5_, this_customer_account_map_hid_scustomer_25_37_5_, this_customer_account_map_hid_scustomer_25_37_5_, this_customer_account_map_hid_scustomer_25_37_5_, this_customer_account_map_hid_scustomer_account_map_account_map_hid_scustomer_account_map_hid_scustomer_account_map_account_map_account_map_account_map_account_map_account_map_account_map_account_map_account_map_account_map_account_map_account_map_account_map_account_map_account_map_account_map_account_map_	0	25,000	1	234	5	0.00
/* SELECT b FROM NotificationMessageTypeDTO b WHERE b.userTemplateId = :userTemplateId AND b.ownerId = :ownerId */ select notificatioid as id30_, notificatio_bc. email as bcc2_30_, notificatio_category_id as category_11_30notificatio_cc_email as cc3_30_, notificatio_mail_priority as mail4_30_, notificatio_original_template_id as original5_30_, notificatio_owner_id as owner6_30_, notificatio_to_address_default as to7_30_, notificatio_to_address_required as to8_30_, notificatio_user_template_id as user9_30_, notificatio_owner_id=0_cowner_id=7_and notificatio_owner_id=0_cowner_id=7_and notificatio_owner_id=0_cowner_id=7_and notificatio_owner_id=0_cowner_id=	0	6,057	4	672	13	0.00
/* SELECT b FROM ProductOfferDTO b WHERE b.id = :hid */ select productoff0_id as id67_, productoff0_allow_multiple_instances as allow2_67_, productoff0_aloc as aloc67_, productoff0_approval_threshold_hour as approval4_67_, productoff0_is_billalgheaus5_67_, productoff0_billingfrequencyperion_billin	0	2,592	10	531	18	0.00
/* select b from OfferSubscriptionDetailsDTO b where b.offerId=:offerId*/ select offersubsc0_id as id243_, offersubsc0_renew_with_active_user as renew2_243_, offersubsc0_renewal_decision as renewal3_243_, offersubsc0_fersubsc0_first_notification_reminder as first4_243_ offersubsc0_first_notificreq as first5_243_ offersubsc0_lock_price as lock6_243_, offersubsc0_offer_id as offer_243_ offersubsc0_renew_to_latest_ver as renew8_243_ offersubsc0_renew_with_downsize as renew9_243_, offersubsc0_renew_with_upsize as renew10_243_, offersubsc0_second_notification_reminder as second11_243_, offersubsc0_second_notification_reminder as third14_243_, offersubsc0_third_notification_reminder as third14_243_, offersubsc0_third_notification_r	0	24,490	1	54	3	0.00
/* SELECT a FROM UserDTO a WHERE a.id = :id */ select userdto0_id as id27_, userdto0_is_activated as is2_27_, userdto0_activation token as activation3_27_, userdto0_cachepermison as cacheper4_27_, userdto0_entity_id as entity21_27_, userdto0_create_datetime as create5_27_ userdto0_create_datetime as create5_27_userdto0_create_datetime as create5_27_userdto0_create_datetime as create6_27_ userdto0_deleted as deleted27_ userdto0_deleted as deleted27_ userdto0_global_id as global11_27_userdto0_external_id2_as external9_27_userdto0_failed_attempts as failed10_27_ userdto0_global_id as global11_27_userdto0_is_local_as_is12_27_userdto0_language_id_as language22_27_userdto0_last_login as last13_27_userdto0_last_status_change as last14_27_userdto0_logout as logoul27_userdto0_password as password27_, userdto0_password_state_userdto0_wiser_mane_as_user19_27_userdto0_optlock_as_potlock27_from_base_user userdto0_wiser_as_as_theme27_, userdto0_optlock_as_potlock27_from_base_user userdto0_wiser_userdto0_id=?	0	4,000	6	78	10	0.00
// SELECT b FROM SynergyOrderLine b WHERE b.id = :hid */ select synergyord0_id as id38_, synergyord0action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_aff_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_2_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data6_38_, synergyord0_data_retn_3_notif_sent as data6_38_, synergyord0_cancelation_date as cancelat8_38_, synergyord0_cart_notification_send as car10_38_, synergyord0_ci_change_pending as ci11_38_, synergyord0_comments as comments38_, synergyord0_contact_period as contact14_38_, synergyord0_current_subscription_line as current15_38_, synergyord0_customer_approval_status as customer16_38_, synergyord0_data_retention_period as data17_38_, synergyord0_data_retention_unit as data18_38_, synergyord0_data_wipe_notif_sent as data19_38_, synergyord0_data_status as data19_38_, synergyord0_data_wipe_notif_sent	0	2,000	12	634	22	0.00
// load com.ensim.synergy.server.order.db.OrderStateDTO // select orderstate0_id as id42_1_, orderstate0_automatic_trash_decision as automatic2_42_1_, orderstate0_csv_differential as csv3_42_1_, orderstate0_display_name as display4_42_1_, orderstate0_csv_differential as history5_42_1_, orderstate0_display_name as display4_42_1_, orderstate0_beta_forderstate0_mistory_differential as history5_42_1_, orderstate0_in_spd_download_able as is6_42_1_, orderstate0_mean_able_forderstate0_op_did_map_as so p17_42_1_, orderstate0_pd_download_button_text as pdf10_42_1_, orderstate0_pdf_download_button_text as pdf10_42_1_, orderstate0_pdf_download_button_text as pdf10_42_1_, orderstate0_pdf_download_button_text as pdf10_42_1_, orderstate0_show_in_ui as show13_42_1_, orderstate0_code as code42_1_, orderstate0_summary_differential as summary15_42_1_, orderstate0_show_in_ui as show13_42_1_, orderstate0_show_in_differential as summary15_42_1_, orderstate0_show_in_ui as state orderstate0_left outer join provisioning_operations p	0	4,228	5	547	13	0.00
/* select b from ProviderInvoiceDefaultSettingDTO b where b.providerId=:providerId */ select providerin0_id as id124_, providerin0_apply_tax as apply2_124_, providerin0_discount_approver_email as discount3_124_, providerin0_enable_deposit_payment as enable4_124_, providerin0_enable_tax as enable5_124_, providerin0_has_agents as has6_124_, providerin0_invoice_payment_mode as invoice7_124_, providerin0_invoice pdf template as invoice8_124_, providerin0_payment_module_status as payment9_124_, providerin0_proce_discount_allowed as price10_124_, providerin0_provider_id=2 provider_id=2 pro	0	4,003	6	594	16	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* load one-to-many com.ensim.synergy.server.productoffer.db.OfferVersionDefinitionDTO.versionDet */ select versiondet0_version_id as version4_164_2_versiondet0_id as id2_yersiondet0_id as id163_1_versiondet0_price_plan_component_id as price3_163_1_, versiondet0_version_id as versiond*. 163_1_priceplanc1_id as id69_0_priceplanc1_priceplanc1_id as versiondet0_service_planc1_id_at0_priceplanc1_add_on_factor as add2_69_0_priceplanc1_add_on_priceplanc1_add_on_priceplanc1_add_on_priceplanc1_add_on_priceplanc1_is_default_in_group as i88_69_0_priceplanc1_is_default_in_group as i88_69_0_priceplanc1_is_default_in_group as i88_69_0_priceplanc1_is_default_in_group as i81_69_0_priceplanc1_is_default_in_group as i81_69_0_priceplanc1_is_default_in_group_container_id_serviceplanc1_	0	2,000	12	578	20	0.00
/* load one-to-many com.ensim.synergy.server.order.db.OrderMaster.orderLines */ select orderlines0orderid as orderid37_4_, orderlines0id as id4_, orderlines0id as id38_3_, orderlines0action_type as action2_38_3_, orderlines0associated_promo_id as associated3_38_3_, orderlines0_data_retn_1_notif_sent as data6_38_3_, orderlines0_data_retn_2_notif_sent as data7_38_3_, orderlines0_data_retn_2_notif_sent as data8_38_3_, orderlines0_cancelation_date as cancelate13_83_3_, orderlines0_cant_notif_cation_send as cant10_38_3_, orderlines0_cancelation_date as cancelation_gas orderlines0_cant_notif_cation_send as cant10_38_3_, orderlines0_cancelation_gas orderlines0_cancelation_orderlines0_cancelation_send_cancelation_cancelation_cancelation_send_cancelation_cancelation_cancelation_cancelation_cancelation_cancelat	0	2,000	11	657	25	0.00
/* SELECT b from OrganizationDTO b WHERE b.id=:hid */ select organizati0_id as id51_, organizati0_date_time_format as date2_51_, organizati0_email_signature as email3_51_, organizati0_entity_id as entity4_51_, organizati0_is_deleted as is5_51_, organizati0_org_type as org6_51_ from organization organizati0_where organizati0_id=?	0	4,006	5	687	16	0.00
/* SELECT b FROM CustomerAccountMapDTO b WHERE b.id = :accMapId */ select customerac0id as id97_, customerac0_account_hib_id as account2_97_, customerac0_cust_org_domain_map_id as cust3_97_ from customer_account_map_customerac0_ where customerac0id=?	0	4,000	5	641	12	0.00
// from IDMPolicyDTO b where b.name =: name */ select idmpolicyd0id as id143_, idmpolicyd0name as name143_, idmpolicyd0_value_bool as value3_143_, idmpolicyd0_value_bool as value3_143_, idmpolicyd0_value_int as value4_143_, idmpolicyd0_value_text as value5_143_ from idm_policy idmpolicyd0_ where idmpolicyd0_name=?	0	4,015	5	547	11	0.00
/* SELECT b from LanguageDTO b where b.id = :id */ select languagedt0id as id13_, languagedt0code as code13_, languagedt0delect.planguagedt0delect.planguagedt0delect.planguagedt0iso639code as iso5_13_, languagedt0_provisioning_language as provisio6_13_, languagedt0right_to_left as right7_13_, languagedt0_status as status13_, languagedt0_ui_presentation as ui9_13_ from languaged languagedt0_ where languagedt0_id=?	0	4,003	5	63	7	0.00
/* load com.ensim.synergy.server.tax.db.TaxMgmntSystemMasterDTO */ select taxmgmntsy0_id as id307_0_, taxmgmntsy0_idsplay_name as display_307_0_, taxmgmntsy0_internal_identifier_name as internal3_307_0_ from tax_mgmt_system_master taxmgmntsy0_ where taxmgmntsy0_id=?	0	4,003	4	593	12	0.00
/* load com.ensim.bgcSEAP.account.AccountDTO */ select accountdto0_id as id85_0_, accountdto0_account_id as account2_85_0_, accountdto0_account_name as account3_85_0_, accountdto0_billing_emails as billing5_85_0_, accountdto0_billing_emails as billing5_85_0_, accountdto0_billing_emails as billing7_85_0_, accountdto0_billing_emails as billing7_85_0_, accountdto0_care_of_indicator as care8_85_0_, accountdto0_communication_language as communic9_85_0_, accountdto0_corporate_id as corporate10_85_0_, accountdto0_customer_id as customer13_85_0_, accountdto0_default_be as default14_85_0_, accountdto0_default_be as default14_85_0_, accountdto0_default_be as default14_85_0_, accountdto0_default_be as default15_85_0_, accountdto0_default_be as default16_default_be as default16	0	2,003	9	79	14	0.00
/* SELECT b from OrganizationDTO b WHERE b.id=:organizationID */ select organizati0id as id51_, organizati0date_time_format as date2_51_, organizati0_email_signature as email3_51_, organizati0_entity_id as entity4_51_, organizati0_is_deleted as is5_51_, organizati0_org_type as org6_51_from organizatiation organizati0_where organizati0_id=?	0	4,035	4	63	7	0.00
/* SELECT b FROM PartyAddressDTO b WHERE upper(b,party_id) = :partyid AND trim(b.address_type) = :addType */ select partyaddre0_id as id83_, partyaddre0_address_id as address2_83_, partyaddre0_address_type as address3_83_, partyaddre0_address_tine1 as addressl4_83_, partyaddre0_address_tine1 as addressl4_83_, partyaddre0_address_tine10_apartment_number as apartment6_83_, partyaddre0_block_number as block7_83_, partyaddre0_box_number as box8_83_, partyaddre0_city_code as city9_83_, partyaddre0_iden_delete_indicator as delete12_83_, partyaddre0_iden_delete_indicator as delete12_83_, partyaddre0_flor_number as floor13_83_, partyaddre0_house_number as house14_83_, partyaddre0_branches_tilen_delete12_83_, partyaddre0_number_alpha as house15_83_ partyaddre0_industrial_zone as industrial16_83_, partyaddre0_party_id as party17_83_, partyaddre0_residence_name as residence18_83_, partyaddre0_state_province as state19_83_, partyaddre0_status_indicator as status20_83_, partyaddre0_status_indicator as status20_83_, partyaddre0_street_code as stree	0	2,000	9	655	19	0.00
/* load com.ensim.synergy.server.order.db.SsidsDTO */ select ssidsdto0id as id141_0_, ssidsdto0ssid as ssid141_0_ from ssids ssidsdto0_ where ssidsdto0id=?	0	4,113	4	655	12	0.00
/* SELECT b FROM OrganizationDTO b WHERE b.id = :hid '/ select organizatioid as id51_, organizatio_date_time_format as date2_51_, organizatio_email_signature as email3_51_, organizatio_entity_id as entity4_51_, organizatio_is_deleted as is5_51_, organizatio_org_type as org6_51_from organizatio_where organizatio_id-?	0	2,003	7	3,750	84	0.00
/* SELECT b FROM CustomerBatchDataDTO b WHERE upper(b.customer_id) = :customer_id */ select customerba0id as id81_, customerba0cit/p_name as cit/2_81_, customerba0customerba0customerba0customerba0customerba0customerba0customerba0delete_lindicator as delete6_81_, customerba0_is_onboarded as is7_81_, customerba0legal_language as legal8_81_, customerba0_master_account_biling_day as master10_81_, customerba0_master_account_biling_day as master_account_biling_day as master_account_biling_day as master_account_biling_day as master_account_biling_day as master_account_biling_day as master_account	0	2,000	7	94	11	0.00
/* Select b from ServiceProviderUserDTO b where b.baseUser.id=:baseUserId */ select servicepro0id as id94_, servicepro0_ad user_name as ad2_94_, servicepro0_base_user_id as baset14_94_, servicepro0_double_encrypted_password as double3_94_, servicepro0_error_message as error4_94_, servicepro0_inner_error_message as inner5_94_, servicepro0_is_user_deactivated as is6_94_, servicepro0_isbusiness_contact as isbusiness7_94_, servicepro0_istech_contact as istech8_94_, servicepro0_operation_status_id as operation9_94_, servicepro0_os_provision_date as oss10_94_, servicepro0_permission_updated_time as permission11_94_, servicepro0_retry_count as retry12_94_, servicepro0_serviceprovider_org_id as servicep15_94_, servicepro0_ser_of_permission as set13_94_from service_provider_user servicepro0_where servicepro0_where servicepro0_base_user_id=?	0	2,472	6	125	11	0.00
/* SELECT b FROM PartnerBatchDataDTO b WHERE b.par_id = :parID */ select partnerbat0id as id50_, partnerbat0address_boxnumber as address2_50_, partnerbat0address_ently as address3_50_, partnerbat0address_enall as address5_50_, partnerbat0address_enall as address5_50_, partnerbat0address_enall as address5_50_, partnerbat0address_enall as address5_50_, partnerbat0address_fold_enall_ena	0	2,000	7	79	11	0.00
/* criteria query */ select this_id as id27_0_, this_is_activated as is2_27_0_, this_activation_token as activation3_27_0_, this_cachepermison as cacheper4_27_0_, this_entity_id as entity21_27_0_, this_create_datetime as create5_27_0_, this_current_login as current6_27_0_, this_deleted as deleted27_0_, this_external_id as external8_27_0_, this_external_id2 as external9_27_0_, this_lated_attempts as failed10_27_0_, this_global_id as global11_27_0_, this_is_local as is12_27_0_, this_language_id as language22_27_0_, this_latel_login as last13_27_0_, this_lates_tstatus_change as last14_27_0_, this_logout as logout27_0_, this_password as password27_0_0, this_password as password27_0_0, this_password27_0_0, this_password27_0_0, this_password27_0_0, this_optlock27_0_0 from base_user this_where this_id=?	0	2,003	7	657	18	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b provisionedNotifSent = 0 AND b.status.id in (:status) AND b.orderld is not null AND b.id > previousLineid+ "WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as _hibemate_row_nr, synergyord0_id as id38_, synergyord0_acton_type as action2_38_, synergyord0_acton_tod id as associated3_38_, synergyord0_att_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_reth_1_notif_sent as data6_38_, synergyord0_data_reth_2_notif_sent as data6_38_, synergyord0_data_reth_2_notif_sent as data6_38_, synergyord0_cata_tent_2_notif_sent as data6_38_, synergyord0_cata_tent_3_notif_sent as data6_38_, synergyord0_cata_tent_3_notif_sent as data6_38_, synergyord0_cata_tent_3_notif_sent as contact_38_, synergyord0_cata_tent_3_notif_sent_as contact_38_, synergyord0_cata_tent_2_period_units_contact_13_38_, synergyord0_cata_tent_38_, sy	0	1,000	14	203	19	0.00
/* insert com.ensim.synergy.server.notification.db.OrderNoticationQueueDTO */ insert into order_notification_queue (bcc, cc, date_time_mail_generated, is_encrypted, full_body, language_id, last_sent_date_time_order_id, is_read_by_receiver, receiver_user_id, retry_count, sender_id, sent_count, subject, times_sent, receiver_email, id) values (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?	0	2,000	7	187	9	0.00
/* load com.ensim.customer.businessDomain.CustomerUPNSuffixDTO */ select customerup0_id as id98_0_, customerup0_ad_ou name as ad3_98_0_, customerup0_ad sync_pending as ad4_98_0_, customerup0_bense_id as base17_98_0_, customerup0_cust_org_id as base17_98_0_, customerup0_cust_org_id as base17_98_0_, customerup0_cust_org_id as cust_org_id as base17_98_0_, customerup0_inner_error_message as inner8_98_0_, customerup0_email as email98_0_, customerup0_email as email98_0_, customerup0_is_penderup0_is_penderup0_is_penderup0_is_penderup0_is_penderup0_is_penderup0_is_penderup0_id=0_innerup0_penderup0_id=0_innerup0_id=0_innerup0_penderup0_id=0_innerup0_id=0_innerup0_penderup0_id=0_innerup0_penderup0_id=0_innerup0_penderup0_id=0_innerup0_id=0_innerup0_penderup0_id=0_innerup0_penderup0_id=0_innerup0_id=0_innerup0_penderup0_id=0_innerup0_penderup0_id=0_innerup0_id=0_innerup0_penderup0_id=0_innerup0_i	0	2,000	7	641	17	0.00
/* SELECT b FROM OrderTimeCustomerResourceDTO b WHERE b.productOfferId = :offerId and b.versionId = :versionId order by b.displayOrder */ select ordertimecO_id as id160_, ordertimecO_ask_at_order as ask2_160_, ordertimecO_doco_display_order as display4_160_, ordertimecO_product_offer_id as product5_160_, ordertimecO_win_rated_output as show6_160_, ordertimecO_esource_id as resource9_160_, ordertimecO_version_id as version7_160_, ordertimecO_visibility as visibility160_from ordertime_customer_resource ordertimecO_where ordertimecO_product_offer_id=? and ordertimecO_version_id=? order by ordertimecO_display_order	0	2,000	6	110	8	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT a from OfferWorkflowNotificationMapDTO a WHERE a.offerid id = :offerid */ select offerworkf0_id as id157_, offerworkf0_bcc_address as bcc2_157_, offerworkf0_cc_address as cc3_157_, offerworkf0_language_id as language12_157_, offerworkf0_bcc_address as pc6_157_, offerworkf0_id as offer13_157_, offerworkf0_pc6_bcoid_notif_need as post5_157_, offerworkf0_pre_provision_bcc_address as pc6_157_, offerworkf0_pre_provision_bcc_address_as pc6_157_, offerworkf0	0	2,626	5	64	9	0.00
update synergy_order_line set data_wipe_notif_sent=? where id=? and data_wipe_notif_sent=?	0	1,000	12	125	8	0.00
// SELECT b FROM CustomerSpecInpDTO b WHERE b.orderLineld.id = :orderLineld '/ select customersp0_id as id44_, customersp0_customersp0_customersp0_customersp0_customersp0_customersp0_customersp0_customersp0_customersp0_customersp0_customersp0_customersp0_customersp0_customersp0_order_line_id=?  // SELECT b FROM OrderApprovalStepDTO b WHERE b.orderLineld=:orderLineid '/ select orderappro0_id as id283_, orderappro0_action_performed_by as action2_283_, orderappro0_action_performed_date as action3_283_, orderappro0_approval_rejection_message as approval4_283_, orderappro0_completion_status as completion5_283_,	0	2,000	6	94	8	0.00
orderappro0_order_line_id as order6_283_, orderappro0_org_id as org7_283_, orderappro0_is_rejected as is8_283_, orderappro0_system_message as system9_283_, orderappro0_wf_step_map_id as wf10_283_from order_approval_steps orderappro0_where orderappro0_order_line_id=?  /* select b from ServiceProviderUserRoleMapDTO b_where b.serviceProviderUserDTO.id = :spUserMapId AND b.is_primary=true */ select	0	2,000	6	657	16	0.00
servicepro0_id as id95_, servicepro0_is_primary as is2_95_, servicepro0_role_id as role3_95_, servicepro0_user_serviceprovider_map_id as user4_95_from service_provider_user_role_map servicepro0_ where servicepro0_user_serviceprovider_map_id=? and servicepro0_is_primary=1  /* SELECT a from ProductOfferMarketContentDTO a WHERE a.productOfferId = :offerid */ select productoff0_id as id146_,	0	2,000	5	672	16	0.00
productoff0_consumer_org_id as consumer12_146_, productoff0_display_feature as display2_146_, productoff0_display_marketplace_allowed as display3_146_, productoff0_display_order as display4_146_, productoff0_feature_display_order as feature5_146_, productoff0_infolink as infolink146_, productoff0_largesize_imageurl as largesize7_146_, productoff0_mediumsize_imageurl as mediumsize8_146_, productoff0_minimum_price as minimum9_146_, productoff0_product_offer_id as productoff0_smallsize_imageurl as smallsize11_146_from po_marketplace productoff0_where productoff0_product_offer_id=?	, and the second	2,000	Ü	072	10	0.00
// SELECT b FROM TransactionOrderMapDTO b WHERE b easOrderNumber =:orderNumber AND b.id = (SELECT MAX(c.id) FROM TransactionOrderMapDTO c where c.easOrderNumber=:orderNumber) */ select transactio_id as id340_, transactio_currency_id as currency2_340_, transactio_eas_order_number as eas3_340_, transactio0_paid_amount as paid4_340_, transactio0_pg_trans_details_id as pg5_340_, transactio0_pre_pay_reporting_date as pre6_340_ from transaction_order_map transactio0_ where transactio0_eas_order_number=? and transactio0_id=(select max(transactio1_id) from transaction_order_map transactio1_ where transactio1_eas_order_number=?	0	2,000	5	594	15	0.00
/* SELECT b FROM DateTimeFormatDTO b WHERE b.id = :formatId */ select datetimefo0_id as id138_, datetimefo0format as format138_, datetimefo0format_date_jquery as format3_138_, datetimefo0format_date_only as format4_138_ from date_time_format datetimefo0_ where datetimefo0_id=?	0	2,003	5	48	8	0.00
/* load com.ensim.synergy.server.synergyitems.db.ProvisioningSystemDTO */ select provisioni0id as id112_0_, provisioni0_provision_code as provision2_112_0_, provisioni0_provision_name as provision3_112_0_ from provisioning_system provisioni0_ where provisioni0_id=?	0	1,998	5	62	8	0.00
// load one-to-many com.ensim.synergy.server.notification.db.NotificationMessagetypeDTO.notificationMessages */ select notificatio_type_i da s type6_30_1_notificatio_id as id1_notificatio_as id32_0_notificatio_ids id_scide_1_notificatio_ids as id42_0_notificatio_entity_id as entity4_32_0_, notificatio_type_id as type6_32_0_notificatio_use_flag as use2_32_0_, notificatio_optlock as optlock32_0_from notification_message notificatio_where notificatio_type_id=?	0	2,055	5	78	8	0.00
/* SELECT b.displayName FROM ProductOfferDTO b WHERE b.id=:offerId */ select productoff0display_name as col_0_0_ from product_offer productoff0_ where productoff0id=?	0	2,000	5	62	8	0.00
/* SELECT b FROM NotificationOwnerFromAddressMapDTO b WHERE b.ownerld = :ownerld AND b.categoryld - :categoryld - :select notificatio_id as id175_, notificatio_category_id as category2_175_, notificatio_fromaddress as fromaddr3_175_, notificatio_owner_id as owner4_175_, notificatio_sender_name as sender5_175_ from notif_org_fromaddress_map notificatio_where notificatio_owner_id=? and notificatio_category_id=?	0	2,000	5	39	8	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b. status.id in (status) AND b. origProductOffertd = :offertd AND b. workFlowEmailSent = :wfeStatus AND b.id > :previousLineId order by b.id * / WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_id) as _hibemate_row_nr, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_id_idat_ered_1_notif_sent as data6_38_, synergyord0_business_contact as business5_38_, synergyord0_idat_ered_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data6_38_, synergyord0_cancelation_date as cancelate3_38_, synergyord0_cancelation_date as cancelate3_38_, synergyord0_cancelation_date as cancelate3_38_, synergyord0_comtact_period_unit as contact13_38_, synergyord0_comtact_period_associated_period_init as contact13_38_, synergyord0_comtact_period_associated_period_identaction_synergyord0_current_subscription_line as current15_38_, synergyord0_customer_approval_stat	0	858	13	188	21	0.00
/* select b from RolePermissionExtensionDTO b where b.role_id=:roleld and b.permission_id=:permissionId */ select rolepermis0_id as id24_, rolepermis0_discount_level as discount2_24_, rolepermis0_permission_id as permission3_24_, rolepermis0_role_id as role4_24_, rolepermis0_value_int as value5_24_ from role_permission_extension rolepermis0_where rolepermis0_role_id=? and rolepermis0_permission_id=?	0	2,000	5	47	8	0.00
/* criteria query */ select thisid as id303_0_, thislog_in_url as log2_303_0_, thisorganization_type as organiza3_303_0_ from login_url_settings this_ where lower(thisorganization_type) like ?	0	2,000	5	48	8	0.00
/* criteria query */ select this _id as id96_0_, this _billing_emails as billing2_96_0_, this _city as city96_0_, this _country_code as country4_96_0_, this _email as email96_0_, this _entity_id as entity6_96_0_, this _organization_name as organiza7_96_0_, this _phone_area_code as phone8_96_0_, this _phone_country_code as phone9_96_0_, this _phone_phone_number as phone10_96_0_, this _psotal11_96_0_, this _organization_id as sp12_96_0_, this_state_province as state13_96_0_, this _street_addres1 as stree114_96_0_, this _street_addres2 as street15_96_0_, this _vat_number as vat16_96_0_ from service_provider this_	0	2,000	5	47	8	0.00
/* SELECT b FROM TermsAndConditionsDTO b WHERE b.id = :hid */ select termsandco0id as id258_, termsandco0create_date as create2_258_, termsandco0offer_id as offer3_258_, termsandco0tc_version_id as tc4_258_, termsandco0terms_and_condition as terms5_258_ from terms_and_conditions termsandco0_ where termsandco0_id=?	0	2,000	5	47	8	0.00
/* load collection com.ensim.synergy.server.user.db.UserDTO.organizationTypes */ select organizatio_user_id as user1_27_0_, organizatio_organizatio_type as organizat2_0_ from user_organization_types organizatio_where organizatio_user_id=?	0	472	16	46	4	0.00
update order_notification_queue set sent_count=?, times_sent=?, retry_count=? where id=? and sent_count=?  /* SELECT b FROM ServiceAccessTokenDTO b WHERE b.serviceId = :servId AND b.languageId = :langId */ select serviceacc0_id as id162_, serviceacc0_language_id as language3_162_, serviceacc0_service_id as service4_162_, serviceacc0_token_text as token2_162_from service_access_token serviceacc0_where serviceacc0_service_id=? and serviceacc0_language_id=?	0	2,000 592	6	438 32	8	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_id) ashibernate_row_nr, synergyord0_ids aid38_, synergyord0_action_type as action_2_38_ associated_promo_id as associated_338_, synergyord0_dat_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_3_notif_sent as data8_38_, synergyord0_cacleation_data_accelate_38_s_synergyord0_cacnt_notification_send as cart10_38_, synergyord0_ci_change_pending as ci11_38_, synergyord0_comments as comments38_, synergyord0_contact_period_act_retn_4_38_, synergyord0_curretn_subscription_line as current15_38_, synergyord0_curretn_subscription_line as current15_38_, synergyord0_curretn_subscription_line as current15_38_, synergyord0_curretn_subscription_line as current15_38_, synergyord0_curretn_subscription_line	0	36	99	188	39	0.00
update synergy_order_line set failed_notif_sent=? where id=? and failed_notif_sent=?	0	119	24	579	52	0.00
// SELECT b FROM SynergyOrderLine b WHERE b. status.id in (status) AND b.origProductOffertd = :offertd AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineld order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyordO_id ashibemate_row_nr, synergyordO_id as id38_, synergyordO_action_lype as action2_38_, synergyordO_associated_promo_id as associated3_38_, synergyordO_adta_retn_1_notif_sent as data6_38_, synergyordO_business_contact as business5_38_, synergyordO_data_retn_1_notif_sent as data6_38_, synergyordO_data_retn_2_notif_sent as data7_38_, synergyordO_data_retn_3_notif_sent as data8_38_, synergyordO_cancelation_date as cancelate3_38_, synergyordO_cancelation_date as cancelate3_38_, synergyordO_cancelation_send_as cantol 38_synergyordO_cancelation_date_as cancelate3_8.	0	18	158	1,125	245	0.00
as cari10_38_synergyord0_ci_change_pending as ci11_38_synergyord0_comments as comments38'_, synergyord0_contact_period_unit as contact13_38_, synergyord0_contact_period as contact14_38_, synergyord0_current_subscription_line as current15_38_, synergyord0_customer_approval  // SELECT b FROM OrderNoticationQueueDTO b WHERE b.sentCount = :status AND b.retryCount <= :rcount AND b.id > :previousLineld */	0	1,000	2	110	8	0.00
WITH query AS (select ROW. NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as 'hibernate_row.nr, ordernotic0_id as id144_, ordernotic0_bcc as bcc144_, ordernotic0_cc as cc144_, ordernotic0_ide_language_id as language14_144_, ordernotic0_is_encrypted as is5_144_, ordernotic0_indl_body as full6_144_, ordernotic0_ilanguage_id as language14_144_, ordernotic0_last_sent_date_time as last7_144_, ordernotic0_order_id as order15_144_, ordernotic0_isc_ender_id_as enceiver16_144_, ordernotic0_retry_count as retry_144_, ordernotic0_sender_id_as sender17_144_, ordernotic0_sender_id_as sender17_144_, ordernotic0_sender_id_as sender17_144_, ordernotic0_retry_count as retry_144_, ordernotic0_sender_id_as sender17_144_, ordernotic0_receiver_email as receiver13_144_from order_notification_queue ordernotic0_where ordernotic0_sent_count=? and ordernotic0						
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER) (OVER (order by synergyord0_id) as hibemate row_nrsynergyord0_id as idsal_synergyord0_action.type as action2_38_synergyord0_associated_promo_id as associated3_38_, synergyord0_att_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_3_notif_sent as data8_38_, synergyord0_catelation_data as cancelat9_38_, synergyord0_cart_notification_send as cant10_38_, synergyord0_ci_charge_pending as ci11_38_, synergyord0_comments as comments38_, synergyord0_contact_period_unit as contact13_38_, synergyord0_contact_period as contact14_38_, synergyord0_current_subscription_line as current15_38_, synergyord0_cutomer_approval	0	18	106	249	54	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT b FROM SynergyOrderLine b WHERE b.datawipeNotifSent = 0 AND b.status.id = :status AND b.orderld is not null AND b.id > :previousLineld */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_id_at_code as ait4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1 notif_sent as data6_38_, synergyord0_data_retn_2 notif_sent as data6_38_, synergyord0_data_retn_2 notif_sent as data8_38_, synergyord0_cantalidno_data_retn_2 actification_send_as cartn0_38_, synergyord0_ci_change_pending as ci11_38_, synergyord0_comments as comments38_, synergyord0_contact_period_unit as contact13_38_, synergyord0_contact_period as contact14_38_, synergyord0_current_subscription_line as current15_38_, synergyord0_customer_approval_status as customer16_38_, synergyord0	0	1,000	1	78	5	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER) (OVER (order by synergyordO_id) as hibemate row, nr synergyordO_id as ida3_ synergyordO_action_type as action2_38_ synergyordO_associated_promo_id as associated3_38_, synergyordO_att_code as atf4_38_, synergyordO_business_contact as business5_38_, synergyordO_data_retn_1_notif_sent as data6_38_, synergyordO_data_retn_2_notif_sent as data7_38_, synergyordO_data_retn_3_notif_sent as data8_38_, synergyordO_catelation_data as cancelat9_38_, synergyordO_cate_retn_3_notif_sent as data8_38_, synergyordO_comments as comments38_, synergyordO_contact_period_unit as contact13_38_, synergyordO_contact_period_status_retn_2_notification_line as current15_38_, synergyordO_curstomer_approval	0	18	100	188	42	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b.failedNotifSent = 0 AND b.status.id in (:status) AND b.orderld is not null AND b.id > :previousLineld */ WiTH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr, synergyord0_id as ids3asynergyord0_action_type as action2_38synergyord0_id as associated3_38_, synergyord0_att_code as att4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data6_38_, synergyord0_cata_retn_2_notif_sent as data6_38_, synergyord0_cata_retn_2_notif_sent as data6_38_, synergyord0_cata_retn_3_notif_sent as data6_38_, synergyord0_cata_retn_2_notif_sent as data6_38_, synergyord0_cata_retn_3_notif_sent as data6_38_, synerg	0	120	14	140	19	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER) OVER (order by synergyord_id) as _hibemate_row_nr, synergyordO_id as isolad_s_, synergyordO_astion_type as action2_38 synergyordO_astociated_promo_id as associated3_38, synergyordO_astcode as atf4_38, synergyordO_business_contact as business5_38, synergyordO_d_ataretn_1_notif_sent as data6_38, synergyordO_d_ataretn_2_notif_sent as data7_38, synergyordO_d_ataretn_3_notif_sent as data8_38, synergyordO_cancelation_date as cancelate3_38, synergyordO_cancelation_date as cancelate3_38, synergyordO_cancelation_send as cartO_38, synergyordO_cancelation_date as cancelate3_38, synergyordO_cancelate3_synergyordO_cancelate	0	18	93	376	79	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b. status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_id) as _hibernate_row_nr, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_id_ascascaited3_38_, synergyord0_att_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_3_notif_sent as data8_38_, synergyord0_catelation_date acneelat9_38_synergyord0_catelation_date acneelat9_38_, synergyord0_catelation_date as cancelat9_38_, synergyord0_catelation_date as contact_period_unit as contact13_38_, synergyord0_contact_period_ascascascascascascascascascascascascasca	0	18	90	182	41	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b. status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (:select ROW_NUMBER() OVER (order by synergyord0_id) ashibernate_row_nr, synergyord0_id as id38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_att_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_3_notif_sent as data8_38_, synergyord0_catelation_date as cancelat9_38_, synergyord0_cate_retn_3_notif_sent as data8_38_, synergyord0_catelation_date as cancelat9_38_, synergyord0_cate_retn_3_notif_sent as contact_period_unit as contact_13_38_, synergyord0_contact_period_ascate_14_38_, synergyord0_cate_retn_subscription_line as current15_38_, synergyord0_customer_approval	0	18	89	172	36	0.00
/* Select b from ServiceProviderUserDTO b where b.baseUser.id=:baseUserId AND b.serviceProviderOrganizationDTO.baseOrganizationDTO.id=:baseOrgld and b.is_user_deactivated=:is_user_deactivated */ select servicepro0_id as id94_, servicepro0_ad_user_name as ad2_94_, servicepro0_base_user_id as base14_94_, servicepro0_deuble_encrypted_password as double3_94_, servicepro0_eror_message as error4_94_, servicepro0_is_user_deactivated as is6_94_, servicepro0_isbusiness_contact as isbusiness7_94_, servicepro0_isted_to.ontact as istected_94_, servicepro0_peration_status_id as operation_94_, servicepro0_oss_provision_date as oss10_94_, servicepro0_peration_status_id as operation_94_, servicepro0_oss_provision_date as oss10_94_, servicepro0_peration_status_id_asoperation_status_id_asoperation_status_id_asoperation_94_, servicepro0_oss_provision_date as oss10_94_, servicepro0_peration_status_id_asoperat	0	944	1	78	5	0.00
update synergy_order_line set resume_notif_sent=? where id=? and resume_notif_sent=?	0	70	18	48	11	0.00
// SELECT b FROM SynergyOrderLine b WHERE b. status.id in (status) AND b.origProductOfferId = :offerId AND b.workFlowEmailSent = :wfeStatus AND b.id > :previousLineId order by b.id / ViIITH query AS (select ROW NUBERI() OVER (order by synergyord0_id) as _hibernate _row_nr _, synergyord0_id as id38_, synergyord0action_type as action2_38_, synergyord0_associated_38_ synergyord0_associated_38_, synergyord0_associated_38_, synergyord0_data_retn_1_notif; sent as data6_38_, synergyord0_data_retn_1_notif; sent as data6_38_, synergyord0_cancelation_date as cancelate]_38_, synergyord0_cancelate_synergyord0	0	36	36	141	36	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowEmailSent = :wfesItatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyordid) as _hibernate_row_nr, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_atd_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_3_notif_sent as data8_38_, synergyord0_catelation_date as cancelat9_38_, synergyord0_catelation_date as contact14_38_, synergyord0_catelation_date approval_stat	0	18	72	141	35	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b. status.id in (status) AND b.origProductOfferId = :offerId AND b.workFlowEmailSent = :wfesIatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_id) ashibernate_row_nr, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_att_code as atf4_38_, synergyord0_bata_retn_2_notif_sent as data7_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_3_notif_sent as data8_38_, synergyord0_catelation_date as cancelat9_38_synergyord0_cate_retn_3_notif_sent as data8_stynergyord0_cate_totalcom_tate_sent as comments38_, synergyord0_cate_totalcom_tate_sent as comments38_, synergyord0_cate_totalcom_tate_sent as comments38_, synergyord0_cate_totalcom_tate_sent as comments38_, synergyord0_cate_totalcom_tate_sent as comments38_, synergyord0_cate_totalcom_tate_totalcom	0	18	64	109	23	0.00
update order_subscription_details set notification_renewal_status=? where id=? and notification_renewal_status=?	0	513	2	18	5	0.00
// select b.roleDTO from ServiceProviderUserRoleMapDTO b where b.serviceProviderUserDTO id in (select u.id from ServiceProviderUserDTO u where u.baseUser.id=UserId and u.serviceProviderOrganisationDTO id in (select w.id from ServiceProviderOrganizationDTO where u.baseOrganizationDTO.id=BaseOrgld)) and b.is_primary=:is_primary */ select roledto1_id as id23_roledto1_authority_level as authority2_23_roledto1_inheritable as inherita3_23_roledto1_is_agent_superadmin as is4_23_roledto1_is_customer_superadmin as is5_23_roledto1_proledto1_is_preservices_id=0.5_23_roledto1_id=0.5_23_roledto1_profile_identifier as profile9_23_roledto1_role_identifier as role10_23_roledto1_role_type as organiza8_23_roledto1_profile_identifier as profile9_23_roledto1_role_type as role11_23_roledto1_user_activated_by_default as user12_23_rowner_role_type_are_role_type_are_roledto1_profile_identifier as profile9_23_roledto1_profile_type_are_roledto1_profile_type_are_roledto1_profile_type_are_roledto1_profile_type_are_role_typ	0	472	2	18	5	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b resumeNotifSent - 0 AND b. status.id = 13 AND b. orderId is not null AND b.id > previousLine 1/ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_acta_crono_id as associated3_38_, synergyord0_atat_code as att4_38_, synergyord0_b.business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_3_notif_sent as data8_38_, synergyord0_catate_acta_tas_data6_38_, synergyord0_cata_tas_tas_data6_38_, synergyord0_cata_tas_tas_tas_data6_38_, synergyord0_cata_tas_tas_tas_tas_tas_tas_tas_tas_tas_	0	71	12	172	24	0.00
/* Select b.roleDTO from ServiceProviderUserRoleMapDTO b where b.serviceProviderUserDTO.id=:spUserMapId */ select roledto1_id as id23_ roledto1_authority_level as authority2_23_ roledto1_inheritable as inherita3_23_ roledto1_is_agent_superadmin as is4_23_ roledto1_is_customer_superadmin as is5_23_ roledto1_sic_scustomer_superadmin as is5_23_ roledto1_organization_type as organiza8_23_ roledto1_profile_identifier as profile9_23_ roledto1_role_identifier as role10_23_ roledto1_role_type as role11_23_ roledto1_profile_identifier as user12_23_ roledto1_role_type as role11_23_ roledto1_user_activated_by_default as user12_26_ rom service_provider_user_role_map_servicepro0_inner_join_role_role_to1_profile_identifier_actives_role_type_actives_role_	0	944	0	31	3	0.00
/* criteria query */ select this_id as id27_0_, this_is_activated as is2_27_0_, thisactivation_token as activation3_27_0_ thiscachepermison as cacheper4_27_0_, thisentity_id as entity21_27_0_, thiscreate_datetime as create5_27_0_, thiscurrent_login as current6_27_0_, thisdeleted as deleted27_0_, thisexternal_8_27_0_, thisgiola_id2_as external_9_27_0_, thisis_local_as is12_27_0_, thislanguage_id as language_22_27_0_, thislast_login as last13_27_0_, thislast_login as last13_27_0_, thislast_login as last13_27_0_, thislast_status_change as last14_27_0_, thisjoput as logout27_0_, thispassword as password27_0_, thispassword_set_by_user_as password17_27_0_, thisprimary_role_id as primary23_27_0_, thistheme as theme27_0_, thisuser_name as user19_27_0_, thisoptlock as optlock27_0_ from base_user thisuser_name=? and thisdeleted=?	0	469	1	47	5	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT b FROM OrderMaster b left outer join b.currentOrderLine orderLine WHERE b.trial = true and b.trial_retry_count<=3 and orderLine.provisionDate is not null and orderLine.cancelationDate is NULL */ select ordermaste0_id as id37ordermaste0active as active37ordermaste0_sales_agent_id as sales3_37ordermaste0_linked_order_id as linked4_37ordermaste0_bcd_id as bcd5_37ordermaste0_bill_cycle_day as bill6_37ordermaste0_case_n0_1 as case9_37ordermaste0_case_n0_10 as case8_37ordermaste0_case_n0_10 as case8_37ordermaste0_case_n0_11 as case9_37ordermaste0_case_n0_12 as case11_37ordermaste0_case_n0_5 as case11_37ordermaste0_case_n0_5 as case12_37ordermaste0_case_n0_5 as case13_37ordermaste0_case_n0_5 as case13_37or	0	18	41	110	31	0.00
/* criteria query */ select this_id as id27_1_, this_is_activated as is2_27_1_, this_activation_token as activation3_27_1, this_cachepermison as cacheper4_27_1, this_entity_id as entity21_27_1_, this_create_datetime as create5_27_1_, this_current_login as current6_27_1_, this_deleted as deleted27_1_, this_external_6_27_, this_external_6_124_sexternal_6_27_1_, this_external_6_124_sexternal_6_27_1_, this_external_6_27_1_, this_language_id as language_22_27_1_, this_last_login_as last13_27_1_, this_last_status_change as last14_27_1_, this_logout as logout27_1_, this_password_set_by_user_as password17_27_1_, this_primary_role_id as primary_70le_id as primary_70le_id as primary_71_, this_buser_name_as user19_27_1_, this_primary_10le_id as id26_0_, e1_create_datetime as create2_26_0_, e1_description as descrip13_26_0_, e1_external_id as external4_26_0_, e1_language_id as	0	499	1	47	5	0.00
// load com ensim synergy.server.synergyitems.db.UnifyResourceDTO */ select unifyresou0_ all as id76_0_, unifyresou0_ allow_unlimited as allow2_76_0_ unifyresou0_ applicable ppu_percentage as applicable3_76_0_ unifyresou0_bulk_user_avail_pifs as bulk5_76_0_, unifyresou0_cf_pou_unit as cf6_76_0_, unifyresou0_cf_reserved_unit as cf7_76_0_, unifyresou0_cconv_op_ppu_as conv8_76_0_, unifyresou0_cconv_op_resv_as conv9_76_0_, unifyresou0_cf_reserved_unit as cf7_76_0_, unifyresou0_default_value as default11_76_0_, unifyresou0_depend_on_resid as depend12_76_0_, unifyresou0_instance_information as instance=16_76_0_, unifyresou0_instance_information_instance=16_76_0_, unifyresou0_instance_information_instance=16_76_0_, unifyresou0_instance_information_instance=16_76_0_, unifyresou0_instance=16_76_0_, un	0	61	11	71	16	0.00
/* Select b from BaseUserOrgMapDTO b where b.base_user_id=:baseUserId AND b.base_org_id=:baseOrgId */ select baseuseror0_id as id99_, baseuseror0_base_org_id as base2_99_, baseuseror0_base_user_id as base3_99_ from base_user_org_map baseuseror0_where baseuseror0_base_org_id=?	0	472	0	16	3	0.00
// SELECT b FROM ServiceRequestQueueDTO b WHERE b.actionRequired = 1 AND b.status != :status AND b.id > :previousLineld order by b.id '> WITH query AS (select ROW_NUMBER() OVER (order by servicereq0_id) ashibernate_row_nr, servicereq0_id as id227_, servicereq0_apt_action_type_	0	181	2	47	6	0.00
update synergy_order_line set workflow_email_sent=? where id=? and workflow_email_sent=?	0	30	9	31	8	0.00
// SELECT b FROM SynergyOrderLine b WHERE b. status.id in (:status) AND b.oiroproductOfferId = :offerId AND b.workFlowEmailSent = :wfeStatus AND b.id > :previous.Lineld order by b.id * / WITH duery AS (select ROW_NUMBER() OVER (order by synergyord0_id) as hibemate_row_nrsynergyord0_id as id38synergyord0_action_type as action2_38synergyord0_associated_promo_id as associated3_38synergyord0_adt_ceth_1_notif_sent as data6_38synergyord0_data_reth_2_notif_sent as data7_38, synergyord0_data_reth_1_notif_sent as data6_38synergyord0_cancelation_date as cancelate13_38synergyord0_cata_reth_3_notif_sent as data6_38synergyord0_cancelation_date as cancelate13_38synergyord0_cata_reth_3_synergyord0_contact_period_unit as contact13_38synergyord0_contact_period as contact14_38_, synergyord0_contact_period_cate_unit as contact14_38_, synergyord0_current_subscription_line as current15_38synergyord0_current_sprova_stat	0	18	15	64	19	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowEmailSent = :wfeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0id) as _hibernate_row_nr, synergyord0id as id38_, synergyord0action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0att_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_3_notif_sent as data8_38_, synergyord0_cacleation_date as cancelat9_38_, synergyord0_cacleation_date as cancelat9_38_, synergyord0_cacleation_date as cancelat9_38_, synergyord0_cacleation_date as contact14_38_, synergyord0_cacleation_date as contact14_38_, synergyord0_cacleation_date as paproval_stat	0	18	14	47	17	0.00
/* SELECT b FROM ServiceRequestQueueDTo b WHERE b status in (status) AND b retryCount < rrount AND b id > previousLineId order by b id '/ WITH query AS (select ROW_NUMBER() OVER (order by servicereq0_id) as hibernate_row_nrservicereq0_id as id227_, servicereq0_action_required as action2_227_, servicereq0_action_type as action3_227_, servicereq0_api_data as api4_227_, servicereq0_error_code as error5_227_, servicereq0_error_message as error6_227_, servicereq0_last_retried_date as last7_227_, servicereq0_status_as status227_, servicereq0_status_as status227_, servicereq0_status_as status227_, servicereq0_status_as status227_, servicereq0_status_as revicereq0_status_as status227_, servicereq0_status_as revicereq0_status_as revicereq0_mether (servicereq0_status in (? , ?)) and servicereq0_retry_count and servicereq0_id ? ) SELECT 'FROM query WHERE _hibernate_row_nrBETWEEN ? AND ?	0	181	1	33	4	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowEmailSent = :wfeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0id) as hibemate row_nr, synergyord0_id as id38, synergyord0_action_type as action_2_38, synergyord0_associated_promo_id as associated3_38, synergyord0_atd_code as atf4_38, synergyord0_business_contact as business5_38, synergyord0_data_retn_1_notif_sent as data6_38, synergyord0_data_retn_2_notif_sent as data7_38, synergyord0_data_retn_3_notif_sent as data8_38, synergyord0_cactelation_date as cancelat9_38, synergyord0_cactelation_date as cancelat9_38, synergyord0_cactelation_date as cancelat9_38, synergyord0_cactelation_date as contact_period_unit as contact13_38, synergyord0_contact_period as contact14_38, synergyord0_contact_period_as contact14_38, synergyord0_customer_approval_stat	0	18	13	63	18	0.00
/* Select b from BaseUserOrgMapDTO b,UserDTO a where a.id=b.base_user_id and a.userName=:baseUserName */ select baseuseror0_id as id99_, baseuseror0_base_user_id as base2_99_, baseuseror0_base_user_id as base3_99_ from base_user_org_map	0	3	73	79	10	0.00
baseuseror0_cross join base_user userdto1_where userdto1_id=baseuseror0_base_user_id and userdto1_user_name=?  /* SELECT b FROM SynergyOrderLine b WHERE b.suspendNotifSent = 0 AND b.status.id = 10 AND b.orderld is not null AND b.id > previousLine */WITH query AS (select ROW, NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_adat_eron_1_notif_sent as data6_38_, synergyord0_data_ren_1_notif_sent as data6_38_, synergyord0_cata_ren_1_notif_sent as data8_38_, synergyord0_cata_ren_1_andif_sent as data8_38_, synergyord0_cata_ren_1_andif_sent as data8_38_, synergyord0_cata_ren_38_, synergyord0_cata_ren_38_, synergyord0_cata_ren_38_, synergyord0_contact_period_unit as contact13_38_, synergyord0_contact_period_unit as contact14_38_, synergyord0_cont	0	7	25	125	44	0.00
// Select b from BrandingVersionDetailsDTO b WHERE b.id >:appliedBranding order by id */ select brandingve0_id as id300_, brandingve0_app_version as app2_300_, brandingve0_entry_timestamp as entry3_300_, brandingve0_folder_name as folder4_300_ from branding_version brandingve0_wersion brandingve0_id>? order by brandingve0_id>?	0	48	3	16	6	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b.subscription request_pending in (:status) AND b.renewalNotifStatus =:renewalNotifStatus AND b.orderld is not null AND b.id >:previousLineld */ WITH query AS (select ROW, NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as _hibernate_row_nr_, synergyord0_id as id38_, synergyord0_action_type as action_2_38_, synergyord0_associated_promo_id as associated_3_38_, synergyord0_att_code as att4_38_, synergyord0_business contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_1_3_notif_sent as data8_38_, synergyord0_cataletion_date as cancelate_3_38_, synergyord0_cataletion_date_synergyord0_cataletion_da	0	1	162	162	0	0.00
/* SELECT c.id FROM OrderSubscriptionDetailsDTO c WHERE (c.notificationReminderStatus1 = 0 OR c.notificationReminderStatus2 = 0 OR c.notificationReminderStatus3 = 0) AND c.subscriptionEndDate IS NOT NULL */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as _hibernate_row_nr, ordersubsc0_id as col_0_0_from order_subscription_details ordersubsc0_where (ordersubsc0_notification_reminder1=0 or ordersubsc0_notification_reminder2=0 or ordersubsc0_notification_reminder3=0) and (ordersubsc0_subscription_end_date is not null)) SELECT * FROM query WHERE _hibernate_row_nr BETWEEN ? AND ?	0	1	161	161	0	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b.delayedNotifSent = 0 AND b.status.id = :status AND b.orderld is not null AND b.id > :previousLine */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_astociated_promo_id as associated3_38_, synergyord0_atf_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data6_38_, synergyord0_cata_todo_cancelation_date as cancelat9_38_, synergyord0_cata_todo_cancelation_date as cancelat9_38_, synergyord0_contact_period_unit as contact13_38_, synergyord0_contact_period_ascontact14_38_, synergyord0_contact_period_sunit as contact13_38_, synergyord0_contact_period_ascontact14_38_, synergyord0_current_subscription_line as current15_38_, synergyord0_customer_approval_status as customer16_38_, synergyord0_d.d	0	4	39	143	69	0.00
update synergy_order_line set suspend_notif_sent=? where id=? and suspend_notif_sent=?  /* SELECT b FROM OrderServiceItemDTO b WHERE b.id = :hid */ select orderservi0id as id39_, orderservi0is_bundle as is2_39_, orderservi0is_composit as is3_39_, orderservi0_custom_po_allow_zero as custom4_39_, orderservi0_off_operator as diff6_39_, orderservi0_diff_guantity as diff6_39_, orderservi0_product_group_id as product7_39_, orderservi0_order_line_id as order20_39_, orderservi0_possible_values as possible8_39_, orderservi0_possible_val_meta_id as possible21_39_, orderservi0_prepay_required as prepay9_39_, orderservi0_quantity as quantity39_, orderservi0_id as service11_39_, orderservi0_exprod_tax_on_tax_amount as service13_39_, orderservi0_id=x_on_tax_amount as tax14_39_, orderservi0_response_code_as response16_39_, orderservi0_tax_on_tax_amount as tax14_39_, orderservi0_tax_amount as tax14_39_, orderservi0_tax_a	0	6 14	26	47 62	12 17	0.00
orderserviO_total_tax_amount as total17_39_, orderserviO_runify_resource_reference as unify18_39_, orderserviO_runit as uni						

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT b FROM ProductOfferDTO b */ select productoff0_id as id67_, productoff0_allow_multiple_instances as allow2_67_, productoff0_aloc as aloc67_, productoff0_aloproval_threshold_hour as approval4_67_, productoff0_is_billiaptequencylength as billingf6_67_, productoff0_billingfrequencylength as billingf6_67_, productoff0_index as billingf7_67_, productoff0_catalogue_id as catalogue_8_67_, productoff0_category_id as category_9_67_, productoff0_condition_available as condition10_67_, productoff0_contract_period_as contract1_9 eriod_as contract1_1_67_, productoff0_contract_period_unit as contract1_2_67_, productoff0_creator_org_id as creator73_67_, productoff0_custom_field1_as custom14_67_, productoff0_custom_field1_as custom14_67_, productoff0_custom_field1_as custom14_67_, productoff0_custom_field2_as custom15_67_, productoff0_custom_field3_as custom19_67_, productoff0_custom_field2_as custom16_67_, productoff0_custom_field3_as custom16_custom_field3_as custom16_67_, productoff0_custom_field3_as custom16_custom_field3_as custom16_custom_fie	0	18	8	47	12	0.00
/* insert com.ensim.actionLog.ActionItemDTO */ insert into action_log_items (master_id, action_name, details, process_percentage, process_time, status, id) values (?, ?, ?, ?, ?, ?)	0	72	2	31	5	0.00
/* SELECT c.id FROM OrderSubscriptionDetailsDTO c WHERE c.requestNotificationStatus = 0 AND c.subscriptionEndDate IS NOT NULL  1/ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr, ordersubsc0_id as  col_0_0_from order_subscription_details ordersubsc0_where ordersubsc0_notification_renewal_status=0 and  (ordersubsc0_subscription_end_date is not null)) SELECT * FROM query WHEREhibernate_row_nr BETWEEN ? AND ?	0	1	135	135	0	0.00
/* select b from NodeSpecificBrandingDetailsDTO b where b.orgID=:orgID and b.nodeIPAddress =:nodeIPAddress */ select nodespecif0_id as id301_, nodespecif0_branding_version_id as branding_301_, nodespecif0_node_ip_adddess as node3_301_, nodespecif0_org_id as org4_301_, nodespecif0_process_status as process5_301_ from node_specific_branding_details nodespecif0_where nodespecif0_node_ip_adddess=?	0	48	2	16	5	0.00
/* SELECT b FROM ServiceProviderOrganizationDTO b */ select servicepro0_id as id93servicepro0_org_id as org5_93_, servicepro0_created_on as created2_93servicepro0_created_on as created2_93_servicepro0_dreated_oneservicepro0_use_marketplace as use3_93_, servicepro0_use_reseller_model as use4_93_ from service_provider_organization servicepro0_	0	24	5	16	7	0.00
/* Select b from BrandingThemeUploadDetailsDTO b WHERE b.uploadTimestamp <= :uploadTimeStamp */ select brandingth0_id as id132_, brandingth0_reseller_id as reseller2_132_, brandingth0_upload_timestamp as upload2_132_ from branding_theme_upload_details brandingth0_ where brandingth0_upload_timestamp<=?	0	24	4	16	7	0.00
/* load one-to-many com.ensim.synergy.server.notification.db.NotificationMessageSectionDTO.notificationMessageLines */ select notificatiomessage_section_id as message4_28_1_, notificatioid as id1_, notificatio_id as id29_0_, notificatiofull_content as full2_29_0_, notificatio_message_section_id as message4_29_0_, notificatiooptlock as optlock29_0_ from notification_message_line notificatio_where notificatio_message_section_id=?	0	20	5	16	7	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b.ssidGenNotifSent = 0 AND b.status.id in (:status) AND b.pwfldRef = 2 AND b.orderld is not null AND b.id > previousLineId '/ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as _ hibernate_row_nr, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_att_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_3_notif_sent as data8_38_synergyord0_catelation_date acneelat9_38_synergyord0_cart_notification_send as cart10_38_, synergyord0_cil_contact_period_unit as contact13_38_, synergyord0_contact_period_ascontact14_38_, synergyord0_current_subscription_line as current15_38_, synergyord0_customer_approval_status as custom	0	1	109	109	0	0.00
/* select b from CRMJobScheduleDTO b where b.job_status=0 order by b.id */ select crmjobsche0_id as id246_, crmjobsche0_action_log_id as action2_246_, crmjobsche0_acncelled_by as cancelled3_246_, crmjobsche0_cancelled_date as cancelled4_246_, crmjobsche0_iob_sched_iob_sche0_iob_sche0_iob_sche0_iob_sche0_iob_sche0_iob_sche0_iob_sche0_iob_sche0_iob_sche0_iob_sche0_iob_sche0_iob_sche0_iob_sche0_iob_sche0_iob_sche0_iob_sche0_sche0_sche0_sche0_iob_sche0_iob_sche0_iob_sche0_s	0	24	3	16	6	0.00
/* Select b from BrandingThemeUploadDetailsDTO b WHERE b.uploadTimestamp > :uploadTimeStamp */ select brandingth0id as id132_, brandingth0reseller_id as reseller3_132_, brandingth0_upload_timestamp as upload2_132_ from branding_theme_upload_details brandingth0_where brandingth0_upload_timestamp>?	0	24	3	17	6	0.00
/* SELECT b FROM SMSNotificationHistoryDTO b WHERE b.sentStatus = :status AND b.retryCount <= :rcount AND b.id > :previousLineId  '/ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as _hibernate_row_nr, smsnotific0id as  id356_, smsnotific0content as content 356_, smsnotific0_ foreign_3 ds of regin_3 356_, smsnotific0_sts_st_sent_date_time as last4_356_,  smsnotific0_phone_number as phone5_356_, smsnotific0_retry_count as retry6_356_, smsnotific0_sent_count as sent7_356_,  smsnotific0_sent_status as sent8_356_, smsnotific0_state_as usbg_356_, smsnotific0_table_id as table10_356_,  smsnotific0_retry_count_as retry6_status=? and  smsnotific0_retry_count=? and smsnotific0_status=? and  smsnotific0_retry_count=? and smsnotific0_status=? TROM query WHERE _hibernate_row_nr BETWEEST ? AND ?	0	143	0	16	2	0.00
/* insert com.ensim.actionLog.ActionLogDTO */ insert into action_log_master (action_guid, action_name, category, closed_at, expected_max_time, expected_min_time, organization_id, single_type, started_at, status, user_id, id) values (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?	0	24	3	16	6	0.00
/* Select b.serviceProviderOrganizationDTO from ServiceProviderUserDTO b where b.baseUser.id=:baseUserld and bis_user_deactivated=:is_user_deactivated '/ select servicepro1_id as id93_, servicepro1_org_id as org5_93_, servicepro1_created_on as created_2_93_ servicepro1_serrency_id as currency6_93_servicepro1_use_marketplace as use3_93_, servicepro1_use_restlence_provider_org_id=servicepro1_use_provider_org_id=servicepro1_id=servicepro0_inner.ion_service_provider_org_id=servicepro1_id_where servicepro0_inner.ion_service_provider_org_id=servicepro1_id_where servicepro0_inservicepro1_ad_end_org_id=servicepro1_id_where servicepro0_id=servicepro1_id=servicepro1_id=servicepro1_id_end_org_id=	0	3	22	36	11	0.00
/* load com.ensim.synergy, server.notification.db.NotificationMessageLineDTO */ select notificati0_id as id29_0_, notificati0_full_content as full2_29_0_, notificati0_message_section_id as message4_29_0_, notificati0_optlock as optlock29_0_ from notification_message_line	0	8	8	16	8	0.00
notificati0_where notificati0_id=?  /* select b from CRMInternalPathHoldDTO b order by b.id desc */ select crminterna0_id as id247_, crminterna0_fetch_date as fetch2_247_, crminterna0_csv_path_password as csv3_247_, crminterna0_path as path247_, crminterna0_csv_path_userid as csv5_247_ from crm_csv_internal_path_holder crminterna0_ order by crminterna0_id desc	0	24	2	17	6	0.00
/* load com.ensim.organization.OrganizationDTO */ select organizatio_id as id51_0_, organizatiodate_time_format as date2_51_0_, organizatio_email_signature as email3_51_0_, organizatio_entity_id as entity4_51_0_, organizatio_is_deleted as is5_51_0_, organizatio_org_type as org6_51_0_from organization organizatio_where organizatio_id=?	0	24	2	16	6	0.00
/* load com.ensim.synergy.server.user.permisson.db.PermissionTypeDTO */ select permission0_ id as id20_0_, permission0_, description as descript2_20_0_, permission0_, order_index as order3_20_0_ from permission_type permission0_ where permission0_, id=?	0	64	0	16	3	0.00
/* dynamic native SQL query */ select count(*) from synergy_version	0	24	2	16	5	0.00
/* load one-to-many com.ensim.synergy.server.util.db.CurrencyDTO.exchangeDTO */ select exchangedt0_currency_id as currency_6_16_1_, exchangedt0_id as id1_, exchangedt0_id as id1_, exchangedt0_currency_id as currency_6_15_0_, exchangedt0_entity_id as entity_3_15_0_, exchangedt0_rate as rate15_0_, exchangedt0_optiock as optlock15_0_from currency_exchange exchangedt0_where exchangedt0_currency_id=?	0	30	2	16	5	0.00
/* load com.ensim.reseller.ResellerOrganizationDTO */ select reselleror0id as id128_4_, reselleror0is_activated as is2_128_4_, reselleror0_org_id as org27_128_4_, reselleror0_billing_emails as billing3_128_4_, reselleror0chilling_language_id as billing28_128_4_, reselleror0_country_code as country5_128_4_, reselleror0_country_code as country5_128_4_, reselleror0_creator_org_id as creator5_128_4_, reselleror0_creator_org_id as creator5_128_4_, reselleror0_creator_org_id as creator5_128_4_, reselleror0_creator_org_id as creator5_128_4_, reselleror0_ids_unumber as fax10_128_4_, reselleror0_login_url_identifier as login11_128_4_, reselleror0_organization_name as organiz12_128_4_, reselleror0_phone_number as phone13_128_4_, reselleror0_postal_code as postal14_128_4_, reselleror0_representative as represe15_128_4_, reselleror0_reseller_id as reselleror16_128_4_, reselleror0_suteror	0	24	2	16	5	0.00
/* load com.ensim.synergy.server.provisioningWorkflow.db.ProvisioningWorkflowDTO */ select provisioni0_id as id155_2_, provisioni0_pwf_code as pwf2_155_2_, provisioni0_pwf_code as pwf2_155_2_, provisioni0_pwf_name as pwf3_155_2_pwfpropeti1_pwf_id as pwf7_155_4_pwfpropeti1_id as id156_0_pwfpropeti1_ael_calling as api2_156_0_pwfpropeti1_defer_billing as defer3_156_0_pwfpropeti1_op_iden as op6_156_0_pwfpropeti1_pwf_id as pwf7_156_0_pwfpropeti1_send_notification as send4_156_0_pwfpropeti1_send_notification_at as send5_156_0_provisioni02_id as id154_1_provisioni02_op_iden as op2_154_1_from provisioning_workflow_gen provisioni00_left outer join pwf_propeti1_senforpopeti1_op_iden=provisioni0_ide?	0	21	2	18	5	0.00
update service_provider_user set set_of_permission=?, permission_updated_time=? where id=?  WITH query AS (/* criteria query */ select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr,	0	6	12	17 16	8	0.00
this_id as id92 0_, this_ad attributes as ad2_92_0_, this_street_addres1 as street3_92_0, this_street_addres2 as street4_92_0_, this_ciry as city92_0, this_company as company92_0, this_country_code as country8_92_0, this_create_datetime as create9_92_0, this_cdepartment as department92_0_, this_display_name as display1_92_0, this_fax_phone_number as fax14_92_0_, this_fax_phone_number as fax14_92_0_, this_fax_phone_number as fax14_92_0_, this_fax_phone_start1_92_0, this_fax_phone_number as fax14_92_0_, this_specification_include as notific16_92_0, this_person_initial as person17_92_0_this_phone_number as phone21_92_0_, this_office_name as office22_92_0_, this_postal_code as postal23_92_0_, this_primary_email as			_			
/* update com.ensim.actionLog.ActionLogDTO */ update action_log_master set action_guid=?, action_name=?, category=?, closed_at=?, expected_max_time=?, expected_min_time=?, organization_id=?, single_type=?, started_at=?, status=?, user_id=? where id=?	0	24	2	16	5	0.00
/* select b from CRMJobScheduleDTO b where b.job_status=:status */ select crmjobsche0id as id246_, crmjobsche0action_log_id as action2_246_, crmjobsche0_cancelled_by as cancelled3_246_, crmjobsche0cancelled_date as cancelled4_246_, crmjobsche0_internal_path as internal5_246_, crmjobsche0_job_d1as_job6_246_, crmjobsche0_ischedule as job7_246_, crmjobsche0_job_status as job8_246_, crmjobsche0_internal_path_crmjobsche0_notification_status as notifica9_246_, crmjobsche0_submitted_by as submitted10_246_, crmjobsche0_submitted_date as submitted11_246_ from crm_data_job_schedule crmjobsche0_where crmjobsche0_job_status=?	0	24	2	16	5	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT b FROM SynergyOrderLine b WHERE b.startBillingNotifSent = 0 AND b.status.id in (:status) AND b.orderld is not null AND b.id > previousLine */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as _hibernate_row_nr, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_associated promo_id as associated3_38_, synergyord0_atf_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data8_38_, synergyord0_cact_notification_send cartf0_38_, synergyord0_ci_change_pending as cif1_38_, synergyord0_comments as comments38_, synergyord0_contact_period_unit as contact13_38_, synergyord0_contact_period as contact14_38_, synergyord0_current_subscription_line as current15_38_, synergyord0_customer_approval_status as customer16_38_, synergyord0_current_subscription_line as current15_38_, synergyord0_customer_approval_status as customer16_38_, sy	0	1	47	47	0	0.00
/* load com.ensim.synergy.server.util.db.InternationalDescriptionDTO */ select internatio0 _foreign_id as foreign1_17_0_, internatio0 _language_id as language2_17_0_, internatio0 _psudo_column as psudo3_17_0_, internatio0 _table_id as table4_17_0_, internatio0_content as content17_0_ from international_description internatio0, where internatio0_foreign_id=? and internatio0_language_id=? and internatio0_psudo_column=? and internatio0_table_id=?	0	11	4	16	7	0.00
/* select a.action_guid from ActionLogDTO a where a.id=:actionLogDTOID */ select actionlogd0action_guid as col_0_0_ from action_log_master actionlogd0_ where actionlogd0id=?	0	24	1	16	5	0.00
"SELECT b FROM ActionLogDTO b WHERE b.id = :ActionLogHid */ select actionlogd0_id as id201_, actionlogd0_action_guid as action2_201_, actionlogd0_action_name as action3_201_, actionlogd0_category as category201_, actionlogd0_closed_at as closed5_201_, actionlogd0_expected_max_time as expected6_201_, actionlogd0_expected_min_time as expected7_201_, actionlogd0_organization_id as organiza8_201_, actionlogd0_single_type as single9_21_, actionlogd0_started_at as started10_201_, actionlogd0_started_as started10_201_, actionl	0	24	1	16	5	0.00
/* SELECT b FROM PaymentNotificationQueueDTO b WHERE b.sentStatus=:status AND b.retryCount <=:rcount */ select paymentnot0_id as id329_, paymentnot0_bcc as bcc329_, paymentnot0_body as body329_, paymentnot0_ccs as cc329_, paymentnot0_mail_generated_time as mails_329_, paymentnot0_ast_sent_time as last6_329_, paymentnot0_receiver_email as receiver_7_329_, paymentnot0_retry_count as retry8_329_, paymentnot0_sent_sent_10_329_, paymentnot0_sent_sent_10_329_, paymentnot0_sent_sent_10_329_, paymentnot0_sent_sent_10_329_, paymentnot0_sent_sent_10_329_, paymentnot0_sent_sent_10_sent_sent_10_sent_sent_10_sent_sent_10_sent_sent_10_sent_sent_10_sent_sent_10_sent_sent_10_sent_sent_10_sent_sent_10_	0	2	17	19	2	0.00
/* SELECT b FROM CustomerinvoiceDetailsDTO b WHERE b.notificationSend = 0 AND b.id > previousLine AND b.pdfGenerationStatus=2 order by b.id */ WITH query AS (select ROW NUMBER() OVER (order by customerin0_id) as _hibernate row_nr_, customerin0_id as id123_, customerin0_acquistment_amount as adjustment3_123_, customerin0_acquistment_amount as adjustment3_123_, customerin0_acquistment_amount as adjustment3_123_, customerin0_approval_status as approval5_123_, customerin0_approval_timestamp as approval6_123_, customerin0_approved_by as approval7_123_, customerin0_acquistment	0	2	16	16	0	0.00
/* select b from CustomerInvoiceDetailsDTO b where b.dueDate <=:currentDate AND (b.paymentStatus=:psUnpaid OR b.paymentStatus=:psFailed OR b.paymentStatus=:psFailed OR b.paymentStatus=:psConcidered) AND b.approvalStatus=:approvalStatus */ select customerin0id as id123_, customerin0acjustment_amount as adjustment3_123_, customerin0adjustment_amount as adjustment3_123_, customerin0approval_tatus as approval5_123_, customerin0approval_timestamp as approval6_123_, customerin0_approved_by as approved7_123_, customerin0_creation_datetime as creation8_123_, customerin0_currency_id as currency9_123_, customerin0_customer_id as customerin0_123_, customerin0_discard_notification_status as discard11_123_, customerin0_discarded_invoice_number as discarded12_123_, customerin0_discard_notification_status as discard11_123_, customerin0_due_date as due14_123_, customerin0_dunning_sent_count as dunning15_123_, customerin0_end_date as end16_123_, customerin0_installment_amount as i	0	2	16	16	0	0.00
/* SELECT d from ReportMasterDTO d where d.id in(SELECT c.id from ReportMasterDTO c join c.roleDTOs b WHERE c.role_scope=:role_scope and c.active=1 and b.id in(:roleDtos)) order by d.executionTime desc '/ WITH query AS (select ROW_NUMBER() OVER (order by reportmast0_execution_time desc esc) as _hibernate_row_nrreportmast0_id as id263_, reportmast0_activation_time as activation2_263_, reportmast0_is_active as is3_263_, reportmast0_execution_time as execution4_263_, reportmast0_deactivation_time as deactiva5_263_, reportmast0_execution_time as execution6_263_, reportmast0_generated_for_no_of_months as generated7_263_, reportmast0_is_multi_reports_available as is8_263_, reportmast0_is_multi_reports_available as is8_263_, reportmast0_is_multi_reports_available as is8_263_, reportmast0_is_multi_reports_available_are_reportmast0_is_m	0	3	10	16	9	0.00
/* load com.ensim.actionLog.ActionLogDTO */ select actionlogd0id as id201_0_, actionlogd0action_guid as action2_201_0_, actionlogd0action_name as action3_201_0_, actionlogd0category as category201_0_, actionlogd0closed_at as closed5_201_0_, actionlogd0expected_max_time as expectedf7_201_0_, actionlogd0_expected_max_time as expectedf7_201_0_, actionlogd0_organization_id as organiza8_201_0_, actionlogd0_single_type as single9_201_0_, actionlogd0_started_at as started10_201_0_, actionlogd0started_at as started10_201_0	0	24	1	16	4	0.00
/* load com.ensim.synergy.server.jarScheduling.db.RegisteredServerDTO */ select registered0id as id208_0_, registered0host_address as host2_208_0_, registered0host_name as host3_208_0_, registered0jar_location as jar4_208_0_ from registered_server registered0_where registered0id=?	0	6	5	16	8	0.00
/* SELECT b FROM ServiceProviderOrganizationDTO b WHERE b.baseOrganizationDTO.id = :orgId */ select servicepro0_id as id93_, servicepro0_org_id as org5_93_, servicepro0_created_on as created2_93_, servicepro0_currency_id as currency6_93_, servicepro0_use_marketplace as use3_93_, servicepro0_use_reseller_model as use4_93_ from service_provider_organization servicepro0_where servicepro0_org_id=?	0	3	10	16	9	0.00
/* SELECT b FROM EscmJarConfigDTO b WHERE b.registeredServerDTO.id =:reg_server_id and b.required = true order by b.id asc */ select escmjarcon0_id as id205_, escmjarcon0_jar_name as jar2_205_, escmjarcon0_registered_server_id as registered7_205_, escmjarcon0_is_required as is3_205_, escmjarcon0_retry_count as retry4_205_, escmjarcon0_schedule_day as schedule5_205_, escmjarcon0_schedule_time as schedule6_205_ from escm_jar_config_escmjarcon0_where escmjarcon0_registered_server_id=? and escmjarcon0_is_required =1 order by escmjarcon0_id asc	0	6	5	16	8	0.00
/* load collection com.ensim.synergy.server.user.permisson.db.RoleDTO.permissions */ select permission0role_id as role1_23_1_, permission0_permission_id as permission2_1_, permission1_id as id22_0_, permission1_foreign_id as foreign2_22_0_, permission1_organization_types as organiza3_22_0_, permission1_type_id as type4_20_ from permission_empley map permission0_inner join permission on permission1_ on permission0_permission_id on permission_id=permission1_id where permission0_role_id=? order by	0	4	7	31	15	0.00
/* SELECT a.baseOrganizationDTO.id, a FROM ResellerOrganizationDTO a WHERE a.baseOrganizationDTO.id in (:baseOrglds) */ select reselleror0_org_id as col_0_0_reselleror0_id as col_1_0_, reselleror0_id as id128_, reselleror0_is_activated as is2_128_, reselleror0_org_id as org27_128_, reselleror0_billing_language_id as billing28_128_, reselleror0_billing_language_id as billing28_128_, reselleror0_city as city128_, reselleror0_communication_language_id as communi29_128_ reselleror0_country_code as country5_128_, reselleror0_create_datetime as create6_128_, reselleror0_creator_org_id as currency30_128_, reselleror0_email as email128_, reselleror0_fax_number as fax10_128_, reselleror0_language_id as country5_128_, reselleror0_gin_url_identifier as login1_128_, reselleror0_organization_name as organiz12_128_, reselleror0_phone_number as phone13_128_, reselleror0_organization_name as organiz12_128_, reselleror0_phone_number as phone13_128_, reselleror0_pas_activated_country_phone13_128_, reselleror0_postal_code as postal_4_128_, reselleror0_representative as rep	0	3	10	16	8	0.00
/* SELECT b FROM CustomerInvoiceDetailsDTO b WHERE b.discardNotificationStatus = 0 AND b.id > :previousLine AND b.pdfGenerationStatus=2 order by b.id '/ WITH query AS (select ROW_NUMBER()) OVER (order by customerin0id) as hibernate row_nrcustomerin0_ada_as id123customerin0_account_id as account_id as account_i23customerin0_adjustment_amount as adjustment3_123customerin0_approval_status as approval5_123customerin0_approval_timestamp as approval6_123customerin0_approved_by as approval7_123customerin0_creation_datetime as creation8_123customerin0_customer_id as customerin1_123customerin0_customer_id as customerin1_123customerin0_customer_id as customerin1_123customerin0_customer_id as customerin1_123customerin0_customer_id_ascustomerin1_123customerin0_customer_id_ascustomerin1_123cust	0	2	15	16	0	0.00
/* load one-to-many com.ensim.synergy.server.notification.db.NotificationMessageDTO.notificationMessageSections */ select notificatiomessage_id as message4_32_1_, notificatioid as id1_, notificatio_id as id28_0_, notificatiomessage_id as message4_28_0_, notificatiosection as section28_0_, notificatio_osection as section28_0_ notificatio_osection notificatio_message_section notificatio_where notificatio_message_id=7 order by notificatio_section	0	6	5	16	8	0.00
/* load one-to-many com.ensim.synergy.server.user.db.UserDTO.permissions */ select permission0_user_id as user4_27_1_, permission0_id as id1_permission0_id as id21_0_permission0_user_id as user4_21_0_permission0_is_grant as is2_21_0_permission0_org_type as org3_21_0_permission0_permission0_id as permission5_21_0_from permission_user permission0_where permission0_user_id=?	0	4	7	16	8	0.00
"SELECT b FROM LanguageDTO b where lower(b.iso639code) =:digit2Code */ select languagedt0id as id13_, languagedt0code as code13_, languagedt0delete_indicator as delete3_13_, languagedt0description as descript4_13_, languagedt0iso639code as iso5_13_, languagedt0provisioning_language as provisio6_13_, languagedt0right_to_left as right7_13_, languagedt0status as status13_, languagedt0uj_presentation as uig_13_ from language languagedt0_where lower(languagedt0_siso639code)=?	0	6	5	15	7	0.00
** SELECT b FROM UsageDataStatusDTO b WHERE b.startDateTime =(Select max(a.startDateTime) from UsageDataStatusDTO a) */ select usagedatas0_id as id207_, usagedatas0_completed as completed207_, usagedatas0_end_date_time as end3_207_, usagedatas0_jar_running_state as jar4_207_, usagedatas0_start_date_time as start5_207_, usagedatas0_status as status207_ from usage_data_status usagedatas0_where usagedatas0_start_date_time=(select max(usagedatas1_start_date_time) from usage_data_status usagedatas1_start_date_time)	0	6	3	14	6	0.00
*from BPTConfigurationDTO */ select bptconfigu0_id as id216_, bptconfigu0_property_name as property2_216_, bptconfigu0_property_value as property3_216_ from bpt_configu0_	0	1	16	16	0	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT c from ReportMasterDTO c WHERE c.role_scope=:role_scope and c.active=1 */ select reportmast0_id as id263_, reportmast0_activation_time as activation2_263_, reportmast0_is active as is3_263_, reportmast0_created_by as created19_263_, reportmast0_creation_time as creation4_263_, reportmast0_deactivation_time as deactivat5_263_, reportmast0_execution_time as execution6_263_, reportmast0_enerated_for_no_of_months as generated7_263_, reportmast0_is_multi_reports_available as is8_263_, reportmast0_is_sub_reports_available as is9_263_, reportmast0_isper_file_name_as jasper10_263_, reportmast0_last_updated_time_as last11_263_, reportmast0_query_stop=-deactivat0_report	0	3	5	16	9	0.00
/* SELECT b FROM ServiceProviderBatchDataDTO b WHERE b.id = :organization_id */ select servicepro0id as id96_, servicepro0_billing_emails as billing2_96_, servicepro0_city as city96_, servicepro0_country_code as country4_96servicepro0_email as email96_, servicepro0_phone_entity_id as entity6_96_, servicepro0_organization_name as organiza7_96_, servicepro0_phone_area_code as phone8_96_, servicepro0_phone_country_code as phone9_96_, servicepro0_phone_number as phone10_96_, servicepro0_postal_code as postal11_96_, servicepro0_sp_organization_id as sp12_96_, servicepro0_state_province as state13_96_, servicepro0_street_addres1 as street14_96_, servicepro0_street_addres2 as street15_96_, servicepro0_vat_number as vat16_96_from servicepro10_where servicepro1_id=?	0	3	5	16	9	0.00
/* select b from CustomerInvoiceDetailsDTO b where b.dueDate >=:currentDate AND b.apymentStatus=:paymentStatus AND b.approvalStatus=:approvalStatus */ select customerin0id as id123_, customerin0account_id as account_id approval_status as approval5_123_, customerin0_approval_timestamp as approval6_123_, customerin0_approved_by as approved7_123_, customerin0_acreation_datetime as creation8_123_, customerin0_currency_id as currency_id as currency_id as customerin0_123_, customerin0_actione_idated_invoice_number as discardatil_123_, customerin0_discarded_invoice_number as discarded12_123_, customerin0_discard_notification_status_as discardatil_123_, customerin0_due_date as due14_123_, customerin0_duning_sent_count as dunning15_123_, customerin0_end_date as end16_123_, customerin0_installment_amount as install17_123_, customerin0_invoice_amount as invoice18_123	0	2	8	16	11	0.00
/* select b from BrandingVersionDetailsDTO b order by b.id desc */ select brandingve0id as id300_, brandingve0app_version as app2_300_, brandingve0_entry_timestamp as entry3_300_, brandingve0folder_name as folder4_300_ from brandingversion brandingve0_order by brandingve0_id desc	0	24	0	16	3	0.00
/* load com.ensim.customer.GustomerOrganizationDTO */ select customeror0_id as id81_0_, customeror0_api_pass_key as api18_81_0_, customeror0_org_id as org63_81_0_, customeror0_city_name as city2_81_0_, customeror0_contractual_statement as contrac19_81_0_, customeror0_created_on as created20_81_0_, customeror0_at as currency21_81_0_, customeror0_custom_field1 as custom22_81_0_, customeror0_custom_field1 as custom28_81_0_, customeror0_custom_field1 as custom28_81_0_, customeror0_custom_field2 as custom28_81_0_customeror0_custom_field3 as custom28_81_0_statemeror0_custom_field3 as custom28_81_0_customeror0_custom_field3 as custom28_81_0_customeror0_custom_field3 as custom28_81_0_customeror0_custom_field3 as custom38_81_0_customeror0_custom_field3 as custom38_81_0_customeror0_customeror0_custom_field3 as custom38_81_0_customeror0_custom_field3 as custom38_81_0_customeror0_custom_field3 as custom38_81_0_customeror0_custom_field3 as custom38_81_0_customeror0_custom_field3 as custom38_81_0_customeror0_custom69_graphs_field3 as custom38_81_0_customeror0_custom69_graphs_field3 as custom38_81_0_custom69_graphs_field3 as custom38_81_0_custom69_graphs_field3 as custom38_81_0_custom69_graphs_field3 as custom38_81_0_custom69_graphs_field3 as custom8_graphs_field3 as custom8_graphs_	0	3	5	16	9	0.00
/* SELECT b.organization_name from ServiceProviderOrganizationDTO a, ServiceProviderBatchDataDTO b WHERE a.baseOrganizationDTO.id=:ids AND a.id=b.sp_organization_id*/select servicepro1_organization_name as col_0_0_from service_provider_organization_servicepro6_coss_join_service_provider_servicepro0_org_id=? and servicepro0_id=servicepro1_sp_organization_id	0	3	5	16	9	0.00
/* criteria query */ select this_id as id26_0_, thiscreate_datetime as create2_26_0_, thisdescription as descript3_26_0_, thisexternal_id as external4_26_0_, thislanguage_id as language6_26_0_, this_optlock as optlock26_0_ from entity this_	0	3	5	16	9	0.00
// SELECT b FROM ResellerinvoiceDetialsDTO b WHERE b discardNotificationStatus = 0 AND b.id > previousLine order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by resellerin0_id) ashibernate_row_nr, resellerin0_id as id199_, resellerin0_adjustment_amount as adjustment2_199_, resellerin0_amount_payable as amount3_199_, resellerin0_approval_status as approval4_199_, resellerin0_approval_timestamp as approval5_199_, resellerin0_approved_by as approved6_199_, resellerin0_creation_tatetime as creation7_199_, resellerin0_currency_id as currency8_199_, resellerin0_discard_notification_status as discard9_199_, resellerin0_discarded_invoice_number as discarded10_199_, resellerin0_discount as discount199_, resellerin0_due_date as due12_199_, resellerin0_end_date as end13_199_, resellerin0_invoice_amount as instal14_199_, resellerin0_invoice_amount as invoice15_199_, resellerin0_invoice_number as invoice16_199_, resellerin0_late_fine as late17_199_, resellerin0_invoice_pumber as invoice16_199_, resellerin0_late_fine as late17_199_, resellerin0_minorice_number as invoice16_199_, resellerin0_minorice_n	0	2	8	16	11	0.00
/* SELECT a.baseOrganizationDTO.id, b from CustomerOrganizationDTO a, CustomerBatchDataDTO b WHERE a.baseOrganizationDTO.id in (ids) AND a.customer_id=b.customer_id "/ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr, customeror0_org_id as col_0_0_, customerba1_id as col_1_0_, customerba1_id as id81_, customerba1_city_name as city2_81_, customerba1_comm_language as comm3_81_, customerba1_customer_id as customer4_81_, customerba1_customer_org_name as customer5_81_, customerba1_delete_indicator as delete6_81_, customerba1_is_onboarded as is7_81_, customerba1_legal_language as legal8_81_customerba1_macro_segment amacro_81_, customerba1_master_account_billing_day as master10_81_, customerba1_master_account_id as master11_81_, customerba1_phonetic_name as phonetic13_81_, customerba1_stop_order_indicator as stop14_81_, customerba1_street_name as street15_81_, customerba1_vat_number as	0	6	2	16	6	0.00
/* SELECT b from WcmSpaceDTO b WHERE b.id=:hid */ select wcmspacedt0_id as id7_ wcmspacedt0_aliasuri as aliasuri7_ wcmspacedt0_name as name7_, wcmspacedt0_version as version7_ from wcm_space wcmspacedt0_ where wcmspacedt0_id=?	0	6	2	16	6	0.00
/* insert synergy.Breadcrumb */ insert into breadcrumb (version, action, controller, description, name, object_id, user_id, id) values (?, ?, ?, ?, ?, ?, ?, ?, ?)	0	1	16	16	0	0.00
// from UserSecurityQuestionAnswerDTO b where b.user_id=:user_id */ select usersecuri0_id as id152_ usersecuri0_answer as answer152_ usersecuri0_own_question as own3_152_ usersecuri0_security_question_id as security4_152_, usersecuri0_user_id as user5_152_ from user_security_question_answer usersecuri0_ where usersecuri0_user_id=?	0	3	5	16	9	0.00
/* SELECT p FROM PaymentGatewayPluginDTO p */ select paymentgat0_id as id184_, paymentgat0_base_plugin_id as base2_184_, paymentgat0_financial_institution_id as financial3_184_ from plugin_payment_gateway paymentgat0_	0	3	5	15	8	0.00
// criteria query */ select this _id as id23_0_ this _authority_level as authority_2_23_0_ this _inheritable as inherita3_23_0_, this_is_agent_superadmin as is4_23_0_ this_is_customer_superadmin as is5_23_0_, this_is_reseller_superadmin as is6_23_0_, this_is_p. superadmin as is7_23_0_, this_organization_type as organiza8_23_0_, this_profile_identifier as profile9_23_0_, this_role_identifier as profile9_23_0_, this_role_type as role11_23_0_, this_user_activated_by_default as user12_23_0_ from role this_where this_id=?	0	3	5	15	8	0.00
update base_user set current_login=? where id=?  update base_user set last_login=? where id=?	0	3	5 5	15 15	8	0.00
/* criteria query */ select this_id as id93_3_, this_org_id as org5_93_3_, this_created_on as created2_93_3_, this_currency_id as currency6_93_3_, this_use_marketplace as use3_93_3_, this_use_reseller_model as use4_93_3_, organizati2_id as id51_0_, organizati2_ender format as date2_51_0_, organizati2_enail. signature as emails 51_0_, organizati2_entity_id as entity4_51_0_, organizati2_is_deleted as is5_51_0_, organizati2_org_type as org6_51_0_, currencyd13_id as id16_1_, currencyd13_code as code16_1_, currencyd13_current_exchange_line as current_31_6_1_, currencyd13_is_default as is4_16_1_, currencyd13_is_active as is5_16_1_, currencyd13_multiple_country_symbol as multiple6_16_1_, currencyd13_potlock as optiock16_1_, currencyd13_provider_id as provider_8_16_1_, currencyd13_provider_9_16_5_, exchanged14_id as id15_2_, exchanged14_create_datetime as create2_15_2_, exchanged4_currency_id a	0	6	2	15	6	0.00
/* SELECT b FROM ResellerInvoiceDetialsDTO b WHERE b.notificatioSend = 0 AND b.id > previousLine order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by resellerin0_id) as _hibernate_row_nrresellerin0_id as id199_, resellerin0_adjustment_1 2199_ resellerin0_amount_payable as amount_1 199_, resellerin0_approval_status as approval4_199_, resellerin0_approval_timestamp as approval5_199_, resellerin0_approved_by as approved_199_, resellerin0_aticard_notification_status as discard=199_, resellerin0_discard=100_invoice_number as discard=101_99_, resellerin0_discard=101_001_invoice_amount as invoice1_199_, resellerin0_invoice_amount as invoice1_199_, resellerin0_invoice_amount as invoice1_199_, resellerin0_invoice_amount as invoice1_199_, resellerin0_invoice_amount as invoice1_199_, resellerin0_invoice_prosellerin0_invoice_prosellerin0_invoice_prosellerin0_invoice_prosellerin0_invoice_prosellerin0_invoice1_presellerin0_invoic	0	2	7	15	10	0.00
/* criteria query */ select this_id as id206_1_, this_submitted_by as submitted17_206_1_, this_executed_command_line as executed2_206_1_, this_completed as completed206_1_, this_criteria_string as criteria4_206_1_, this_end_date_time as end5_206_1_, this_executed_country as execution_type as execution_206_1_, this_past_address as host7_206_1_, this_movicing_period as invoicing8_206_1_, this_jar_running_state as jar9_206_1_, this_jar_type as jar10_206_1_, this_job_instance_id as job11_206_1_, this_provider_id as provider14_206_1_, this_start_date_time as star15_206_1_, this_start_date_time as star15_206_1_, this_start_date_time as star15_206_1_, this_start_date_time as star15_206_1_, this_start_date_time_as star	0	6	2	15	6	0.00
/* SELECT b FROM JobScheduleDetailsDTO b WHERE b.escm_jar_config_id =:jarConfigld and b.isActive =:activeStatus and b.execution_type =:execution_type order by b.id */ select_jobschedul0_id as id276jobschedul0_criteria_string as criteria2_276jobschedul0_execution_type as execution4_276jobschedul0_is_active as is5_276jobschedul0_job_id as job6_276jobschedul0_job_name as job7_276jobschedul0_job_status as job8_276, jobschedul0_job_status as job8_276, jobschedul0_status as job8_276, jobschedul0_st	0	6	2	15	6	0.00
/* SELECT a FROM LanguageDTO a WHERE a.uiPresentation = :uiPresentation and a.status= :status ORDER BY a.description ASC */ select languagedt0id as id13_, languagedt0code as code13_, languagedt0delete_indicator as delete3_13_, languagedt0description as descript4_13_, languagedt0iso639code as iso5_13_, languagedt0provisioning_language as provisio6_13_, languagedt0right_to_left as right7_13_, languagedf0status as status13_, languagedt0ui_presentation as ui9_13_ from language languagedt0_ where languagedt0_ui_presentation=? and languagedt0status=? order by languagedt0description ASC	0	6	2	15	6	0.00
/* select b from CRMJobScheduleDTO b where b.notification_status=0 and b.job_status=3 */ select crmjobsche0_id as id246_, crmjobsche0_action_log_id as action2_246_, crmjobsche0_action_log_id as action2_246_, crmjobsche0_by as cancelled3_246_, crmjobsche0_iob_log_action_log_status_as cancelled4_246_, crmjobsche0_iob_status_as internal5_246_, crmjobsche0_job_status_as internal5_246_, crmjobsche0_iob_status_as notifica9_246_, crmjobsche0_submitted_date as submitted10_246_ from crm_data_job_schedule crmjobsche0_where crmjobsche0_notification_status_as notification_status_as notification_status_	0	24	0	15	3	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* criteria query */ select this_id as id9_0_, thisversion as version9_0_, thisaction as action9_0_, thiscontroller as controller9_0_, thisdescription as descript5_9_0_, thisname as name9_0_, thisobject_id as object7_9_0_, thisuser_id as user8_9_0_ from breadcrumb this where this .user id=? order by this .id asc.	0	9	1	15	5	0.00
/* SELECT b FROM CustomerUserDTO b WHERE b.baseUser.id = :userId */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as _hibernate_row_nrcustomerus0id as id91customerus0cust_acc_hid as cust29_91_, customerus0_ad_sync_pending as ad2_91_, customerus0user_name as ad3_91_, customerus0deabe_user_id as base28_91_, customerus0_base_org_id as creator4_91_, customerus0_creator_org_type_as creator5_91_, customerus0_creator_base_user_id as creator6_91_, customerus0_domain_accout_map_id as domain31_91_, customerus0_customer_org_id as customer30_91_, customerus0_double_encrypted_password as double7_91_, customerus0_error_message as error8_91_, customerus0_iner_error_message as inner9_91_, customerus0_is_user_deactivated as is10_91_, customerus0_isbusiness_contact as isbusiness1_91_, customerus0_ispussword_never_expire as ispassword12_91_, customerus0_istech_contact as istech13_91_, customerus0_inative_value as native14_91_, customerus0_o.	0	3	5	15	8	0.00
update synergy_order_line set delayed_notif_sent=? where id=? and delayed_notif_sent=?	0	3	5	15	8	0.00
/* SELECT a.baseOrganizationDTO.id, b from CustomerOrganizationDTO a, CustomerBatchDataDTO b WHERE a.baseOrganizationDTO.id in (idis) AND a.customer id=b.customer id "5 eelect customeror0_org_ id as col_0_0, eustomerba1_id as col_1_0_0, eustomerba1_id as col_1_0, eustomerba1_customer_id=select customerba1_customer_id=select customerba1_customer_id=select customerba1_customer_id=select customerba1_customerba1_customer_id=select customerba1_id=select indicator as deleted_81_customerba1_is onboarded as is7.81_customerba1_legal_language as legal8_81_customerba1_macro_segment as macro9_81_customerba1_master_account_id=select_id=select_account_id=select_	0	6	2	15	6	0.00
/* criteria query */ select this_id as id107_0_, this_change_pwd_url as change2_107_0_, this_organization_type as organiza3_107_0_ from change_pwd_url_settings this_ where lower(this_organization_type) like ?	0	9	1	15	5	0.00
/* SELECT b from DashboardPropertiesDTO b WHERE upper(b.property_name)=:propName and b.language.id=:languageID */ select dashboardp0_id as id100_, dashboardp0_language_id as language4_100_, dashboardp0_property_name as property2_100_, dashboardp0_property_value as property3_100_ from dashboard_properties dashboardp0_where upper(dashboardp0_property_name)=? and dashboardp0_language_id=?	0	9	0	2	0	0.00
/* load com.ensim.bgcSEAP.account.CustomerAccountMapDTO */ select customerac0_id as id97_2_, customerac0_account_hib_id as account2_e97_2_, customerac0_cust_org_domain_map_id as cust3_e97_2_, accountdto1_id id sid85_0_, accountdto1_account_lame as account2_e85_0_, accountdto1_billing_e185_0_, accountdto1_billing_language as account2_e185_0_, accountdto1_billing_language as billing5_85_0_, accountdto1_co	0	3	0	0	0	0.00
/* SELECT b FROM PaymentReceivedResellerDTO b WHERE b.notifSent = 0 AND b.id > :previousLine order by b.id */WITH query AS (select ROW_NUMBER() OVER (order by paymentrec0_id) as _hibernate_row_nr paymentrec0_id as id118_, paymentrec0_payment_adjustment_number as payment2_118_, paymentrec0_amount_paid as amount3_118_, paymentrec0_card_type_id as card4_118_, paymentrec0_cheque_date as cheque6_118_, paymentrec0_comments_made as comments6_118_, paymentrec0_currency_id as currency7_118_, paymentrec0_entry_datetime as entry8_118_, paymentrec0_id_inancial_institution_id as financial9_118_ paymentrec0_instrument_number as instrument10_118_, paymentrec0_notif_sent as notif11_118_, paymentrec0_is_online as is12_118_, paymentrec0_original_amount_paid as original13_118_, paymentrec0_payment_original_currency_dates original14_118_, paymentrec0_payment_foot_gayme	0	2	0	0	0	0.00
/* select b.invoiceNumber from CustomerInvoiceDetailsDTO b where b.approvalStatus=2 and b.pdfGenerationStatus in (0,3) order by id */ WITH query AS (select ROW_NUMBER() OVER (order by customerin0_id) as _hibernate_row_nr, customerin0_invoice_number as col_0_0_ from customer_invoice_details customerin0_ where customerin0_approval_status=2 and (customerin0_pdf_generation_status in (0,3)) SELECT * FROM query WHERE _hibernate_row_nr BETWEEN ? AND ?	0	1	0	0	0	0.00
// select b.roleDTO from ServiceProviderUserRoleMapDTO b where b.serviceProviderUserDTO.id in (select u.id from ServiceProviderUserDTO u where u.baseUser.id=:UserId and u.serviceProviderOrganizationDTO.id in (select w.id from ServiceProviderOrganizationDTO id=:BaseCorgld)) 'y select rolector_id as id23_, rolector_id_id as id23_, rolector_id_id_id_id_id_id_id_id_id_id_id_id_id_	0	4	0	0	0	0.00
/* SELECT a.baseOrganizationDTO.id, b FROM PartnerOrganizationDTO a, PartnerBatchDataDTO b WHERE a.baseOrganizationDTO.id in (baseOrglds) AND a.par. id=b.par_id '/ select partnerorg0org_id as col_0_0_partnerbat1id as col_1_0_partnerbat1id as id50_, partnerbat1_address_boxnumber as address2_50_partnerbat1_address_country as address4_50_partnerbat1_address_partnerbat1_address_partnerbat1_address_partnerbat1_address_partnerbat1_address_partnerbat1_address_partnerbat1_address_partnerbat1_billing_language_id as communit8_50_partnerbat1_s.onboarded as is9_50_partnerbat1_name as name50_partnerbat1_organization_status as organiz11_50_partnerbat1_par_id as par12_50_partnerbat1_par_par_seq_nr as par13_50_partnerbat1_product_certificates_id as product14_50_partnerbat1_partnerbat1_partnerbat1.	0	3	0	0	0	0.00
/* SELECT b from OrgSpaceMapDTO b WHERE b.org_id=.orgId */ select orgspacema0id as id221_, orgspacema0creation_date as creation2_221_, orgspacema0is_active as is3_221_, orgspacema0is_production as is4_221_, orgspacema0org_id as org5_221_, orgspacema0rank as rank221_, orgspacema0space_id as space7_221_ from org_space_map orgspacema0_ where orgspacema0_org_id=.	0	3	0	0	0	0.00
/* SELECT a FROM LanguageDTO a WHERE a.code = :code ORDER BY a.description ASC */ select languagedt0_id as id13_, languagedt0_code as code13_, languagedt0_delete_indicator as delete3_13_, languagedt0_description as descript4_13_, languagedt0_iso639code as iso5_13_, languagedt0_provisioning_language as provisio6_13_, languagedt0_right_to_left as right7_13_, languagedt0_status as status13_, languagedt0_ui_presentation as ui9_13_ from language languagedt0_where languagedt0_code=? order by languagedt0_description ASC	0	3	0	0	0	0.00
/* select b.invoiceNumber from ResellerInvoiceDetialsDTO b where b.approvalStatus=2 and b.pdfGenerationStatus in (0,3) order by id */ WITH query AS (select ROW_NUMBER() OVER (order by resellerin0id) ashibernate_row_nr, resellerin0invoice_number as col_0_ from res_invoice_summary resellerin0_ where resellerin0_approval_status=2 and (resellerin0pdf_generation_status in (0,3))) SELECT * FROM query WHEREhibernate_row_nr BETWEEN ? AND ?	0	1	0	0	0	0.00
/* delete synergy.Breadcrumb */ delete from breadcrumb where id=? and version=?	0	1	0	0	0	0.00
/* criteria query *' select this_id as id96_0_, this_billing_emails as billing2_96_0_, this_city96_0_, this_country_code as country4_96_0_, this_email as email96_0_, this_entity_id as entity6_96_0_, this_organization_name as organiza7_96_0_, this_phone_area_code as phone8_96_0_, this_phone_code as phone8_96_0_, this_phone_bone_number as phone10_96_0_, this_postal_code as postal11_96_0_, this_sp_organization_id as sp12_96_0_, this_state_province as state13_96_0_, this_street_addres1 as street14_96_0_, this_street_addres2 as street15_96_0_, this_vat_number as vat16_96_0_ from service_provider this_where this_entity_id=?	0	3	0	0	0	0.00
/* SELECT b FROM UserServiceNotificationDTO b WHERE b.notifSent = 0 AND b.id > ;previousLine */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr, userservic0_id as id198_, userservic0_access_token as access2_198_, userservic0_user_service_instance_map_id as user3_198_, userservic0_notif_sent as notif4_198_from user_service_notification userservic0_where userservic0_notif_sent=0 and userservic0_id>?) SELECT * FROM query WHERE _hibernate_row_nrBETWEEN ? AND ?	0	1	0	0	0	0.00
WITH query AS (/* criteria query */ select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr_, min(this_id) as y0_ from entity this_) SELECT * FROM query WHEREhibernate_row_nr BETWEEN ? AND ?	0	9	0	0	0	0.00
/* Select p.permission.id from PermissionUserDTO p where p.baseUser.id=:basUserId and p.orgType=:_orgType */ select permissionid as col0 from permission_user permission0_ where permission0user_id=? and permission0org_type=?	0	8	0	0	0	0.00
/* SELECT b FROM RegisteredServerDTO b WHERE b.hostAddress =:hostAddress */ select registered0_id as id208_, registered0_host_address as host2_208_, registered0_host_name as host3_208_, registered0_jar_location as jar4_208_ from registered0_server registered0_ where registered0_host_address=?	0	6	0	0	0	0.00
/* criteria query */ select thisid as id18_0_, thisname as name18_0_ from synergy_table thiswhere thisname=?  /* from SecurityQuestionsDTD */ select securityqu0id as id153_, securityqu0security_question as security2_153_ from	0	3	0	0	0	0.00
security_questions securityqu0_  /* SELECT b FROM PermissionDTO b WHERE b.id = :hid */ select permission0_id as id22_, permission0_foreign_id as foreign2_22_, permission0_organization_types as organiza3_22_, permission0_type_id as type4_22_ from permission permission0_where permission0_id=?	0	4	0	0	0	0.00
/* criteria query */ select thisid as id14_0_, thisis_active as is2_14_0_, thiscode as code14_0_, thisiso3166code as iso4_14_0_ from country this_ where thiscode=?	0	3	0	0	0	0.00
/* Select b.userName from UserDTO b where b.id=:id */ select userdto0user_name as col_0_0_ from base_user userdto0_ where userdto0_id=?	0	4	0	0	0	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT b FROM PaymentReceivedDTO b WHERE b.notifSent = 0 AND b.online = true AND b.id > :previousLine order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by paymentrec0_id) ashibernate_row_nr, paymentrec0_id as id114_, paymentrec0_account_id as account_2 114_, paymentrec0_adjustment_againsts adjustment_114_, paymentrec0_adjustment_againsts_value as adjustment4_114_, paymentrec0_payment_adjustment_number as payments_114_, paymentrec0_amount_paid as amountb_114_, paymentrec0_card_type_id as card7_114_, paymentrec0_ceue_date as cheque8_114_, paymentrec0_comments_made as comments_9114_, paymentrec0_itrency_id as currency10_114_, paymentrec0_customer_id as customer11_114_, paymentrec0_eas_transaction_id as eas12_114_, paymentrec0_entry_datetime as entry13_114_, paymentrec0_in_ancial_institution_id as financial14_114_, paymentrec0_instrument_number as instrument15_114_, paymentrec0_is_approved as is16_114_, paymentrec0_instrument_number as instrument15_114_, paymentrec0_is_approved as is16_114_, paymentrec0_notif_sent as notif17_114, pay	0	2	0	0	0	0.00
/* load com.ensim.synergy.server.util.db.TimePeriodsDTO */ select timeperiod0id as id77_0_, timeperiod0_time_period as time2_77_0_ from time_periods_meta timeperiod0_ where timeperiod0id=?	0	2	0	0	0	0.00
/* select p from PermissionDTO p join p.roles r where r.id in (:tags) and p.id =:permission */ select permission0_id as id22_, permission0_foreign_id as foreign2_22_, permission0_organization_types as organiza3_22_, permission0_type_id as type4_22_ from permission permission0_inner join permission_role_map roles1_ on permission0_id=roles1_permission_id inner join role roledto2_ on roles1_role_id=roledto2_id where (roledto2_id in (?)) and permission0_id=?	0	8	0	0	0	0.00
/* SELECT a.baseOrganizationDTO.id, b FROM ServiceProviderOrganizationDTO a, ServiceProviderBatchDataDTO b WHERE a.baseOrganizationDTO.id in (baseOrglds) '/select servicepro0_org_id as col_0_0_servicepro1_id as col_1_0_, servicepro1_id as id96_servicepro1_ender_ode as country4_96, servicepro1_centry_code as country4_96, servicepro1_enail as email96_servicepro1_entry_servicepro1_organization_name as organiza7_96_servicepro1_phone_phone_organization_phone_country_code as country4_96, servicepro1_phone	0	3	0	0	0	0.00
/* SELECT b FROM AdhocEmailQueueDTO b WHERE b.retryCount <= :rcount AND b.sentCount = 0 AND b.id > :previousId */WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as _hibernate_row_nr, adhocemail0_id as id188_, adhocemail0_bc as bcc188_, adhocemail0_content_type as content4_188_, adhocemail0_is_encrypted as is5_188_, adhocemail0_lul_body as full6_188_, adhocemail0_priority as priority188_, adhocemail0_reclever_email as reciever8_188_, adhocemail0_retry_count as retry9_188_, adhocemail0_subject as subject188_from adhocemail0_queue adhocemail0_where adhocemail0_retry_count<=? and adhocemail0_sent_count=0 and adhocemail0_id>?) SELECT *FROM query WHERE _hibernate_row_nr BETWEEN? AND?	0	1	0	0	0	0.00
/* FROM PortalAuthenticationDTO p where p.id = (SELECT min(port.id) FROM PortalAuthenticationDTO port ) */ select portalauth0id as id222_, portalauth0auth_value as auth2_222_, portalauth0unique_auth_id as unique4_222_, portalauth0_value2 as value5_222_ from portal_authentication portalauth0_ where portalauth0id=(select min(portalauth1_id) from portal_authentication portalauth1_)	0	3	0	0	0	0.00
/* Select b from ServiceProviderUserDTO b where b.baseUser.id=:baseUserId AND b.serviceProviderOrganizationDTO.id=:spOrgld */ select servicepro0id as id94_, servicepro0_ad user_name as ad2_94_, servicepro0_base_user_id as base14_94_, servicepro0_idouble_encrypted_baseword as double3_94_, servicepro0_enror_message as error4_94_, servicepro0_isner_error_message as inner5_94_, servicepro0_is_user_deactivated as is6_94_, servicepro0_isbusiness_contact as isbusiness7_94_, servicepro0_os_provisor_date as servicepro0_os_provisor_date as cos10_94_, servicepro0_os_provisor_date as cos10_94_, servicepro0_provider_org_id as service15_94_, servicepro0_retry_count as retry12_94_ servicepro0_serviceprovider_org_id as service15_94_, servicepro0_serviceprovider_org_id=?	0	6	0	0	0	0.00
/* SELECT b.id from ServiceProviderOrganizationDTO a, ServiceProviderBatchDataDTO b WHERE a.baseOrganizationDTO.id=:ids AND a.id=b.sp_organization id*/select servicepro1_id as col_0_0_from service_provider_organization_id	0	3	0	0	0	0.00

5,639 hits/min on 221 requests

#### Detailed statistics jsp - all

Request	% of cumulativ e time		Mean time (ms)							Mean time sql (ms)
/grails/dashboard/myAccountInfo.dispatch	30	3	303	547	215	25	218	0.00	15	78
/grails/login/auth.dispatch	29	3	296	672	325	30	260	0.00	7	20
/grails/logout/sessionTimedOut.dispatch	27	3	270	734	401	30	265	0.00	0	0
/grails/dashboard/index.dispatch	6	3	62	156	81	7	62	0.00	1	0
/grails/home.dispatch	5	3	57	125	59	6	51	0.00	3	10

0 hits/min on 5 requests



#### Detailed statistics http system errors - all

None



Last http system errors - all

None



None



None



#### **Detailed current requests**

#### None



#### **Detailed system information**

EASAPP01@10.10.3.16 Host: 1,862 Mb / 3,641 Mb Java memory used: Nb of http sessions: Nb of active threads (current http requests): 0 Nb of active jdbc connections: Nb of used jdbc connections (opened if no datasource): OS: Windows Server 2012 , amd64/64 (4 cores) Java(TM) SE Runtime Environment, 1.7.0\_51-b13 Java: JVM: Java HotSpot(TM) 64-Bit Server VM, 24.51-b03, mixed mode PID of process: 6416 Apache Tomcat/8.0.22 Server:

Webapp context: /escm

Start: 1/11/17 12:48 PM JVM arguments:

1/11/17 12:48 PM

-Dfile.encoding=UTF-8
-Dcom.sun.management,imxremote.port=3333
-Dcom.sun.management,imxremote.ssl=false
-Dcom.sun.management,imxremote.authenticate=false
-Dcom.sun.management,imxremote.authenticate=false
-Xms1024m
-Xms4096m
-XX:PermSize=1024m
-XX:PermSize=1024m
-XX:PermSize=2048m
-Djava.util.logging.config.file=C:\tomcat8\conf\logging.properties
-Djava.util.logging.manager=org.apache.juli.ClassLoaderLogManager
-Djava.endorsed.dirs=C:\tomcat8\conflored
-Dcatalina.base=C:\tomcat8
-Dcatalina.home=C:\tomcat8
-Djava.io.tmpdir=C:\tomcat8\tomcat8

Mean age of http sessions (min):

Memory:

Tomcat "http-nio-8080":

Busy threads = 2 / 250
Bytes received = 2,936
Bytes sent = 9,083,468
Request count = 1,350
Error count = 5
Sum of processing times (ms) = 266,972
Max processing time (ms) = 22,248

Non heap memory = 153 Mb (Perm Gen, Code Cache), Loaded classes = 20,047, Garbage collection time = 64,082 ms, Process cpu time = 7,691,421 ms, Committed virtual memory = 4,922 Mb, Free physical memory = 10,437 Mb, Total physical memory = 16,383 Mb, Free swap space = 13,233 Mb, Total swap space = 20,991 Mb

135 Mb / 2,048 Mb Perm Gen memory:

Free disk space: 15,476 Mb

193 dependencies ;
EASTAX,jar,
IPaymentManagement,jar,
ISMSManagement,jar,
PhoneInventroyClient,jar,
SMSConnector,jar,
ServiceConnector!DK,jar,
TaxConnectorInterface.jar,
activation-1.1,jar,
ant-1.7.1,jar,
ant-1.2.7.7,jar,
apache-commons-net.jar,
asm-3.3.1,jar,
aspectyle-1.6.10,jar,
aspectyle-1.6.10,jar,
aspectyle-1.6.10,jar,
aspectyle-1.6.10,jar,
aspectyle-1.6.10,jar,
castor-1.2,jar,
cgilb-2.2,jar,
castor-1.2,jar,
commons-beanutils-1.8.3,jar,
commons-collections-3.2.1,jar,
commons-collections-3.2.1,jar,
commons-collections-3.2.1,jar,
commons-collections-3.2.1,jar,
commons-diops-1.4,jar,
commons-diops-1.4,jar,
commons-diops-1.4,jar,
commons-diops-1.4,jar,
commons-diops-1.4,jar,
commons-diops-1.4,jar,
commons-diops-1.4,jar,
commons-diops-1.4,jar,
commons-diops-1.4,jar, Dependencies: commons-codec-1.5.jar,
commons-codec-1.5.jar,
commons-collections-3.2.1.jar,
commons-dbcp-1.4.jar,
commons-dbcp-1.4.jar,
commons-digester-2.1.jar,
commons-digester-3.2.jar,
commons-litpcilent-3.0.1.jar,
commons-litpcilent-3.0.1.jar,
commons-interpcilent-3.0.1.jar,
commons-log-2.1.jar,
commons-log-2.1.jar,
commons-log-2.1.jar,
commons-logging-1.1.1.jar,
commons-logging-1.1.1.jar,
commons-pcol-1.5.6.jar,
commons-pcol-1.5.6.jar,
commons-pcol-1.5.6.jar,
commons-pcol-1.5.6.jar,
commons-pcol-2.0.jar,
commons-pcol-2.0.jar,
cxf-rt-bindings-soap-2.6.2.jar,
cxf-rt-bindings-soap-2.6.2.jar,
cxf-rt-bindings-soap-2.6.2.jar,
cxf-rt-fontend-jaxxs-2.6.2.jar,
cxf-rt-fontend-jaxxs-2.6.2.jar,
cxf-rt-fontend-simple-2.6.2.jar,
cxf-rt-transports-http-2.6.2.jar,
cxf-rt-ws-addr-2.6.2.jar,
cxf-rt-ws-addr-2.6.2.jar,
cxf-rt-ws-addr-2.6.2.jar,
cxf-rt-ws-addr-2.6.2.jar,
cxf-rt-ws-addr-2.6.2.jar,
cxf-rt-vs-policy-2.6.2.jar,
cxf-rt-vs-policy-2.6.2.jar,
cxf-rt-vs-addr-2.6.2.jar,
cxf-rt-vs-addr-2.6.2.jar,
cxf-rt-vs-addr-2.6.2.jar,
cxf-rt-vs-addr-2.6.2.jar,
cxf-rt-vs-addr-2.6.2.jar,
cxf-tols-common-2.6.2.jar,
cxf-tols-common-2.6.2.jar,
cxf-tols-common-2.6.2.jar, cxt-ft-ws-addr-z.b.z.Jar,
cxt-ft-ws-policy-z.6.2.jar,
cxt-tools-common-z.6.2.jar,
cxt-tools-wsdlto-core-2.6.2.jar,
cxt-tools-wsdlto-core-2.6.2.jar,
cxt-tools-wsdlto-frontend-jaxws-2.6.2.jar,
cxt-tools-wsdlto-frontend-jaxws-2.6.2.jar,
dnajava-2.1.5.jar,
dnaj41-6.1.jar,
eas-report.jar,
ecj-3.7.2.jar,
ehcache-core-2.4.6.jar,
escm-encrypt-decrypt.jar,
escm-encrypt-decrypt.jar,
geronimo-javamail 1.4\_spec-1.7.1.jar,
grails-bootstrap-2.2.0.jar,
grails-datastore-core-1.1.2.RELEASE.jar,
grails-datastore-gorm-1.1.2.RELEASE.jar,
grails-datastore-gorm-1.1.2.RELEASE.jar,
grails-datastore-gorm-1.1.2.RELEASE.jar,
grails-datastore-gorm-1.1.2.RELEASE.jar,
grails-datastore-gorm-1.1.2.RELEASE.jar,
grails-datastore-gorm-1.1.2.RELEASE.jar,
grails-datastore-gorm-1.1.2.RELEASE.jar,
grails-logging-2.2.0.jar,
grails-logging-2.2.0.jar,
grails-logging-2.2.0.jar, grails-odatastore-simple-1.1.2.RELEASE.jar, grails-datastore-simple-1.1.2.RELEASE.jar, grails-holgmate-2.2.0.jar, grails-holgmay-2.2.0.jar, grails-plugin-bean-fields-1.0.jar, grails-plugin-obean-fields-1.0.jar, grails-plugin-codes-2.2.0.jar, grails-plugin-codes-2.2.0.jar, grails-plugin-cometres-2.2.0.jar, grails-plugin-domain-class-2.2.0.jar, grails-plugin-domain-class-2.2.0.jar, grails-plugin-domain-class-2.2.0.jar, grails-plugin-domain-class-2.2.0.jar, grails-plugin-filters-2.2.0.jar, grails-plugin-minetypes-2.2.0.jar, grails-plugin-minetypes-2.2.0.jar, grails-plugin-searchable-0.6.4.jar, grails-plugin-searchable-0.6.4.jar, grails-plugin-searchable-0.6.4.jar, grails-plugin-services-2.2.0.jar, grails-plugin-services-2.2.0.jar, grails-plugin-services-2.2.0.jar, grails-plugin-minetypes-2.2.0.jar, grails-plugin-minetypes-2.2.0.jar, grails-plugin-minetypes-2.2.0.jar, grails-plugin-weceem-1.1.3.5NAPSHOT.jar, grails-plugin-weceem-1.1.3.5NAPSHOT.jar, grails-plugin-weceem-1.1.3.5NAPSHOT.jar, grails-spring-2.2.0.jar, grails-plugin-weceem-1.1.3.5NAPSHOT.jar, grails-spring-2.2.0.jar, grail groovy-all-2.0.5\_jar, hessian-4.0.7\_jar, hessian-4.0.7\_jar, hessian-4.0.7\_jar, hessian-4.0.7\_jar, hessian-4.0.7\_jar, hibernate-core-3.6.10.Final.jar, hibernate-core-3.6.10.Final.jar, hibernate-jpa-2.0-api-1.0.1.Final.jar, hibernate-jpa-2.0-api-1.0.1.Final.jar, hibernate-yalidator-4.1.0.Final.jar, hitporie-4.4.4.jar, httporie-4.4.4.jar, httporie-4.4.4.jar, itext-2.1.7\_jar, itext-2.1.7\_jar, itext-2.1.7\_jar, jasper-compiler-jdt-5.5.1\_jar, jasper-compiler-jdt-5.5.1\_jar, jasper-ports-5.6.1\_jar, jasper-ports-5.6.1\_jar, jasper-ports-to-tons-5.6.1\_jar, jasper-ports-tunctions-5.6.1\_jar, jasper-ports-tunctions-5.6.1\_jar, jasper-ports-tunctions-5.6.1\_jar, jasper-ports-javaflow-5.6.1\_jar, jasper-ports-javaflow-1.0.1.7\_jar, jreechart-1.0.12\_jar, jasper-ports-6.2\_jar, jobin-1.5.9\_jar, jobin-1.5.9\_jar,

jsch.jar, json-simple-1.1.jar,

jsr311-api-1.1.1.jar,
jstl-1.1.2.jar,
jstl-1.1.2.jar,
jstl-1.1.2.jar,
jstl-1.3.0.jar,
jul-to-sll4j-1.6.2.jar,
jog4j-1.2.16.jar,
lucene-analyzers.jar,
lucene-core.jar,
lucene-core.jar,
lucene-spellchecker.jar,
mail-1.4.3.jar,
neethi-3.0.2.jar,
opencsv-2.1.jar,
oro-2.0.8.jar,
pol-1.0.16.jar,
seture-spellchecker.jar,
mail-1.4.3.jar,
neethi-3.0.2.jar,
opencsv-2.1.jar,
oro-2.0.8.jar,
pol-1.0.16.jar,
seture-spellchecker.jar,
sitemesh-2.4.jar,
secure-channel-facade.jar,
sitemesh-2.4.jar,
spring-asm-3.1.2.RELEASE.jar,
spring-asm-3.1.2.RELEASE.jar,
spring-beans-3.1.2.RELEASE.jar,
spring-orote-3.1.2.RELEASE.jar,
spring-orote-3.1.2.RELEASE.jar,
spring-orote-3.1.2.RELEASE.jar,
spring-dobeans-3.1.2.RELEASE.jar,
spring-dobeans-3.1.2.RELEASE.jar,
spring-dobeans-3.1.2.RELEASE.jar,
spring-dobeans-3.1.2.RELEASE.jar,
spring-dobeans-3.1.2.RELEASE.jar,
spring-dobeans-3.1.2.RELEASE.jar,
spring-modules-cache-0.8.jar,
spring-modules-cache-0.8.jar,
spring-security-worb-3.0.7.RELEASE.jar,
spring-security-worb-3.0.7.RELEASE.jar,
spring-security-worb-3.0.7.RELEASE.jar,
spring-security-worb-3.0.7.RELEASE.jar,
spring-security-worb-3.0.7.RELEASE.jar,
spring-security-worb-3.0.7.RELEASE.jar,
spring-security-worb-3.0.7.RELEASE.jar,
spring-worb-3.1.2.RELEASE.jar,
spring-worb-3.1.2.RELE

# Detailed threads

#### Threads on EASAPP01@10.10.3.16: Number = 69, Maximum = 257, Total started = 5,073

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
ajp-nio-8009-Acceptor-0	yes	5	RUNNABLE	sun.nio.ch.ServerSocketChannelImpl.accept0(Native Method)	0	0
ajp-nio-8009-ClientPoller-0	yes	5	RUNNABLE	sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)	0	0
ajp-nio-8009-ClientPoller-1	yes	5	RUNNABLE	sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)	0	0
AsyncFileHandlerWriter-357935641	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	31	31
Attach Listener	yes	5	RUNNABLE		0	0
AWT-Windows	yes	6	RUNNABLE	sun.awt.windows.WToolkit.eventLoop(Native Method)	125	31
com.ensim.synergy.server.user.db.UserDT O.data	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
com.ensim.synergy.server.user.db.UserDT O.data	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
com.ensim.synergy.server.user.db.UserDT O.data	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
com.mchange.v2.async.ThreadPoolAsynch ronousRunner\$PoolThread-#0	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	248,265	74,421
com.mchange.v2.async.ThreadPoolAsynch ronousRunner\$PoolThread-#1	yes	5	BLOCKED	java.lang.Object.wait(Native Method)	236,078	70,125
com.mchange.v2.async.ThreadPoolAsynch ronousRunner\$PoolThread-#2	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	307,546	91,437
com.mchange.v2.async.ThreadPoolAsynch ronousRunner\$PoolThread-#3	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	306,031	86,734
com.mchange.v2.async.ThreadPoolAsynch ronousRunner\$PoolThread-#4	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	246,843	73,437
com.mchange.v2.async.ThreadPoolAsynch ronousRunner\$PoolThread-#5	yes	5	RUNNABLE	java.lang.Object.wait(Native Method)	236,203	71,328
Compass Executor Thread [pool-1-thread- 10]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	906	890
Compass Executor Thread [pool-1-thread-1]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	265	265
Compass Executor Thread [pool-1-thread-2]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	156	156
Compass Executor Thread [pool-1-thread-3]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	203	203
Compass Executor Thread [pool-1-thread-4]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	203	171
Compass Executor Thread [pool-1-thread-5]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	171	171
Compass Executor Thread [pool-1-thread- 6]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	78	31
Compass Executor Thread [pool-1-thread-7]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	31	15
Compass Executor Thread [pool-1-thread-8]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	390	375
Compass Executor Thread [pool-1-thread- 9]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	468	437
Compass Scheduled Executor Thread [pool-3-thread-1]	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	23,312	6,125
ContainerBackgroundProcessor[StandardEngine[Catalina]]	yes	5	TIMED_WAITING	java.lang.Thread.sleep(Native Method)	250	93

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
DefaultQuartzScheduler_QuartzSchedulerT hread	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	281	218
DefaultQuartzScheduler_Worker-1	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	2,812	2,468
DefaultQuartzScheduler_Worker-10	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	671	562
DefaultQuartzScheduler_Worker-2	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	3,065,093	3,007,187
DefaultQuartzScheduler_Worker-3	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	750	609
DefaultQuartzScheduler_Worker-4	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	781	578
DefaultQuartzScheduler_Worker-5	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	468	375
DefaultQuartzScheduler_Worker-6	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	421	343
DefaultQuartzScheduler_Worker-7	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	953	765
DefaultQuartzScheduler_Worker-8	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	1,343	1,156
DefaultQuartzScheduler_Worker-9	no	5	TIMED WAITING	java.lang.Object.wait(Native Method)	500	406
Finalizer	yes	8	WAITING	java.lang.Object.wait(Native Method)	34,406	32,312
GC Daemon	yes	2	TIMED WAITING	java.lang.Object.wait(Native Method)	0	0
http-nio-8080-Acceptor-0	yes	5	RUNNABLE	sun.nio.ch.ServerSocketChannelImpl.accept0(Native Method)	125	78
http-nio-8080-ClientPoller-0	yes	5	RUNNABLE	sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)	359	234
http-nio-8080-ClientPoller-1	yes	5	RUNNABLE	sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)	281	218
http-nio-8080-exec-1	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	9,890	7,796
http-nio-8080-exec-10	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	11,453	8,484
http-nio-8080-exec-2	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	21,765	17,281
http-nio-8080-exec-3	yes	5		sun.misc.Unsafe.park(Native Method)	15,515	11,468
http-nio-8080-exec-4	yes	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	20,265	16,500
http-nio-8080-exec-5	yes	5		sun.misc.Unsafe.park(Native Method)	15,390	11,062
http-nio-8080-exec-6	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	6,359	5,156
http-nio-8080-exec-7	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	22,468	18,328
http-nio-8080-exec-8	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	20,125	15,875
http-nio-8080-exec-9	yes	5	RUNNABLE	java.lang.Thread.dumpThreads(Native Method)	13,843	11,156
Java2D Disposer	yes	10	WAITING	java.lang.Object.wait(Native Method)	156	140
javamelody escm	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	51,015	32,421
jrobin escm	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	15	15
main	no	5		java.net.DualStackPlainSocketImpl.accept0(Native Method)	3,312	2,906
net.sf.ehcache.CacheManager@1de3fc4b	yes	5	TIMED WAITING	java.lang.Object.wait(Native Method)	0	0
net.sf.ehcache.CacheManager@347fb123	yes	5	TIMED_WAITING  TIMED_WAITING	java.lang.Object.wait(Native Method)	0	0
net.sf.ehcache.CacheManager@60c78d0	yes	5	TIMED_WAITING  TIMED WAITING	java.lang.Object.wait(Native Method)	0	0
NioBlockingSelector.BlockPoller-1	yes	5	RUNNABLE	sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)	515	328
NioBlockingSelector.BlockPoller-2	yes	5	RUNNABLE	sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)	0.0	0
Reference Handler	yes	10	WAITING	java.lang.Object.wait(Native Method)	4,750	4,703
RMI TCP Accept-0	yes	5	RUNNABLE	java.net.DualStackPlainSocketImpl.accept0(Native Method)	4,730	0
RMI TCP Accept-0	yes	5	RUNNABLE	java.net.DualStackPlainSocketImpl.accept0(Native Method)	0	0
RMI TCP Accept-3333	yes	5		java.net.DualStackPlainSocketImpl.accept0(Native Method)	0	0
Signal Dispatcher	yes	9	RUNNABLE  RUNNABLE	parametra dan dan dan dan dan dan dan dan dan da	0	0
Timer-0	ves	5	_	java.lang.Object.wait(Native Method)	656	640
	,		TIMED_WAITING		31	15
Timer-1	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	31	15

he cpu times and user times of these threads are measured from the start of the serve

# Detailed jobs

#### 18 job(s) on EASAPP01@10.10.3.16 with 0 running

Group	Name	Class name	Mean time	Running for	Previous execution	Next execution	Period or cron expression	Paused
branding_sync_cro n_job_group	Branding Synchronization Cron Job	com.ensim.synergy.server.theming.BrandingSynchronizationJob	00:00:00		1/11/17 6:45 PM	1/11/17 7:00 PM	0 0/15 * * * ?	no
invoice_payment_n otif_schedule_job_ group	Invoice Payment Notification Scheduled Job	com.ensim.synergy.server.notification.lnvoiceAndPa ymentNotification	00:00:00		1/11/17 6:45 PM	1/11/17 7:00 PM	0 0/15 * * * ?	no
invoice_pdf_genera tion_schedule_job	Invoice PDF Generation Schedule Job	com.ensim.synergy.server.invoicePDFGenerator.lnv oicePDFGenerationJob	00:00:00		1/11/17 6:00 PM	1/12/17 12:00 AM	0 0 0/6 1/1 * ? *	no
manual_provisionin g_notification_job_ group	Manual Provisioning Notification Job	com.ensim.synergy.server.notification.workflowBatc hJobs.WorkflowNotificationScheduledJob	00:00:00		1/11/17 6:50 PM	1/11/17 6:52 PM	0 0/2 * * * ?	no
notification_resendi ng_job_group	Notification Scheduled Job	com.ensim.synergy.server.notification.NotificationSc heduledJob	00:00:33		1/11/17 6:50 PM	1/11/17 6:52 PM	0 0/2 * * * ?	no
order_schedule_job _group	Order Scheduled Job	com.ensim.synergy.server.order.orderBatchJob.Ord erScheduledJob	23:59:59			1/12/17 12:01 AM	0 01 00 ? * *	no
portal_authenticatio n_job_group	portal_authentication_job	com.ensim.synergy.server.license.scheduler.PortalA uthenticationScheduler	23:59:59			1/12/17 12:01 AM	0 01 00 ? * *	no
promotion_deactiva ting_job_group	Promotion Deactivating Job	com.ensim.synergy.server.promotion.PromoDeactiv ateScheduler	23:59:59			1/12/17 12:01 AM	0 01 00 ? * *	no
bpt_notification_sch eduled_job_group	Provisioning Engine Notification Scheduled Job	com.ensim.synergy.server.runningBatchJobs.BPTN otificationScheduledJob	00:00:00		1/11/17 6:00 PM	1/11/17 7:00 PM	0 0/60 * * * ?	no
schedule_jars_job_ group	Schedule Jars Job	com.ensim.synergy.server.jarScheduling.VariousJar ExecutionScheduler	00:00:00		1/11/17 6:00 PM	1/11/17 7:00 PM	0 0/60 * * * ?	no
organization_import _jars_job_group	Schedule Organization Import Job	com.ensim.synergy.server.util.crm_settings.organiza tionImport.OrganizationImportScheduleJob	00:00:00		1/11/17 6:45 PM	1/11/17 7:00 PM	0 0/15 * * * ?	no
report_data_replica tion_job_group	Schedule Report Data Replication Job	com.ensim.synergy.reportDataReplication.ReportDataReplicationTaskSchedular	23:59:59			1/12/17 6:00 AM	0 0 6 1/1 * ? *	no

Group	Name	Class name	Mean time	Running for	Previous execution	Next execution	Period or cron expression	Paused
report_schedule_jo b_group	Schedule Reporting Scheduled Job	com.ensim.synergy.report.ReportGenTaskSchedule r	23:59:59			2/2/17 4:00 AM	0 0 4 2 1/1 ? *	no
revenue_jars_job_g roup	Schedule Revenue Job	com.ensim.synergy.server.jarScheduling.RevenueTaskScheduler	23:59:59			2/2/17 12:00 AM	0 0 0 2 1/1 ? *	no
service_request_sc hedule_job_group	Service Request Scheduled Job	com.ensim.synergy.server.end_user_catalog.servic eRequestJob.ServiceRequestScheduledJob	00:00:00		1/11/17 6:50 PM	1/11/17 6:52 PM	0 0/2 * * * ?	no
Subscription_Rene wal_schedule_job_ group	Subscription Renewal Scheduled Job	com.ensim.synergy.server.subscription.Subscription BatchJob	23:59:59			1/12/17 12:01 AM	0 01 00 ? * *	no
trial_notification_sc heduled_job_group	Trial Notification Scheduled Job	com.ensim.synergy.server.notification.TrialNotificationScheduledJob	00:00:00		1/11/17 6:50 PM	1/11/17 6:52 PM	0 0/2 * * * ?	no
version_schedule_j ob_group	Version Scheduled Job	com.ensim.synergy.server.productoffer.versionBatc hJob.VersionScheduledJob	23:59:59			1/12/17 12:15 AM	0 15 00 ? * *	no

Configuration reference

#### Detailed statistics job - all

Job	% of cumulativ e time		Mean time (ms)		Standard deviation	% of cumulativ e cpu time	Mean cpu time (ms)	% of system error	Mean hits sql	Mean time sql (ms)
manual_provisioning_notification_job_group.Manual Provisioning Notification Job	3	181	971	21,372	3,939	57	20	0.00	16	211
trial_notification_scheduled_job_group.Trial Notification Scheduled Job	0	181	20	580	86	2	1	0.00	0	5
service_request_schedule_job_group.Service Request Scheduled Job	0	181	23	563	92	3	1	0.00	2	3
notification_resending_job_group.Notification Scheduled Job	96	143	33,464	4,785,34 6	400,170	0	0	0.00	2,934	5,762
branding_sync_cron_job_group.Branding Synchronization Cron Job	0	24	120	1,969	394	8	21	0.00	10	28
invoice_payment_notif_schedule_job_group.Invoice Payment Notification Scheduled Job	0	24	97	2,234	455	5	14	0.00	1	10
organization_import_jars_job_group.Schedule Organization Import Job	0	24	266	3,781	748	14	37	0.00	15	35
bpt_notification_scheduled_job_group.Provisioning Engine Notification Scheduled Job	0	6	88	516	209	4	52	0.00	0	2
schedule_jars_job_group.Schedule Jars Job	0	6	348	1,920	770	2	28	0.00	7	23
invoice_pdf_generation_schedule_job.Invoice PDF Generation Schedule Job	0	1	46	46	0	0	46	0.00	2	0
promotion_deactivating_job_group.Promotion Deactivating Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
report_schedule_job_group.Schedule Reporting Scheduled Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
order_schedule_job_group.Order Scheduled Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
revenue_jars_job_group.Schedule Revenue Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
Subscription_Renewal_schedule_job_group.Subscription Renewal Scheduled Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
report_data_replication_job_group.Schedule Report Data Replication Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
version_schedule_job_group.Version Scheduled Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
portal_authentication_job_group.portal_authentication_job	0	0	-1	0	-1	0	-1	0.00	-1	-1

18 jobs



# Last jobs errors - all

None



#### **Total** Detailed caches

#### 205 cache(s) on EASAPP01@10.10.3.16

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
com.ensim.IDMRead Only.CustomerOrga nizationRoDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.IDMRead Only.CustomerUser RoDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.jasper.R eportConfigDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false
com.ensim.synergy. common.DateTimeF ormatDTO	0	1	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.end_user_cat alog.db.Asynchrono usOperationStatusD TO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.end_user_cat alog.db.Incremental JsageDetailsDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.end_user_cat alog.db.ServiceRequ estQueueDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemD TO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemD FO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ItemD TO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemP iceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemP riceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ItemP riceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
com.ensim.synergy. server.item.db.ltemT ypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 900, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemT ypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 900, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemT ypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 900, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemU serPriceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemU serPriceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemU serPriceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.Reso urceBundleElement MapDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.Reso urceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.Servi ceBundleElementMa pDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.Servi ceDTO	0	2	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false)
com.ensim.synergy. server.item.db.Servi celtemDTO	0	32	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.Sugg estedServicesDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage DTO	2	2	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage DTO.notificationMes sageSections	2	2	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage DTO.notificationMes sageSections	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage DTO.notificationMes sageSections	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage LineDTO	4	4	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage LineDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage LineDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage SectionDTO	6	6	0	-1	-1	timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage SectionDTO	0	0	0	-1	-1	timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage SectionDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage SectionDTO.notificat ionMessageLines	6	6	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage SectionDTO.notificat ionMessageLines	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage SectionDTO.notificat ionMessageLines	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage TypeDTO	100	20	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage TypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
com.ensim.synergy. server.notification.db .NotificationMessage TypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.notification.db .SMSNotificationHist oryDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .SMSTemplateConte ntDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .SMSTemplateDetail sDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rBillingTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rBillingTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rBillingTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rExportStatusDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rLineTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rLineTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rLineTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rProcessDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 1200, timeToldleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rProcessDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 1200, timeToldleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rProcessDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 1200, timeToldleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rUIActionDTO	0	18	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.order.db.Stat eActionMapCustome rDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.order.db.Stat eActionMapIspDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.order.db.Stat eActionMapReseller DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.payment.db.P aymentMethodDTO.j ava	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.payment.db.P aymentMethodDTO.j ava	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.payment.db.P aymentMethodDTO.j ava	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.payment.db.P aymentResultDTO.ja va	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.payment.db.P aymentResultDTO.ja va	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.payment.db.P aymentResultDTO.ja va	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.plugin.bpaCo nnectors.BpaMeterM asterDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.plugin.bpaCo nnectors.BpaUsage DataDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.b 2b.db.ResellerPrice PlanDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.b 2b.db.ResellerSpecif icDiscountDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferCategoryDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferCodeMapDT O	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferCodeTypeDT O	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
com.ensim.synergy. server.productoffer.d b.OfferConditionDT	0	0	0	-1	•	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferGroupDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferInPlaceRene walPathDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferInPlaceUpgra dePathDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferInplaceUpgra deProductDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferMacroDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldieSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferVersionDefinit ionDTO	0	2	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferVersionDetail sDTO	0	41	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferWorkflowNotif icationMapDTO	1	77	0	100	87	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.PossibleValuesDT O	0	6	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.PricePlanCompon entDTO	0	41	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.PricePlanDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.ProductOfferDTO	1	79	0	100	92	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.ProductOfferMarke tContentDTO	0	2	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.ProductOfferStatus DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.ProviderPricingMa pDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.TrialOfferUpgrade PathDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer. MarketplaceCurrenc yDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.provisioningW orkflow.db.Provisioni ngOperationsDTO	0	8	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.provisioningW orkflow.db.Provisioni ngWorkflowDTO	0	5	0	100	96	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.provisioningW orkflow.db.Provisioni ngWorkflowDTO.pwf Propeties	0	5	0	100	98	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.provisioningW orkflow.db.Workflow PropertiesDTO	0	40	0	100	98	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.saleschannel. PricePlanElementDT O	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.saleschannel. PricePlanTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.saleschannel. SynergyPriceModel DTO	0	0	0	-1	-1	
com.ensim.synergy. server.saleschannel. TariffFrequencyDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synctool.db.S yncConfigDTO	0	1	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synctool.db.S yncServicesDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synctool.db.S yncToolDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
com.ensim.synergy. server.synergyitems. db.CompositeProduc tElementDTO	0	0	0	-1	·	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synergyitems. db.GoodTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synergyitems. db.RatingRulesDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synergyitems. db.ResourceGroupL abeIDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synergyitems. db.ServiceItemType DTO	0	3	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synergyitems. db.SystemUnitsDTO	0	3	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synergyitems. db.UnifyResourceDT O	0	17	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synergyitems. db.UniqueItemDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.tax.ltemTaxD ataMasterDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.usagedata.de tails.Usage_Data_D etailsDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.usagedata.m aster.Usage_Data_ MasterDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.contact.d b.UserContactDTO	64	3,200	0	100	42	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.db.Comp anyDTO	10	1	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.db.Comp anyDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.db.Comp anyDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.db.User DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = true, maxElementsOnDisk = 0, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.db.User DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = true, maxElementsOnDisk = 0, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.db.User DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = true, maxElementsOnDisk = 0, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionTyp eDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionTyp eDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionTyp eDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionUser DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionUser DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionUser DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.RoleAssignmen tDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.RoleDTO	1	1	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.RoleDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.RoleDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.config_pro perties.db.ConfigPro pertiesDTO	0	45	0	100	98	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
com.ensim.synergy. server.util.db.Abstra ctGenericStatus	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Abstra ctGenericStatus	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Abstra ctGenericStatus	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Countr yDTO	0	1	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Curren cyDTO	10	1	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Curren cyDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Curren cyDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Curren cyExchangeDTO	1	1	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 60, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Curren cyExchangeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, time ToLiveSeconds = 600, time ToldleSeconds = 60, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Curren cyExchangeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 60, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.genera ted.SynergyTable	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.genera ted.SynergyTable	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.genera ted.SynergyTable	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Interna tionalDescription	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Interna tionalDescription	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Interna tionalDescription	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Interna tionalDescriptionDT	0	4	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, imeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Interna tionalDescriptionDT O	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Interna tionalDescriptionDT	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Langua geDTO	30	3	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Langua geDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Langua qeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Notifica tionCategoryDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, time ToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Prefere nceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Prefere nceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Prefere nceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Prefere nceTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 500, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Prefere nceTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 500, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Prefere nceTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 500, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Synerg yTable	0	5	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.TimeP eriodsDTO	0	1	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.grails.taggable.T	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.grails.taggable.T agLink	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.hibernate.cache. StandardQueryCach e	0	3	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 100000, timeToldleSeconds = 1800, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.hibernate.cache. StandardQueryCach e	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 10000, timeToIdleSeconds = 1800, memoryStoreEvictionPolicy = LRU, diskPersistent = false]

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
org.hibernate.cache. StandardQueryCach e	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, time ToLiveSeconds = 100000, timeToIdleSeconds = 1800, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.hibernate.cache. UpdateTimestamps Cache	0	9	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
org.hibernate.cache. UpdateTimestamps Cache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
org.hibernate.cache. UpdateTimestamps Cache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
org.weceem.content. WcmContent	4	232	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = falsel
org.weceem.content. WcmRelatedContent	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false
org.weceem.content. WcmSpace	0	2	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.weceem.content. WcmStatus	0	4	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
thirdLevel-RO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
thirdLevel-RO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
thirdLevel-RO	3	3	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
thirdLevel-RW	0	0	0	-1	-1	ehcache [maxElementsInMemory = 500, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false)
thirdLevel-RW	0	0	0	-1	-1	ehcache [maxElementsInMemory = 500, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
thirdLevel-RW	0	0	0	-1	-1	ehcache [maxElementsInMemory = 500, overflowToDisk = false, eternal = false, time ToLiveSeconds = 3600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
weceem.contentCac he	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.contentCac he	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = falsej
weceem.contentCac he	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = falsej
weceem.contentFing erprintCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.contentFing erprintCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.contentFing erprintCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.contentTree FingerprintCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.contentTree FingerprintCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.contentTree FingerprintCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.dataFeeds	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 60, timeToIdleSeconds = 60, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.dataFeeds	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, time ToLiveSeconds = 60, timeToIdleSeconds = 60, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.dataFeeds	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 60, timeToldleSeconds = 60, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.eternalCac	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.eternalCac he	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.eternalCac	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.gspCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, time ToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.gspCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.gspCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToldleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.uriToConte ntCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.uriToConte ntCache	0	3	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.uriToConte ntCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]

Configuration reference

Last collect time: 203 ms Display time: 4391 ms Memory overhead estimate: < 1 Mb Disk usage: 6 Mb