
Statistics of JavaMelody monitoring taken at 1/11/17 6:35 PM from 1/11/17 12:49 PM on /escm_EASAPP01 (/synergy-production-4.3.1)



Statistics http - all

0											
Request	% of cumulativ e time	Hits	Mean time (ms)		Standard deviation	% of cumulativ e cpu time	Mean cpu time (ms)	% of system error	Mean size (Kb)	Mean hits sql	Mean time sql (ms)
http global	100	116	88	1,937	294	100	72	0.00	5	3	13
http warning	24	6	427	969	357	28	405	0.00	11	3	10
http severe	64	6	1.110	1.937	577	60	843	0.00	24	57	240

0 hits/min on 55 requests

Statistics sql - all

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
sql global	100	2,028,907	8	8,171	42	0.00
sql warning	53	141,687	66	8,171	101	0.00
sql severe	6	2,112	525	4,078	175	0.00

5,862 hits/min on 220 requests


</> Statistics jsp - all

Request	% of cumulativ e time		Mean time (ms)		deviation		Mean cpu time (ms)			Mean time sql (ms)
jsp global	100	15	197	734	244	100	171	0.00	5	21
jsp warning	0	0	-1	0	-1	0	-1	0.00	-1	-1
jsp severe	0	0	-1	0	-1	0	-1	0.00	-1	-1


0 hits/min on 5 requests



None



None



None



Nb of active jdbc connections: 0
Nb of used jdbc connections (opened if no datasource): 0



Threads on EASAPP01@10.10.3.16: Number = 69, Maximum = 257, Total started = 5,070



18 job(s) on EASAPP01@10.10.3.16 with 0 running

🦫 Statistics job - all


Job	% of cumulativ e time		Mean time (ms)		deviation		Mean cpu time (ms)			Mean time sql (ms)
job global	100	736	6,770	4,785,34 6	176,391	100	8	0.00	575	1,176
job warning	0	0	-1	0	-1	0	-1	0.00	-1	-1
job severe	0	0	-1	0	-1	0	-1	0.00	-1	-1

18 jobs



205 cache(s) on EASAPP01@10.10.3.16


Detailed statistics













Detailed statistics http - all

Request	% of cumulative time	Hits	Mean time (ms)		Standard deviation	% of cumulative cpu	Mean cpu time (ms)	% of system error	Mean size (Kb)	Mean hits sql	Mean time sql (ms)
	e time					time		enoi			(1113)
/dashboard/myAccountInfo GET	38	3	1,307	1,937	548	41	1,161	0.00	49	33	141
/login/doAuth POST	26	3	 	1,657	644	18		0.00	0	81	340
/logout/sessionTimedOut GET	13	3		969	447	15		0.00	1	0	0
/login/auth GET	11	3		797	343	12		0.00	20	7	20
/dashboard/index GET	1	3	 	156	81	2		0.00	0	1	0
/ GET	1	3		125	59	1	51	0.00	0	3	10
/js/jquery-ui-1.8.17.custom.min.js GET	1	2	62	125	88	1	54	0.00	103	0	0
/js/jquery-1.5.2.min.js GET	1	2	1	125	88	1	54	0.00	111	0	0
/css/theme/jquery-ui-1.8.17.custom.css GET	1	2		110	77	0		0.00	0	0	0
/js/validator.js GET	0	2	1	63	33	0		0.00	11	0	0
/js/jquery.alerts.js GET	0	2		31	10	0	23	0.00	3	0	0
/js/jquery.bpopup.min.js GET	0	2		31	21	0	15	0.00	2	0	0
/css/jquery.alerts.css GET	0	2	15	31	21	0	15	0.00	0	0	0
/css/logintypedialog.css GET	0	2	15	31	21	0	15	0.00	0	0	0
/js/jquery-validate/additional-methods.min.js GET	0	2	9	19	13	0	15	0.00	0	0	0
/js/jquery.ba-dotimeout.min.js GET	0	2	8	16	11	0	7	0.00	0	0	0
/js/main.js GET	0	2	8	16	11	0	7	0.00	0	0	0
/css/jquery.ui.timepicker.css GET	0	2	8	16	11	0	7	0.00	0	0	0
/js/jquery.elastic.source.js GET	0	2	7	15	10	0	7	0.00	0	0	0
/js/datatable.js GET	0	2	7	15	10	0	7	0.00	0	0	0
/js/usageGraphJS/jqplot.canvasAxisLabelRenderer.min.js GET	0	2	7	15	10	0	7	0.00	0	0	0
/css/merchant.css GET	0	2	7	15	10	0	7	0.00	0	0	0
/js/placeholders.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/jquery-validate/jquery.validate.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/MonthPicker.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/jquery.tablesorter.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/jquery.leanModal.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/escm_alert.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/jquery.blockUl.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/jquery.flexslider.js GET	0	2	0	0	0	0		0.00	0	0	0
/css/modern_ui/usageGraph/jquery.jqplot.css GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/payment/jquery.tzCheckbox.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/jquery-validate/jquery.metadata.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/clearinput.js GET	0	2		0	0	0		0.00	0	0	0
/css/modern_ui/usageGraph/jquery.jqplot.min.css GET	0	2		0	0	0		0.00	0	0	0
/css/modern_ui/usageGraph/examples.css GET	0	2		0	0	0		0.00	0	0	0
/js/usageGraphJS/jqplot.canvasAxisTickRenderer.min.js GET	0	2		0	0	0		0.00	0	0	0
/css/tablesorter.css GET	0	2	0	0	0	0		0.00	0	0	0
/js/jquery.qtip-1.0.0-rc3.min.js GET	0	2		0		0		0.00	0	0	0
/css/modern_ui/jquery.multiselect.css GET	0	2	+	0	0	0		0.00	0	0	0
/js/jquery.slimscroll.min.js GET	0	2	0	0	0	0		0.00	0	0	0
/js/usageGraphJS/jquery.jqplot.min.js GET	0	2		0	0	0		0.00	0	0	0
/js/panels.js GET	0	2	0	0	0	0		0.00	0	0	0
/css/payment/iguery.tzCheckbox.css GET	0	2	0	0		0	_	0.00	0	0	0
/js/usageGraphJS/jqplot.enhancedLegendRenderer.min.js GET	0	2		0		0		0.00	0	0	0
/js/usageGraphJS/jqplot.dateAxisRenderer.min.js GET	0	2		 		0		0.00	0	0	0
/js/usageGraphJS/jqplot.oateAxisReilderei.min.js GET /js/usageGraphJS/jqplot.pointLabels.min.js GET	0	2	 	0		0		0.00	0	0	0
/js/usageGraphJS/excanvas.min.js GET	0	2		0	1	0		0.00	0	0	0
· · · · · · · · · · · · · · · · · · ·	0	2		0	1	0			0	0	0
/js/payment/jquery.dataTables.js GET				 				0.00			
/js/jquery.scrollToTop.min.js GET	0	2	t	0	1	0		0.00	0	0	0
/js/usageGraphJS/jqplot.cursor.min.js GET	0	2	+	0		0		0.00	0	0	0
/js/jquery.ui.timepicker.js GET	0	2		0		0		0.00	0	0	0
/js/usageGraphJS/jqplot.canvasTextRenderer.min.js GET	0	2		0	1	0		0.00	0	0	0
/js/slideBlock.js GET	0	2		0	1	0		0.00	0	0	0
/js/usageGraphJS/jqplot.highlighter.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0

0 hits/min on 55 requests



Detailed statistics sql - all

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT sum(b.quantity) FROM OrderAgedItemDTO b WHERE b.lockedForCancelation = false AND b.orderItemId=:orderItemId */ select sum(orderagedi0_quantity) as col_0_0_ from order_aged_item orderagedi0_where orderagedi0_locked_for_cancellation=0 and orderagedi0_order_item_id=?	53	140,612	66	8,171	102	0.00
/* SELECT b FROM PhoneInventoryDTO b WHERE b orderId = :orderID and (b. status= :ReservedNumber or b.status = :TobeReservedNumber) */ select phoneinven0_id as id194_, phoneinven0_area_code as area2_194_, phoneinven0_blilling_system_status as billing3_194_, phoneinven0_code as country4_194_, phoneinven0_number_system_status as number5_194_, phoneinven0_order_id as order6_194_, phoneinven0_phone_number_system_status as number5_194_, phoneinven0_order_id as order6_194_, phoneinven0_phone_number_suffix as phone8_194_, phoneinven0_phone_number_suffix as phone8_194_, phoneinven0_update_timestamp as update11_194_ from phone_num_inventory phoneinven0_ where phoneinven0_order_id=2 and (phoneinven0_status=?)	6	2,000	548	4,078	147	0.00
/* load com.ensim.synergy.server.order.db.OrderedPricePlanElementDTO */ select orderedpri0_id as id41_0_, orderedpri0_commisioning_percent as commisio2_41_0_, orderedpri0_order_service_item_id as order7_41_0_, orderedpri0_price_mode as price3_41_0_, orderedpri0_price_plan_type as price4_41_0_, orderedpri0_terriff_freq as tariff5_41_0_, orderedpri0_tariff_period as tariff6_41_0_ from order_pp_element orderedpri0_ where orderedpri0_order_service_item_id=?	5	231,726	3	8,093	19	0.00
/* SELECT b FROM LanguageDTO b WHERE b.id = :hid */ select languagedt0id as id13_, languagedt0code as code13_, languagedt0_delete_indicator as delete3_13_, languagedt0_description as descript4_13_, languagedt0_iso639code as iso5_13_, languagedt0_provisioning_language as provisio6_13_, languagedt0_right_to_left as right7_13_, languagedt0_status as status13_, languagedt0_ui_presentation as uig_13_ from language languagedt0_ where languagedt0_id=?	3	180,676	3	6,562	18	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* load one-to-many com.ensim.synergy.server.order.db.OrderServiceItemDTO.orderAttCodes */ select orderattco0_order_item_id as order9_39_1_, orderattco0_id as id1_, orderattco0_id as id43_0_, orderattco0_base_price as base2_43_0_, orderattco0_mmx_value as max4_43_0_, orderattco0_order_item_id as order9_43_0_, orderattco0_order_priceplanele_id as order9_43_0_, orderattco0_order_priceplanele_id as order9_43_0_, orderattco0_order_priceplanele_id as order9_43_0_, orderattco0_order_priceplanele_id as order9_43_0_norderattco0_order_priceplanele_id as order9_43_0_norderattco0_order_priceplanele_id as order9_43_0_norderattco0_order_priceplanele_id as order9_43_0_norderattco0_order_priceplanele_id as order_priceplanele_id as order_priceplanele_i	3	154,484	3	8,078	25	0.00
/* criteria query */ select this_id as id16_1., this_code as code16_1., this_current_exchange_line as current3_16_1., this_is_default as is4_16_1., this_is_active as is5_16_1., this_multiple_country_symbol as multiple6_16_1., this_optlock as optlock16_1., this_provider_id as provider8_16_1., this_symbol as symbol16_1., exchangedt2_currency_6_16_3_, exchangedt2_id as id3_exchangedt2_id as id15_0_exchangedt2_create_datetime as create2_15_0_exchangedt2_currency_id as currency_id where this_id=?	1	81,242	3	8,093	41	0.00
// SELECT b FROM ServiceDTO b WHERE b.id =: hid '/ select servicedto0_id as id55_, servicedto0_allow bulk_assignment as allow2_55_, servicedto0_allowmultipleorder_samedomain as allowmul3_55_, servicedto0_automated_connector_path as automated4_55_, servicedto0_lis_automated_provisioning as is5_55_, servicedto0_billing_day as billing6_55_, servicedto0_billing_rule as billing7_55_, servicedto0_deleted_order_can_place as deleted8_55_, servicedto0_configuration_allowto_agent as configur9_55_, servicedto0_configur4_55_, servicedto0_configur4_55_, servicedto0_configur4_55_, servicedto0_deleto0_configur4_35_, servicedto0_deleto0_configur4_35_, servicedto0_deleto0_configur4_55_, servicedto0_deleto0_display_order as display_15_55_, servicedto0_dynamic_validation_req as dynamic16_55_, servicedto0_descm_ctrl_panel_require as escm.	1	79,834	3	6,578	28	0.00
/* SELECT b FROM OfferVersionDefinitionDTO b WHERE b.id = :hid */ select offerversi0id as id164_, offerversi0_align_orders_auto as align2_164_, offerversi0_align_reseller_org_orders as align4_164_, offerversi0_align_ment_action_id as alignment5_164_, offerversi0_align_creseller_org_orders as align4_164_, offerversi0_align_creseller_org_orders_as align4_164_, offerversi0_align_creseller_org_orders_as alignent5_164_, offerversi0_align_creseller_org_orders_as approved_23_164_, offerversi0_contract_period_unit as contract24_164_, offerversi0_de_0resi0_align_as date8_164_, offerversi0_de_0resi0_align_failure_count as align9_164_, offerversi0_incersi0_align_failure_period_inferversi0_align_failure_count as align9_164_, offerversi0_orders_orders_orders_orders_orders_orders_order_o	1	77,242	3	6,610	25	0.00
/* SELECT b FROM SynergyTable b WHERE b.name = :name */ select synergytab0id as id18_, synergytab0name as name18_ from synergy_table synergytab0_ where synergytab0name=?	1	79,242	3	672	10	0.00
/* SELECT b.itemName FROM ServiceItemDTO b WHERE b.id=:itemId */ select serviceite0item_name as col_0_0_ from service_item serviceite0_ where serviceite0id=?	1	77,242	3	8,093	30	0.00
/* SELECT b FROM SynergyTable b WHERE b.id = :id */ select synergytab0id as id18_, synergytab0name as name18_ from synergy table synergytab0 where synergytab0 .id=?	1	79,242	3	3,734	16	0.00
/* SELECT b FROM ServiceltemDTO b WHERE b.id = :hid */ select serviceite0id as id56_, serviceite0bom_cost as bom2_56_, serviceite0creator_org_id as creator32_56_, serviceite0custom_field1 as custom3_56_, serviceite0custom_field10 as custom4_56_, serviceite0_custom5_61_serviceite0_custom5_66_, serviceite0_custom5_66_, serviceite0_custom5_66_, serviceite0_custom5_66_, serviceite0_custom5_66_, serviceite0_custom5_66_, serviceite0_custom5_66_, serviceite0_custom6_field3_as custom10_56_, serviceite0_custom6_field3_as custom10_56_, serviceite0_custom6_field3_as custom11_56_, serviceite0_custom6_field3_as custom14_56_, serviceite0_custom6_field3_as custom14_56_, serviceite0_custom6_field3_as custom14_56_, serviceite0_custom6_field3_as custom14_56_, serviceite0_custom6_field3_as custom14_56_, serviceite0_serviceite0_custom6_field3_as custom14_56_, serviceite0_custom6_field3_as custom14_56_, serviceite0_	1	63,370	4	8,093	33	0.00
/* SELECT b FROM UnifyResourceDTO b WHERE b.id = :hid */ select unifyresou0id as id76_, unifyresou0allow_unlimited as allow2_76_, unifyresou0applicable_ppu_percentage_as applicable3_76_, unifyresou0bulk_user_avail_order as bulk4_76_, unifyresou0cf_ppu_unit as cf6_76_, unifyresou0cf_reserved_unit as cf7_76_, unifyresou0conv_op_ppu as conv8_76_, unifyresou0conv_op_resv as conv9_76_, unifyresou0is_customer_specific as is10_76_, unifyresou0default_value as default11_76_, unifyresou0_depend_on_resid as depend12_76_, unifyresou0domain_type as domain13_76_, unifyresou0_edble_after_provision as editable14_76_, unifyresou0_input_type as input_ts_76_, unifyresou0_instance_information as instance16_76_, unifyresou0_is_mandatory as is17_76_, unifyresou0_oss_reports_ppu as oss19_76_, unifyresou0_oss_reserved_unit as oss20_76_, unifyresou0_is_overusage_as is21_76_, unifyresou0	1	63,370	3	8,093	33	0.00
/* SELECT b FROM SystemUnitsDTO b WHERE b.unitCode = :code */ select systemunit0_id as id74_, systemunit0_pay_per_use as pay2_74_, systemunit0_reserved as reserved74_, systemunit0_unit_code as unit4_74_, systemunit0_unit_display_name as unit5_74_ from system_units systemunit0_where systemunit0_unit_code=?	1	63,370	3	703	9	0.00
/* SELECT b FROM SystemUnitsDTO b WHERE b.id = :hid */ select systemunit0_id as id74_, systemunit0_pay_per_use as pay2_74_, systemunit0_reserved as reserved74_, systemunit0_unit_code as unit4_74_, systemunit0_unit_display_name as unit5_74_ from system_units systemunit0_where systemunit0_id=?	1	63,370	3	688	10	0.00
// Select b from UserContactDTO b where b.baseUser.id=:baseUserId */ select usercontac0_id as id92_, usercontac0_ad attributes as ad2_92_, usercontac0_street_addres1 as street3_92_, usercontac0_street_addres2 as street4_92_, usercontac0_user_id as user28_92_, usercontac0_base_user_name as base5_92_, usercontac0_city as city92_, usercontac0_company as company92_, usercontac0_country_code as country_8_92_, usercontac0_create_datetime as create9_92_, usercontac0_department as department92_, usercontac0_display_name as display11_92_, usercontac0_fax_ar_area_code as fax12_92_, usercontac0_fax_country_code as fax13_92_, usercontac0_fax_country_code as fax13_92_, usercontac0_fax_country_code as fax13_92_, usercontac0_person_initial as persont7_92_, usercontac0_title as job18_92_, usercontac0_last_name as last19_92_, usercontac0_mobile_number as mobile20_92_, usercontac0_phone_number as phone21_92_, usercontac0_office_name	0	106,782	1	3,766	12	0.00
// SELECT b FROM OrderSubscriptionDetailsDTO b WHERE b.id =:hid */ select ordersubsc0_ id as id242_ ordersubsc0_notification_reminder1 as notifica2_242_, ordersubsc0_notification_reminder2 as notifica2_242_, ordersubsc0_notification_reminder3 as notifica4_242_, ordersubsc0_order_master_id as order5_242_, ordersubsc0_prev_subscription_id as prev6_242_, ordersubsc0_renew_idecision_serenew3_242_, ordersubsc0_renew_idecision_serenew3_242_, ordersubsc0_netification_renewa1_status_as notific10_242_, ordersubsc0_request_submission_date_as request11_242_, ordersubsc0_request_as requester242_, ordersubsc0_subscription_edid_ate_as subscrif4242_, ordersubsc0_subscription_operation_status_as subscrif4242_, ordersubsc0_subscription_status_as subscri	0	78,488	1	79	4	0.00
/* load com.ensim.synergy.server.order.db.SynergyOrderLine */ select synergyord0_id as id38_3_, synergyord0_action_type as action2_38_3_, synergyord0_associated_promo_id as associated3_38_3_, synergyord0_atf_code as at14_38_3_, synergyord0_business_contact as business5_38_3_, synergyord0_data_retn_1_notif_sent as data6_38_3_, synergyord0_data_retn_2_notif_sent as data6_38_3_, synergyord0_data_retn_2_notif_sent as data8_38_3_, synergyord0_cart_notification_send as car10_38_3_, synergyord0_cart_notification_send as car10_38_3_, synergyord0_cart_notification_send as car10_38_3_, synergyord0_comtents as comments38_3_, synergyord0_contact_period_unit as contact13_38_3_, synergyord0_contact_period_as contact14_38_3_, synergyord0_current_subscription_line as current15_38_3_, synergyord0_data_retention_unit as data18_38_3_, synergyord0_data_retention_period_as data17_38_3_, synergyord0_data_retention_unit as data18_38_3_, synergyord0_data_wipe_notif_sent as data19_38_3_, s	0	29,318	3	703	13	0.00
/* select b from OrganizationDTO b where b.entity_id = :entityId and b.org_type=:orgType */ select organizati0_id as id51_, organizati0_date_time_format as date2_51_, organizati0_email_signature as email3_51_, organizati0_entity_id as entity4_51_, organizatio_is_deleted as is5_51_, organizati0_org_type as org6_51_ from organization organizati0_ where organizati0_entity_id=? and organizati0_org_type=?	0	2,000	44	641	35	0.00
update order_subscription_details set notification_reminder1=? where id=? and notification_reminder1=?	0	25,000	3	1,952	19	0.00
update synergy_order_line set provisioned_notif_sent=? where id=? and provisioned_notif_sent=? /* Select b from BaseUserOrgMapDTO b where b.base_user_id=:baseUserId */ select baseuseror0_id as id99_, baseuseror0_base_org_id	0	2,000 2,009	37 34	1,315 657	59 23	0.00
as base2_99_, baseuseror0_base_user_id as base3_99_ from base_user_org_map baseuseror0_where baseuseror0_base_user_id=? update order_subscription_details set notification_reminder2=? where id=? and notification_reminder2=?	0	25,000	2	1,067	12	0.00
update order_subscription_details set notification_reminder3=? where id=? and notification_reminder3=?	0	25,000	2	458	8	0.00
// SELECT b FROM OrderMaster b WHERE b orderNumber = :orderNumber // select ordermaste0_id as id37_ ordermaste0_active as active37_, ordermaste0_sales_agent_id as sales3_37_, ordermaste0_linked_order_id as linked4_37_, ordermaste0_bcd_id as bcd5_37_, ordermaste0_clase_no_1as case_no_1as case_no_1asc_no_2asc_no_1asc_no_2asc_no_2asc_no_2asc_no_2asc_no_3asc_no_2asc_no_3asc_no_2asc_no_3asc_n	0	8,000	7	3,734	46	0.00
/* FROM ProductOfferDTO b WHERE b.id = :offerld 1/ select productoff0_id as id67_ productoff0_ allow_multiple_instances as allow2_67_, productoff0_ also as aloc67_, productoff0_asproval_threshold_hour as approval4_67_, productoff0_is_billiapfrequencylength as billingf6_67_, productoff0_billingfrequencyperiod as billingf7_67_, productoff0_catalogue_id as catalogue8_67_, productoff0_catalogue_id as catalogue8_67_, productoff0_contract_period_as condition10_67_, productoff0_contract_period_as condition10_67_, productoff0_contract_period_assigned_for_productoff0_creator_org_id as creator73_67_, productoff0_current_terms_and_conditions as current13_67_, productoff0_custom_field1 as custom14_67_, productoff0_custom_field10_as custom15_67_, productoff0_custom_field10_as custom15_67_, productoff0_custom_field2_as custom17_67_, productoff0_custom_field2_as custom18_67_, productoff0_custom_field2_as custom19_67_, productoff0	0	49,490	1	78	4	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT b FROM OrderMaster b WHERE b.id = :hid */ select ordermaste0id as id37_, ordermaste0active as active37_, ordermaste0aelesagentid as sales3_37_, ordermaste0inkedorderid as linked4_37_, ordermaste0bcdid as bcd5_37_, ordermaste0bill_cycleday as bill6_37_, ordermaste0case_no_1 as case7_37_, ordermaste0caseno_10as case837_, ordermaste0caseno11as case937_, ordermaste0caseno12as case1037_, ordermaste0caseno2as case1137_, ordermaste0caseno3as case1237_, ordermaste0caseno4as case1337_, ordermaste0caseno5as case1437_, ordermaste0caseno6as case1537_, ordermaste0caseno3as case1637_, ordermaste0caseno8as case1737_, ordermaste0caseno5as case1837_, ordermaste0caseno5as case1837_, ordermaste0caseno5as case1837_, ordermaste0caseno8as case1837_,	0	29,076	2	703	7	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b status id = :status AND b orderld is not null AND b.id > previousLineld */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as _ hibernate_row_nr, synergyord0_id as ida38_, synergyord0_action_type as action2_38_, synergyord0_action_type as action2_38_, synergyord0_data_rent_action2_data_	0	1,000	57	142	9	0.00
/* load one-to-many com.ensim.synergy.server.order.db.SynergyOrderLine.orderServiceItems */ select orderservi0_order_line_id as order20_38_3_, orderservi0_id as id3_ orderservi0_id as id39_2_, orderservi0_is_bundle as is2_39_2_, orderservi0_is_composit as is3_39_2_, orderservi0_id=0_id=0_id=0_id=0_id=0_id=0_id=0_id	0	6,000	8	750	16	0.00
/* SELECT b.accountDTO.customer_id FROM CustomerAccountMapDTO b WHERE b.id = :accMapId */ select accountdto1customer_id as col_0_0_ from customer_account_map customerac0_, customer_account accountdto1_ where customerac0_, account_hib_id=accountdto1_and and customerac0_, id=?	0	8,000	5	8,078	90	0.00
/* SELECT a FROM ConfigPropertiesDTO a WHERE a.property_name=:property_name */ select configprop0id as id86_, configprop0display_order as display2_86_, configprop0is_required_value as is3_86_, configprop0property_name as property4_86_, configprop0property_value as property5_86_, configprop0property_value2 as property6_86_ from config_properties configprop0_ where configprop0property_name=?	0	11,241	3	577	8	0.00
/* SELECT b.id FROM CustomerOrganizationDTO b WHERE b.customer_id = :customerID */ select customeror0_id as col_0_0_ from customer_organization customeror0_ where customer_id=?	0	8,000	4	3,750	43	0.00
/* SELECT b FROM CustomerOrganizationDTO b WHERE b.id = :orgld */ select customeror0_id as id81_, customeror0_api_pass_key as api18_81_, customeror0_orgi_d as org63_81_, customeror0_city_name as city2_81_, customeror0_contractual_statement as contract19_81_, customeror0_created_0 nas_rested_20_81_, customeror0_currency_id as currency21_81_, customeror0_custom_field1 as custom22_81_, customeror0_custom_field2 as custom25_81_, customeror0_custom_field1 as custom24_81_, customeror0_custom_field2 as custom25_81_, customeror0_custom_field3 as custom27_81_ customeror0_custom_field3 as custom31_81_, customeror0_custom_field3 as custom32_81_, customeror0_custom_field3 as custom30_81_customeror0_custom_field3 as custom31_81_customeror0_custom_field3 as custom32_81_, customeror0_custom_field3 as custom32_81_, customeror0_custom_field3 as custom32_81_, customeror0_custom_field3_as custom32_81_, customeror0_custom_field3_as custom32_81_, customeror0_custom_field3_as custom32_81_, customeror0_custom_field3_as custom32_81_, customeror0_custom_field3_as custom32_81_, customeror0_custom32_81_, customeror0_custom_field3_as custom32_81_, customa32_81_, customa3	0	4,000	8	734	20	0.00
/* load com.ensim.synergy.server.user.db.UserDTO */ select userdto0_ id as id27_0_, userdto0_ is_activated as is2_27_0_, userdto0_ activation_ token as activation3_27_0_, userdto0_ cachepermison as cacheper4_27_0_, userdto0_ entity_id as entity21_27_0_, userdto0_ create_datetime as create5_27_0_, userdto0_ create_datetime as create5_27_0_, userdto0_ external_27_0_, userdto0_ external_127_0_, userdto0_ external_127_0_, userdto0_ is_local_as current6_27_0_, userdto0_ is_local_as is12_27_0_, userdto0_ is_local_as is12_27_0_, userdto0_ is_local_as is12_27_0_, userdto0_ last_login_as last13_27_0_, userdto0_ is_local_as is12_27_0_, userdto0_ last_login_as last13_27_0_, userdto0_ password_set_bv_user_ds_28_27_0_, userdto0_ password_set_bv_user_ds_28_27_0_, user_ds_28_27_0_, user_ds_28_28_27_0_, user_ds_28_28_27_0_, user_ds_28_28_27_0_, user_ds_28_28_28_28_28_28_28_28_28_28_28_28_28_	0	6,003	5	703	13	0.00
/* criteria query */ select this_id as id37_5_, this_active as active37_5_, this_sales_agent_id as sales3_37_5_, this_linked_order_id as linked4_37_5_, this_bcd_id as bcd5_37_5_, this_bill_cycle_day as bill6_37_5_, this_case_no_1 as case7_37_5_, this_case_no_12 as case10_37_5_, this_case_no_12 as case13_37_5_, this_case_no_2 as case11_37_5_, this_case_no_3 as case12_37_5_, this_case_no_4 as case13_37_5_, this_case_no_5 as case14_37_5_, this_case_no_6 as case15_37_5_, this_case_no_7 as case16_37_5_, this_case_no_8 as case17_37_5_, this_case_no_6 as case13_37_5_, this_created_by as created20_37_5_, this_case_no_6 as case13_37_5_, this_created_by as created20_37_5_, this_creater_org_tycles_c	0	25,000	1	234	5	0.00
/* SELECT b FROM NotificationMessageTypeDTO b WHERE b.userTemplateId = :userTemplateId AND b.ownerId = :ownerId */ select notificatio_id as id30_notificatio_bc_email as bcc2_30_notificatio_category_id as category_11_30_notificatio_cc_email as cc3_30_notificatio_mail_priority as mail4_30_notificatio_original_template_id as original5_30_notificatio_owner_id as owner6_30_notificatio_to_address_default as to7_30_notificatio_to_address_required as to8_30_notificatio_user_template_id as user9_30_notificatio_optlock as optlock30_from notification_message_type notificatio_where notificatio_user_template_id=? and notificatio_owner_id=?	0	6,057	4	672	13	0.00
/* SELECT b FROM ProductOfferDTO b WHERE b.id = :hid */ select productoff0id as id67_, productoff0allow_multiple_instances as allow2_67_, productoff0aloc as alco67_, productoff0aloproval_threshold_hour as approval4_67_, productoff0is_billable as is5_67_, productoff0billingfrequencylength as billingf6_67_, productoff0atalogue_id as catalogue8_67_ productoff0catalogue_id as catalogue8_67_ productoff0_catalogue_id as catalogue8_67_ productoff0_condition_available as condition10_67_, productoff0_contract_period_unit as contract12_67_, productoff0_creator_org_id as creator73_67_, productoff0_curent_terms_and_conditions as current13_67_, productoff0_custom_field1 as custom14_67_, productoff0_as custom_field2 as custom15_67_, productoff0_custom_field2 as custom16_67_, productoff0_custom_field2 as custom16_67_, productoff0_custom_field2 as custom16_67_, productoff0	0	2,592	10	531	18	0.00
/* select b from OfferSubscriptionDetailsDTO b where b.offerId=:offerId*/select offersubsc0_id as id243_, offersubsc0_renewal_decision as renewal3_243_, offersubsc0_renewal_decision as renewal3_243_, offersubsc0_first_notification_reminder as first4_243offersubsc0_first_notif_req as first5_243offersubsc0_lock_price as lock6_243_, offersubsc0_offer_id as offer7_243offersubsc0_renew_to_latest_ver as renew8_243offersubsc0_renew_with_downsize as renew9_243offersubsc0_renew_with_downsize as renew9_243offersubsc0_renew_with_downsize as renew9_243offersubsc0_second_notif_req as second12_243offersubsc0_term_subscription_code as term13_243offersubsc0_term_subscription_code as term13_243offersubsc0_term_subscription_code as term13_243offersubsc0_term_subscription_code as term13_243offersubsc0_term_subscription_code as term13_243offersubsc0_term_subscription_fer_abscription_offer_subscription_details offersubsc0_where offersubsc0_offer_id=?	0	24,490	1	54	3	0.00
/* SELECT a FROM UserDTO a WHERE a.id = :id */ select userdto0id as id27_, userdto0is_activated as is2_27_, userdto0activation_token as activation3_27_, userdto0cachepermison as cacheper4_27_, userdto0entity_id as entity21_27_, userdto0create_datetime as create5_27_ userdto0centent_login as currenf6_27_, userdto0_deleted as deleted27_ userdto0external id as external8_27_, userdto0external id as external8_27_, userdto0external id2 as external8_27_, userdto0failed_attempts as failed10_27_ userdto0global_id as global11_27_, userdto0is_local as is12_27_, userdto0language_id as language22_27_, userdto0last_login as last13_27_, userdto0last_status_change as last14_27_, userdto0jogut as logoul27_, userdto0password as password27_, userdto0password_sat_bould_user_name_as user19_27_, userdto0optlock as optlock27_ from base_user userdto0there userdto0id=?	0	4,000	6	78	10	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b.id = :hid */ select synergyord0id as id38_, synergyord0action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_atf_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data6_38_, synergyord0_data_retn_3_notif_sent as data6_38_, synergyord0_canelation_date as cancelate3_38_, synergyord0_cant_notification_send as car10_38_, synergyord0_ci_cheprod_broad_cant_notification_send as car11_38_, synergyord0_contact_period_sent_sent_as_contact13_38_, synergyord0_contact_period_sent_sent_as_contact14_38_, synergyord0_contact_period_sent_sent_sent_sent_sent_sent_sent_sent	0	2,000	12	634	22	0.00
/* load com.ensim.synergy.server.order.db.OrderStateDTO */ select orderstate0id as id42_1_, orderstate0_automatic_trash_decision as automatic2_42_1_, orderstate0_csv_differential as csv3_42_1_, orderstate0_display_name as display4_42_1_, orderstate0_csv_differential as history5_42_1_, orderstate0_display_name as display4_42_1_, orderstate0_csv_differential as history5_42_1_, orderstate0_spd_download_buts0_op_iden_map as op17_42_1_, orderstate0_spd_differential as pdf9_42_1_, orderstate0_pdf_download_button_text as pdf10_42_1_, orderstate0_pdf_download_buts0_pdf_download_buts0_pdf_download_buts0_pdf_download_buts0_pdf_download_buts0_pdf_orderstate0_spdf_orderstate0_spdf_orderstate0_spdf_orderstate0_pdf_download_buts0_pdf_orderstate0_pdf_download_buts0_pdf_orderstate0_pdf_orderstate0_spdf_order	0	4,228	5	547	13	0.00
/* select b from ProviderInvoiceDefaultSettingDTO b where b, providerId=:providerId */ select providerin0id as id124_, providerin0apply_tax as apply2_124_, providerin0_discount_approver_email as discount3_124_, providerin0_enable_deposit_payment as enable4_124_, providerin0_enable_tax as enable5_124_, providerin0_has_agents as has6_124_, providerin0_invoice_payment_mode as invoice7_124_, providerin0_invoice_payment_mode as invoice7_124_, providerin0_payment_module_status as payment9_124_, providerin0_providerin0_provider_ld=24_, providerin0_provider_ld=24_, provider_ld=24_,	0	4,003	6	594	16	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* load one-to-many com.ensim.synergy.server.productoffer.db.OfferVersionDefinitionDTO.versionDet */ select versiondet0_version_id as version4_164_2_versiondet0_id as id2_yersiondet0_id as id163_1_versiondet0_price_plan_component_id as price3_163_1_, versiondet0_version_id as versiond*1_63_1_priceplanc1_id as id69_0_priceplanc1_id at_id8_0_priceplanc1_add_on_factor as add2_69_0_priceplanc1_add_on_factor as add2_69_0_priceplanc1_add_on_priceplanc1_add_on_priceplanc1_add_on_priceplanc1_id8_00_priceplanc1	0	2,000	12	578	20	0.00
/* load one-to-many com.ensim.synergy.server.order.db.OrderMaster.orderLines */ select orderlines0orderid as orderid37_4_, orderlines0id as id4_, orderlines0id as id38_3, orderlines0action_type as action2_38_3, orderlines0associated_promo_id as associated3_38_3_, orderlines0_atta_code as att4_38_3_, orderlines0_business_contact as business5_38_3_, orderlines0_data_retn_1_notif_sent as data6_38_3_, orderlines0_data_retn_2_notif_sent as data7_38_3_, orderlines0_cancelation_date as cancelat9_38_3_, orderlines0_cant_notif_cation_send as car10_38_3_, orderlines0_cancelation_date as cancelat9_38_3_, orderlines0_cant_notif_cation_send as car10_38_3_, orderlines0_cancelation_date as cancelat9_38_3_, orderlines0_cancelation_tate_as cancelate3_38_3_, orderlines0_cancelate3_38_3_, orderlines0_cancelate3_38	0	2,000	11	657	25	0.00
/* SELECT b from OrganizationDTO b WHERE b.id=:hid */ select organizati0_id as id51_, organizati0_date_time_format as date2_51_, organizati0_email_signature as email3_51_, organizati0_entity_id as entity4_51_, organizati0_is_deleted as is5_51_, organizati0_org_type as org6_51_ from organization organizati0_where organizati0_id=?	0	4,006	5	687	16	0.00
/* SELECT b FROM CustomerAccountMapDTO b WHERE b.id = :accMapId */ select customerac0id as id97_, customerac0_account_hib_id as account2_97_, customerac0_cust_org_domain_map_id as cust3_97_ from customer_account_map customerac0_ where customerac0id=?	0	4,000	5	641	12	0.00
// from IDMPolicyDTO b where b.name =: name */ select idmpolicyd0id as id143_, idmpolicyd0name as name143_, idmpolicyd0_value_bool as value3_143_, idmpolicyd0_value_bool as value3_143_, idmpolicyd0_value_int as value4_143_, idmpolicyd0_value_text as value5_143_ from idm_policyd0_idmpolicyd0_ where idmpolicyd0_name=?	0	4,015	5	547	11	0.00
/* SELECT b from LanguageDTO b where b.id = :id */ select languagedt0id as id13_, languagedt0code as code13_, languagedt0delete_indicator as delete3_13_, languagedt0description as descriptid_13_ languagedt0iso639code as iso5_13_, languagedt0_provisioning_language as provisio6_13_, languagedt0_right_to_left as right7_13_, languagedt0_status as status13_, languagedt0_ui_presentation as ui9_13_ from language languagedt0_ where languagedt0_id=?	0	4,003	5	63	7	0.00
/* load com.ensim.synergy.server.tax.db.TaxMgmntSystemMasterDTO */ select taxmgmntsy0id as id307_0_, taxmgmntsy0display_name as display2_307_0_, taxmgmntsy0internal_identifier_name as internal3_307_0_ from tax_mgmt_system_master taxmgmntsy0_ where taxmgmntsy0id=?	0	4,003	4	593	12	0.00
/* load com.ensim.bgcSEAP.account.AccountDTO */ select accountdto0_id as id85_0_, accountdto0_account_id as account2_85_0_, accountdto0_account_name as account3_85_0_, accountdto0_billiable_to as billable_4_85_0_, accountdto0_billing_emails as billing5_85_0_, accountdto0_billing_emails as billing5_85_0_, accountdto0_billing_emails as billing6_85_0_, accountdto0_care_of_indicator as care8_85_0_, accountdto0_communication_language as communic9_85_0_, accountdto0_corporate_id as corporate10_85_0_, accountdto0_customer_id as customer13_85_0_, accountdto0_default_be as default14_85_0_, accountdto0_default_be as default14_85_0_, accountdto0_delet_indicator as delete16_85_0_, accountdto0_external_billing_id as external17_85_0_, accountdto0_delet_indicator as delete16_85_0_, accountdto0_is_locked as is18_85_0_, accountdto0_isp_sales_representative_id as isp19_85_0_, accountdto0_legal_form as legal20_85_0_, accountdto0_legal_langua	0	2,003	9	79	14	0.00
/* SELECT b from OrganizationDTO b WHERE b.id=:organizationID */ select organizati0_id as id51_, organizati0_,date_time_format as date2_51_, organizati0_email_signature as email3_51_, organizati0_entity_id as entity4_51_, organizati0_is_deleted as is5_51_, organizati0_org_type as org6_51_from organizatiati0_where organizati0_id=?	0	4,035	4	63	7	0.00
/* SELECT b FROM PartyAddressDTO b WHERE upper(b.party_id) = :partyid AND trim(b.address_type) = :addType */ select partyaddre0_ id as id83_ partyaddre0_ address_id as address2_83_ partyaddre0_ address.line1 as address14_83_ partyaddre0_ addressline2 as addressline2 as addressl5_83_ partyaddre0_ apartment_number as apartment6_83_ partyaddre0_block_number as block7_83_ partyaddre0_box_number as box8_83_ partyaddre0_city_code as city9_83_ partyaddre0_city_name as city10_83_ partyaddre0_country_code as country11_83_ partyaddre0_delete_indicator as delete12_83_ partyaddre0_floor_number as floor13_83_ partyaddre0_box_number as house14_83_ partyaddre0_some alpha as house15_83_ partyaddre0_industrial_zone as industrial16_83_ partyaddre0_party_id as party17_83_ partyaddre0_residence_name as residence18_83_ partyaddre0_state_province as state19_83_, partyaddre0_states_indicator as status20_83_ partyaddre0_street_code as stree	0	2,000	9	655	19	0.00
/* load com.ensim.synergy.server.order.db.SsidsDTO */ select ssidsdto0id as id141_0_, ssidsdto0ssid as ssid141_0_ from ssids ssidsdto0_ where ssidsdto0id=?	0	4,113	4	655	12	0.00
/* SELECT b FROM OrganizationDTO b WHERE b.id = :hid '/ select organizatioid as id51_, organizatiodate_time_format as date2_51_, organizatio_email_signature as email3_51_, organizatio_entity_id as entity4_51_, organizatio_is_deleted as is5_51_, organizatio_org_type as org6_51_from organizatio_where organizatio_id-?	0	2,003	7	3,750	84	0.00
/* SELECT b FROM CustomerBatchDataDTO b WHERE upper(b.customer_id) = :customer_id */ select customerba0id as id81_, customerba0city_name as city2_81_, customerba0custom	0	2,000	7	94	11	0.00
/* SELECT b FROM PartnerBatchDataDTO b WHERE b.par. id = :parID */ select partnerbat0_ ida sid50_, partnerbat0_address_boxnumber as address2_50_, partnerbat0_address_ety as address3_50_, partnerbat0_address_country as address4_50_, partnerbat0_address_ety as address5_50_, partnerbat0_address_ety address_ety address_box_ety address_ety addre	0	2,000	7	79	11	0.00
/* Select b from ServiceProviderUserDTO b where b.baseUser.id=:baseUserId */ select servicepro0_id as id94_, servicepro0_ad user_name as ad2_94_, servicepro0_base_user_id as baset1_94_, servicepro0_double_encrypted_password as double3_94_, servicepro0_error_message as error4_94_, servicepro0_inner_error_message as inner5_94_, servicepro0_is_is_user_deactivated as is6_94_, servicepro0_isbusiness_contact as isbusiness7_94_, servicepro0_istech_contact as istech8_94_, servicepro0_operation_status_id as operation9_94_, servicepro0_oss_provision_date as oss10_94_, servicepro0_permission_updated_time_as_permission11_94_, servicepro0_retry_count as retry12_94_, servicepro0_serviceprovider_org_id as servicep15_94_, servicepro0_ser_of_permission as set13_94_ from service_provider_user_servicepro0_where servicepro0_base_user_id=?	0	2,003	7	125	11	0.00
/* criteria query */ select this_id as id27_0_, this_is_activated as is2_27_0_, this_activation_token as activation3_27_0_, this_cachepermison as cacheper4_27_0_, this_entity_id as entity21_27_0_, this_create_datetime as create5_27_0_, this_current_login as current6_27_0_, this_deleted as deleted27_0_, this_external_id as external8_27_0_, this_external_id2 as external9_27_0_, this_external_id2 as external9_27_0_, this_late_login as last13_27_0_, this_late_login as last14_27_0_, this_password as password27_0_, this_late_login as last13_27_0_, this_late_log	0	2,003	7	657	18	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b.provisionedNotifSent = 0 AND b.status.id in (:status) AND b.orderld is not null AND b.id > previousLineid /* WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr, synergyord0_id as id38synergyord0_acton_type as action2_38synergyord0_actad_promo_id as associated3_38_, synergyord0_atl_code as atf4_38synergyord0_b.business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data6_38_, synergyord0_cata_tent_3_notif_sent as data6_38_, synergyord0_cata_tent_3_notif_sent as data6_38_, synergyord0_cata_tent_3_notif_sent as data6_38_, synergyord0_cata_tent_3_synergyord0_cata_tent_3_synergyord0_cata_tent_3_synergyord0_cata_tent_3_synergyord0_cata_tent_3_s_, synergyord0_cata_tent_3_s_, synergyord0_ca	0	1,000	14	203	19	0.00
/* insert com.ensim.synergy.server.notification.db.OrderNoticationQueueDTO */ insert into order_notification_queue (bcc, cc, date_time_mail_generated, is_encrypted, full_body, language_id, last_sent_date_time_order_id, is_read_by_receiver, receiver_user_id, retry_count, sender_id, sent_count, subject, times_sent, receiver_email, id) values (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?	0	2,000	7	187	9	0.00
/* load com.ensim.customer.businessDomain.CustomerUPNSuffixDTO */ select customerup0_id as id98_0_, customerup0_ad_ou name as ad3_98_0_, customerup0_ads_ou name as ad3_98_0_, customerup0_ads_ou name as ad3_98_0_, customerup0_email as email98_0_, customerup0_email as email98_0_, customerup0_email as email98_0_, customerup0_eror_message as error_98_0_, customerup0_emeror_message as error_98_0_, customerup0_email as email98_0_, customerup0_email as email98_0_, customerup0_email as email98_0_, customerup0_is_periads_upnas_is11_98_0_, customerup0_is_periads_upnas_is11_98_0_, customerup0_periads_operation_status_id as operation12_98_0_, customerup0_oss_admin_role_identifier as oss13_98_0_, customerup0_provision_date as provision14_98_0_, customerup0_email_em	0	2,000	7	641	17	0.00
/* SELECT b FROM OrderTimeCustomerResourceDTO b WHERE b_productOfferId = :offerId and b.versionId = :versionId order by b_displayOrder '/ select ordertimecO_id as id16O_, ordertimecO_ask_at_order as ask2_16O_, ordertimecO_default_value as default3_16O_, ordertimecO_dicplay_order as display4_16O_ ordertimecO_product_offer_id as product5_16O_ ordertimecO_win_rated_output as show6_16O_, ordertimecO_resource_id as resource9_16O_, ordertimecO_version_id as version7_16O_, ordertimecO_visibility as visibility16O_from ordertimec_ustomer_resource_ordertimecO_where ordertimecO_product_offer_id=? and ordertimecO_version_id=? order by ordertimecO_display_order	0	2,000	6	110	8	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT a from OfferWorkflowNotificationMapDTO a WHERE a.offerld.id = :offerid */ select offerworkf0_id as id157_, offerworkf0_b.cc_address as bcc2_157_, offerworkf0_cc_address as bcc2_157_, offerworkf0_capplicable_op as applicable4_157_, offerworkf0_offer_id as offer13_157_, offerworkf0_post_notif_need as post5_157_, offerworkf0_pre_provision_bcc_address as pre6_157_, offerworkf0_pre_provision_bcc_address as pre6_157_, offerworkf0_pre_provision_language_id as pre14_157_, offerworkf0_pre_notif_need as pre8_157_, offerworkf0_pre_provision_to_address as pre9_157_, offerworkf0_pre_provision_soffer_id=? from offer_pwf_notif_map offerworkf0_where offerworkf0_offer_id=?	0	2,626	5	64	9	0.00
update synergy_order_line set data_wipe_notif_sent=? where id=? and data_wipe_notif_sent=?	0	1,000	12	125	8	0.00
/* SELECT b FROM CustomerSpecInpDTO b WHERE b.orderLineld.id = :orderLineld */ select customersp0id as id44_, customersp0customersp0customersp0customersp0id as unify4_ 44from order_cust_specfic_inp_customersp0unify_res_id_as_unify4_ 44from order_cust_specfic_inp_customersp0_ where customersp0_order_line_id=?	0	2,000	6	47	8	0.00
/* SELECT b FROM OrderApprovalStepDTO b WHERE b.orderLineld=:orderlineid */ select orderappro0_id as id283_, orderappro0_action_performed_by as action2_283_, orderappro0_action_performed_date as action3_283_, orderappro0_action_message as approval4_283_, orderappro0_completion_status as completion5_283_, orderappro0_order_line_id as order6_283_, orderappro0_org_id as org7_283_, orderappro0_is_rejected as is8_283_, orderappro0_order_ine_id=spects_	0	2,000	6	94	8	0.00
/* select b from ServiceProviderUserRoleMapDTO b where b.serviceProviderUserDTO.id = :spUserMapId AND b.is_primary=true */ select servicepro0_id as id95_, servicepro0_is_primary as is2_95_, servicepro0_role_id as role3_95_, servicepro0ider_map_id as user4_95_from serviceprovider_user_role_map servicepro0_ where serviceprovider_map_id=? and servicepro0_is_primary=1	0	2,000	6	657	16	0.00
// SELECT a from ProductOfferMarketContentDTO a WHERE a.productOfferId = :offerid */ select productoff0_id as id146_, productoff0_consumer_org_id as consumer12_146_, productoff0_display_feature as display2_146_, productoff0_clisplay_marketplace_allowed as display3_146_, productoff0_display_order as display4_146_, productoff0_feature_display_order as feature5_146_, productoff0_ink as infolink146_ productoff0_largesize_imageurl as largesize7_146_ productoff0_marketplace_imageurl as mediumsize8_146_, productoff0_minimum_price as minimum9_146_, productoff0_product_offer_id as productoff0_146_, productoff0_smallsize_imageurl as smallsize11_146_ from po_marketplace_productoff0_where productoff0_product_offer_id=?	0	2,000	5	672	16	0.00
/* SELECT b FROM TransactionOrderMapDTO b WHERE b.easOrderNumber =:orderNumber AND b.id = (SELECT MAX(c.id) FROM TransactionOrderMapDTO c where c.easOrderNumber=orderNumber) */ select transactioO_ida si d340_t transactioO_currency_id as currency_340_t transactioO_ender_number as eas3 340_t transactioO_paid_amount as paid4_340_t transactioO_pg_trans_details_id as pg5_340_, transactioO_pre_pay_reporting_date as pre6_340_from transaction_order_map transactioO_where transactioO_ender_number=? and transactioO_id=(select max(transactio1_id) from transaction_order_map transactio1_where transactio1_eas_order_number=?)	0	2,000	5	594	15	0.00
/* SELECT b FROM DateTimeFormatDTO b WHERE b.id = :formatId */ select datetimefo0_id as id138_, datetimefo0_format as format138_, datetimefo0_format_date_jquery as format3_138_, datetimefo0_format_date_only as format4_138_ from date_time_format datetimefo0_ where datetimefo0_id=?	0	2,003	5	48	8	0.00
/* load com.ensim.synergy.server.synergyitems.db.ProvisioningSystemDTO */ select provisioni0id as id112_0_ provisioni0_provision_code as provision2_112_0_, provisioni0_provision_name as provision3_112_0_ from provisioning_system provisioni0_ where provisioni0_id=?	0	1,998	5	62	8	0.00
/* load one-to-many com.ensim.synergy.server.notification.db.NotificationMessageTypeDTO.notificationMessages */ select notificatio_type_id as type6_30_1_, notificati0_id as id1_, notificati0_id as id32_0_, notificati0_entity_id as entity4_32_0_, notificati0_language_id as language5_32_0_, notificati0_pe_id as type6_32_0_, notificati0_use_flag as use2_32_0_, notificati0_optlock as optlock32_0_ from notification_message notificati0_ where notificati0_type_id=?	0	2,055	5	78	8	0.00
/* SELECT b.displayName FROM ProductOfferDTO b WHERE b.id=:offerId */ select productoff0_display_name as col_0_0_ from product_offer productoff0_ where productoff0_id=?	0	2,000	5	62	8	0.00
/* SELECT b FROM NotificationOwnerFromAddressMapDTO b WHERE b.ownerId = :ownerId AND b.categoryId=:categoryId='select notificatio_id as id175_, notificatio_category_id as category2_175_, notificatio_fromaddress as fromaddr3_175_, notificatio_owner_id as owner4_175_, notificatio_sender_name as sender5_175_ from notif_org_fromaddress_map notificatio_where notificatio_owner_id=? and notificatio_category_id=?	0	2,000	5	39	8	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowEmailSent = :wfeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0id) as hibbmate_row_nr _, synergyord0_id as id38 synergyord0action type as action2_38 synergyord0_associated_promo_id as associated3_38 synergyord0_atd_cated = state3_38 synergyord0_atda_ceta_food_associated3_38 synergyord0_data_retn_1_notif_sent as data6_38 synergyord0_data_retn_2_notif_sent as data7_38, synergyord0_data_retn_3_notif_sent as data8_38 synergyord0_catelation_data as cancelatig_38 synergyord0_cart_notification_send as cart10_38 synergyord0_ci_chare_pending_as ci11_38 synergyord0_comments as comments38 synergyord0_cart_notification_send synergyord0_contact_period_unit as contact13_38 synergyord0_contact_period_as contact14_38, synergyord0_contact_period_as contact14_38, synergyord0_current_subscription_line as current15_38 synergyord0_customer_approval_stat	0	858	13	188	21	0.00
/* select b from RolePermissionExtensionDTO b where b.role_id=:roleld and b.permission_id=:permissionId */ select rolepermis0_id as id24_, rolepermis0_discount, level as discount2_24_, rolepermis0_discount_evel as discount2_24_, rolepermis0_value_int as value5_24_ from role_permission_extension rolepermis0_where rolepermis0_role_id=? and rolepermis0_permission_id=?	0	2,000	5	47	8	0.00
/* criteria query */ select this_id as id303_0_, this_log_in_url as log2_303_0_, this_organization_type as organiza3_303_0_ from login_url_settings this_ where lower(this_organization_type) like ?	0	2,000	5	48	8	0.00
/* criteria query */ select this_id as id96_0_, this_billing_emails as billing2_96_0_, this_city as city96_0_, this_country_code as country4_96_0_, this_email as email96_0_, this_entity_id as entity6_96_0_, this_organization_name as organiza7_96_0_, this_phone_area_code as phone8_96_0_, this_phone_country_code as phone9_96_0_, this_phone_phone_number as phone10_96_0_, this_code as postal11_96_0_, this_sp_organization_id as sp12_96_0_, this_state_province as state13_96_0_, this_street_addres1 as street14_96_0_, this_street_addres2 as street15_96_0_, this_vat_number as vat16_96_0_ from service_provider this_	0	2,000	5	47	8	0.00
/* SELECT b FROM TermsAndConditionsDTO b WHERE b.id = hid */ select termsandco0_id as id258_, termsandco0_create_date as create2_258_, termsandco0_offer_id as offer3_258_, termsandco0_te_version_id as tc4_258_, termsandco0_terms_and_condition as terms5_258_ from terms_and_conditions termsandco0_where termsandco0_id=?	0	2,000	5	47	8	0.00
update order_notification_queue set sent_count=?, times_sent=?, retry_count=? where id=? and sent_count=? /* SELECT b FROM ServiceAccessTokenDTO b WHERE b.serviceId = :servId AND b.languageId = :langId */ select serviceacc0 .id as	0	2,000 592	2	438 32	14 8	0.00
from service_acces_token serviceacc0_ where serviceacco_service_idas serviceacco_language_idas language_idas langu	Ů	392	Ů	32	0	0.00
// SELECT b FROM SynergyOrderLine b WHERE b. status.id in (:status) AND b.origProductOffertd = :offertd AND b.workFlowPreEmailSent =:wfpeStatus AND b.id > :previousLineld order by b.id / 'WNTH query AS (select ROW NUMBER() OVER (order by synergyord0_id) as _hibernate_row_nrsynergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_3_notif_sent as data8_38_, synergyord0_cancelation_date as cancelate3_38_, synergyord0_cancelation_date as cancelate3_38_, synergyord0_cancelation_date as cancelate3_38_, synergyord0_contact_period_ocontact_period_unit as contact13_38_, synergyord0_contact_period as contact14_3_38_, synergyord0_contact_period as contact14_3_38_, synergyord0_contact_period_ocontact_pe	0	36	99	188	39	0.00
update synergy_order_line set failed_notif_sent=? where id=? and failed_notif_sent=?	0	119	24	579	52	0.00
// SELECT b FROM SynergyOrderLine b WHERE b. status.id in (:status) AND b.origProductOffertd = :offertd AND b.workFlowPreEmailSent =:wfpeStatus AND b.id > :previousLineld order by b.id / 'WNTH query AS (select ROW NUMBER() OVER (order by synergyord0_id) ashibernate_row_nrsynergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_adta_tert_1_notif_sent as data6_38_, synergyord0_duta_retn2_notif_sent as data7_38_, synergyord0_data_retn_1_notif_sent as data8_38_, synergyord0_cancelation_date as cancelate3_38_, synergyord0_cancelation_date as cancelate3_38_, synergyord0_cancelation_date as cancelate3_38_, synergyord0_cancelation_date as cancelate3_38_, synergyord0_contact_period_ounit as contact13_38_, synergyord0_contact_period as contact14_3_38_, synergyord0_contact_period ounit as contact13_38_, synergyord0_contact_period as contact14_3_38_, synergyord0_contact_period as contact	0	18	158	1,125	245	0.00
Sylegyordo_customer_approva	0	1,000	2	110	8	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b. status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_id) ashibernate_row_nr, synergyord0_atd is aid38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_atd_cate_to_atd	0	18	106	249	54	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT b FROM SynergyOrderLine b WHERE b.datawipeNotifSent = 0 AND b.status.id = :status AND b.orderld is not null AND b.id > :previousLineld */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr, synergyord0_id as id38_, synergyord0_action_type as action12_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_atl_code as atl4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_dat_retn_2_notif_sent as data6_38_, synergyord0_cart_notification_send_cart_0138_, synergyord0_ci_cd_notification_send_cart_0138_, synergyord0_ci_cd_notification_send_cart_0138_, synergyord0_ci_cd_notification_send_cart_0138_, synergyord0_contact_period_unit as contact13_38_, synergyord0_contact_period_as contact14_38_, synergyord0_current_subscription_line as current15_38_, synergyord0_customer_approval_status as customer16_38_, synergyord0	0	1,000	1	78	5	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineId order by b.id */WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_id) as _hibernate_row_nr, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_att_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_3_notif_sent as data8_38_, synergyord0_catelation_data as cancelat9_38_, synergyord0_cart_notification_send as cant10_38_, synergyord0_ci_chentact_period_unit as contact13_38_, synergyord0_contact_period_asc_natc14_38_, synergyord0_contact_period_asc_natc14_38_, synergyord0_current_subscription_line as current15_38_, synergyord0_customer_approval	0	18	100	188	42	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b.failedNotifSent = 0 AND b.status.id in (:status) AND b.orderld is not null AND b.id > ;previousLineld */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as _hibemate_row_nr, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_id as associated3_38_, synergyord0_att_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data6_38_, synergyord0_cata_retn_3_notif_sent as data8_38_, synergyord0_cata_retn_0_data_retn_3_notif_sent as data8_38_, synergyord0_cata_retn_0_	0	120	14	140	19	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineId order by b.id */WITH query AS (select ROW_NUMBER) (OVER (order by synergyord0_id) as _hibemate_row_nr, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_att_code as ati4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_3_notif_sent as data8_38_, synergyord0_cactation_data accelatl9_38_s synergyord0_cart_notification_send as cart10_38_, synergyord0_ci_chact_period_unit as contact13_38_, synergyord0_contact_period as contact14_38_, synergyord0_current_subscription_line as current15_38_, synergyord0_current_sportod	0	18	93	376	79	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b. status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id >: previousLineId order by b.id */WITH query AS (select ROW_NUMBER) (OVER (order by synergyord0_id) ashibemate_row_nr, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_att_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_3_notif_sent as data8_38_, synergyord0_catelation_data accelat9_38_s_synergyord0_catelation_data accelat9_38_s_synergyord0_catelation_data_retn_3_notif_sent as data8_synergyord0_comments as comments38_, synergyord0_contact_period_unit as contact13_38_, synergyord0_contact_period_as contact14_38_, synergyord0_curlent_subscription_line as current15_38_, synergyord0_customer_approval	0	18	90	182	41	0.00
// SELECT b FROM SynergyOrderLine b WHERE b. status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_id) ashibernate _row_nr, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_att_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_3_notif_sent as data8_38_, synergyord0_catalenton_data_accelate_38_s_synergyord0_cata_retn_3_notif_sent as data8_sat_synergyord0_catalenton_data_saccelate_38_s_synergyord0_catalenton_data_score_synergyord0_catalenton_data_synergyord0_catalento	0	18	89	172	36	0.00
update synergy_order_line set resume_notif_sent=? where id=? and resume_notif_sent=?	0	70	18	48	11	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowEmailSent = :wfeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_id) ashibernate_row_nr, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_att_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_3_notif_sent as data8_38_, synergyord0_catelation_date as cancelat9_38_, synergyord0_catelation_date as cancelat9_38_, synergyord0_ci_change_pending as ci11_38_, synergyord0_comments as comments38_, synergyord0_contact_period_unit as contact13_38_, synergyord0_contact_period_stat	0	36	36	141	36	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowEmailSent = :wfestatus AND b.id > previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0id) as _hibemate_row_nrsynergyord0_id as id3asynergyord0_action_type as action_5 assynergyord0_associated_promo_id as associated3_38_, synergyord0_atl_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_3_notif_sent as data8_38_, synergyord0_catelation_data as cancelatl9_38_, synergyord0_cart_notification_send as cant10_38_, synergyord0_ci_chenta6_tas_1_synergyord0_comments as comments38_, synergyord0_contact_period_unit as contact13_38_, synergyord0_contact_period as contact14_38_, synergyord0_current_subscription_line as current15_38_, synergyord0_cutomer_approval_stat	0	18	72	141	35	0.00
// SELECT b FROM SynergyOrderLine b WHERE b. status.id in (status) AND b. origProductOfferId = :offerId AND b. workFlowEmailSent = :wfeStatus AND b.id > :previousLineId order by b.id * / WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_id) as _hibemate_row_nrsynergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retm_1_notif_sent as data6_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retm_1_notif_sent as data6_38_, synergyord0_date_retm_2_notif_sent as data6_38_, synergyord0_cancelation_date as cancelate3_38_, synergyord0_cancelation_send as carto1_38_, synergyord0_cid_cancelation_date as cancelate3_38_, synergyord0_comtact_send_send_send_send_send_send_send_send	0	18	64	109	23	0.00
update order_subscription_details set notification_renewal_status=? where id=? and notification_renewal_status=?	0	513	2	18	5	0.00
// SELECT b FROM SynergyOrderLine b WHERE b resumeNotifSent = 0 AND b status id = 13 AND b ordered is not null AND bid > previousLine */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate row_nr, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_action_ton_id as associated3_38_, synergyord0_ata_code as atf4_38_, synergyord0_beat_code as atf4_38_, synergyord0_beat_action_ton_ton_ton_ton_ton_ton_ton_ton_ton_t	0	71	12	172	24	0.00
// SELECT b FROM OrderMaster b left outer join b.currentOrderLine orderLine WHERE b.trial = true and b.trial_retry_count<=3 and orderLine.provisionDate is not null and orderLine.cancelationDate is NULL '/ select ordermaste0id as id37ordermaste0active as active37ordermaste0sales_agent_id as sales3_37ordermaste0_linked_order_id as linked4_37ordermaste0_bcd_id as bcd5_37ordermaste0_bill_cycle_day as bill6_37ordermaste0case_n0_1 as case9_37ordermaste0_case_n0_10 as case8_37ordermaste0_case_n0_11 as case9_37ordermaste0_case_n0_12 as case10_37ordermaste0_case_n0_2 as case11_37ordermaste0_case_n0_5 as case12_37ordermaste0_case_n0_4 as case13_37ordermaste0_case_n0_5 as case14_37ordermaste0_case_n0_5 as case18_37ordermaste0_case_n0_5 as case18_37_	0	18	41	110	31	0.00
/* load com.ensim.synergy.server.synergyitems.db.UnifyResourceDTO */ select unifyresou0id as id76_0_, unifyresou0_allow_unlimited as allow2_76_0_, unifyresou0_applicable_ppu_percentage_as applicable3_76_0_, unifyresou0_bulk_user_avail_order as bulk4_76_0_, unifyresou0_bulk_user_avail_order as bulk4_76_0_, unifyresou0_bulk_user_avail_order as bulk5_76_0_, unifyresou0_cf_reserved_unit as cf7_76_0_, unifyresou0_conv_op_ppu_as conv8_76_0_, unifyresou0_conv_op_resv as conv9_76_0_, unifyresou0_is_customer_specific as is 10_76_0_, unifyresou0_domain_type as default_value as default_176_0_, unifyresou0_deritable_after_provision_as editable14_76_0_, unifyresou0_input_type as input15_76_0_, unifyresou0_instance_information as instance16_76_0_, unifyresou0_is_mandatory as is 17_76_0_, unifyresou0_instance_information_as instance16_76_0_, unifyresou0_is_ppu_unit_as oss18_76_0_, unifyresou0_oss_ppu_unit_as oss18_76_0_, unifyresou0_oss_reserved_unit_as oss20_76_0_,	0	61	11	71	16	0.00
/* SELECT b FROM ServiceRequestQueueDTO b WHERE b.actionRequired = 1 AND b.status != :status AND b.id > :previousLineld order by b.id * /WITH query AS (select ROW_NUMBER() OVER (order by servicereq0_id) ashibernate_row_nr, servicereq0_id as id227_, servicereq0_apt_action_type as action3_227_servicereq0_apt_apt_atalas as api4_227_, servicereq0_apt_apt_atalas as api4_227_, servicereq0_error_code as error5_227_, servicereq0_error_message as error6_227_, servicereq0_ast_retried_date as last7_227_, servicereq0_retry_count as retry9_227_, servicereq0_sr_treypones as sr10_227_, servicereq0_status as status227_, servicereq0_status as status227_, servicereq0_status as status227_, servicereq0_ater (servicereq0_ater)_count are try9_227_, servicereq0_try9_of_request as type13_227_from service_request_queue_servicereq0_where servicereq0_ater_nevicereq0_ater_servicereq0	0	173	2	47	6	0.00
update synergy_order_line set workflow_email_sent=? where id=? and workflow_email_sent=?	0	30	9	31	8	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowEmailSent = :wfeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW NUMBER() OVER (order by synergyord0_id) as _hibernate_row_nr, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_att_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_3_notif_sent as data8_38_, synergyord0_catelation_data accelate) 38_ synergyord0_catelation_data accelate) 38_ synergyord0_catelation_data_retn_2_notification_send as car10_38_, synergyord0_ci_chatelation_data_sendated3_38_, synergyord0_catelation_data_sendated3_38_, synergyord0_catelation_data_sendated3_sendate	0	18	15	64	19	0.00
// SELECT b FROM SynergyOrderLine b WHERE b. status.id in (status) AND b. origProductOffertd = :offertd AND b. workFlowEmailSent = :wfeStatus AND b.id > :previousLineId order by b.id * / WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_id) ashibemate_row_nr, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_id_ata_rem1_notif_sent as data6_38_, synergyord0_business_contact as business5_38_, synergyord0_id_ata_rem1_notif_sent as data6_38_, synergyord0_data_retm2_notif_sent as data6_38_, synergyord0_cancelation_date as cancelate3_38_, synergyord0_cancelation_date as cancelate3_38_, synergyord0_cancelation_date as cancelate3_38_, synergyord0_cancelation_date as cancelate3_38_, synergyord0_cancelate3_38_, synergyord0_cancelate3_synergyord0_cancelate3_synergyord0_cancelate3_synergyord0_cancelate3_synergyord0_cancelate3_synergyord0_cancelate3_synergyord0_cancelate3_synergyord0_cancelate3_synergyord0_cancelate3_synergyord0_cancelate3_synergyord0_cancelate3_synerg	0	18	14	47	17	0.00
/* SELECT b FROM ServiceRequestQueueDTO b WHERE b.status in (:status) AND b.retryCount < :rcount AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by servicereq0_id) as _hibernate_row_nr, servicereq0id as _hibernate_row_nr, servicereq0id as _aid as a spid_227_, servicereq0_azer_action_spe as action_3 27_, servicereq0_azer_action_spe as action_3 27_, servicereq0_azer_action_spe as action_spe as action_specific action_specific_action_spe	0	173	1	33	4	0.00
/* criteria query */ select this_id as id27_1_, this_is_activated as is2_27_1_, this_activation_token as activation3_27_1_, this_cachepermison as cacheper4_27_1, this_entity_id as entity21_27_1_, this_create_datetime as create5_27_1_, this_current_login as current6_27_1, this_deleted as deleted27_1_, this_external8_27_this_external8_2	0	30	8	47	12	0.00
/* SELECT F FROM SynergyOrderLine b WHERE b. status.id in (:status) AND b.origProductOffertel = :offertd AND b.workFlowEmailSent = :wleStatus AND b.id > :previousLineld order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyordo_id) as _hibernate_row_nr, synergyordo_id as id38_, synergyordo_action_type as action2_38_, synergyordo_acstocated_promo_id as associated3_38_, synergyordo_id_ata_rend_1_notif_sent as data6_38_, synergyordo_business_contact as business5_38_, synergyordo_idata_rend_1_notif_sent as data6_38_, synergyordo_data_rend_2_notif_sent as data7_38_, synergyordo_action_till_sent as data7_38_, synergyordo_cancelation_date as cancelat9_38_, synergyordo_cancelation_date as cancelat9_38_, synergyordo_contact_period_unit as contact13_38_, synergyordo_contact_period as contact14_38_, synergyordo_contact_period_acstantine_subscription_line as current15_38_, synergyordo_customer_approal_stat	0	18	13	63	18	0.00
/* Select b from BaseUserOrgMapDTO b,UserDTO a where a.id=b.base_user_id and a.userName=:baseUserName */ select baseuseror0_id as id99_, baseuseror0_base_user_id as base3_99_ from base_user_org_map baseuseror0_cross_join base_user_los	0	3	73	79	10	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b.suspendNotifSent = 0 AND b.status.id = 10 AND b.orderld is not null AND b.id > ;previousLine '/ WITH query AS (select ROW. NUMBER() OVER (ORDER BY CURRENT TIMESTAMP) as _hibernate_row_nr, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_asted_promo_id as associated3_38_, synergyord0_id1_cade as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_idat_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data6_38_, synergyord0_cata_retn_2_notif_sent as data8_38_, synergyord0_cata_retn_2_notif_sent as data8_38_, synergyord0_cata_retn_3_notif_sent as data8_38_, synergyord0_catalend_cate_notif_sent as data8_38_, synergyord0_catalend_cate_notif_sent as data8_38_, synergyord0_cate_notif_sent as data8_38_, synergyord0_catalend_cate_notif_sent as data8_38_, synergyord0_cate_notif_sent as data8_38_, syn	0	7	25	125	44	0.00
/* Select b from BrandingVersionDetailsDTO b WHERE b.id >:appliedBranding order by id */ select brandingve0id as id300_, brandingve0app_version as app2_300_, brandingve0entry_timestamp as entry3_300_, brandingve0folder_name as folder4_300_ from branding_version brandingve0_wersion brandingve0_id>? order by brandingve0_id>?	0	46	3	16	6	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b.subscription_request_pending in (:status) AND b.renewalNotifStatus ::renewalNotifStatus AND b.orderld is not null AND b.id > :previousLineld */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as _hibernate_row_nr _, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_att_code as atl4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_1_s_notif_sent as data8_38_, synergyord0_catelation_date as cancelat9_38_, synergyord0_cart_notification_send as cant10_38_, synergyord0_ci_change_pending_as ci11_38_, synergyord0_comments as comments38_, synergyord0_contact_period_unit as contact13_38_, synergyord0_contact_period as contact14_38_, synergyord0_current_subscription_line as current15_38_, synergyord0_customer_appro	0	1	162	162	0	0.00
/* SELECT c.id FROM OrderSubscriptionDetailsDTO c WHERE (c.notificationReminderStatus1 = 0 OR c.notificationReminderStatus3 = 0) AND c.subscriptionEndDate IS NOT NULL 1'WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr ordersubscoid as col_0_0_from order_subscription_details ordersubsc0_ where (ordersubsc0_notification_reminder1=0 or ordersubsc0_notification_reminder3=0) and (ordersubsc0_subscription_end_date is not null)) SELECT * FROM query WHEREhibernate_row_nr BETWEEN ? AND ?	0	1	161	161	0	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b.delayedNotifSent = 0 AND b.status.id = :status AND b.orderld is not null AND b.id > :previousLine '/ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr, synergyord0_id as id38_, synergyord0_actio_type as action2_38_, synergyord0_id as associated_38_, synergyord0_att_code as at4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_3_notif_sent as data8_38_, synergyord0_cata_notification_send as cart10_38_, synergyord0_ci_change_pending as ci11_38_, synergyord0_comments as comments38_, synergyord0_contact_period_unit as contact13_38_, synergyord0_contact_period as contact14_38_, synergyord0_current_subscription_line as current15_38_, synergyord0_customer_approval_status as customer16_38_, synergyord0_dd	0	4	39	143	69	0.00
update synergy_order_line set suspend_notif_sent=? where id=? and suspend_notif_sent=?	0	6	26	47	12	0.00
// SELECT b FROM OrderServiceItemDTO b WHERE b.id = :hid '/ select orderservi0_ id as id39_ orderservi0_ is. bundle as is2_39_ orderservi0_ is. composit as is3_39_ orderservi0_ custom_ po_allow_zero as custom4_go_orderservi0_diff_operator as diffs_39_ orderservi0_diff_quantity as diff6_39_, orderservi0_product_group_id as product7_39_, orderservi0_order_line_id as order20_39_, orderservi0_possible_values as possible8_39_, orderservi0_possible_val_meta_id as possible21_39_, orderservi0_prepay_required as prepay(3_9_, orderservi0_quantity as quantity39_, orderservi0_servio_id as service11_39_, orderservi0_item_id as service12_39_, orderservi0_item_id as service12_39_, orderservi0_item_id as tem22_39_, orderservi0_tem2_orderservi0	0	14	11	62	17	0.00
/* SELECT b FROM ProductOfferDTO b */ select productoff0_id as id67_, productoff0_allow_multiple_instances as allow2_67_, productoff0_aloc as aloc67_, productoff0_aloc as aloc67_, productoff0_aloc approval_threshold_hour as approval4_67_, productoff0_is_billiapfrequencybergint as billingf6_67_, productoff0_is_billiapfrequencybergint as billingf6_67_, productoff0_contract_productoff0_contract_period as contract1_67_, productoff0_contract_period as contract1_67_, productoff0_contract_period as contract1_67_, productoff0_contract_period_ontint as contract1_67_, productoff0_contract_period_contract_period_ontint as contract1_67_, productoff0_contract_period_contract	0	18	8	47	12	0.00
/* insert com.ensim.actionLog.ActionItemDTO */ insert into action_log_items (master_id, action_name, details, process_percentage, process_time, status, id) values (?, ?, ?, ?, ?, ?, ?)	0	69	2	31	6	0.00
/* SELECT c.id FROM OrderSubscriptionDetailsDTO c WHERE c.requestNotificationStatus = 0 AND c.subscriptionEndDate IS NOT NULL 1/ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr, ordersubsc0_id as col_0_0_from order_subscription_end_date is not null)) SELECT * FROM query WHEREhibernate_row_nr BETWEEN ? AND ?	0	1	135	135	0	0.00
/* select b from NodeSpecificBrandingDetailsDTO b where b.orgID=:orgID and b.nodeIPAddress =:nodeIPAddress */ select nodespecif0_id as id301_, nodespecif0_branding_version_id as branding_301_, nodespecif0_node_ip_adddess as node3_301_, nodespecif0_org_id as org4_301_, nodespecif0_process_stutus as process5_301_ from node_specific_branding_details nodespecif0_where nodespecif0_org_id=? and nodespecif0_node_ip_adddess=?	0	46	2	16	5	0.00
/* load one-to-many com.ensim.synergy.server.notification.db.NotificationMessageSectionDTO.notificationMessageLines */ select notificatiomessage_section_id as message4_28_1_, notificatioid as id1_, notificatio_id as id29_0_, notificatiofull_content as full2_29_0_, notificatio_message_section_id as message4_29_0_, notificatio_optlock as optlock29_0_ from notification_message_line notificatio_where notificatio_message_section_id=?	0	20	5	16	7	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT b FROM SynergyOrderLine b WHERE b.ssidGenNotifSent = 0 AND b.status.id in (:status) AND b.pwfldRef = 2 AND b.orderId is not null AND b.id > :previousLineId */ WITH query AS (select ROW, NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as hibernate_row_nr_, synergyord0_id as id38_, synergyord0_action_type as action2_38_, synergyord0_associated_promo_id as associated3_38_, synergyord0_atf_code as atf4_38_, synergyord0_business_contact as business5_38_, synergyord0_data_retn_1_notif_sent as data6_38_, synergyord0_data_retn_2_notif_sent as data7_38_, synergyord0_data_retn_3_notif_sent as data8_38_, synergyord0_cactation_date as cancelatly_38_, synergyord0_cactation_date as cancelatly_38_, synergyord0_cactation_date_scancelatly_38_, synergyord0_cactation_data_retn_2_notif_sent as data8_as_, synergyord0_cacnelatly_38_, synergyord0_c	0	1	109	109	0	0.00
/* SELECT b FROM ServiceProviderOrganizationDTO b */ select servicepro0id as id93_, servicepro0org_id as org5_93_, servicepro0created_on as created2_93_, servicepro0_use_reside_on_use_reside_o	0	23	4	16	7	0.00
/* Select b from ServiceProviderUserDTO b where b.baseUserid=:baseUserId AND b.serviceProviderOrganizationDTO.baseOrganizationDTO.id=:baseOrgld and b.is_user_deactivated=:is_user_deactivated */ select servicepro0_id as id94_, servicepro0_ad_user_name as ad2_94_, servicepro0_base_user_id as base14_94_, servicepro0_double_encrypted_password as double3_94_, servicepro0_error_message as error4_94_, servicepro0_inner_error_message as inner5_94_, servicepro0_ister_servicepro0_ister_servicepro0_ister_servicepro0_organizer_servicepro0_organizer_servicepro0_organizer_servicepro0_inter_contact as isters68_94_, servicepro0_organizer_servicepro0_inter_contact as isters68_94_, servicepro0_organizer_servicepro0_organizer_servicepro0_organizer_servicepro0_organizer_servicepro0_inter_servicepro0_organizer_servicepro0_inter_servicepro0_organizer_organizer_organizer_servicepro0_inter_servicepro0_organizer_organizer_organizer_servicepro0_inter_servicepro0_organizer_organizer_organizer_servicepro0_inter_servicepro0_organizer_organizer_organizer_servicepro0_inter_servicepro0_organizer_organ	0	6	15	32	17	0.00
/* Select b from BrandingThemeUploadDetailsDTO b WHERE b.uploadTimestamp <= :uploadTimeStamp */ select brandingth0_id as id132_brandingth0_reseller_id as reseller_id as re	0	23	4	16	7	0.00
/* load collection com.ensim.synergy.server.user.db.UserDTO.organizationTypes */ select organizati0_user_id as user1_27_0_, organizati0_organization_type as organizat2_0_ from user_organization_types organizati0_ where organizati0_user_id=?	0	3	31	46	15	0.00
/* select b from CRMJobScheduleDTO b where b.job_status=0 order by b.id */ select crmjobsche0_id as id246_, crmjobsche0_action_log_id as action2_246_, crmjobsche0_cancelled_by as cancelled3_246_, crmjobsche0_cancelled_date as cancelled4_246_, crmjobsche0_job_id as job6_246_, crmjobsche0_job_id as job6_246_, crmjobsche0_job_id as job6_246_, crmjobsche0_job_id as job7_246_, crmjobsche0_job_id as job7_246_, crmjobsche0_job_id as job7_246_, crmjobsche0_submitted_by as submitted10_246_ crmjobsche0_submitted_by as submitted10_246_ crmjobsche0_submitted_by as job7_status=0 order by crmjobsche0_id	0	23	3	16	6	0.00
/* Select b from BrandingThemeUploadDetailsDTO b WHERE b.uploadTimestamp > :uploadTimeStamp */ select brandingth0_id as id132_, brandingth0_reseller_id as reseller3_132_ brandingth0_upload_timestamp as upload2_132_ from branding_theme_upload_details brandingth0_where brandingth0_upload_timestamp>?	0	23	3	17	6	0.00
/* SELECT b FROM SMSNotificationHistoryDTO b WHERE b.sentStatus = :status AND b.retryCount <= :rcount AND b.id > :previousLineId '/ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr, smsnotific0_id as id356_, smsnotific0_content as content356_, smsnotific0_rioreign_id as foreign3_356_, smsnotific0_last_sent_date_time as last4_356_, smsnotific0_phone_number as phone5_356_, smsnotific0_phone_number as phone5_356_, smsnotific0_phone_stript_count as sent7_356_, smsnotific0_sent_status as sent8_356_, smsnotific0_sent_status as sent8_356_, smsnotific0_sent_status as sent8_356_, smsnotific0_sent_status as sent8_356_, smsnotific0_receiver_user_id as receiver11_356_ from sms_notificot_number smsnotific0_where smsnotific0_sent_status=? and smsnotific0_rid>; SELECT * FROM query WHERE _ hibernate_row_nrBETWEEN ? AND ?	0	135	0	16	2	0.00
/* insert com.ensim.actionLog.ActionLogDTO */ insert into action_log_master (action_guid, action_name, category, closed_at, expected_max_time, expected_min_time, organization_id, single_type, started_at, status, user_id, id) values (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?	0	23	3	16	6	0.00
/* Select b.serviceProviderOrganizationDTO from ServiceProviderUserDTO b where b.baseUser.id=:baseUserId and b.is_user_deactivated=:is_user_deactivated='is_user_deactivated=' select servicepro1id as id93 servicepro1org_id as org5_93, servicepro1created_on as created_2_93 servicepro1_	0	3	22	36	11	0.00
/* load com.ensim.synergy.server.notification.db.NotificationMessageLineDTO */ select notificati0_id as id29_0_, notificati0_full_content as full2_29_0_, notificati0_message_section_id as message4_29_0_, notificati0_optlock as optlock29_0_ from notification_message_line notificatio where notificatio id=7	0	8	8	16	8	0.00
/* select b from CRMInternalPathHoldDTO b order by b.id desc */ select crminterna0id as id247_, crminterna0fetch_date as fetch2_247_, crminterna0csv_path_password as csv3_247_, crminterna0_path as path247_, crminterna0_csv_path_userid as csv5_247_ from crm_csv_internal_path_holder crminterna0_order by crminterna0_id desc	0	23	2	17	6	0.00
/* load com.ensim.organization.OrganizationDTO */ select organizati0_id as id51_0_, organizati0date_time_format as date2_51_0_, organizati0_email_signature as email3_51_0_, organizati0_entity_id as entity4_51_0_, organizati0_is_deleted as is5_51_0_, organizati0_org_type as org6_51_0_ from organization organizati0_where organizati0_id=?	0	23	2	16	6	0.00
/* load one-to-many com.ensim.synergy.server.util.db.CurrencyDTO.exchangeDTO */ select exchangedt0 _currency_id as currency_id as currency_id as id1_, exchangedt0 _id as id1_, exchangedt0 _id as id1_, exchangedt0 _id as id15_0_, exchangedt0_create_datetime as create2_15_0_, exchangedt0_currency_id as currency_id_schangedt0_exchangedt0_exchangedt0_currency_id=?	0	29	2	16	5	0.00
/* load com.ensim.reseller.ResellerOrganizationDTO */ select reselleror0_id as id128_4_, reselleror0_is_activated as is2_128_4_, reselleror0_org_id as org27_128_4_, reselleror0_billing_emails as billing33_128_4_, reselleror0_billing_language_id as billing28_128_4_, reselleror0_city as city128_4_, reselleror0_communication_language_id as communicy9_128_4_, reselleror0_country_code as country5_128_4_, reselleror0_creator_org_id as creator3_128_4_, reselleror0_creator_org_id as creator3_128_4_, reselleror0_creator_org_id pas creator3_128_4_, reselleror0_currency_id as currency30_128_4_, reselleror0_email as email128_4_, reselleror0_stax_number as fax10_128_4_, reselleror0_long_in_url_identifier as login11_128_4_, reselleror0_organization_name as organiz12_128_4_, reselleror0_phone_number as phone13_128_4_, reselleror0_postal_code as postal14_128_4_, reselleror0_state_province as	0	23	2	16	5	0.00
/* load com.ensim.synergy.server.provisioningWorkflow.db.ProvisioningWorkflowDTO */ select provisioni0id as id155_2_, provisioni0pwf_code as pwf2_155_2_, provisioni0pwf_code as pwf2_155_2_, pwfpropet1jed as pwf7_155_4_, pwfpropet1id as id156_0_, pwfpropet1api_calling as api2_156_0_, pwfpropet1jed as defer3_156_0_, pwfpropet1api_calling as api2_156_0_, pwfpropet1ga defer3_156_0_, pwfpropet1send_notification_at as send5_156_0_, provisioning_i2_id as id154_1_, provisioning_operations_as op2_154_1_from provisioning_workflow_gen_provisioni0_lefe_pwfpropet1_op_idne_provisioni0_id=pwfpropet1pwf_id left outer_join_provisioning_operations_provisioni0_co_nopwfpropet1_op_idne_provisioni0_id=pwfpropet1_pwf_propisioni0_id=pwfpropet1_pwf_id_left outer_join_provisioni0_idne_provisioni0_i	0	21	2	18	5	0.00
WITH query AS (/* criteria query */ select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr_, this_id as id92_0_, this_ad attributes as ad2_92_0_, this_street_addres1 as street3_92_0, this_street_addres2 as street4_92_0_, this_user_id as user28_92_0_, this_street_addres2 as street4_92_0_, this_country_code as country8_92_0_, this_country_code as country8_92_0_, this_create_datetime as create9_92_0, this_department as department92_0_, this_display_name as display1_92_0_, this_fax_zphone_number as a fax14_92_0_, this_first_name as first15_92_0_, this_notification_include as notific16_92_0_, this_person_initial as person17_92_0_, this_job_title as job18_92_0_, this_ater_street_addres2_92_0_, this_mobile_number as mobile2_92_0_, this_phone2_number as prohec2_92_0_, this_phone2_1_92_0_, this_phone2_number as office2_92_0_, this_postal_code as postal2_92_0_, this_primanty_email as	0	6	8	16	8	0.00
/* update com.ensim.actionLog.ActionLogDTO */ update action_log_master set action_guid=?, action_name=?, category=?, closed_at=?, expected_max_time=?, expected_min_time=?, organization_id=?, single_type=?, started_at=?, status=?, user_id=? where id=?	0	23	2	16	5	0.00
/* load com.ensim.synergy.server.user.permisson.db.PermissionTypeDTO */ select permission0id as id20_0_, permission0description as descript2_20_0_, permission0order_index as order3_20_0 from permission_type permission0_ where permission0_id=?	0	48	1	16	3	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b.startBillingNotifSent = 0 AND b.status.id in (:status) AND b.orderld is not null AND b.id > previousLine */ WITH query AS (select ROW_NUMBER) OVER (ONDER BY CURRENT_TIMESTAMP) as _hibemate_row_nr, synergyord0_id as id38_synergyord0_catton_type as action2_38_synergyord0_associated_promo_id as associated3_38_synergyord0_id1_code as aft4_38_synergyord0_business_contact as business5_38_synergyord0_data_retn_1_notif_sent as data6_38_synergyord0_data_retn_2_notif_sent as data7_38_synergyord0_data_retn_3_notif_sent as data8_38_synergyord0_catton_totate_retn_2_notif_sent as data7_38_synergyord0_catton_totate_retn_3_synergyord0_catton_contact_pending as cirt_1_38_synergyord0_contact_pending_sent_pend	0	1	47	47	0	0.00
/* load com.ensim.synergy.server.util.db.InternationalDescriptionDTO */ select internatio0_foreign_id as foreign1_17_0_, internatio0_language_id as language2_17_0_, internatio0_column as psudo3_17_0_, internatio0_table_id as table4_17_0_, internatio0_content as content17_0_from internatio0_table_internatio0_table_internatio0_foreign_id=? and internatio0_language_id=? and internatio0_psudo_column=? and internatio0_table_id=?	0	10	4	16	7	0.00
/" dynamic native SQL query */ select count(*) from synergy_version /" select a.action_guid from ActionLogDTO a where a.id=:actionLogDTOID */ select actionlogd0action_guid as col_0_0_ from action_log_master actionlogd0 where actionlogd0id=?	0	23	2	16 16	5	0.00
/* SELECT b FROM PaymentNotificationOueueDTO b WHERE b.sentStatus=:status AND b.retryCount <=:rcount */ select paymentnot0_id as id329_, paymentnot0_bcc as bcc329_, paymentnot0_body as body329_, paymentnot0_cc as cc329_, paymentnot0_ccustomer_invoice_id as customer12_329_, paymentnot0_mail_generated_time as mails_329_, paymentnot0_lstat_sent_time as last6_329_, paymentnot0_retry_count as retry8_329_, paymentnot0_sent_count as sent9_329_, paymentnot0_sent_status_as sent10_329_, paymentnot0_sent_status_as sent10_329_, paymentnot0_sent_status_as sent10_sent_status_as and paymentnot0_retry_count<=?	0	2	17	19	2	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
"SELECT b FROM CustomerinvoiceDetailsDTO b WHERE b.notificationSend = 0 AND b.id > :previousLine AND b.pdfGenerationStatus=2 order by b.id '7 WITH query AS (select ROW_NUMBER() OVER (order by customerin0id) ashibernate_row_nr, customerin0id as id123_, customerin0_account_id as account2_123_, customerin0_adjustment2_amount as adjustment3_123_, customerin0_adjustment3_amount_as adjustment3_123_, customerin0_approval_status as approval5_123_, customerin0_datetime as creation8_123_, customerin0_currency_id as currencey_123_, customerin0_customer_id as customerin0_123_, customerin0_discard_notification_status as discard11_123_customerin0_discarded_invoice_number as discarded12_123_, customerin0_discard_account as distrid_status_customerin0_due_date as due14_123_, customerin0_dunning_sent_count as dunning15_123_, customerin0_end_date as end16_123_, customerin0_ins	0	2	16	16	0	0.00
/* select b from CustomerInvoiceDetailsDTO b where b.dueDate <=:currentDate AND (b.paymentStatus=:psUnpaid OR b.paymentStatus=:psFailed OR b.paymentStatus=:psFailed OR b.paymentStatus=:psFoncidered) AND b.approvalStatus=:approvalStatus '/ select customerin0_aid sa id123 _ customerin0_acocunt_id as account_2 123 customerin0_adjustment_amount as adjustmenta_123 customerin0_adpustmenta_123 customerin0_amount_payable as amount4_123 customerin0_approval_status as approvals_123 customerin0_approval_by as approved7_123 customerin0_creation_dateIme as creation8_123 customerin0_customerin0_das customerin0_das customerin0_das customerin0_das customerin0_das customerin0_das customerin0_discarded_invoice_number as discarded12_123 customerin0_discarded_invoice_number as discarded12_123 customerin0_das adue14_123 customerin0_duscarded_las date as due14_123 customerin0_duscarded_las date as due14_123 customerin0_duscarded_las customerin0_installment_amount_as i	0	2	16	16	0	0.00
update service_provider_user set set_of_permission=?, permission_updated_time=? where id=?	0	3	10	16	9	0.00
/* SELECT d from ReportMasterDTO d where d.id in(SELECT c.id from ReportMasterDTO c) join c.roleDTOs b WHERE c.role scope=:role_scope and c.active=1 and b.id in(r.foleDtOs) order by d.executionTime desc ' WITH query AS (select ROW_NUMBER() OVER (order by reportmast0_execution_time desc) as _hibernate_row_nrreportmast0_das id263_reportmast0_activation2_263_reportmast0_execution_time as activation2_263_reportmast0_deactivation_time as creation4_263_, reportmast0_deactivation_time as deactivato_1s_multi-reports_available as is8_263_, reportmast0_generated_for_0_of_months as generated_for_263_, reportmast0_is_multi-reports_available as is8_263_, reportmast0_jasper_file_name_as jasper10_263_, reportmast0_iss_ubl_erports_available as is9_263_, reportmast0_jasper_file_name_as jasper10_263_, reportmast0_iss_ubl_erports_available_as is9_263_, reportmast0_jasper_file_name_as jasper10_263_, reportmast0_iss_ubl_erports_available_as is9_263_, reportmast0_jasper_file_name_as jasper10_263_, reportmast0_iss_ubl_erports_available_as is9_263_, reportmast0_query_type_as query13_263_, reportmast0_recepients_dl as recepients_dl as	0	3	10	16	9	0.00
/* load com.ensim.actionLog.ActionLogDTO */ select actionlogd0id as id201_0_, actionlogd0action_guid as action2_201_0_, actionlogd0action_name as action3_201_0_, actionlogd0category as category201_0_, actionlogd0closed_at as closed5_201_0_, actionlogd0_expected_max_time as expected5_201_0_, actionlogd0_expected_min_time as expected7_201_0_, actionlogd0_organization_id as organiza8_201_0_, actionlogd0_single_type as single9_201_0_, actionlogd0_started_at as started10_201_0_, actionlogd0_started_at as started10_201_0_, actionlogd0_started_at as started10_201_0_, actionlogd0_started_at as started10_201_0_, actionlogd0_started_at as started10_201_0_from action_logd0_started_at as started10_201_0_started_at as started_at as started_at a started_at a started_at a started_	0	23	1	16	4	0.00
/* load com.ensim.synergy.server.jarScheduling.db.RegisteredServerDTO */ select registered0_id as id208_0_, registered0_host_address as host2_208_0_, registered0_host_name as host3_208_0_, registered0_jar_location as jar4_208_0_ from registered_server registered0_where registered0_id=?	0	6	5	16	8	0.00
/* select b from CRMJobScheduleDTO b where b.job_status=:status */ select crmjobsche0_id as id246_, crmjobsche0_action_log_id as action2_246_, crmjobsche0_cancelled_by as cancelled3_246_, crmjobsche0_cancelled_date as cancelled4_246_, crmjobsche0_iob_id_as job6_246_, crmjobsche0_iob_schedule as job7_246_, crmjobsche0_job_status as job8_246_, crmjobsche0_notification_status as notifica9_246_, crmjobsche0_submitted_by as submitted10_246_, crmjobsche0_iob_status=?	0	23	1	16	4	0.00
/* SELECT b FROM ServiceProviderOrganizationDTO b WHERE b.baseOrganizationDTO.id = :orgld */ select servicepro0_id as id93_, servicepro0_org_id as org5_93_, servicepro0_created_on as created2_93_, servicepro0_currency_id as currency6_93_, servicepro0_use_marketplace as use3_93_, servicepro0_use_reseller_model as use4_93_ from service_provider_organization servicepro0_ where servicepro0_org_id=?	0	3	10	16	9	0.00
"* SELECT b FROM EscmJarConfigDTO b WHERE b.registeredServerDTO.id =:reg_server_id and b.required = true order by b.id asc */ select escmjarcon0_id as id205_, escmjarcon0_jar_name as jar2_205_, escmjarcon0_registered_server_id as registered7_205_, escmjarcon0_is_required as is3_205_, escmjarcon0_retry_count as retry4_205_, escmjarcon0_schedule_day as schedule5_205_, escmjarcon0_schedule_time as schedule6_205_ from escm_jar_config_escmjarcon0_where escmjarcon0_registered_server_id=? and escmjarcon0_is_required =1 order by escmjarcon0_id asc	0	6	5	16	8	0.00
/* load collection com.ensim.synergy.server.user.permisson.db.RoleDTO.permissions */ select permission0_role_id as role1_23_1_, permission0_permission_id as permission2_1_, permission1_id as id22_0_, permission1foreign_id as foreign2_22_0_, permission1_organization_types as organiza3_22_0_, permission1_itype_id as type4_22_0_from permission_role_map permission0_inner join permission1_ on permission0_permission1_id where permission0_role_id=? order by permission0_permission_id=	0	3	10	31	17	0.00
/* SELECT a baseOrganizationDTO.id, a FROM ResellerOrganizationDTO a WHERE a baseOrganizationDTO.id in (:baseOrglds) */ select reselleror0_org_id as col_0_0_reselleror0_id as col_1_0_, reselleror0_id as id128_, reselleror0_is_activated as is2_128_, reselleror0_org_id as org27_128_, reselleror0_biling_language_id as billing28_128_, reselleror0_biling_language_id as billing28_128_, reselleror0_org_id as city128_, reselleror0_communication_language_id as communi29_128_ reselleror0_country_code as country5_128_, reselleror0_create_datetime as create6_128_, reselleror0_creator_org_id as currency30_128_, reselleror0_enail as email128_, reselleror0_fax_number as fax10_128_, reselleror0_language_id as country5_128_, reselleror0_enail as email128_, reselleror0_fax_number as fax10_128_, reselleror0_language_id as country5_128_, reselleror0_enail as email128_, reselleror0_planguage_id as country5_128_, reselleror0_enail128_, reselleror0_planguage_id as country5_128_, reselleror0_enail128_, reselleror	0	3	10	16	8	0.00
/* SELECT b FROM CustomerInvoiceDetailsDTO b WHERE b.discardNotificationStatus = 0 AND b.id > :previousLine AND b.pdfGenerationStatus=2 order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by customerin0id) as hibernate_row_nr, customerin0_id as id123_, customerin0_account_id as account2_123_, customerin0_adjustment_amount as adjustment3_123_, customerin0_amporvale_timestamp as approval6_123_, customerin0_approval_status as approval5_123_, customerin0_approval_timestamp as approval6_123_, customerin0_approved_by as approvad7_123_, customerin0_creation_datetime as creation8_123_, customerin0_cvid as currency9_123_, customerin0_customer_id as customer10_123_, customerin0_discard_notification_status_as_discard11_123_, customerin0_discarded_invoice_number as_discarded12_123_, customerin0_advanting5_123_, customerin0_advanting5_123_, customerin0_edate as_end16_123_, custome	0	2	15	16	0	0.00
/* Select b.roleDTO from ServiceProviderUserRoleMapDTO b where b.serviceProviderUserDTO.id=:spUserMapId */ select roledto1_id as id23_ roledto1_authority_level as authority2_23_ roledto1_inheritable as inherita3_23_, roledto1_is_agent_superadmin as is4_23_ roledto1_is_customer_superadmin as is5_23_, roledto1_is_reseller_superadmin as is6_23_, roledto1_is_sp_superadmin as is7_23_, roledto1_organization_type as organiza8_23_, roledto1_profile_identifier as profile9_23_, roledto1_role_identifier as role10_23_, roledto1_role_type as role11_23_, roledto1_user_activated_by_default as user12_23_ from service provider_user_role_map servicepro0_liner_identifier_activated_by_default as user12_23_ from serviceprovider_user_role_map serviceprovider_role_map serviceprovider_user_role_map serviceprovider_role_map serviceprovider_user_role_map se	0	6	5	31	12	0.00
"SELECT b FROM ActionLogDTO b WHERE b.id = :ActionLogHid '/ select actionlogd0_id as id201_, actionlogd0_action_guid as action2_201_, actionlogd0_action_name as action3_201_, actionlogd0_category as category201_, actionlogd0_closed_at as closed5_201_, actionlogd0_expected_max_time as expected6_201_, actionlogd0_expected_min_time as expected7_201_, actionlogd0_organization_id as organiza8_201_, actionlogd0_single_type as single9_201_, actionlogd0_started_at as started10_201_, actionlogd0_status as status201_, actionlogd0_user_id as user12_201_ from action_log_master actionlogd0_where actionlogd0_id=?	0	23	1	16	4	0.00
/* load one-to-many com.ensim.synergy.server.notification.db.NotificationMessageDTO.notificationMessageSections */ select notificatio_message_id as message4_32_1_, notificatio_id as id1_, notificatio_id as id28_0_, notificatio_message_id as message4_28_0_, notificatio_section as section28_0_, notificatio_optiock as optlock28_0_ from notification_message_section notificatio_where notificatio_message_id=? order by notificatio_section	0	6	5	16	8	0.00
/* load one-to-many com.ensim.synergy.server.user.db.UserDTO.permissions */ select permission0_user_id as user4_27_1_, permission0_id as id1_, permission0_id as id21_0_, permission0_user_id as user4_21_0_, permission0_is_grant as is2_21_0_, permission0_org_type as org3_21_0_, permission0_permission1_id as permission5_21_0_ from permission_user permission0_where permission0_user id=?	0	3	10	16	8	0.00
PsELECT b FROM LanguageDTO b where lower(b.iso639code) =:digit2Code */ select languagedt0_id as id13_ languagedt0_code as code13_, languagedt0_delete_indicator as delete3_13_, languagedt0_description as descript4_13_, languagedt0_iso639code as iso5_13_ languagedt0_provisioning_language as provisio6_13_, languagedt0_injtht_to_left as right7_13_, languagedt0_status as status13_, languagedt0_injtht_to+left as right7_13_, languagedt0_status as status13_, languagedt0_injtht_to+left as right7_13_, languagedt0_iso639code)=?	0	6	5	15	7	0.00
/* SELECT b FROM UsageDataStatusDTO b WHERE b.startDateTime =(Select max(a.startDateTime) from UsageDataStatusDTO a) */ select usagedatasO_id as id207_, usagedatasO_completed as completed207_, usagedatasO_iend_date_time as end3_207_, usagedatasO_jar_running_state as jar4_207_, usagedatasO_start_date_time as start5_207_, usagedatasO_status as status207_ from usage_data_status usagedatasO_ where usagedatasO_start_date_time=(select max(usagedatas1_start_date_time) from usage_data_status usagedatas1_)	0	6	3	14	6	0.00
/* from BPTConfigurationDTO */ select bptconfigu0_id as id216_, bptconfigu0_property_name as property2_216_, bptconfigu0_property_value as property3_216_ from bpt_configu0_property_value as property3_216_ from bpt_configu0_	0	1	16	16	0	0.00
"SELECT c from ReportMasterDTO c WHERE c.role_scope=:role_scope and c.active=1 */ select reportmast0_id as id263_, reportmast0_activation_time as activation2_263_, reportmast0_is_activation_time as activation2_263_, reportmast0_is_active as is3_263_, reportmast0_created_by as created19_263_, reportmast0_created_by as created19_263_, reportmast0_created_brankst0_is_activation_time as creation4_263_, reportmast0_deactivation_time as deactivate_263_, reportmast0_execution_5263_, reportmast0_is_sub_reportm	0	3	5	16	9	0.00

Request	% of cumulative	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT b FROM ServiceProviderBatchDataDTO b WHERE b.id = :organization_id */ select servicepro0_id as id96_, senvicepro0_ billion_amails_as billion? 96_ senvicepro0_cits_as_cits96_ senvicepro0_country_code_as_country_0 66_ senvicepro0_email.ss	time 0	3	5	16	9	0.00
servicepro0_billing_emails as billing2_96_, servicepro0_city as city96_, servicepro0_country_code as country4_96_, servicepro0_email as email96_, servicepro0_entity_id as entity6_96_, servicepro0_organization_name as organiza7_96_, servicepro0_phone_area_code as phone8_96_, servicepro0_phone_number as phone10_96_, servicepro0_ophone_ountry_code as phone9_96_, servicepro0_phone_number as phone10_96_, servicepro0_sp_opta1_code as postal11_96_, servicepro0_sp_organization_id as sp12_96_, servicepro0_state_province as state13_96_, servicepro0_street_addres1_as street14_96_, servicepro0_street_addres2_as street15_96_, servicepro0_vat_number as vat16_96_from_servicepro0_water_addres2_as street15_96_, servicepro0_id=?						
// select b from CustomerInvoiceDetailsDTO b where b.dueDate >=:currentDate AND b.approvalStatus=:paymentStatus AND b.approvalStatus=:approvalStatus '/ select customerin0_id as id123_, customerin0_account_id as account_id as approval_id as a currency_id as a discard_id_id as a discard_id_id_id as a discard_id_id_id as a discard_id_id_id as a discard_id_id_id_id as a discard_id_id_id_id_id_id_id_id_id_id_id_id_id	0	2	8	16	11	0.00
/* select b from BrandingVersionDetailsDTO b order by b.id desc */ select brandingve0id as id300_, brandingve0app_version as app2_300_, brandingve0_entry_timestamp as entry3_300_, brandingve0folder_name as folder4_300_ from brandingversion brandingve0_id desc	0	23	0	16	3	0.00
/* load com.ensim.customer.CustomerOrganizationDTO */ select customeror0_id as id81_0_, customeror0_api_pass_key as api18_81_0_, customeror0_org_id as org63_81_0_, customeror0_city_name as city2_81_0_, customeror0_contractual_statement as contract9_81_0_, customeror0_custom_field as currency21_81_0_, customeror0_custom_field as custom22_81_0_, customeror0_custom_field 10_as custom23_81_0_, customeror0_custom_field 11_as custom24_81_0_, customeror0_custom_field 13_as custom25_81_0_, customeror0_custom_field 23_as custom25_81_0_, customeror0_custom_field 23_as custom25_81_0_customeror0_custom_field 23_as custom25_81_0_customeror0_custom_field 23_as custom25_81_0_customeror0_custom_field 23_as custom25_81_0_customeror0_custom_field 23_as custom25_81_0_customeror0_custom25_81_0_c	0	3	5	16	9	0.00
/* select b.roleDTO from ServiceProviderUserRoleMapDTO b where b.serviceProviderUserDTO.id in (select u.id from ServiceProviderUserDTO u where u.baseUser.id=:UserId and u.serviceProviderOrganizationDTO.id in (select w.id from ServiceProviderOrganizationDTO id=:SaseOrgId)) and b.is_primary=:is_primary */ select roledto1_id as id23_roledto1_authority_level as authority2_23_roledto1_inheritable as inherita3_23_, roledto1_is_agent superadmin as is4_23_, roledto1_is_customer_superadmin as is5_23_roledto1_profile_identifier as profile9_23_roledto1_is_preadmin as is7_23_roledto1_organization_type as organiza8_23_roledto1_profile_identifier as profile9_23_roledto1_role_identifier as role10_23_roledto1_role_type as role11_23_roledto1_user_activated_by_default as user12_23_from service_provider_user_role_map servicepro0_inner_join role roledto1_on servicepro0_role_ide-roledto1_id where (servicepro0_user_serviceprovider_map_id	0	3	5	16	9	0.00
/* Select b from BaseUserOrgMapDTO b where b.base_user_id=:baseUserId AND b.base_org_id=:baseOrgId */ select baseuseror0id as id99_, baseuseror0_base_org_id as base2_99_, baseuseror0_base_user_id as base3_99_ from base_user_org_map baseuseror0_where baseuseror0_base_org_id=?	0	3	5	16	9	0.00
/* SELECT b.organization_name from ServiceProviderOrganizationDTO a, ServiceProviderBatchDataDTO b WHERE a.baseOrganizationDTO.id=:ids AND a.id=b.sp_organization_id*/select servicepro1_organization_name as col_0_0_from service_provider_organization_servicepro0_cross join service_provider servicepro1_where servicepro0_org_id=? and servicepro1_id=servicepro1_sp_organization_id	0	3	5	16	9	0.00
/* criteria query */ select this_id as id26_0_, this_create_datetime as create2_26_0_, this_description as descript3_26_0_, this_external_id as external4_26_0_, this_language_id as language6_26_0_, this_optlock as optlock26_0_ from entity this_	0	3	5	16	9	0.00
/* SELECT b FROM ResellerinvoiceDetialsDTO b WHERE b.discardNotificationStatus = 0 AND b.id > :previousLine order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by resellerin0_id) ashibernate_row_nr, resellerin0_id as id199_, resellerin0_adjustment_amount as adjustment2_199_, resellerin0_andunt_payable as amount3_199_, resellerin0_approval_199_, resellerin0_approval_5_199_, resellerin0_approved_by as approva6_199_, resellerin0_cation_datetime as creation7_199_, resellerin0_currency_id as currency8_199_, resellerin0_discard_notification_status as discard9_199_, resellerin0_discarded_invoice_number as discarded10_199_, resellerin0_discount as discount199_, resellerin0_discarded_invoice_number as discarded10_199_, resellerin0_discarded114_199_, resellerin0_invoice_amount as invoice15_199_, resellerin0_invoice_pumber as invoice15_199_, resellerin0_late_fine_ate114_199_, resellerin0_invoice_pumber as invoice16_199_, resellerin0_late_fine_ate147_199_, resellerin0_invoice_pumber as discarded10_invoice_pumber_pumpl	0	2	8	16	11	0.00
// SELECT a.baseOrganizationDTO.id, b from CustomerOrganizationDTO a, CustomerBatchDataDTO b WHERE a.baseOrganizationDTO.id in (ids) AND a.customer_id=b.customer_id '7 WITH query A\$ (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr, customerbor_org_id as col_0_0_, customerbat_id as col_1_0_, customerbat_id as id81, customerbat_id as id81, customerbat_id as id81, customerbat_id as col_10, customerbat_id as col_10, customerbat_id as id81, customerbat_id as col_10, customerbat_id as master 18, customerbat_id as master 18, customerbat_id as master 18, customerbat_id as a master 18, customerbat_id as master 18, customerbat_id as a master 18, customerbat_id as col_10, customerbat_id as col_10	0	6	2	16	6	0.00
/* SELECT b from WcmSpaceDTO b WHERE b.id=:hid */ select wcmspacedt0_id as id7_, wcmspacedt0_aliasuri as aliasuri7_, wcmspacedt0_name as name7_, wcmspacedt0_version as version7_ from wcm_space wcmspacedt0_where wcmspacedt0_id=?	0	6	2	16	6	0.00
/* insert synergy.Breadcrumb */ insert into breadcrumb (version, action, controller, description, name, object_id, user_id, id) values (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)	0	1	16	16	0	0.00
/* from UserSecurityQuestionAnswerDTO b where b.user_id=:user_id */ select usersecuri0_id as id152_, usersecuri0answer as answer152_, usersecuri0own_question as own3_152_, usersecuri0_security_question_id as security4_152_, usersecuri0_user_id as user5_152_ from user_security_question_answer usersecuri0_where usersecuri0_id=?	0	3	5	16	9	0.00
/* SELECT p FROM PaymentGatewayPluginDTO p */ select paymentgat0id as id184_, paymentgat0base_plugin_id as base2_184_, paymentgat0_financial_institution_id as financial3_184_ from plugin_payment_gateway paymentgat0_	0	3	5	15	8	0.00
/* criteria query "/ select this_id as id23_0_, this_authority_level as authority_2_23_0_, this_inheritable as inherita3_23_0_, this_is_esquelter_superadmin as id=2_3_0_, this_profile_identifier as profileg=2_3_0_, this_role_identifier as role10_23_0_, this_role_type as role11_23_0_, this_user_activated_by_default as user12_23_0_ from role this_where this_id=?	0	3	5	15	8	0.00
update base_user set current_login=? where id=? update base_user set last_login=? where id=?	0	3	5 5	15 15	8	0.00
/* criteria query */ select this_id as id93_3_, this_org_id as org5_93_3_, this_created_on as created2_93_3_, this_currency_id as currency6_93_3_, this_use_marketplace as use3_93_3_, this_use_reseller_model as use4_93_3_, organizati2_id as id51_0_, organizati2_date_time format as date2_51_0_, organizati2_email_signature as email.5_10_, organizati2_ati2_emit_id as entity4_51_0_, organizati2_is_deleted as is5_51_0_, organizati2_org_type as org6_51_0_currencydt3_id as id16_1_currencydt3_code as code16_1_, currencydt3_id as id16_1_currencydt3_id as id16_1_id as id16_1_currencydt3_id as id16_1_id as id16_1_1_currencydt3_id as id16_1_1_currency	0	6	2	15	6	0.00
/* SELECT b FROM ResellerInvoiceDetialsDTO b WHERE b.notificatioSend = 0 AND b.id > :previousLine order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by resellerin0_id) as _hibernate_row_nr, resellerin0_id as id199_, resellerin0_adjustment_amount as adjustment2_199_, resellerin0_amount_payable as amount3_199_, resellerin0_approval_status as approval4_199_, resellerin0_approval_timestamp as approval5_199_, resellerin0_approved_by as approved6_199_, resellerin0_capproval_timestamp as approval5_199_, resellerin0_approved_by as approved6_199_, resellerin0_discard_notification_status as discard9_199_, resellerin0_discount as discount199_, resellerin0_discount as invoice15_199_, resellerin0_invoice_amount as invoice15_199_, resellerin0_invoice_number as invoice15_199_, resellerin0_invoice_number as invoice16_199_, resellerin0_invoice_number_as invoice16_199_, resellerin0_invoice10_noti	0	2	7	15	10	0.00
/* criteria query */ select this_id as id206_1_, this_submitted_by as submitted17_206_1_, this_executed_command_line as executed2_206_1_, this_completed as completed206_1_, this_criteria_string as criteria_206_1_, this_execution_type as execution_206_1_, this_lost_address as host7_206_1_, this_voicing_period as invoicing_8_206_1_, this_jar_running_state as jar9_206_1_, this_jar_type as jar10_206_1_, this_job_instance_id_as job11_206_1_, this_job_thedule_details_id_as job19_206_1_, this_priority_as priority_206_1_, this_cross_id_as process_id_as process_id_s_206_1_, this_provider_id_as provider_id_206_1_, this_submitted_ime_as_start15_206_1_, this_status_as_status_206_1_, this_submitted_ime_as_submitted_id_8_206_1_, jobschedul2_id_as_com_jar_config_id_as_escurion_type_as_execution_4_276_0_, jobschedul2_id_s_active_as_is_5_276_0_, jobschedul2_id_s_active_as_is_5_276_0_, jobschedul2_id_s_active_as_is_5_276_0_, jobschedul2_id_s_id_c.	0	6	2	15	6	0.00
/* SELECT b FROM JobScheduleDetailsDTO b WHERE b.escm_jar_config_id =:jarConfigld and b.isActive =:activeStatus and b.execution_type =:execution_type order by b.id */ select jobschedul0_id as id276_, jobschedul0_criteria_string as criteria2_276_, jobschedul0_execution_type as exertion_tof_276_ jobschedul0_is_active as is5_276_, jobschedul0_io_b_id_as_jobs_276_, jobschedul0_job_area_string_area_strin	0	6	2	15	6	0.00
/* SELECT a FROM LanguageDTO a WHERE a.uiPresentation = :uiPresentation and a.status= :status ORDER BY a.description ASC */ select languagedt0_id as id13_, languagedt0code as code13_, languagedt0_delete_indicator as delete3_13_, languagedt0_description as descript4_13_, languagedt0_iso639code as iso5_13_, languagedt0_provisioning_language as provisio6_13_, languagedt0_inight_to_left as right7_13_, languagedt0_status=3_, languagedt0_ui_presentation as uip 13_ from languaged languagedt0_where languagedt0_ui_presentation=? and languagedt0_status=? order by languagedt0_description ASC	0	6	2	15	6	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* select b from CRMJobScheduleDTO b where b.notification_status=0 and b.job_status=3 */ select crmjobsche0_id as id246_, crmjobsche0_action_log_id as action_2_246crmjobsche0_cancelled_by as cancelled3_246crmjobsche0_cancelled_date as cancelled4_246crmjobsche0_internal_path as internal5_246crmjobsche0_job_id as job6_246crmjobsche0_job_schedule as job7_246crmjobsche0_job_status as job8_246crmjobsche0_notification_status_as notifica9_246crmjobsche0_submitted_by as submitted10_246crmjobsche0_indification_status=0 and crmjobsche0_job_status=3	0	23	0	15	3	0.00
/* criteria query */ select this_id as id9_0_, this_version as version9_0_, this_action as action9_0_, this_controller as controller9_0_, this_description as descript5_9_0_, this_name as name9_0_, this_object_id as object7_9_0_, this_user_id as user8_9_0_ from breadcrumb this where this user id+? order by this id asc.	0	9	1	15	5	0.00
/" SELECT b FROM CustomerUserDTO b WHERE b.baseUser.id = :userId "/ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as _hibernate_row_nrcustomerus0id as id91customerus0cust acc_hid as cust29_91_, customerus0_ad_sync_pending as ad2_91_, customerus0_ad_sync_pending as ad2_91_, customerus0creator_og_type_as creator5_91_, customerus0creator_base_org_id as creator4_91_, customerus0creator_og_type_as creator5_91_, customerus0creator_base_user_id as creator6_91_, customerus0domain_accout_map_id as domain31_91_, customerus0customer_org_id as customer30_91_, customerus0_double_encrypted_password as double7_91_, customerus0_enror_message as error8_91_, customerus0_iner_error_message as inner9_91_, customerus0_is_user_deactivated as is10_91_, customerus0_isbusiness_contact as isbusiness1_91_, customerus0_ispusiness_tomater_user_ispusiness_tomater_user_ispusiness_tomater_user_ispusiness_tomater_user_ispusiness_tomater_user_ispusiness_tomater_user_ispusiness_tomater_user_user_ispusiness_tomater	0	3	5	15	8	0.00
update synergy_order_line set delayed_notif_sent=? where id=? and delayed_notif_sent=? /* SELECT a.baseOrganizationDTO.id, b from CustomerOrganizationDTO a, CustomerBatchDataDTO b WHERE a.baseOrganizationDTO.id	0	3 6	5	15 15	8	0.00
in (:ids) AND a customer id=b.customer id "7 select customeror0_orig_id as col, customerba1id as col, customerba1id as col, customerba1id as col, customerba1id as col, customerba1_customer id as customer id as customerba1_customer id as customerba1_customer id as customerba1_customer id as customerba1_customer id as customerba1_idelete_indicator as delete6_81_, customerba1_is_onboarded as is7_81_, customerba1_legal_language as legal8_81_, customerba1_macro_segment as macro9_81_, customerba1_party_type as party12_81_ customerba1_phonetic_name as phonetic13_81_, customerba1_stop_order_indicator as stop14_81_, customerba1_street_name as street15_81_, customerba1_vat_number as vat16_81_, customerba1_zip_code as zip17_81_from customer_organization customeron_c	o di	0	2	19	o o	0.00
/* criteria query */ select this_id as id107_0_, thischange_pwd_url as change2_107_0_, thisorganization_type as organiza3_107_0_ from change_pwd_url_settings this_ where lower(thisorganization_type) like ?	0	9	1	15	5	0.00
/* SELECT b from DashboardPropertiesDTO b WHERE upper(b.property_name)= :propName and b.language.id=:languageID */ select dashboardp0_id as id100_, dashboardp0language_id as language4_100_, dashboardp0_property_name as property2_100_, dashboardp0_property_value as property3_100_ from dashboardpoperties dashboardp0_where upper(dashboardp0_property_name)=? and dashboardp0_language_id=?	0	9	0	2	0	0.00
/* load com.ensim.bgcSEAP.account.CustomerAccountMapDTO */ select customerac0_id as id97_2_, customerac0_account_hib_id as account2_97_2_, customerac0cust_org_domain_map_id as cust3_97_2_, accountdto1_id as id85_0_, accountdto1_account_las account2_85_0_, accountdto1_billable_16_50_, accountdto1_billable_16_50_, accountdto1_billing_day as billing7_85_0_, accountdto1_billing_day as billing7_85_0_, accountdto1_billing_day as billing7_85_0_, accountdto1_care_of_indicator as care8_85_0_, accountdto1_communical_anguage as communic3_85_0_, accountdto1_comprorate10_85_0_, accountdto1_currency_id as current11_85_0_, accountdto1_service_16_id as careful as ca	0	3	0	0	0	0.00
/* SELECT b FROM PaymentReceivedResellerDTO b WHERE b.notifSent = 0 AND b.id > :previousLine order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by paymentrec0_id) ashibernate_row_nr, paymentrec0_id as id118, paymentrec0_payment_adjustment_number as payment1_18 paymentrec0_payment_adjustment_number as payment1_18 paymentrec0_ads card_type_id as card4_118, paymentrec0_cheque_date as cheque5_118, paymentrec0_comments_made as comments6_118, paymentrec0_currency_id as currency7_118, paymentrec0_entry_datetime as entry8_118, paymentrec0_insignal_institution_id as financial9_118, paymentrec0_instrument_numer10_118, paymentrec0_ordif_institution_id_institution_id_id_s financial9_118, paymentrec0_is_online as is12_118, paymentrec0_ordif_institution_id_id_sordif_institution_id_id_sordif_id_id_sordif_id_id_sordif_id_id_sordif_id_sord	0	2	0	0	0	0.00
/* select b.invoiceNumber from CustomerInvoiceDetailsDTO b where b.approvalStatus=2 and b.pdfGenerationStatus in (0,3) order by id */ WITH query AS (select ROW_NUMBER() OVER (order by customerin0_id) ashibernate_row_nr, customerin0_invoice_number as col_0_0_from customer_invoice_details customerin0_ where customerin0_approval_status=2 and (customerin0_pdf_generation_status in (0,3)) SELECT*FROM query WHEREhibernate_row_nr BETWEEN ? AND ?	0	1	0	0	0	0.00
/* select b.roleDTO from ServiceProviderUserRoleMapDTO b where b.serviceProviderUserDTO.id in (select u.id from ServiceProviderUserDTO u where u.baseUser.id='UserId and u.serviceProviderOrganizationDTO id in (select w.id from ServiceProviderOrganizationDTO id by where w.baseOrganizationDTO.id=BaseOrgal)) "/ select roledto1_id as id23_, roledto1_authority_level as authority2_23_, roledto1_inheritable as inherita3_23_, roledto1_is_gent_superadmin as is4_23_, roledto1_is_user_admin as is5_23_, roledto1_is_reseller_superadmin as is6_23_, roledto1_is_ps_psuperadmin as is7_23_, roledto1_roleganization_type as organization_toped sorganization_toped. roledto1_roleganization_toped. roledto1_roleganization_toped. roledto1_roleganization_toped. roleganization_toped.	0	3	0	0	0	0.00
/* SELECT a.baseOrganizationDTO.id, b FROM PartnerOrganizationDTO a, PartnerBatchDataDTO b WHERE a.baseOrganizationDTO.id in (baseOrglds) AND a.par_id=b.par_id '7 select partnerorg0_org_id as col_0_0_partnerbat1_ad as col_1_0_partnerbat1_id as ids0_partnerbat1_address_boxnumber as address2_50_partnerbat1_address_city as address3_50_partnerbat1_address_country as address4_50_partnerbat1_address_postalcode as address5_50_partnerbat1_address_number as address6_50_partnerbat1_address_postalcode as address7_50_partnerbat1_address_street as address8_50_partnerbat1_billing_language_id as billing17_50_partnerbat1_communication_language_id as communi18_50_partnerbat1_is_onboarded as is9_50_partnerbat1_name as name50_partnerbat1_organization_status as organiz11_50_partnerbat1_par_id as par12_50_partnerbat1_par_par_seq_nr as par13_50_partnerbat1_product_certificates as product14_50_partnerbat1_product_certificates_id as product15_50_partnerbat1	0	3	0	0	0	0.00
/* SELECT b from OrgSpaceMapDTO b WHERE b.org_id=:orgId */ select orgspacema0id as id221_, orgspacema0creation_date as creation2_221_, orgspacema0is_active as is3_221_, orgspacema0is_production as is4_221_, orgspacema0_org_id as org5_221_, orgspacema0_orghapacema0_is_arak221_, orgspacema0_is_active as space7_221_ from org_space_map orgspacema0_where orgspacema0_org_id=?	0	3	0	0	0	0.00
/* SELECT a FROM LanguageDTO a WHERE a code = :code ORDER BY a description ASC */ select languagedt0_id as id13_, languagedt0_code as code13_, languagedt0_delete_indicator as delete3_13_, languagedt0_description as descript4_13_, languagedt0_iso639code as iso5_13_, languagedt0_provisioning_languaged as provisio6_13_, languagedt0_indipt_to_left as right7_13_, languagedt0_idescription ASC */ select languagedt0_where languagedt0_where languagedt0_code=? order by languagedt0_description ASC */	0	3	0	0	0	0.00
/* select b.invoiceNumber from ResellerInvoiceDetialsDTO b where b.approvalStatus=2 and b.pdfGenerationStatus in (0,3) order by id */ WITH query AS (select ROW_NUMBER() OVER (order by resellerin0id) ashibernate_row_nr, resellerin0invoice_number as col_0_0 from res_invoice_summary resellerin0_ where resellerin0_approval_status=2 and (resellerin0pdf_generation_status in (0,3))) SELECT* FROM query WHEREhibernate_row_nr BETWEEN ? AND ?	0	1	0	0	0	0.00
/* delete synergy.Breadcrumb */ delete from breadcrumb where id=? and version=?	0	1	0	0	0	0.00
/* criteria query *) select this_id as id96_0_, this_billing_emails as billing2_96_0_, this_city96_0_, this_country_code as country4_96_0_, this_email as email96_0_, this_entity_id as entity6_96_0_, this_organization_name as organizat_96_0_, this_phone_area_code as phone8_96_0_, this_phone_code as phone8_96_0_, this_phone_phone_phone_number as phone10_96_0_, this_postal_code as postal11_96_0_, this_sp_organization_id as sp12_96_0_, this_state_province as state13_96_0_, this_street_addres1 as street14_96_0_, this_street_addres2 as street15_96_0_, this_vat_number as vat16_96_0_ from service_provider this_where this_entity_id=?	0	3	0	0	0	0.00
/* SELECT b FROM UserServiceNotificationDTO b WHERE b.notifSent = 0 AND b.id > previousLine */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr, userservic0_id as id198_, userservic0_access_token as access2_198_, userservic0_user_service_instance_map_id as user3_198_, userservic0_notif_sent as notif4_198_from user_service_orbification userservic0_where userservic0_notif_sent=0 and userservic0_id>?) SELECT * FROM query WHEREhibernate_row_nr BETWEEN ? AND ?	0	1	0	0	0	0.00
WITH query AS (/* criteria query */ select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) ashibernate_row_nr, min(thisid) as y0_ from entity this_) SELECT * FROM query WHEREhibernate_row_nr BETWEEN ? AND ?	0	9	0	0	0	0.00
/* Select p.permission.id from PermissionUserDTO p where p.baseUser.id=:basUserId and p.orgType=:_orgType */ select permission0_permission_id as col_0_0_ from permission_user permission0_ where permission0_user_id=? and permission0_org_type=? /* SELECT b FROM RegisteredServerDTO b WHERE b.hostAddress =:hostAddress */ select registered0_id as id208_,	0	6	0	0	0	0.00
registered0_host_address as host2_208_, registered0_host_name as host3_208_, registered0_jar_location as jar4_208_ from registered_server registered0_ where registered0_host_address=?						
/* criteria query */ select thisid as id18_0_, thisname as name18_0_ from synergy_table this_ where thisname=? /* from SecurityQuestionsDTO */ select securityqu0id as id153_, securityqu0security_question as security2_153_ from	0	3	0	0	0	0.00
security_questions securityqu0_ /* SELECT b FROM PermissionDTO b WHERE b.id = :hid */ select permission0id as id22_, permission0_foreign_id as foreign2_22_, permission0_ types as organiza10n_types as organiza3_22_, permission0type_id as type4_22_ from permission0_ permission0_ where permission0_ id=?	0	3	0	0	0	0.00
/* criteria query */ select this_id as id14_0_, this_is_active as is2_14_0_, thiscode as code14_0_, this_iso3166code as iso4_14_0_ from country this_ where thiscode=?	0	3	0	0	0	0.00
/* Select b.userName from UserDTO b where b.id=:id */ select userdto0user_name as col_0_0_ from base_user userdto0_ where userdto0_id=?	0	3	0	0	0	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT b FROM PaymentReceivedDTO b WHERE b.notifSent = 0 AND b.online = true AND b.id > :previousLine order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by paymentrec0_id) ashibernate_row_nrpaymentrec0_id as id114_, paymentrec0_acount_id as account_2 114_, paymentrec0_adjustment_against aadjustment_against a_djustment_against_value as adjustment4_114_, paymentrec0_payment_adjustment_number as payments_114_, paymentrec0_amount_paid as amount6_114_, paymentrec0_card_type_id as card7_114_, paymentrec0_ctoteque_date as cheque8_114_, paymentrec0_comments_made as comments9_114_, paymentrec0_derency_id_as currency_10_114paymentrec0_customer_id_as customer_11_114_, paymentrec0_es_transaction_id_as eas12_114_, paymentrec0_entry_datetime as entry_13_114_, paymentrec0_is_approved as is16_114_, paymentrec0_is_is_approved as is16_114_, paymentrec0_isin_as notif_17_114_, pay.	0	2	0	0	0	0.00
/* load com.ensim.synergy.server.util.db.TimePeriodsDTO */ select timeperiod0id as id77_0_, timeperiod0_time_period as time2_77_0_ from time_periods_meta timeperiod0_ where timeperiod0id=?	0	2	0	0	0	0.00
/* select p from PermissionDTO p join p.roles r where r.id in (:tags) and p.id =:permission */ select permission0_id as id22_, permission0foreign_id as foreign2_22_, permission0organization_types as organiza3_22_, permission0type_id as type4_22_ from permission permission0_inner join permission_cle_map roles1_ on permission0_id=roles1_permission_id inner join role roledto2_ on roles1role_id=roledto2_id where (roledto2_id in (?)) and permission0_id=?	0	6	0	0	0	0.00
/" SELECT a.baseOrganizationDTO.id, b FROM ServiceProviderOrganizationDTO a, ServiceProviderBatchDataDTO b WHERE a.baseOrganizationDTO.id in (baseOrglds) 7 select serviceprog.org_id as col_0_o_serviceprot_aid as col_1_0_, serviceprot_id as id86_, serviceprot_billing_emails as billing2_96_serviceprot_city as city96_serviceprot_country_code as country4_96_, serviceprot_email as email96_serviceprot_entity_id as entity6_96_serviceprot_organization_name as organiza7_96_, serviceprot_phone_prea_code as pohone8_96_serviceprot_phone_protone_phone_prea_code as pohone8_96_serviceprot_phone_p	0	3	0	0	0	0.00
/* SELECT b FROM AdhocEmailQueueDTO b WHERE b.retryCount <= :rcount AND b.sentCount = 0 AND b.id > :previousld */WITH query AS (select ROW, NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as _hibernate_row_nr, adhocemail0_id as id188_, adhocemail0_bcc as bcc188_, adhocemail0_cc as cc188_, adhocemail0_cnotent_type as content4_188_, adhocemail0_ful_body as full6_188_, adhocemail0_reclever_email as reclever8_188_, adhocemail0_reclever8_188_, adhoce	0	1	0	0	0	0.00
/* FROM PortalAuthenticationDTO p where p.id = (SELECT min(port.id) FROM PortalAuthenticationDTO port) */ select portalauth0id as id222_, portalauth0auth_value as auth2_222_, portalauth0unique_auth_id as unique4_222_, portalauth0value2 as value5_222_ from portal_authentication portalauth0_ where portalauth0id=(select min(portalauth1_id) from portal_authentication portalauth1_id) from portal_authentication portalauth1_id) from portal_authentication portalauth1_id) from portalau	0	3	0	0	0	0.00
/" Select b from ServiceProviderUserDTO b where b.baseUser.id=:baseUserId AND b.serviceProviderOrganizationDTO.id=:spOrgld "/ select servicepro0id as id94_, servicepro0_ad user_name as ad2_94_, servicepro0_base_user_id as base14_94_, servicepro0_cdouble_encrypted_password as obuble3_94_, servicepro0_enror_message as error4_94_, servicepro0_inner_error_message as inner5_94_, servicepro0_istencepro0_istencepro0_istencepro0_organizations servicepro0_organizations servicepro0_organizations as isbusiness7_94_, servicepro0_org	0	6	0	0	0	0.00
/* SELECT b.id from ServiceProviderOrganizationDTO a, ServiceProviderBatchDataDTO b WHERE a.baseOrganizationDTO.id=:ids AND a.id=b.sp_organization_id *7'select servicepro1_id a so ol_0_0_from service_provider_organization_servicepro0_cross join service_provider servicepro1_where servicepro0_org_id=?'and servicepro0_id=servicepro1_ssp_organization_id	0	3	0	0	0	0.00

5,861 hits/min on 220 requests

Detailed statistics jsp - all

Request	% of cumulativ e time		Mean time (ms)							Mean time sql (ms)
/grails/dashboard/myAccountInfo.dispatch	30	3	303	547	215	25	218	0.00	15	78
/grails/login/auth.dispatch	29	3	296	672	325	30	260	0.00	7	20
/grails/logout/sessionTimedOut.dispatch	27	3	270	734	401	30	265	0.00	0	0
/grails/dashboard/index.dispatch	6	3	62	156	81	7	62	0.00	1	0
/grails/home.dispatch	5	3	57	125	59	6	51	0.00	3	10

0 hits/min on 5 requests



Detailed statistics http system errors - all

None



Last http system errors - all

None



None



None



Detailed current requests

None



Detailed system information

EASAPP01@10.10.3.16 Host: 1,408 Mb / 3,641 Mb Java memory used: Nb of http sessions: Nb of active threads (current http requests): 0 Nb of active jdbc connections: 0 Nb of used jdbc connections (opened if no datasource): OS: Windows Server 2012 , amd64/64 (4 cores) Java(TM) SE Runtime Environment, 1.7.0_51-b13 Java: JVM: Java HotSpot(TM) 64-Bit Server VM, 24.51-b03, mixed mode PID of process: 6416 Apache Tomcat/8.0.22 Server:

Webapp context: /escm Start: 1/11/17 12:48 PM

JVM arguments:

1/11/17 12:48 PM

-Dfile.encoding=UTF-8
-Dcom.sun.management,imxremote.port=3333
-Dcom.sun.management,imxremote.ssl=false
-Dcom.sun.management,imxremote.authenticate=false
-Dcom.sun.management,imxremote.authenticate=false
-Xms1024m
-Xms4096m
-XX:PermSize=1024m
-XX:PermSize=1024m
-XX:PermSize=2048m
-Djava.util.logging.config.file=C:\tomcat8\conf\logging.properties
-Djava.util.logging.manager=org.apache.juli.ClassLoaderLogManager
-Djava.endorsed.dirs=C:\tomcat8\conflored
-Dcatalina.base=C:\tomcat8
-Dcatalina.home=C:\tomcat8
-Djava.io.tmpdir=C:\tomcat8\tomcat8

Mean age of http sessions (min):

Tomcat "http-nio-8080":

Busy threads = 1 / 250
Bytes received = 2,936
Bytes sent = 5,731,019
Request count = 808
Error count = 4
Sum of processing times (ms) = 106,201
Max processing time (ms) = 6,408

Memory:

Non heap memory = 152 Mb (Perm Gen, Code Cache), Loaded classes = 20,036, Garbage collection time = 62,969 ms, Process cpu time = 7,488,968 ms, Committed virtual memory = 4,973 Mb, Free physical memory = 10,394 Mb, Total physical memory = 16,383 Mb, Free swap space = 13,187 Mb, Total swap space = 20,991 Mb

134 Mb / 2,048 Mb Perm Gen memory:

Free disk space: 15,479 Mb

193 dependencies ;
EASTAX,jar,
IPaymentManagement,jar,
ISMSManagement,jar,
PhoneInventroyClient,jar,
SMSConnector,jar,
ServiceConnector!DK,jar,
TaxConnectorInterface.jar,
activation-1.1,jar,
ant-1.7.1,jar,
ant-1.2.7.7,jar,
apache-commons-net.jar,
asm-3.3.1,jar,
aspectyle-1.6.10,jar,
aspectyle-1.6.10,jar,
aspectyle-1.6.10,jar,
aspectyle-1.6.10,jar,
aspectyle-1.6.10,jar,
castor-1.2,jar,
cgilb-2.2,jar,
castor-1.2,jar,
commons-beanutils-1.8.3,jar,
commons-collections-3.2.1,jar,
commons-collections-3.2.1,jar,
commons-collections-3.2.1,jar,
commons-collections-3.2.1,jar,
commons-diops-1.4,jar,
commons-diops-1.4,jar,
commons-diops-1.4,jar,
commons-diops-1.4,jar,
commons-diops-1.4,jar,
commons-diops-1.4,jar,
commons-diops-1.4,jar,
commons-diops-1.4,jar,
commons-diops-1.4,jar, Dependencies: commons-codec-1.5.jar,
commons-codec-1.5.jar,
commons-collections-3.2.1.jar,
commons-dbcp-1.4.jar,
commons-dbcp-1.4.jar,
commons-digester-2.1.jar,
commons-digester-3.2.jar,
commons-litpcilent-3.0.1.jar,
commons-litpcilent-3.0.1.jar,
commons-litpcilent-3.0.1.jar,
commons-log-2.1.jar,
commons-log-2.1.jar,
commons-log-2.1.jar,
commons-logging-1.1.1.jar,
commons-logging-1.1.1.jar,
commons-logging-1.1.1.jar,
commons-log-1.6.jar,
commons-pool-1.5.6.jar,
commons-pool-1.5.6.jar,
commons-pool-1.5.6.jar,
commons-pool-1.5.6.jar,
commons-pool-2.6.jar,
cxf-rt-bindings-soap-2.6.2.jar,
cxf-rt-bindings-soap-2.6.2.jar,
cxf-rt-bindings-soap-2.6.2.jar,
cxf-rt-fontend-jaxxs-2.6.2.jar,
cxf-rt-fontend-jaxxs-2.6.2.jar,
cxf-rt-frontend-simple-2.6.2.jar,
cxf-rt-transports-http-2.6.2.jar,
cxf-rt-ws-addr-2.6.2.jar,
cxf-rt-ws-addr-2.6.2.jar,
cxf-rt-ws-addr-2.6.2.jar,
cxf-rt-ws-addr-2.6.2.jar,
cxf-rt-vs-policy-2.6.2.jar,
cxf-rt-vs-policy-2.6.2.jar,
cxf-rt-vs-policy-2.6.2.jar,
cxf-rt-vs-policy-2.6.2.jar,
cxf-rt-vs-addr-2.6.2.jar,
cxf-rt-vs-addr-2.6.2.jar,
cxf-rt-vs-addr-2.6.2.jar,
cxf-tols-common-2.6.2.jar,
cxf-tols-common-2.6.2.jar,
cxf-tols-common-2.6.2.jar,
cxf-tols-common-2.6.2.jar, cxt-ft-ws-addr-z.b.z.Jar,
cxt-ft-ws-policy-z.6.2.jar,
cxt-tools-common-z.6.2.jar,
cxt-tools-wsdlto-core-2.6.2.jar,
cxt-tools-wsdlto-core-2.6.2.jar,
cxt-tools-wsdlto-frontend-jaxws-2.6.2.jar,
cxt-tools-wsdlto-frontend-jaxws-2.6.2.jar,
dnajava-2.1.5.jar,
dnaj41-6.1.jar,
eas-report.jar,
ecj-3.7.2.jar,
ehcache-core-2.4.6.jar,
escm-encrypt-decrypt.jar,
escm-encrypt-decrypt.jar,
geronimo-javamail 1.4_spec-1.7.1.jar,
grails-bootstrap-2.2.0.jar,
grails-datastore-core-1.1.2.RELEASE.jar,
grails-datastore-gorm-1.1.2.RELEASE.jar,
grails-datastore-gorm-1.1.2.RELEASE.jar,
grails-datastore-gorm-1.1.2.RELEASE.jar,
grails-datastore-gorm-1.1.2.RELEASE.jar,
grails-datastore-gorm-1.1.2.RELEASE.jar,
grails-datastore-gorm-1.1.2.RELEASE.jar,
grails-datastore-gorm-1.1.2.RELEASE.jar,
grails-logging-2.2.0.jar,
grails-logging-2.2.0.jar,
grails-logging-2.2.0.jar, grails-odatastore-simple-1.1.2.RELEASE.jar, grails-datastore-simple-1.1.2.RELEASE.jar, grails-holgmate-2.2.0.jar, grails-holgmay-2.2.0.jar, grails-plugin-bean-fields-1.0.jar, grails-plugin-obean-fields-1.0.jar, grails-plugin-codes-2.2.0.jar, grails-plugin-codes-2.2.0.jar, grails-plugin-cometres-2.2.0.jar, grails-plugin-domain-class-2.2.0.jar, grails-plugin-domain-class-2.2.0.jar, grails-plugin-domain-class-2.2.0.jar, grails-plugin-domain-class-2.2.0.jar, grails-plugin-filters-2.2.0.jar, grails-plugin-minetypes-2.2.0.jar, grails-plugin-minetypes-2.2.0.jar, grails-plugin-searchable-0.6.4.jar, grails-plugin-searchable-0.6.4.jar, grails-plugin-searchable-0.6.4.jar, grails-plugin-services-2.2.0.jar, grails-plugin-services-2.2.0.jar, grails-plugin-services-2.2.0.jar, grails-plugin-minetypes-2.2.0.jar, grails-plugin-minetypes-2.2.0.jar, grails-plugin-minetypes-2.2.0.jar, grails-plugin-weceem-1.1.3.5NAPSHOT.jar, grails-plugin-weceem-1.1.3.5NAPSHOT.jar, grails-plugin-weceem-1.1.3.5NAPSHOT.jar, grails-spring-2.2.0.jar, grails-plugin-weceem-1.1.3.5NAPSHOT.jar, grails-spring-2.2.0.jar, grail groovy-all-2.0.5_jar, hessian-4.0.7_jar, hessian-4.0.7_jar, hessian-4.0.7_jar, hessian-4.0.7_jar, hessian-4.0.7_jar, hibernate-core-3.6.10.Final.jar, hibernate-core-3.6.10.Final.jar, hibernate-jpa-2.0-api-1.0.1.Final.jar, hibernate-jpa-2.0-api-1.0.1.Final.jar, hibernate-yalidator-4.1.0.Final.jar, hitporie-4.4.4.jar, httporie-4.4.4.jar, httporie-4.4.4.jar, itext-2.1.7_jar, itext-2.1.7_jar, itext-2.1.7_jar, jasper-compiler-jdt-5.5.1_jar, jasper-compiler-jdt-5.5.1_jar, jasper-ports-5.6.1_jar, jasper-ports-5.6.1_jar, jasper-ports-to-tons-5.6.1_jar, jasper-ports-tunctions-5.6.1_jar, jasper-ports-tunctions-5.6.1_jar, jasper-ports-tunctions-5.6.1_jar, jasper-ports-javaflow-5.6.1_jar, jasper-ports-javaflow-1.0.1.7_jar, jreechart-1.0.12_jar, jasper-ports-6.2_jar, jobin-1.5.9_jar, jobin-1.5.9_jar,

jsch.jar, json-simple-1.1.jar,

jsr311-api-1.1.1.jar,
jstl-1.1.2.jar,
jstl-1.1.2.jar,
jstl-1.1.2.jar,
jstl-1.3.0.jar,
jul-to-sll4j-1.6.2.jar,
jog4j-1.2.16.jar,
lucene-analyzers.jar,
lucene-core.jar,
lucene-core.jar,
lucene-spellchecker.jar,
mail-1.4.3.jar,
neethi-3.0.2.jar,
opencsv-2.1.jar,
oro-2.0.8.jar,
pol-1.0.16.jar,
seture-spellchecker.jar,
mail-1.4.3.jar,
neethi-3.0.2.jar,
opencsv-2.1.jar,
oro-2.0.8.jar,
pol-1.0.16.jar,
seture-spellchecker.jar,
sitemesh-2.4.jar,
secure-channel-facade.jar,
sitemesh-2.4.jar,
spring-asm-3.1.2.RELEASE.jar,
spring-asm-3.1.2.RELEASE.jar,
spring-beans-3.1.2.RELEASE.jar,
spring-orote-3.1.2.RELEASE.jar,
spring-orote-3.1.2.RELEASE.jar,
spring-orote-3.1.2.RELEASE.jar,
spring-dobeans-3.1.2.RELEASE.jar,
spring-dobeans-3.1.2.RELEASE.jar,
spring-dobeans-3.1.2.RELEASE.jar,
spring-dobeans-3.1.2.RELEASE.jar,
spring-dobeans-3.1.2.RELEASE.jar,
spring-dobeans-3.1.2.RELEASE.jar,
spring-modules-cache-0.8.jar,
spring-modules-cache-0.8.jar,
spring-security-worb-3.0.7.RELEASE.jar,
spring-security-worb-3.0.7.RELEASE.jar,
spring-security-worb-3.0.7.RELEASE.jar,
spring-security-worb-3.0.7.RELEASE.jar,
spring-security-worb-3.0.7.RELEASE.jar,
spring-security-worb-3.0.7.RELEASE.jar,
spring-security-worb-3.0.7.RELEASE.jar,
spring-worb-3.1.2.RELEASE.jar,
spring-worb-3.1.2.RELE

Detailed threads

Threads on EASAPP01@10.10.3.16: Number = 69, Maximum = 257, Total started = 5,070

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
ajp-nio-8009-Acceptor-0	yes	5	RUNNABLE	sun.nio.ch.ServerSocketChannelImpl.accept0(Native Method)	0	
ajp-nio-8009-ClientPoller-0	yes	5	RUNNABLE	sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)	0	C
ajp-nio-8009-ClientPoller-1	yes	5	RUNNABLE	sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)	0	C
AsyncFileHandlerWriter-357935641	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	31	31
Attach Listener	yes	5	RUNNABLE		0	С
AWT-Windows	yes	6	RUNNABLE	sun.awt.windows.WToolkit.eventLoop(Native Method)	109	31
com.ensim.synergy.server.user.db.UserDT O.data	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	C
com.ensim.synergy.server.user.db.UserDT O.data	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	C
com.ensim.synergy.server.user.db.UserDT O.data	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	C
com.mchange.v2.async.ThreadPoolAsynch ronousRunner\$PoolThread-#0	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	233,875	71,000
com.mchange.v2.async.ThreadPoolAsynch ronousRunner\$PoolThread-#1	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	222,562	67,343
com.mchange.v2.async.ThreadPoolAsynch ronousRunner\$PoolThread-#2	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	288,250	87,171
com.mchange.v2.async.ThreadPoolAsynch ronousRunner\$PoolThread-#3	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	287,390	82,468
com.mchange.v2.async.ThreadPoolAsynch ronousRunner\$PoolThread-#4	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	231,937	70,640
com.mchange.v2.async.ThreadPoolAsynch ronousRunner\$PoolThread-#5	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	222,046	68,125
Compass Executor Thread [pool-1-thread-10]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	906	890
Compass Executor Thread [pool-1-thread-1]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	265	265
Compass Executor Thread [pool-1-thread-2]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	156	156
Compass Executor Thread [pool-1-thread-3]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	203	203
Compass Executor Thread [pool-1-thread-4]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	203	171
Compass Executor Thread [pool-1-thread-5]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	171	171
Compass Executor Thread [pool-1-thread-6]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	78	31
Compass Executor Thread [pool-1-thread-7]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	31	15
Compass Executor Thread [pool-1-thread-8]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	390	375
Compass Executor Thread [pool-1-thread- 9]	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	468	437
Compass Scheduled Executor Thread [pool-3-thread-1]	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	22,687	5,968
ContainerBackgroundProcessor[StandardEngine[Catalina]]	yes	5	TIMED_WAITING	java.lang.Thread.sleep(Native Method)	250	93

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
DefaultQuartzScheduler_QuartzSchedulerT hread	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	281	218
DefaultQuartzScheduler_Worker-1	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	2,812	2,468
DefaultQuartzScheduler_Worker-10	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	671	562
DefaultQuartzScheduler_Worker-2	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	3,065,093	3,007,187
DefaultQuartzScheduler_Worker-3	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	750	609
DefaultQuartzScheduler_Worker-4	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	781	578
DefaultQuartzScheduler_Worker-5	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	468	375
DefaultQuartzScheduler_Worker-6	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	421	343
DefaultQuartzScheduler_Worker-7	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	953	765
DefaultQuartzScheduler_Worker-8	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	1,312	1,140
DefaultQuartzScheduler_Worker-9	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	500	406
Finalizer	yes	8	WAITING	java.lang.Object.wait(Native Method)	34,062	31,968
GC Daemon	yes	2	TIMED WAITING	java.lang.Object.wait(Native Method)	0	0
http-nio-8080-Acceptor-0	yes	5	RUNNABLE	sun.nio.ch.ServerSocketChannelImpl.accept0(Native Method)	15	0
http-nio-8080-ClientPoller-0	yes	5	RUNNABLE	sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)	250	140
http-nio-8080-ClientPoller-1	yes	5	RUNNABLE	sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)	93	78
http-nio-8080-exec-1	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	4,843	4,203
http-nio-8080-exec-10	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	4,750	3,718
http-nio-8080-exec-2	yes	5	RUNNABLE	java.lang.Thread.dumpThreads(Native Method)	6,187	5,078
http-nio-8080-exec-3	yes	5		sun.misc.Unsafe.park(Native Method)	5,531	4,687
http-nio-8080-exec-4	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	8,843	7,281
http-nio-8080-exec-5	yes	5		sun.misc.Unsafe.park(Native Method)	4,515	3,796
http-nio-8080-exec-6	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	3,343	2,921
http-nio-8080-exec-7	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	14,125	12,468
http-nio-8080-exec-8	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	9,781	9,093
http-nio-8080-exec-9	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	3,406	2,953
Java2D Disposer	yes	10	WAITING	java.lang.Object.wait(Native Method)	125	109
javamelody escm	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	49,296	31,343
jrobin escm	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	15	15
main	no	5		java.net.DualStackPlainSocketImpl.accept0(Native Method)	3,312	2,906
net.sf.ehcache.CacheManager@1de3fc4b	yes	5	TIMED WAITING	java.lang.Object.wait(Native Method)	0	0
net.sf.ehcache.CacheManager@347fb123	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	0	0
net.sf.ehcache.CacheManager@60c78d0	yes	5	TIMED WAITING	java.lang.Object.wait(Native Method)	0	0
NioBlockingSelector.BlockPoller-1	yes	5	RUNNABLE	sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)	343	234
NioBlockingSelector.BlockPoller-2	yes	5	RUNNABLE	sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)	0	0
Reference Handler	yes	10	WAITING	java.lang.Object.wait(Native Method)	4,656	4,609
RMI TCP Accept-0	yes	5	RUNNABLE	java.net.DualStackPlainSocketImpl.accept0(Native Method)	0	0
RMI TCP Accept-0	yes	5	RUNNABLE	java.net.DualStackPlainSocketImpl.accept0(Native Method)	0	0
RMI TCP Accept-3333	yes	5	RUNNABLE	java.net.DualStackPlainSocketImpl.accept0(Native Method)	0	0
Signal Dispatcher	yes	9	RUNNABLE		0	0
Timer-0	yes	5	TIMED WAITING	java.lang.Object.wait(Native Method)	562	546
Timer-1	yes	5	_	java.lang.Object.wait(Native Method)	31	15
				1	1	

he cpu times and user times of these threads are measured from the start of the serve

Detailed jobs

18 job(s) on EASAPP01@10.10.3.16 with 0 running

Group	Name	Class name	Mean time	Running for	Previous execution	Next execution	Period or cron expression	Paused
branding_sync_cro n_job_group	Branding Synchronization Cron Job	com.ensim.synergy.server.theming.BrandingSynchronizationJob	00:00:00		1/11/17 6:30 PM	1/11/17 6:45 PM	0 0/15 * * * ?	no
invoice_payment_n otif_schedule_job_ group	Invoice Payment Notification Scheduled Job	com.ensim.synergy.server.notification.InvoiceAndPa ymentNotification	00:00:00		1/11/17 6:30 PM	1/11/17 6:45 PM	0 0/15 * * * ?	no
invoice_pdf_genera tion_schedule_job	Invoice PDF Generation Schedule Job	com.ensim.synergy.server.invoicePDFGenerator.lnv oicePDFGenerationJob	00:00:00		1/11/17 6:00 PM	1/12/17 12:00 AM	0 0 0/6 1/1 * ? *	no
manual_provisionin g_notification_job_ group	Manual Provisioning Notification Job	com.ensim.synergy.server.notification.workflowBatc hJobs.WorkflowNotificationScheduledJob	00:00:01		1/11/17 6:34 PM	1/11/17 6:36 PM	0 0/2 * * * ?	no
notification_resendi ng_job_group	Notification Scheduled Job	com.ensim.synergy.server.notification.NotificationSc heduledJob	00:00:35		1/11/17 6:34 PM	1/11/17 6:36 PM	0 0/2 * * * ?	no
order_schedule_job _group	Order Scheduled Job	com.ensim.synergy.server.order.orderBatchJob.Ord erScheduledJob	23:59:59			1/12/17 12:01 AM	0 01 00 ? * *	no
portal_authenticatio n_job_group	portal_authentication_job	com.ensim.synergy.server.license.scheduler.PortalA uthenticationScheduler	23:59:59			1/12/17 12:01 AM	0 01 00 ? * *	no
promotion_deactiva ting_job_group	Promotion Deactivating Job	com.ensim.synergy.server.promotion.PromoDeactiv ateScheduler	23:59:59			1/12/17 12:01 AM	0 01 00 ? * *	no
bpt_notification_sch eduled_job_group	Provisioning Engine Notification Scheduled Job	com.ensim.synergy.server.runningBatchJobs.BPTN otificationScheduledJob	00:00:00		1/11/17 6:00 PM	1/11/17 7:00 PM	0 0/60 * * * ?	no
schedule_jars_job_ group	Schedule Jars Job	com.ensim.synergy.server.jarScheduling.VariousJar ExecutionScheduler	00:00:00		1/11/17 6:00 PM	1/11/17 7:00 PM	0 0/60 * * * ?	no
organization_import _jars_job_group	Schedule Organization Import Job	com.ensim.synergy.server.util.crm_settings.organiza tionImport.OrganizationImportScheduleJob	00:00:00		1/11/17 6:30 PM	1/11/17 6:45 PM	0 0/15 * * * ?	no
report_data_replica tion_job_group	Schedule Report Data Replication Job	com.ensim.synergy.reportDataReplication.ReportDataReplicationTaskSchedular	23:59:59			1/12/17 6:00 AM	0 0 6 1/1 * ? *	no

Group	Name	Class name	Mean time	Running for	Previous execution	Next execution	Period or cron expression	Paused
report_schedule_jo b_group	Schedule Reporting Scheduled Job	com.ensim.synergy.report.ReportGenTaskSchedule	23:59:59			2/2/17 4:00 AM	0 0 4 2 1/1 ? *	no
revenue_jars_job_g roup	Schedule Revenue Job	com.ensim.synergy.server.jarScheduling.RevenueTaskScheduler	23:59:59			2/2/17 12:00 AM	0 0 0 2 1/1 ? *	no
service_request_sc hedule_job_group	Service Request Scheduled Job	com.ensim.synergy.server.end_user_catalog.servic eRequestJob.ServiceRequestScheduledJob	00:00:00		1/11/17 6:34 PM	1/11/17 6:36 PM	0 0/2 * * * ?	no
	Subscription Renewal Scheduled Job	com.ensim.synergy.server.subscription.Subscription BatchJob	23:59:59			1/12/17 12:01 AM	0 01 00 ? * *	no
trial_notification_sc heduled_job_group	Trial Notification Scheduled Job	com.ensim.synergy.server.notification.TrialNotificationScheduledJob	00:00:00		1/11/17 6:34 PM	1/11/17 6:36 PM	0 0/2 * * * ?	no
version_schedule_j ob_group	Version Scheduled Job	com.ensim.synergy.server.productoffer.versionBatc hJob.VersionScheduledJob	23:59:59			1/12/17 12:15 AM	0 15 00 ? * *	no

Configuration reference

n Detailed statistics job - all

Job	% of cumulativ e time	Hits	Mean time (ms)		Standard deviation		Mean cpu time (ms)	% of system error	Mean hits sql	Mean time sql (ms)
manual_provisioning_notification_job_group.Manual Provisioning Notification Job	3	173	1,016	21,372	4,024	58	21	0.00	17	221
trial_notification_scheduled_job_group.Trial Notification Scheduled Job	0	173	21	580	88	2	1	0.00	0	5
service_request_schedule_job_group.Service Request Scheduled Job	0	173	24	563	94	3	1	0.00	2	3
notification_resending_job_group.Notification Scheduled Job	96	135	35,447	4,785,34 6	411,856	0	0	0.00	3,108	6,103
branding_sync_cron_job_group.Branding Synchronization Cron Job	0	23	124	1,969	402	8	22	0.00	10	28
invoice_payment_notif_schedule_job_group.Invoice Payment Notification Scheduled Job	0	23	101	2,234	465	5	15	0.00	2	10
organization_import_jars_job_group.Schedule Organization Import Job	0	23	273	3,781	765	13	38	0.00	15	34
bpt_notification_scheduled_job_group.Provisioning Engine Notification Scheduled Job	0	6	88	516	209	4	52	0.00	0	2
schedule_jars_job_group.Schedule Jars Job	0	6	348	1,920	770	2	28	0.00	7	23
invoice_pdf_generation_schedule_job.Invoice PDF Generation Schedule Job	0	1	46	46	0	0	46	0.00	2	0
promotion_deactivating_job_group.Promotion Deactivating Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
report_schedule_job_group.Schedule Reporting Scheduled Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
order_schedule_job_group.Order Scheduled Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
revenue_jars_job_group.Schedule Revenue Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
Subscription_Renewal_schedule_job_group.Subscription Renewal Scheduled Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
report_data_replication_job_group.Schedule Report Data Replication Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
version_schedule_job_group.Version Scheduled Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
portal_authentication_job_group.portal_authentication_job	0	0	-1	0	-1	0	-1	0.00	-1	-1

18 jobs



Last jobs errors - all

None



Total Detailed caches

205 cache(s) on EASAPP01@10.10.3.16

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
com.ensim.IDMRead Only.CustomerOrga nizationRoDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.IDMRead Only.CustomerUser RoDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.jasper.R eportConfigDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. common.DateTimeF ormatDTO	0	1	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false)
com.ensim.synergy. server.end_user_cat alog.db.Asynchrono usOperationStatusD TO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. erver.end_user_cat alog.db.Incremental JsageDetailsDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.end_user_cat alog.db.ServiceRequestQueueDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ItemD	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemD TO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ItemD	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemP iceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemP iceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemP riceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
com.ensim.synergy. server.item.db.ltemT ypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 900, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemT ypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 900, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemT ypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 900, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemU serPriceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemU serPriceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, imemoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.ltemU serPriceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.Reso urceBundleElement MapDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.Reso urceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.Servi ceBundleElementMa pDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.Servi ceDTO	0	2	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false)
com.ensim.synergy. server.item.db.Servi celtemDTO	0	32	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.item.db.Sugg estedServicesDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage DTO	2	2	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage DTO.notificationMes sageSections	2	2	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage DTO.notificationMes sageSections	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage DTO.notificationMes sageSections	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage LineDTO	4	4	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage LineDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage LineDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage SectionDTO	6	6	0	-1	-1	timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage SectionDTO	0	0	0	-1	-1	timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage SectionDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage SectionDTO.notificat ionMessageLines	6	6	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage SectionDTO.notificat ionMessageLines	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage SectionDTO.notificat ionMessageLines	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage TypeDTO	100	20	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.notification.db .NotificationMessage TypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
com.ensim.synergy. server.notification.db .NotificationMessage TypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.notification.db .SMSNotificationHist oryDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .SMSTemplateConte ntDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.notification.db .SMSTemplateDetail sDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rBillingTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rBillingTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rBillingTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rExportStatusDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rLineTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rLineTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rLineTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rProcessDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 1200, timeToldleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rProcessDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 1200, timeToldleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rProcessDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 1200, timeToldleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.order.db.Orde rUIActionDTO	0	18	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.order.db.Stat eActionMapCustome rDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.order.db.Stat eActionMapIspDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.order.db.Stat eActionMapReseller DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.payment.db.P aymentMethodDTO.j ava	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.payment.db.P aymentMethodDTO.j ava	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.payment.db.P aymentMethodDTO.j ava	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.payment.db.P aymentResultDTO.ja va	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.payment.db.P aymentResultDTO.ja va	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.payment.db.P aymentResultDTO.ja va	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.plugin.bpaCo nnectors.BpaMeterM asterDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.plugin.bpaCo nnectors.BpaUsage DataDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.b 2b.db.ResellerPrice PlanDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.b 2b.db.ResellerSpecif icDiscountDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferCategoryDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferCodeMapDT O	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferCodeTypeDT O	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
com.ensim.synergy. server.productoffer.d b.OfferConditionDT	0	0	0	-1	•	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferGroupDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferInPlaceRene walPathDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferInPlaceUpgra dePathDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferInplaceUpgra deProductDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferMacroDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldieSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferVersionDefinit ionDTO	0	2	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferVersionDetail sDTO	0	41	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.OfferWorkflowNotif icationMapDTO	1	77	0	100	87	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.PossibleValuesDT O	0	6	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.PricePlanCompon entDTO	0	41	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.PricePlanDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.ProductOfferDTO	1	79	0	100	92	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.ProductOfferMarke tContentDTO	0	2	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.ProductOfferStatus DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.ProviderPricingMa pDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer.d b.TrialOfferUpgrade PathDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.productoffer. MarketplaceCurrenc yDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.provisioningW orkflow.db.Provisioni ngOperationsDTO	0	8	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.provisioningW orkflow.db.Provisioni ngWorkflowDTO	0	5	0	100	96	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.provisioningW orkflow.db.Provisioni ngWorkflowDTO.pwf Propeties	0	5	0	100	98	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.provisioningW orkflow.db.Workflow PropertiesDTO	0	40	0	100	98	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.saleschannel. PricePlanElementDT O	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.saleschannel. PricePlanTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.saleschannel. SynergyPriceModel DTO	0	0	0	-1	-1	
com.ensim.synergy. server.saleschannel. TariffFrequencyDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synctool.db.S yncConfigDTO	0	1	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synctool.db.S yncServicesDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synctool.db.S yncToolDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
com.ensim.synergy. server.synergyitems. db.CompositeProduc tElementDTO	0	0	0	-1	·	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synergyitems. db.GoodTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synergyitems. db.RatingRulesDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synergyitems. db.ResourceGroupL abeIDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synergyitems. db.ServiceItemType DTO	0	3	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synergyitems. db.SystemUnitsDTO	0	3	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synergyitems. db.UnifyResourceDT O	0	17	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.synergyitems. db.UniqueItemDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.tax.ltemTaxD ataMasterDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.usagedata.de tails.Usage_Data_D etailsDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.usagedata.m aster.Usage_Data_ MasterDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.contact.d b.UserContactDTO	64	3,200	0	100	40	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.db.Comp anyDTO	10	1	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.db.Comp anyDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.db.Comp anyDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.db.User DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = true, maxElementsOnDisk = 0, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.db.User DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = true, maxElementsOnDisk = 0, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.db.User DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = true, maxElementsOnDisk = 0, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionTyp eDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionTyp eDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionTyp eDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionUser DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionUser DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.PermissionUser DTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.RoleAssignmen tDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.RoleDTO	1	1	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.RoleDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.user.permisso n.db.RoleDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.config_pro perties.db.ConfigPro pertiesDTO	0	45	0	100	98	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
com.ensim.synergy. server.util.db.Abstra ctGenericStatus	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Abstra ctGenericStatus	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Abstra ctGenericStatus	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Countr yDTO	0	1	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Curren cyDTO	10	1	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Curren cyDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Curren cyDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Curren cyExchangeDTO	1	1	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 60, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Curren cyExchangeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, time ToLiveSeconds = 600, time ToldleSeconds = 60, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Curren cyExchangeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 60, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.genera ted.SynergyTable	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.genera ted.SynergyTable	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.genera ted.SynergyTable	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Interna tionalDescription	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Interna tionalDescription	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Interna tionalDescription	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Interna tionalDescriptionDT	0	4	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, imeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Interna tionalDescriptionDT O	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Interna tionalDescriptionDT	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Langua geDTO	30	3	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Langua geDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Langua qeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Notifica tionCategoryDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, time ToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Prefere nceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Prefere nceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Prefere nceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.Prefere nceTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 500, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Prefere nceTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 500, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Prefere nceTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 500, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy. server.util.db.Synerg yTable	0	5	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy. server.util.db.TimeP eriodsDTO	0	1	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.grails.taggable.T	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.grails.taggable.T agLink	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.hibernate.cache. StandardQueryCach e	0	3	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 100000, timeToldleSeconds = 1800, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.hibernate.cache. StandardQueryCach e	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 10000, timeToIdleSeconds = 1800, memoryStoreEvictionPolicy = LRU, diskPersistent = false]

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
org.hibernate.cache. StandardQueryCach e	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, time ToLiveSeconds = 100000, timeToIdleSeconds = 1800, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.hibernate.cache. UpdateTimestamps Cache	0	9	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
org.hibernate.cache. UpdateTimestamps Cache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
org.hibernate.cache. UpdateTimestamps Cache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
org.weceem.content. WcmContent	4	232	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = falsel
org.weceem.content. WcmRelatedContent	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false
org.weceem.content. WcmSpace	0	2	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.weceem.content. WcmStatus	0	4	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
thirdLevel-RO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
thirdLevel-RO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
thirdLevel-RO	3	3	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
thirdLevel-RW	0	0	0	-1	-1	ehcache [maxElementsInMemory = 500, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false)
thirdLevel-RW	0	0	0	-1	-1	ehcache [maxElementsInMemory = 500, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
thirdLevel-RW	0	0	0	-1	-1	ehcache [maxElementsInMemory = 500, overflowToDisk = false, eternal = false, time ToLiveSeconds = 3600, timeToldleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
weceem.contentCac he	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.contentCac he	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = falsej
weceem.contentCac he	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = falsej
weceem.contentFing erprintCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.contentFing erprintCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.contentFing erprintCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.contentTree FingerprintCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.contentTree FingerprintCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.contentTree FingerprintCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.dataFeeds	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 60, timeToIdleSeconds = 60, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.dataFeeds	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, time ToLiveSeconds = 60, timeToIdleSeconds = 60, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.dataFeeds	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 60, timeToldleSeconds = 60, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.eternalCac	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.eternalCac he	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.eternalCac	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.gspCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, time ToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.gspCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.gspCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToldleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.uriToConte ntCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.uriToConte ntCache	0	3	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.uriToConte ntCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]

Configuration reference

Last collect time: 94 ms Display time: 4735 ms Memory overhead estimate: < 1 Mb Disk usage: 6 Mb