# Monitoring JavaMelody on /escm_EASAPP01 - all

📈 Statistics of JavaMelody monitoring taken at 1/11/17 6:48 PM from 1/11/17 12:49 PM on /escm_EASAPP01 (/synergy-production-4.3.1)

🌐 Statistics http - all

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of cumulative cpu time	Mean cpu time (ms)	% of system error	Mean size (Kb)	Mean hits sql	Mean time sql (ms)
http global	100	116	88	1,937	294	100	72	0.00	5	3	13
http warning	24	6	427	969	357	28	405	0.00	11	3	10
http severe	64	6	1,110	1,937	577	60	843	0.00	24	57	240

0 hits/min on 55 requests

🛢 Statistics sql - all

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
sql global	100	2,033,036	8	8,171	41	0.00
sql warning	53	141,687	66	8,171	101	0.00
sql severe	6	2,112	525	4,078	175	0.00

5,651 hits/min on 221 requests

</> Statistics jsp - all

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of cumulative cpu time	Mean cpu time (ms)	% of system error	Mean hits sql	Mean time sql (ms)
jsp global	100	15	197	734	244	100	171	0.00	5	21
jsp warning	0	0	-1	0	-1	0	-1	0.00	-1	-1
jsp severe	0	0	-1	0	-1	0	-1	0.00	-1	-1

0 hits/min on 5 requests

⚠ Statistics http system errors - all

None

👣 Statistics system errors logs - all

None

⏳ Current requests

None

🖥 System information

Host:	EASAPP01@10.10.3.16
Java memory used:	2,041 Mb / 3,641 Mb
Nb of http sessions:	2
Nb of active threads (current http requests):	0

Monitoring JavaMelody on /escm_EASAPP01 - all

Nb of active jdbc connections: 0

Nb of used jdbc connections
(opened if no datasource):   0

⚙ Threads

Threads on EASAPP01@10.10.3.16: Number = 69, Maximum = 257, Total started = 5,073

Jobs

**18 job(s) on EASAPP01@10.10.3.16 with 0 running**

Statistics job - all

Job	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of cumulative cpu time	Mean cpu time (ms)	% of system error	Mean hits sql	Mean time sql (ms)
job global	100	767	6,497	4,785,346	172,790	100	8	0.00	552	1,128
job warning	0	0	-1	0	-1	0	-1	0.00	-1	-1
job severe	0	0	-1	0	-1	0	-1	0.00	-1	-1

18 jobs

🗀 Data caches

205 cache(s) on EASAPP01@10.10.3.16

Detailed statistics

Monitoring JavaMelody on /escm_EASAPP01 - all

Used memory - all - 1/11/17 on /escm_EASAPP01

■ Mean ■ Maximum Mean: NaN
Maximum: NaN

% CPU - all - 1/11/17 on /escm_EASAPP01

■ Mean ■ Maximum Mean: NaN
Maximum: NaN

Http sessions - all - 1/11/17 on /escm_EASAPP01

■ Mean ■ Maximum Mean: NaN
Maximum: NaN

Monitoring JavaMelody on /escm_EASAPP01 - all

Active threads - all - 1/11/17 on /escm_EASAPP01

Active jdbc connections - all - 1/11/17 on /escm_EASAPP01

Used jdbc connections - all - 1/11/17 on /escm_EASAPP01

Http hits per minute - all - 1/11/17 on /escm_EASAPP01

■ Mean ■ Maximum Mean: NaN
Maximum: NaN

Http mean times (ms) - all - 1/11/17 on /escm_EASAPP01

■ Mean ■ Maximum Mean: NaN
Maximum: NaN

% of http errors - all - 1/11/17 on /escm_EASAPP01

■ Mean ■ Maximum Mean: NaN
Maximum: NaN

Monitoring JavaMelody on /escm_EASAPP01 - all

Sql hits per minute - all - 1/11/17 on /escm_EASAPP01

Sql mean times (ms) - all - 1/11/17 on /escm_EASAPP01

% of sql errors - all - 1/11/17 on /escm_EASAPP01

Monitoring JavaMelody on /escm_EASAPP01 - all

Detailed statistics http - all

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of cumulative cpu time	Mean cpu time (ms)	% of system error	Mean size (Kb)	Mean hits sql	Mean time sql (ms)
/dashboard/myAccountInfo GET	38	3	1,307	1,937	548	41	1,161	0.00	49	33	141
/login/doAuth POST	26	3	912	1,657	644	18	525	0.00	0	81	340
/logout/sessionTimedOut GET	13	3	453	969	447	15	447	0.00	1	0	0
/login/auth GET	11	3	401	797	343	12	364	0.00	20	7	20
/dashboard/index GET	1	3	62	156	81	2	62	0.00	0	1	0
/ GET	1	3	57	125	59	1	51	0.00	0	3	10
/js/jquery-ui-1.8.17.custom.min.js GET	1	2	62	125	88	1	54	0.00	103	0	0
/js/jquery-1.5.2.min.js GET	1	2	62	125	88	1	54	0.00	111	0	0
/css/theme/jquery-ui-1.8.17.custom.css GET	1	2	55	110	77	0	15	0.00	0	0	0
/js/validator.js GET	0	2	39	63	33	0	23	0.00	11	0	0
/js/jquery.alerts.js GET	0	2	23	31	10	0	23	0.00	3	0	0
/js/jquery.bpopup.min.js GET	0	2	15	31	21	0	15	0.00	2	0	0
/css/jquery.alerts.css GET	0	2	15	31	21	0	15	0.00	0	0	0
/css/logintypedialog.css GET	0	2	15	31	21	0	15	0.00	0	0	0
/js/jquery-validate/additional-methods.min.js GET	0	2	9	19	13	0	15	0.00	0	0	0
/js/jquery.ba-dotimeout.min.js GET	0	2	8	16	11	0	7	0.00	0	0	0
/js/main.js GET	0	2	8	16	11	0	7	0.00	0	0	0
/css/jquery.ui.timepicker.css GET	0	2	8	16	11	0	7	0.00	0	0	0
/js/jquery.elastic.source.js GET	0	2	7	15	10	0	7	0.00	0	0	0
/js/datatable.js GET	0	2	7	15	10	0	7	0.00	0	0	0
/js/usageGraphJS/jqplot.canvasAxisLabelRenderer.min.js GET	0	2	7	15	10	0	7	0.00	0	0	0
/css/merchant.css GET	0	2	7	15	10	0	7	0.00	0	0	0
/js/placeholders.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/jquery-validate/jquery.validate.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/MonthPicker.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/jquery.tablesorter.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/jquery.leanModal.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/escm_alert.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/jquery.blockUI.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/jquery.flexslider.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/css/modern_ui/usageGraph/jquery.jqplot.css GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/payment/jquery.tzCheckbox.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/jquery-validate/jquery.metadata.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/clearinput.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/css/modern_ui/usageGraph/jquery.jqplot.min.css GET	0	2	0	0	0	0	0	0.00	0	0	0
/css/modern_ui/usageGraph/examples.css GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/usageGraphJS/jqplot.canvasAxisTickRenderer.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/css/tablesorter.css GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/jquery.qtip-1.0.0-rc3.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/css/modern_ui/jquery.multiselect.css GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/jquery.slimscroll.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/usageGraphJS/jquery.jqplot.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/panels.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/css/payment/jquery.tzCheckbox.css GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/usageGraphJS/jqplot.enhancedLegendRenderer.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/usageGraphJS/jqplot.dateAxisRenderer.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/usageGraphJS/jqplot.pointLabels.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/usageGraphJS/excanvas.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/payment/jquery.dataTables.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/jquery.scrollToTop.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/usageGraphJS/jqplot.cursor.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/jquery.ui.timepicker.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/usageGraphJS/jqplot.canvasTextRenderer.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/slideBlock.js GET	0	2	0	0	0	0	0	0.00	0	0	0
/js/usageGraphJS/jqplot.highlighter.min.js GET	0	2	0	0	0	0	0	0.00	0	0	0

0 hits/min on 55 requests

Detailed statistics sql - all

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT sum(b.quantity) FROM OrderAgedItemDTO b WHERE b.lockedForCancelation = false AND b.orderItemId= :orderItemId */ select sum(orderagedi0_.quantity) as col_0_0_ from order_aged_item orderagedi0_ where orderagedi0_.locked_for_cancellation=0 and orderagedi0_.order_item_id=?	53	140,612	66	8,171	102	0.00
/* SELECT b FROM PhoneInventoryDTO b WHERE b.orderId = :orderId and (b.status= :ReservedNumber or b.status =:TobeReservedNumber) */ select phoneinven0_.id as id194_, phoneinven0_.area_code as area2_194_, phoneinven0_.billing_system_status as billing3_194_, phoneinven0_.country_code as country4_194_, phoneinven0_.number_system_status as number5_194_, phoneinven0_.order_id as order6_194_, phoneinven0_.phone_number as phone7_194_, phoneinven0_.phone_number_suffix as phone8_194_, phoneinven0_.pool_id as pool9_194_, phoneinven0_.status as status194_, phoneinven0_.update_timestamp as update11_194_ from phone_num_inventory phoneinven0_ where phoneinven0_.order_id=? and (phoneinven0_.status=? or phoneinven0_.status=?)	6	2,000	548	4,078	147	0.00
/* load com.ensim.synergy.server.order.db.OrderedPricePlanElementDTO */ select orderedpri0_.id as id41_0_, orderedpri0_.commisioning_percent as commisio2_41_0_, orderedpri0_.order_service_item_id as order7_41_0_, orderedpri0_.price_mode as price3_41_0_, orderedpri0_.price_plan_type as price4_41_0_, orderedpri0_.tariff_freq as tariff5_41_0_, orderedpri0_.tariff_period as tariff6_41_0_ from order_pp_element orderedpri0_ where orderedpri0_.order_service_item_id=?	5	231,726	3	8,093	19	0.00
/* SELECT b FROM LanguageDTO b WHERE b.id = :hid */ select languagedt0_.id as id13_, languagedt0_.code as code13_, languagedt0_.delete_indicator as delete3_13_, languagedt0_.description as descript4_13_, languagedt0_.iso639code as iso5_13_, languagedt0_.provisioning_language as provisio6_13_, languagedt0_.right_to_left as right7_13_, languagedt0_.status as status13_, languagedt0_.ui_presentation as ui9_13_ from language languagedt0_ where languagedt0_.id=?	3	180,676	3	6,562	18	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* load one-to-many com.ensim.synergy.server.order.db.OrderServiceItemDTO.orderAtfCodes */ select orderatfco0_.order_item_id as order9_39_1_, orderatfco0_.id as id1_, orderatfco0_.id as id43_0_, orderatfco0_.base_price as base2_43_0_, orderatfco0_.max_value as max3_43_0_, orderatfco0_.min_value as min4_43_0_, orderatfco0_.order_item_id as order9_43_0_, orderatfco0_.order_priceplanele_id as order5_43_0_, orderatfco0_.orig_pp_element as orig6_43_0_, orderatfco0_.default_disc_price as default7_43_0_, orderatfco0_.tier_name as tier8_43_0_ from order_atf_code orderatfco0_ where orderatfco0_.order_item_id=?	3	154,484	3	8,078	25	0.00
/* criteria query */ select this_.id as id16_1_, this_.code as code16_1_, this_.current_exchange_line as current3_16_1_, this_.is_default as is4_16_1_, this_.is_active as is5_16_1_, this_.multiple_country_symbol as multiple6_16_1_, this_.optlock as optlock16_1_, this_.provider_id as provider8_16_1_, this_.symbol as symbol16_1_, exchangedt2_.currency_id as currency6_16_3_, exchangedt2_.id as id3_, exchangedt2_.id as id15_0_, exchangedt2_.create_datetime as create2_15_0_, exchangedt2_.currency_id as currency6_15_0_, exchangedt2_.entity as entity3_15_0_, exchangedt2_.rate as rate15_0_, exchangedt2_.optlock as optlock15_0_ from currency this_ left outer join currency_exchange exchangedt2_ on this_.id=exchangedt2_.currency_id where this_.id=?	1	81,242	3	8,093	41	0.00
/* SELECT b FROM ServiceDTO b WHERE b.id = :hid */ select servicedto0_.id as id55_, servicedto0_.allow_bulk_assignment as allow2_55_, servicedto0_.allowmultipleorder_samedomain as allowmul3_55_, servicedto0_.automated_connector_path as automated4_55_, servicedto0_.is_automated_provisioning as is5_55_, servicedto0_.billing_day as billing6_55_, servicedto0_.billing_rule as billing7_55_, servicedto0_.deleted_order_can_place as deleted8_55_, servicedto0_.configuration_allowto_agent as configur9_55_, servicedto0_.configuration_allowto_reseller as configu10_55_, servicedto0_.container_type as container11_55_, servicedto0_.cust_info_change_event as cust12_55_, servicedto0_.delayed_period as delayed13_55_, servicedto0_.dependon as dependon55_, servicedto0_.display_order as display15_55_, servicedto0_.dynamic_validation_req as dynamic16_55_, servicedto0_.dynamic_validation_type as dynamic17_55_, servicedto0_.embedded_msg_bulk_user as embedded18_55_, servicedto0_.escm_ctrl_panel_require as escm...	1	79,834	3	6,578	28	0.00
/* SELECT b FROM OfferVersionDefinitionDTO b WHERE b.id = :hid */ select offerversi0_.id as id164_, offerversi0_.align_orders_auto as align2_164_, offerversi0_.align_reseller_offer as align3_164_, offerversi0_.align_reseller_org_orders as align4_164_, offerversi0_.alignment_action_id as alignment5_164_, offerversi0_.announcement_action_id as announce6_164_, offerversi0_.applicable_from as applicable7_164_, offerversi0_.approved_by as approved23_164_, offerversi0_.contract_period_unit as contract24_164_, offerversi0_.date_of_creation as date8_164_, offerversi0_.drafted_by as drafted25_164_, offerversi0_.align_failure_count as align9_164_, offerversi0_.locked as locked164_, offerversi0_.send_alignment_notif to as send11_164_, offerversi0_.offer_id as offer26_164_, offerversi0_.operation_status_id as operation12_164_, offerversi0_.original_b2b_version as original13_164_, offerversi0_.previous_version_state as previous14_164_, offerversi0_.pervious_version_id as pervious15_164_, offerve...	1	77,242	3	6,610	25	0.00
/* SELECT b FROM SynergyTable b WHERE b.name = :name */ select synergytab0_.id as id18_, synergytab0_.name as name18_ from synergy_table synergytab0_ where synergytab0_.name=?	1	79,242	3	672	10	0.00
/* SELECT b.itemName FROM ServiceItemDTO b WHERE b.id= :itemId */ select serviceite0_.item_name as col_0_0_ from service_item serviceite0_ where serviceite0_.id=?	1	77,242	3	8,093	30	0.00
/* SELECT b FROM SynergyTable b WHERE b.id = :id */ select synergytab0_.id as id18_, synergytab0_.name as name18_ from synergy_table synergytab0_ where synergytab0_.id=?	1	79,242	3	3,734	16	0.00
/* SELECT b FROM ServiceItemDTO b WHERE b.id = :hid */ select serviceite0_.id as id56_, serviceite0_.bom_cost as bom2_56_, serviceite0_.creator_org_id as creator32_56_, serviceite0_.custom_field1 as custom3_56_, serviceite0_.custom_field10 as custom4_56_, serviceite0_.custom_field11 as custom5_56_, serviceite0_.custom_field12 as custom6_56_, serviceite0_.custom_field2 as custom7_56_, serviceite0_.custom_field3 as custom8_56_, serviceite0_.custom_field4 as custom9_56_, serviceite0_.custom_field5 as custom10_56_, serviceite0_.custom_field6 as custom11_56_, serviceite0_.custom_field7 as custom12_56_, serviceite0_.custom_field8 as custom13_56_, serviceite0_.custom_field9 as custom14_56_, serviceite0_.good_type_ref as good15_56_, serviceite0_.internal_item_id as internal16_56_, serviceite0_.is_bundle as is17_56_, serviceite0_.is_composite as is18_56_, serviceite0_.is_setup_only as is19_56_, serviceite0_.is_unique as is33_56_, serviceite0_.item_for_feature as item20_56_, serviceite0_.item_n...	1	63,370	4	8,093	33	0.00
/* SELECT b FROM UnifyResourceDTO b WHERE b.id = :hid */ select unifyresou0_.id as id76_, unifyresou0_.allow_unlimited as allow2_76_, unifyresou0_.applicable_ppu_percentage as applicable3_76_, unifyresou0_.bulk_user_avail_order as bulk4_76_, unifyresou0_.bulk_user_avail_pifs as bulk5_76_, unifyresou0_.cf_ppu_unit as cf6_76_, unifyresou0_.cf_reserved_unit as cf7_76_, unifyresou0_.conv_op_ppu as conv8_76_, unifyresou0_.conv_op_resv as conv9_76_, unifyresou0_.is_customer_specific as is10_76_, unifyresou0_.default_value as default11_76_, unifyresou0_.depend_on_resid as depend12_76_, unifyresou0_.domain_type as domain13_76_, unifyresou0_.editable_after_provision as editable14_76_, unifyresou0_.input_type as input15_76_, unifyresou0_.instance_information as instance16_76_, unifyresou0_.is_mandatory as is17_76_, unifyresou0_.oss_ppu_unit as oss18_76_, unifyresou0_.oss_reports_ppu as oss19_76_, unifyresou0_.oss_reserved_unit as oss20_76_, unifyresou0_.is_overusage as is21_76_, unifyresou0_...	1	63,370	3	8,093	33	0.00
/* SELECT b FROM SystemUnitsDTO b WHERE b.unitCode = :code */ select systemunit0_.id as id74_, systemunit0_.pay_per_use as pay2_74_, systemunit0_.reserved as reserved74_, systemunit0_.unit_code as unit4_74_, systemunit0_.unit_display_name as unit5_74_ from system_units systemunit0_ where systemunit0_.unit_code=?	1	63,370	3	703	9	0.00
/* SELECT b FROM SystemUnitsDTO b WHERE b.id = :hid */ select systemunit0_.id as id74_, systemunit0_.pay_per_use as pay2_74_, systemunit0_.reserved as reserved74_, systemunit0_.unit_code as unit4_74_, systemunit0_.unit_display_name as unit5_74_ from system_units systemunit0_ where systemunit0_.id=?	1	63,370	3	688	10	0.00
/* Select b from UserContactDTO b where b.baseUser.id=:baseUserId */ select usercontac0_.id as id92_, usercontac0_.ad_attributes as ad2_92_, usercontac0_.street_addres1 as street3_92_, usercontac0_.street_address2 as street4_92_, usercontac0_.user_id as user28_92_, usercontac0_.base_user_name as base5_92_, usercontac0_.city as city92_, usercontac0_.company as company92_, usercontac0_.country_code as country8_92_, usercontac0_.create_datetime as create9_92_, usercontac0_.department as department92_, usercontac0_.display_name as display11_92_, usercontac0_.fax_area_code as fax12_92_, usercontac0_.fax_country_code as fax13_92_, usercontac0_.fax_phone_number as fax14_92_, usercontac0_.first_name as first15_92_, usercontac0_.notification_include as notific16_92_, usercontac0_.person_initial as person17_92_, usercontac0_.job_title as job18_92_, usercontac0_.last_name as last19_92_, usercontac0_.mobile_number as mobile20_92_, usercontac0_.phone_number as phone21_92_, usercontac0_.office_name ...	0	107,094	1	3,766	12	0.00
/* SELECT b FROM OrderSubscriptionDetailsDTO b WHERE b.id =:hid */ select ordersubsc0_.id as id242_, ordersubsc0_.notification_reminder1 as notifica2_242_, ordersubsc0_.notification_reminder2 as notifica3_242_, ordersubsc0_.notification_reminder3 as notifica4_242_, ordersubsc0_.order_master_id as order5_242_, ordersubsc0_.prev_subscription_id as prev6_242_, ordersubsc0_.renew_to_offer as renew7_242_, ordersubsc0_.renew_with_active_user as renew8_242_, ordersubsc0_.renewal_decision as renewal9_242_, ordersubsc0_.notification_renewal_status as notific10_242_, ordersubsc0_.request_submission_date as request11_242_, ordersubsc0_.requester as requester242_, ordersubsc0_.subscribed_line_id as subscribed13_242_, ordersubsc0_.subscription_end_date as subscri14_242_, ordersubsc0_.subscription_operation_status as subscri15_242_, ordersubsc0_.subscription_start_date as subscri16_242_, ordersubsc0_.order_line_id as order17_242_ from order_subscription_details ordersubsc0_ where ordersubsc0_.id=?	0	78,488	1	79	4	0.00
/* load com.ensim.synergy.server.order.db.SynergyOrderLine */ select synergyord0_.id as id38_3_, synergyord0_.action_type as action2_38_3_, synergyord0_.associated_promo_id as associated3_38_3_, synergyord0_.atf_code as atf4_38_3_, synergyord0_.business_contact as business5_38_3_, synergyord0_.data_retn_1_notif_sent as data6_38_3_, synergyord0_.data_retn_2_notif_sent as data7_38_3_, synergyord0_.data_retn_3_notif_sent as data8_38_3_, synergyord0_.cancelation_date as cancelat9_38_3_, synergyord0_.cart_notification_send as cart10_38_3_, synergyord0_.ci_change_pending as ci11_38_3_, synergyord0_.comments as comments38_3_, synergyord0_.contact_period_unit as contact13_38_3_, synergyord0_.contact_period as contact14_38_3_, synergyord0_.current_subscription_line as current15_38_3_, synergyord0_.customer_approval_status as customer16_38_3_, synergyord0_.data_retention_period as data17_38_3_, synergyord0_.data_retention_unit as data18_38_3_, synergyord0_.data_wipe_notif_sent as data19_38_3_, s...	0	29,318	3	703	13	0.00
/* select b from OrganizationDTO b where b.entity_id = :entityId and b.org_type=:orgType */ select organizati0_.id as id51_, organizati0_.date_time_format as date2_51_, organizati0_.email_signature as email3_51_, organizati0_.entity_id as entity4_51_, organizati0_.is_deleted as is5_51_, organizati0_.org_type as org6_51_ from organization organizati0_ where organizati0_.entity_id=? and organizati0_.org_type=?	0	2,000	44	641	35	0.00
/* Select b from BaseUserOrgMapDTO b where b.base_user_id=:baseUserId */ select baseuseror0_.id as id99_, baseuseror0_.base_org_id as base2_99_, baseuseror0_.base_user_id as base3_99_ from base_user_org_map baseuseror0_ where baseuseror0_.base_user_id=?	0	2,633	29	657	22	0.00
update order_subscription_details set notification_reminder1=? where id=? and notification_reminder1=?	0	25,000	3	1,952	19	0.00
update synergy_order_line set provisioned_notif_sent=? where id=? and provisioned_notif_sent=?	0	2,000	37	1,315	59	0.00
update order_subscription_details set notification_reminder2=? where id=? and notification_reminder2=?	0	25,000	2	1,067	12	0.00
update order_subscription_details set notification_reminder3=? where id=? and notification_reminder3=?	0	25,000	2	458	8	0.00
/* SELECT b FROM OrderMaster b WHERE b.orderNumber = :orderNumber */ select ordermaste0_.id as id37_, ordermaste0_.active as active37_, ordermaste0_.sales_agent_id as sales3_37_, ordermaste0_.linked_order_id as linked4_37_, ordermaste0_.bcd_id as bcd5_37_, ordermaste0_.bill_cycle_day as bill6_37_, ordermaste0_.case_no_1 as case7_37_, ordermaste0_.case_no_10 as case8_37_, ordermaste0_.case_no_11 as case9_37_, ordermaste0_.case_no_12 as case10_37_, ordermaste0_.case_no_2 as case11_37_, ordermaste0_.case_no_3 as case12_37_, ordermaste0_.case_no_4 as case13_37_, ordermaste0_.case_no_5 as case14_37_, ordermaste0_.case_no_6 as case15_37_, ordermaste0_.case_no_7 as case16_37_, ordermaste0_.case_no_8 as case17_37_, ordermaste0_.case_no_9 as case18_37_, ordermaste0_.is_closed as is19_37_, ordermaste0_.created_by as created20_37_, ordermaste0_.creator_org_id as creator21_37_, ordermaste0_.creator_org_type as creator22_37_, ordermaste0_.currency_hid as currency23_37_, ordermaste0_.current_order_...	0	8,000	7	3,734	46	0.00
/* FROM ProductOfferDTO b WHERE b.id = :offerId */ select productoff0_.id as id67_, productoff0_.allow_multiple_instances as allow2_67_, productoff0_.aloc as aloc67_, productoff0_.approval_threshold_hour as approval5_67_, productoff0_.is_billable as is5_67_, productoff0_.billingfrequencylength as billing6_67_, productoff0_.billingfrequencyperiod as billing7_67_, productoff0_.catalogue_id as catalogue8_67_, productoff0_.category_id as category9_67_, productoff0_.condition_available as condition10_67_, productoff0_.contract_period as contract11_67_, productoff0_.contract_period_unit as contract12_67_, productoff0_.creator_org_id as creator73_67_, productoff0_.current_terms_and_conditions as current13_67_, productoff0_.custom_field1 as custom14_67_, productoff0_.custom_field10 as custom15_67_, productoff0_.custom_field11 as custom16_67_, productoff0_.custom_field12 as custom17_67_, productoff0_.custom_field2 as custom18_67_, productoff0_.custom_field3 as custom19_67_, productoff0_.custo...	0	49,490	1	78	4	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT b FROM OrderMaster b WHERE b.id = :hid */ select ordermaste0_.id as id37_, ordermaste0_.active as active37_, ordermaste0_.sales_agent_id as sales3_37_, ordermaste0_.linked_order_id as linked4_37_, ordermaste0_.bcd_id as bcd5_37_, ordermaste0_.bill_cycle_day as bill6_37_, ordermaste0_.case_no_1 as case7_37_, ordermaste0_.case_no_10 as case8_37_, ordermaste0_.case_no_11 as case9_37_, ordermaste0_.case_no_12 as case10_37_, ordermaste0_.case_no_2 as case11_37_, ordermaste0_.case_no_3 as case12_37_, ordermaste0_.case_no_4 as case13_37_, ordermaste0_.case_no_5 as case14_37_, ordermaste0_.case_no_6 as case15_37_, ordermaste0_.case_no_7 as case16_37_, ordermaste0_.case_no_8 as case17_37_, ordermaste0_.case_no_9 as case18_37_, ordermaste0_.is_closed as is19_37_, ordermaste0_.created_by as created20_37_, ordermaste0_.creator_org_id as creator21_37_, ordermaste0_.creator_org_type as creator22_37_, ordermaste0_.currency_hid as currency23_37_, ordermaste0_.current_order_line as current50...	0	29,076	2	703	7	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b.status.id = :status AND b.orderId is not null AND b.id > :previousLineId */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as __hibernate_row_nr__, synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.data_retn_3_notif_sent as data8_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.customer_approval_status as customer16_38_, synergyord0_.data_retention_period as d...	0	1,000	57	142	9	0.00
/* load one-to-many com.ensim.synergy.server.order.db.SynergyOrderLine.orderServiceItems */ select orderservi0_.order_line_id as order20_38_3_, orderservi0_.id as id3_, orderservi0_.id as id39_2_, orderservi0_.is_bundle as is2_39_2_, orderservi0_.is_composit as is3_39_2_, orderservi0_.custom_po_allow_zero as custom4_39_2_, orderservi0_.diff_operator as diff5_39_2_, orderservi0_.diff_quantity as diff6_39_2_, orderservi0_.product_group_id as product7_39_2_, orderservi0_.order_line as order20_39_2_, orderservi0_.possible_values as possible8_39_2_, orderservi0_.possible_val_meta_id as possible21_39_2_, orderservi0_.prepay_required as prepay9_39_2_, orderservi0_.quantity as quantity39_2_, orderservi0_.service as service11_39_2_, orderservi0_.service_item as service12_39_2_, orderservi0_.item_type as item22_39_2_, orderservi0_.tax_code as tax13_39_2_, orderservi0_.tax_on_tax_amount as tax14_39_2_, orderservi0_.response_code as response15_39_2_, orderservi0_.response_code_desc as res...	0	6,000	8	750	16	0.00
/* SELECT b.accountDTO.customer_id FROM CustomerAccountMapDTO b WHERE b.id = :accMapId */ select accountdto1_.customer_id as col_0_0_ from customer_account_map customerac0_, customer_account accountdto1_ where customerac0_.account_hib_id=accountdto1_.id and customerac0_.id=?	0	8,000	5	8,078	90	0.00
/* SELECT a FROM ConfigPropertiesDTO a WHERE a.property_name=:property_name */ select configprop0_.id as id86_, configprop0_.display_order as display2_86_, configprop0_.is_required_value as is3_86_, configprop0_.property_name as property4_86_, configprop0_.property_value as property5_86_, configprop0_.property_value2 as property6_86_ from config_properties configprop0_ where configprop0_.property_name=?	0	11,242	3	577	8	0.00
/* SELECT b.id FROM CustomerOrganizationDTO b WHERE b.customer_id = :customerID */ select customeror0_.id as col_0_0_ from customer_organization customeror0_ where customeror0_.customer_id=?	0	8,000	4	3,750	43	0.00
/* SELECT b FROM CustomerOrganizationDTO b WHERE b.id = :orgId */ select customeror0_.id as id81_, customeror0_.api_pass_key as api18_81_, customeror0_.org_id as org63_81_, customeror0_.city_name as city2_81_, customeror0_.contractual_statement as contrac19_81_, customeror0_.created_on as created20_81_, customeror0_.currency_id as currency21_81_, customeror0_.custom_field1 as custom22_81_, customeror0_.custom_field10 as custom23_81_, customeror0_.custom_field11 as custom24_81_, customeror0_.custom_field12 as custom25_81_, customeror0_.custom_field2 as custom26_81_, customeror0_.custom_field3 as custom27_81_, customeror0_.custom_field4 as custom28_81_, customeror0_.custom_field5 as custom29_81_, customeror0_.custom_field6 as custom30_81_, customeror0_.custom_field7 as custom31_81_, customeror0_.custom_field8 as custom32_81_, customeror0_.custom_field9 as custom33_81_, customeror0_.customer_id as customer4_81_, customeror0_.customer_org_name as customer5_81_, customeror0_.default_busi_co...	0	4,000	8	734	20	0.00
/* load com.ensim.synergy.server.user.db.UserDTO */ select userdto0_.id as id27_0_, userdto0_.is_activated as is2_27_0_, userdto0_.activation_token as activation3_27_0_, userdto0_.cachepermison as cacheper4_27_0_, userdto0_.entity_id as entity21_27_0_, userdto0_.create_datetime as create5_27_0_, userdto0_.current_login as current6_27_0_, userdto0_.deleted as deleted27_0_, userdto0_.external_id as external8_27_0_, userdto0_.external_id2 as external9_27_0_, userdto0_.failed_attempts as failed10_27_0_, userdto0_.global_id as global11_27_0_, userdto0_.is_local as is12_27_0_, userdto0_.language_id as language22_27_0_, userdto0_.last_login as last13_27_0_, userdto0_.last_status_change as last14_27_0_, userdto0_.logout as logout27_0_, userdto0_.password as password27_0_, userdto0_.password_set_by_user as password17_27_0_, userdto0_.primary_role_id as primary23_27_0_, userdto0_.theme as theme27_0_, userdto0_.user_name as user19_27_0_, userdto0_.optlock as optlock27_0_ from base_user userdto0_. ...	0	6,003	5	703	13	0.00
/* criteria query */ select this_.id as id37_5_, this_.active as active37_5_, this_.sales_agent_id as sales3_37_5_, this_.linked_order_id as linked4_37_5_, this_.bcd_id as bcd5_37_5_, this_.bill_cycle_day as bill6_37_5_, this_.case_no_1 as case7_37_5_, this_.case_no_10 as case8_37_5_, this_.case_no_11 as case9_37_5_, this_.case_no_12 as case10_37_5_, this_.case_no_2 as case11_37_5_, this_.case_no_3 as case12_37_5_, this_.case_no_4 as case13_37_5_, this_.case_no_5 as case14_37_5_, this_.case_no_6 as case15_37_5_, this_.case_no_7 as case16_37_5_, this_.case_no_8 as case17_37_5_, this_.case_no_9 as case18_37_5_, this_.is_closed as is19_37_5_, this_.created_by as created20_37_5_, this_.creator_org_id as creator21_37_5_, this_.creator_org_type as creator22_37_5_, this_.currency_hid as currency23_37_5_, this_.current_order_line as current50_37_5_, this_.customer_account_map_hid as customer24_37_5_, this_.customer_id as customer25_37_5_, this_.customer_org_name as customer26_37_5_, this_.cust...	0	25,000	1	234	5	0.00
/* SELECT b FROM NotificationMessageTypeDTO b WHERE b.userTemplateId = :userTemplateId AND b.ownerId = :ownerId */ select notificati0_.id as id30_, notificati0_.bcc_email as bcc2_30_, notificati0_.category as category11_30_, notificati0_.cc_email as cc3_30_, notificati0_.mail_priority as mail4_30_, notificati0_.original_template_id as original5_30_, notificati0_.owner_id as owner6_30_, notificati0_.to_address_default as to7_30_, notificati0_.user_template_id as user9_30_, notificati0_.optlock as optlock30_ from notification_message_type notificati0_ where notificati0_.user_template_id=? and notificati0_.owner_id=?	0	6,057	4	672	13	0.00
/* SELECT b FROM ProductOfferDTO b WHERE b.id = :hid */ select productoff0_.id as id67_, productoff0_.allow_multiple_instances as allow2_67_, productoff0_.aloc as aloc67_, productoff0_.approval_threshold_hour as approval4_67_, productoff0_.is_billable as is5_67_, productoff0_.billingfrequencylength as billingf6_67_, productoff0_.billingfrequencyperiod as billingf7_67_, productoff0_.catalogue_id as catalogue8_67_, productoff0_.category_id as category9_67_, productoff0_.condition_available as condition10_67_, productoff0_.contract_period as contract11_67_, productoff0_.contract_period_unit as contract12_67_, productoff0_.creator_org_id as creator73_67_, productoff0_.current_terms_and_conditions as current13_67_, productoff0_.custom_field1 as custom14_67_, productoff0_.custom_field10 as custom15_67_, productoff0_.custom_field11 as custom16_67_, productoff0_.custom_field12 as custom17_67_, productoff0_.custom_field2 as custom18_67_, productoff0_.custom_field3 as custom19_67_, productoff0_...	0	2,592	10	531	18	0.00
/* select b from OfferSubscriptionDetailsDTO b where b.offerId= :offerId */ select offersubsc0_.id as id243_, offersubsc0_.renew_with_active_user as renew2_243_, offersubsc0_.renewal_decision as renewal3_243_, offersubsc0_.first_notification_reminder as first4_243_, offersubsc0_.first_notif_req as first5_243_, offersubsc0_.lock_price as lock6_243_, offersubsc0_.offer_id as offer7_243_, offersubsc0_.renew_to_latest_ver as renew8_243_, offersubsc0_.renew_with_downsize as renew9_243_, offersubsc0_.renew_with_upsize as renew10_243_, offersubsc0_.second_notification_reminder as second11_243_, offersubsc0_.second_notif_req as second12_243_, offersubsc0_.term_subscription_code as term13_243_, offersubsc0_.third_notification_reminder as third14_243_, offersubsc0_.third_notif_req as third15_243_, offersubsc0_.upgradeallowed as upgrade16_243_ from offer_subscription_details offersubsc0_ where offersubsc0_.offer_id=?	0	24,490	1	54	3	0.00
/* SELECT a FROM UserDTO a WHERE a.id = :id */ select userdto0_.id as id27_, userdto0_.is_activated as is2_27_, userdto0_.activation_token as activation3_27_, userdto0_.cachepermison as cacheper4_27_, userdto0_.entity_id as entity21_27_, userdto0_.create_datetime as create5_27_, userdto0_.current_login as current6_27_, userdto0_.deleted as deleted27_, userdto0_.external_id as external8_27_, userdto0_.external_id2 as external9_27_, userdto0_.failed_attempts as failed10_27_, userdto0_.global_id as global11_27_, userdto0_.is_local as is12_27_, userdto0_.language_id as language22_27_, userdto0_.last_login as last13_27_, userdto0_.last_status_change as last14_27_, userdto0_.logout as logout27_, userdto0_.password as password27_, userdto0_.password_set_by_user as password17_27_, userdto0_.primary_role_id as primary23_27_, userdto0_.theme as theme27_, userdto0_.user_name as user19_27_, userdto0_.optlock as optlock27_ from base_user userdto0_ where userdto0_.id=?	0	4,000	6	78	10	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b.id = :hid */ select synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo_id as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.data_retn_3_notif_sent as data8_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.customer_approval_status as customer16_38_, synergyord0_.data_retention_period as data17_38_, synergyord0_.data_retention_unit as data18_38_, synergyord0_.data_wipe_notif_sent as data19_38_, synergyord0_.days_to_fulfillment as days20_...	0	2,000	12	634	22	0.00
/* load com.ensim.synergy.server.order.db.OrderStateDTO */ select orderstate0_.id as id42_1_, orderstate0_.automatic_trash_decision as automatic2_42_1_, orderstate0_.csv_differential as csv3_42_1_, orderstate0_.display_name as display4_42_1_, orderstate0_.history_differential as history5_42_1_, orderstate0_.is_pdf_downloadable as is6_42_1_, orderstate0_.macro_state_id as macro7_42_1_, orderstate0_.manual_trash_decision as manual8_42_1_, orderstate0_.op_inner_map as op17_42_1_, orderstate0_.pdf_differential as pdf9_42_1_, orderstate0_.pdf_download_button_text as pdf10_42_1_, orderstate0_.pdf_download_button_tooltip as pdf11_42_1_, orderstate0_.pdf_heading as pdf12_42_1_, orderstate0_.show_in_ui as show13_42_1_, orderstate0_.code as code42_1_, orderstate0_.summary_differential as summary15_42_1_, orderstate0_.version_alignment_decision as version16_42_1_, provisioni1_.id as id154_0_, provisioni1_.op_iden as op2_154_0_ from order_state orderstate0_ left outer join provisioning_operations p...	0	4,228	5	547	13	0.00
/* select b from ProviderInvoiceDefaultSettingDTO b where b.providerId=:providerId */ select providerin0_.id as id124_, providerin0_.apply_tax as apply2_124_, providerin0_.discount_approver_email as discount3_124_, providerin0_.enable_deposit_payment as enable4_124_, providerin0_.enable_tax as enable5_124_, providerin0_.has_agents as has6_124_, providerin0_.invoice_payment_mode as invoice7_124_, providerin0_.invoice_pdf_template as invoice8_124_, providerin0_.payment_module_status as payment9_124_, providerin0_.price_discount_allowed as price10_124_, providerin0_.provider_id as provider11_124_, providerin0_.provider_type as provider12_124_, providerin0_.tax_mgmt_master_id as tax15_124_, providerin0_.taxation_purpose as taxation13_124_, providerin0_.use_promo_model as use14_124_ from provider_misc_setting providerin0_ where providerin0_.provider_id=?	0	4,003	6	594	16	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* load one-to-many com.ensim.synergy.server.productoffer.db.OfferVersionDefinitionDTO.versionDet */ select versiondet0_.version_id as version4_164_2_, versiondet0_.id as id2_, versiondet0_.id as id163_1_, versiondet0_.price_plan_component_id as price3_163_1_, versiondet0_.service_item_id as service2_163_1_, versiondet0_.version_id as version4_163_1_, priceplanc1_.id as id69_0_, priceplanc1_.add_on_factor as add2_69_0_, priceplanc1_.add_on_options as add3_69_0_, priceplanc1_.aloc as aloc69_0_, priceplanc1_.atf_type as atf5_69_0_, priceplanc1_.is_billable as is6_69_0_, priceplanc1_.custom_po_allow_zero as custom7_69_0_, priceplanc1_.is_default_in_group as is8_69_0_, priceplanc1_.display_order as display9_69_0_, priceplanc1_.doc as doc69_0_, priceplanc1_.is_exclusive as is11_69_0_, priceplanc1_.group_container_id as group12_69_0_, priceplanc1_.is_item_ordered as is13_69_0_, priceplanc1_.is_available_for_trial as is14_69_0_, priceplanc1_.locked as locked69_0_, priceplanc1_.onetimeitem_ups...	0	2,000	12	578	20	0.00
/* load one-to-many com.ensim.synergy.server.order.db.OrderMaster.orderLines */ select orderlines0_.orderid as orderid37_4_, orderlines0_.id as id4_, orderlines0_.id as id38_3_, orderlines0_.action_type as action2_38_3_, orderlines0_.associated_promo_id as associated3_38_3_, orderlines0_.atf_code as atf4_38_3_, orderlines0_.business_contact as business5_38_3_, orderlines0_.data_retn_1_notif_sent as data6_38_3_, orderlines0_.data_retn_2_notif_sent as data7_38_3_, orderlines0_.data_retn_3_notif_sent as data8_38_3_, orderlines0_.cancelation_date as cancelat9_38_3_, orderlines0_.cart_notification_send as cart10_38_3_, orderlines0_.ci_change_pending as ci11_38_3_, orderlines0_.comments as comments38_3_, orderlines0_.contact_period_unit as contact13_38_3_, orderlines0_.contact_period as contact14_38_3_, orderlines0_.current_subscription_line as current15_38_3_, orderlines0_.customer_approval_status as customer16_38_3_, orderlines0_.data_retention_period as data17_38_3_, orderlines0_.data_ret...	0	2,000	11	657	25	0.00
/* SELECT b from OrganizationDTO b WHERE b.id=:hid */ select organizati0_.id as id51_, organizati0_.date_time_format as date2_51_, organizati0_.email_signature as email3_51_, organizati0_.entity_id as entity4_51_, organizati0_.is_deleted as is5_51_, organizati0_.org_type as org6_51_ from organization organizati0_ where organizati0_.id=?	0	4,006	5	687	16	0.00
/* SELECT b FROM CustomerAccountMapDTO b WHERE b.id = :accMapId */ select customerac0_.id as id97_, customerac0_.account_hib_id as account2_97_, customerac0_.cust_org_domain_map_id as cust3_97_ from customer_account_map customerac0_ where customerac0_.id=?	0	4,000	5	641	12	0.00
/* from IDMPolicyDTO b where b.name= :name */ select idmpolicyd0_.id as id143_, idmpolicyd0_.name as name143_, idmpolicyd0_.value_bool as value3_143_, idmpolicyd0_.value_int as value4_143_, idmpolicyd0_.value_text as value5_143_ from idm_policy idmpolicyd0_ where idmpolicyd0_.name=?	0	4,015	5	547	11	0.00
/* SELECT b from LanguageDTO b where b.id = :id */ select languagedt0_.id as id13_, languagedt0_.code as code13_, languagedt0_.delete_indicator as delete3_13_, languagedt0_.description as descript4_13_, languagedt0_.iso639code as iso5_13_, languagedt0_.provisioning_language as provisio6_13_, languagedt0_.right_to_left as right7_13_, languagedt0_.status as status13_, languagedt0_.ui_presentation as ui9_13_ from language languagedt0_ where languagedt0_.id=?	0	4,003	5	63	7	0.00
/* load com.ensim.synergy.server.tax.db.TaxMgmtSystemMasterDTO */ select taxmgmtsy0_.id as id307_0_, taxmgmtsy0_.display_name as display2_307_0_, taxmgmtsy0_.internal_identifier_name as internal3_307_0_ from tax_mgmt_system_master taxmgmtsy0_ where taxmgmtsy0_.id=?	0	4,003	4	593	12	0.00
/* load com.ensim.bgcSEAP.account.AccountDTO */ select accountdto0_.id as id85_0_, accountdto0_.account_id as account2_85_0_, accountdto0_.account_name as account3_85_0_, accountdto0_.billable_to as billable4_85_0_, accountdto0_.billing_emails as billing5_85_0_, accountdto0_.billing_day as billing6_85_0_, accountdto0_.billing_language as billing7_85_0_, accountdto0_.care_of_indicator as care8_85_0_, accountdto0_.communication_language as communic9_85_0_, accountdto0_.corporate_id as corporate10_85_0_, accountdto0_.currency_id as currency11_85_0_, accountdto0_.service_field1 as service12_85_0_, accountdto0_.customer_id as customer13_85_0_, accountdto0_.default_bc as default14_85_0_, accountdto0_.default_tc as default15_85_0_, accountdto0_.delete_indicator as delete16_85_0_, accountdto0_.external_billing as external17_85_0_, accountdto0_.is_locked as is18_85_0_, accountdto0_.isp_sales_representative_id as isp19_85_0_, accountdto0_.legal_form as legal20_85_0_, accountdto0_.legal_langua...	0	2,003	9	79	14	0.00
/* SELECT b from OrganizationDTO b WHERE b.id=:organizationID */ select organizati0_.id as id51_, organizati0_.date_time_format as date2_51_, organizati0_.email_signature as email3_51_, organizati0_.entity_id as entity4_51_, organizati0_.is_deleted as is5_51_, organizati0_.org_type as org6_51_ from organization organizati0_ where organizati0_.id=?	0	4,035	4	63	7	0.00
/* SELECT b FROM PartyAddressDTO b WHERE upper(b.party_id) = :partyid AND trim(b.address_type) = :addType */ select partyaddre0_.id as id83_, partyaddre0_.address_id as address2_83_, partyaddre0_.address_type as address3_83_, partyaddre0_.addressline1 as addressl4_83_, partyaddre0_.addressline2 as addressl5_83_, partyaddre0_.apartment_number as apartment6_83_, partyaddre0_.block_number as block7_83_, partyaddre0_.box_number as box8_83_, partyaddre0_.city_code as city9_83_, partyaddre0_.city_name as city10_83_, partyaddre0_.country_code as country11_83_, partyaddre0_.delete_indicator as delete12_83_, partyaddre0_.floor_number as floor13_83_, partyaddre0_.house_number as house14_83_, partyaddre0_.house_number_alpha as house15_83_, partyaddre0_.industrial_zone as industrial16_83_, partyaddre0_.party_id as party17_83_, partyaddre0_.residence_name as residence18_83_, partyaddre0_.state_province as state19_83_, partyaddre0_.status_indicator as status20_83_, partyaddre0_.street_code as stree...	0	2,000	9	655	19	0.00
/* load com.ensim.synergy.server.order.db.SsidsDTO */ select ssidsdto0_.id as id141_0_, ssidsdto0_.ssid as ssid141_0_ from ssids ssidsdto0_ where ssidsdto0_.id=?	0	4,113	4	655	12	0.00
/* SELECT b FROM OrganizationDTO b WHERE b.id = :hid */ select organizati0_.id as id51_, organizati0_.date_time_format as date2_51_, organizati0_.email_signature as email3_51_, organizati0_.entity_id as entity4_51_, organizati0_.is_deleted as is5_51_, organizati0_.org_type as org6_51_ from organization organizati0_ where organizati0_.id=?	0	2,003	7	3,750	84	0.00
/* SELECT b FROM CustomerBatchDataDTO b WHERE upper(b.customer_id) = :customer_id */ select customerba0_.id as id81_, customerba0_.city_name as city2_81_, customerba0_.comm_language as comm3_81_, customerba0_.customer_id as customer4_81_, customerba0_.customer_org_name as customer5_81_, customerba0_.delete_indicator as delete6_81_, customerba0_.is_onboarded as is7_81_, customerba0_.legal_language as legal8_81_, customerba0_.macro_segment as macro9_81_, customerba0_.master_account_billing_day as master10_81_, customerba0_.master_account_id as master11_81_, customerba0_.party_type as party12_81_, customerba0_.phonetic_name as phonetic13_81_, customerba0_.stop_order_indicator as stop14_81_, customerba0_.street_name as street15_81_, customerba0_.vat_number as vat16_81_, customerba0_.zip_code as zip17_81_ from customer_organization customerba0_ where upper(customerba0_.customer_id)=?	0	2,000	7	94	11	0.00
/* Select b from ServiceProviderUserDTO b where b.baseUser.id=:baseUserId */ select servicepro0_.id as id94_, servicepro0_.ad_user_name as ad2_94_, servicepro0_.base_user_id as base14_94_, servicepro0_.double_encrypted_password as double3_94_, servicepro0_.error_message as error4_94_, servicepro0_.inner_error_message as inner5_94_, servicepro0_.is_user_deactivated as is6_94_, servicepro0_.isbusiness_contact as isbusiness7_94_, servicepro0_.istech_contact as istech8_94_, servicepro0_.operation_status_id as operation9_94_, servicepro0_.oss_provision_date as oss10_94_, servicepro0_.permission_updated_time as permission11_94_, servicepro0_.retry_count as retry12_94_, servicepro0_.serviceprovider_org_id as service15_94_, servicepro0_.set_of_permission as set13_94_ from service_provider_user servicepro0_ where servicepro0_.base_user_id=?	0	2,315	6	125	11	0.00
/* SELECT b FROM PartnerBatchDataDTO b WHERE b.par_id = :parID */ select partnerbat0_.id as id50_, partnerbat0_.address_boxnumber as address2_50_, partnerbat0_.address_city as address3_50_, partnerbat0_.address_country as address4_50_, partnerbat0_.address_email as address5_50_, partnerbat0_.address_number as address6_50_, partnerbat0_.address_postalcode as address7_50_, partnerbat0_.address_street as address8_50_, partnerbat0_.billing_language_id as billing17_50_, partnerbat0_.communication_language_id as communi18_50_, partnerbat0_.is_onboarded as is9_50_, partnerbat0_.name as name50_, partnerbat0_.organization_status as organiz11_50_, partnerbat0_.par_id as par12_50_, partnerbat0_.par_par_seq_nr as par13_50_, partnerbat0_.product_certificates as product14_50_, partnerbat0_.product_certificates_id as product15_50_, partnerbat0_.vat as vat50_ from partner_organization_details partnerbat0_ where partnerbat0_.par_id=?	0	2,000	7	79	11	0.00
/* criteria query */ select this_.id as id27_0_, this_.is_activated as is2_27_0_, this_.activation_token as activation3_27_0_, this_.cachepermison as cacheper4_27_0_, this_.entity as entity21_27_0_, this_.create_datetime as create5_27_0_, this_.current_login as current6_27_0_, this_.deleted as deleted27_0_, this_.external_id as external8_27_0_, this_.external_id2 as external9_27_0_, this_.failed_attempts as failed10_27_0_, this_.global_id as global11_27_0_, this_.is_local as is12_27_0_, this_.language_id as language22_27_0_, this_.last_login as last13_27_0_, this_.last_status_change as last14_27_0_, this_.logout as logout27_0_, this_.password as password27_0_, this_.password_set_by_user as password17_27_0_, this_.primary_role_id as primary23_27_0_, this_.theme as theme27_0_, this_.user_name as user19_27_0_, this_.optlock as optlock27_0_ from base_user this_ where this_.id=?	0	2,003	7	657	18	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b.provisionedNotifSent = 0 AND b.status.id in (:status) AND b.orderId is not null AND b.id > :previousLineId */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as __hibernate_row_nr__, synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo_id as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.data_retn_3_notif_sent as data8_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.customer_approval_status as customer16_38_, syner...	0	1,000	14	203	19	0.00
/* insert com.ensim.synergy.server.notification.db.OrderNoticationQueueDTO */ insert into order_notification_queue (bcc, cc, date_time_mail_generated, is_encrypted, full_body, language_id, last_sent_date_time, order_id, is_read_by_receiver, receiver_user_id, retry_count, sender_id, sent_count, subject, times_sent, receiver_email, id) values (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)	0	2,000	7	187	9	0.00
/* load com.ensim.customer.businessDomain.CustomerUPNSuffixDTO */ select customerup0_.id as id98_0_, customerup0_.ad_forest_id_ref as ad2_98_0_, customerup0_.ad_ou_name as ad3_98_0_, customerup0_.ad_sync_pending as ad4_98_0_, customerup0_.base_org_id as base17_98_0_, customerup0_.cust_org_id as cust5_98_0_, customerup0_.email as email98_0_, customerup0_.error_message as error7_98_0_, customerup0_.inner_error_message as inner8_98_0_, customerup0_.is_enabled as is9_98_0_, customerup0_.is_oss_onboarded as is10_98_0_, customerup0_.is_primary_upn as is11_98_0_, customerup0_.operation_status_id as operation12_98_0_, customerup0_.oss_admin_role_identifier as oss13_98_0_, customerup0_.provision_date as provision14_98_0_, customerup0_.retry_count as retry15_98_0_, customerup0_.upn_suffix as upn16_98_0_ from organization_upnsuffix customerup0_ where customerup0_.id=?	0	2,000	7	641	17	0.00
/* SELECT b FROM OrderTimeCustomerResourceDTO b WHERE b.productOfferId = :offerId and b.versionId = :versionId order by b.displayOrder */ select ordertimec0_.id as id160_, ordertimec0_.ask_at_order as ask2_160_, ordertimec0_.default_value as default3_160_, ordertimec0_.display_order as display4_160_, ordertimec0_.product_offer_id as product5_160_, ordertimec0_.show_in_rated_output as show6_160_, ordertimec0_.resource_id as resource9_160_, ordertimec0_.version_id as version7_160_, ordertimec0_.visibility as visibility160_ from ordertime_customer_resource ordertimec0_ where ordertimec0_.product_offer_id=? and ordertimec0_.version_id=? order by ordertimec0_.display_order	0	2,000	6	110	8	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT a from OfferWorkflowNotificationMapDTO a WHERE a.offerId.id = :offerid */ select offerworkf0_.id as id157_, offerworkf0_.bcc_address as bcc2_157_, offerworkf0_.cc_address as cc3_157_, offerworkf0_.language_id as language12_157_, offerworkf0_.applicable_op as applicable4_157_, offerworkf0_.offer_id as offer13_157_, offerworkf0_.post_notif_need as post5_157_, offerworkf0_.pre_provision_bcc_address as pre6_157_, offerworkf0_.pre_provision_cc_address as pre7_157_, offerworkf0_.pre_provision_language_id as pre14_157_, offerworkf0_.pre_notif_need as pre8_157_, offerworkf0_.pre_provision_to_address as pre9_157_, offerworkf0_.prov_notif_settings as prov10_157_, offerworkf0_.pwf_id as pwf15_157_, offerworkf0_.to_address as to11_157_ from offer_pwf_notif_map offerworkf0_ where offerworkf0_.offer_id=?	0	2,626	5	64	9	0.00
update synergy_order_line set data_wipe_notif_sent=? where id=? and data_wipe_notif_sent=?	0	1,000	12	125	8	0.00
/* SELECT b FROM CustomerSpecInpDTO b WHERE b.orderLineId.id = :orderLineId */ select customersp0_.id as id44_, customersp0_.customer_inp as customer2_44_, customersp0_.order_line_id as order5_44_, customersp0_.res_name as res3_44_, customersp0_.unify_res_id as unify4_44_ from order_cust_specfic_inp customersp0_ where customersp0_.order_line_id=?	0	2,000	6	47	8	0.00
/* SELECT b FROM OrderApprovalStepDTO b WHERE b.orderLineId=:orderlineid */ select orderappro0_.id as id283_, orderappro0_.action_performed_by as action2_283_, orderappro0_.action_performed_date as action3_283_, orderappro0_.approval_rejection_message as approval4_283_, orderappro0_.completion_status as completion5_283_, orderappro0_.order_line_id as order6_283_, orderappro0_.org_id as org7_283_, orderappro0_.is_rejected as is8_283_, orderappro0_.system_message as system9_283_, orderappro0_.wf_step_map_id as wf10_283_ from order_approval_steps orderappro0_ where orderappro0_.order_line_id=?	0	2,000	6	94	8	0.00
/* select b from ServiceProviderUserRoleMapDTO b where b.serviceProviderUserDTO.id = :spUserMapId AND b.is_primary=true */ select servicepro0_.id as id95_, servicepro0_.is_primary as is2_95_, servicepro0_.role_id as role3_95_, servicepro0_.user_serviceprovider_map_id as user4_95_ from service_provider_user_role_map servicepro0_ where servicepro0_.user_serviceprovider_map_id=? and servicepro0_.is_primary=1	0	2,000	6	657	16	0.00
/* SELECT a from ProductOfferMarketContentDTO a WHERE a.productOfferId = :offerid */ select productoff0_.id as id146_, productoff0_.consumer_org_id as consumer12_146_, productoff0_.display_feature as display2_146_, productoff0_.display_marketplace_allowed as display3_146_, productoff0_.display_order as display4_146_, productoff0_.feature_display_order as feature5_146_, productoff0_.infolink as infolink146_, productoff0_.largesize_imageurl as largesize7_146_, productoff0_.mediumsize_imageurl as mediumsize8_146_, productoff0_.minimum_price as minimum9_146_, productoff0_.product_offer_id as product10_146_, productoff0_.smallsize_imageurl as smallsize11_146_ from po_marketplace productoff0_ where productoff0_.product_offer_id=?	0	2,000	5	672	16	0.00
/* SELECT b FROM TransactionOrderMapDTO b WHERE b.easOrderNumber =:orderNumber AND b.id = (SELECT MAX(c.id) FROM TransactionOrderMapDTO c where c.easOrderNumber=:orderNumber) */ select transactio0_.id as id340_, transactio0_.currency_id as currency2_340_, transactio0_.eas_order_number as eas3_340_, transactio0_.paid_amount as paid4_340_, transactio0_.pg_trans_details_id as pg5_340_, transactio0_.pre_pay_reporting_date as pre6_340_ from transaction_order_map transactio0_ where transactio0_.eas_order_number=? and transactio0_.id=(select max(transactio1_.id) from transaction_order_map transactio1_ where transactio1_.eas_order_number=?)	0	2,000	5	594	15	0.00
/* SELECT b FROM DateTimeFormatDTO b WHERE b.id = :formatId */ select datetimefo0_.id as id138_, datetimefo0_.format as format138_, datetimefo0_.format_date_jquery as format3_138_, datetimefo0_.format_date_only as format4_138_ from date_time_format datetimefo0_ where datetimefo0_.id=?	0	2,003	5	48	8	0.00
/* load com.ensim.synergy.server.synergyitems.db.ProvisioningSystemDTO */ select provisioni0_.id as id112_0_, provisioni0_.provision_code as provision2_112_0_, provisioni0_.provision_name as provision3_112_0_ from provisioning_system provisioni0_ where provisioni0_.id=?	0	1,998	5	62	8	0.00
/* load one-to-many com.ensim.synergy.server.notification.db.NotificationMessageTypeDTO.notificationMessages */ select notificati0_.type_id as type6_30_1_, notificati0_.id as id1_, notificati0_.id as id32_0_, notificati0_.entity as entity4_32_0_, notificati0_.language_id as language5_32_0_, notificati0_.type_id as type6_32_0_, notificati0_.use_flag as use2_32_0_, notificati0_.optlock as optlock32_0_ from notification_message notificati0_ where notificati0_.type_id=?	0	2,055	5	78	8	0.00
/* SELECT b.displayName FROM ProductOfferDTO b WHERE b.id= :offerId */ select productoff0_.display_name as col_0_0_ from product_offer productoff0_ where productoff0_.id=?	0	2,000	5	62	8	0.00
/* SELECT b FROM NotificationOwnerFromAddressMapDTO b WHERE b.ownerId = :ownerId AND b.categoryId = :categoryId */ select notificati0_.id as id175_, notificati0_.category_id as category2_175_, notificati0_.fromaddress as fromaddr3_175_, notificati0_.owner_id as owner4_175_, notificati0_.sender_name as sender5_175_ from notif_org_fromaddress_map notificati0_ where notificati0_.owner_id=? and notificati0_.category_id=?	0	2,000	5	39	8	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowEmailSent = :wfeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_.id) as __hibernate_row_nr__, synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo_id as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.data_retn_3_notif_sent as data8_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.current_subscription_stat...	0	858	13	188	21	0.00
/* select b from RolePermissionExtensionDTO b where b.role_id=:roleId and b.permission_id=:permissionId */ select rolepermis0_.id as id24_, rolepermis0_.discount_level as discount_2_24_, rolepermis0_.permission_id as permission3_24_, rolepermis0_.role_id as role4_24_, rolepermis0_.value_int as value5_24_ from role_permission_extension rolepermis0_ where rolepermis0_.role_id=? and rolepermis0_.permission_id=?	0	2,000	5	47	8	0.00
/* criteria query */ select this_.id as id303_0_, this_.log_in_url as log2_303_0_, this_.organization_type as organiza3_303_0_ from login_url_settings this_ where lower(this_.organization_type) like ?	0	2,000	5	48	8	0.00
/* criteria query */ select this_.id as id96_0_, this_.billing_emails as billing2_96_0_, this_.city as city96_0_, this_.country_code as country4_96_0_, this_.email as email96_0_, this_.entity_id as entity6_96_0_, this_.organization_name as organiza7_96_0_, this_.phone_area_code as phone8_96_0_, this_.phone_country_code as phone9_96_0_, this_.phone_phone_number as phone10_96_0_, this_.postal_code as postal11_96_0_, this_.sp_organization as sp12_96_0_, this_.state_province as state13_96_0_, this_.street_addres1 as street14_96_0_, this_.street_addres2 as street15_96_0_, this_.vat_number as vat16_96_0_ from service_provider this_	0	2,000	5	47	8	0.00
/* SELECT b FROM TermsAndConditionsDTO b WHERE b.id = :hid */ select termsandco0_.id as id258_, termsandco0_.create_date as create2_258_, termsandco0_.offer_id as offer3_258_, termsandco0_.tc_version as tc4_258_, termsandco0_.terms_and_condition as terms5_258_ from terms_and_conditions termsandco0_ where termsandco0_.id=?	0	2,000	5	47	8	0.00
/* load collection com.ensim.synergy.server.user.db.UserDTO.organizationTypes */ select organizati0_.user_id as user1_27_0_, organizati0_.organization_type as organiza2_0_ from user_organization_types organizati0_ where organizati0_.user_id=?	0	315	17	46	5	0.00
update order_notification_queue set sent_count=?, times_sent=?, retry_count=? where id=? and sent_count=?	0	2,000	2	438	14	0.00
/* SELECT b FROM ServiceAccessTokenDTO b WHERE b.serviceId = :servId AND b.languageId = :langId */ select serviceacc0_.id as id162_, serviceacc0_.language_id as language3_162_, serviceacc0_.service_id as service4_162_, serviceacc0_.token_text as token2_162_ from service_access_token serviceacc0_ where serviceacc0_.service_id=? and serviceacc0_.language_id=?	0	592	6	32	8	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_.id) as __hibernate_row_nr__, synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo_id as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.data_retn_3_notif_sent as data8_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.customer_approval_...	0	36	99	188	39	0.00
update synergy_order_line set failed_notif_sent=? where id=? and failed_notif_sent=?	0	119	24	579	52	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_.id) as __hibernate_row_nr__, synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo_id as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.data_retn_3_notif_sent as data8_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.customer_approval_...	0	18	158	1,125	245	0.00
/* SELECT b FROM OrderNoticationQueueDTO b WHERE b.sentCount = :status AND b.retryCount <= :rcount AND b.id > :previousLineId */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as __hibernate_row_nr__, ordernotic0_.id as id144_, ordernotic0_.bcc as bcc144_, ordernotic0_.cc as cc144_, ordernotic0_.date_time_mail_generated as date4_144_, ordernotic0_.is_encrypted as is5_144_, ordernotic0_.full_body as full6_144_, ordernotic0_.language_id as language14_144_, ordernotic0_.last_sent_date_time as last7_144_, ordernotic0_.order_id as order15_144_, ordernotic0_.is_read_by_receiver as is8_144_, ordernotic0_.receiver_user_id as receiver16_144_, ordernotic0_.retry_count as retry9_144_, ordernotic0_.sender_id as sender17_144_, ordernotic0_.sent_count as sent10_144_, ordernotic0_.subject as subject144_, ordernotic0_.times_sent as times12_144_, ordernotic0_.receiver_email as receiver13_144_ from order_notification_queue ordernotic0_ where ordernotic0_.sent_count=? and ordernoti...	0	1,000	2	110	8	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_.id) as __hibernate_row_nr__, synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo_id as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.data_retn_3_notif_sent as data8_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.customer_approval_...	0	18	106	249	54	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT b FROM SynergyOrderLine b WHERE b.datawipeNotifSent = 0 AND b.status.id = :status AND b.orderId is not null AND b.id > :previousLineId */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as __hibernate_row_nr__, synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo_id as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.data_retn_3_notif_sent as data8_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.customer_approval_status as customer16_38_, synergyord0...	0	1,000	1	78	5	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_.id) as __hibernate_row_nr__, synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo_id as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.data_retn_3_notif_sent as data8_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.customer_approval_...	0	18	100	188	42	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b.failedNotifSent = 0 AND b.status.id in (:status) AND b.orderId is not null AND b.id > :previousLineId */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as __hibernate_row_nr__, synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo_id as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.data_retn_3_notif_sent as data8_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.customer_approval_status as customer16_38_, synergyord...	0	120	14	140	19	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_.id) as __hibernate_row_nr__, synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo_id as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.customer_approval_...	0	18	93	376	79	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_.id) as __hibernate_row_nr__, synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo_id as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.customer_approval_...	0	18	90	182	41	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowPreEmailSent = :wfpeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_.id) as __hibernate_row_nr__, synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo_id as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.customer_approval_...	0	18	89	172	36	0.00
update synergy_order_line set resume_notif_sent=? where id=? and resume_notif_sent=?	0	70	18	48	11	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowEmailSent = :wfeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_.id) as __hibernate_row_nr__, synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo_id as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.data_retn_3_notif_sent as data8_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.customer_approval_stat...	0	36	36	141	36	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowEmailSent = :wfeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_.id) as __hibernate_row_nr__, synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo_id as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.data_retn_3_notif_sent as data8_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.customer_approval_stat...	0	18	72	141	35	0.00
/* Select b from ServiceProviderUserDTO b where b.baseUser.id=:baseUserId AND b.serviceProviderOrganizationDTO.id=:baseOrgId and b.is_user_deactivated=:is_user_deactivated */ select servicepro0_.id as id94_, servicepro0_.ad_user_name as ad2_94_, servicepro0_.base_user_id as base14_94_, servicepro0_.double_encrypted_password as double3_94_, servicepro0_.error_message as error4_94_, servicepro0_.inner_error_message as inner5_94_, servicepro0_.is_user_deactivated as is6_94_, servicepro0_.isbusiness_contact as isbusiness7_94_, servicepro0_.istech_contact as istech8_94_, servicepro0_.operation_status_id as operation9_94_, servicepro0_.oss_provision_date as oss10_94_, servicepro0_.permission_updated_time as permission11_94_, servicepro0_.retry_count as retry12_94_, servicepro0_.serviceprovider_org_id as service15_94_, servicepro0_.set_of_permission as set13_94_ from service_provider_user servicepro0_ cross join service_provider_organization servicepro1_ where servicepro0_...	0	630	1	78	6	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowEmailSent = :wfeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_.id) as __hibernate_row_nr__, synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo_id as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.data_retn_3_notif_sent as data8_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.customer_approval_stat...	0	18	64	109	23	0.00
update order_subscription_details set notification_renewal_status=? where id=? and notification_renewal_status=?	0	513	2	18	5	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b.resumeNotifSent = 0 AND b.status.id = 13 AND b.orderId is not null AND b.id > :previousLine */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as __hibernate_row_nr__, synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo_id as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.data_retn_3_notif_sent as data8_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.customer_approval_status as customer16_38_, synergyord0_.data_re...	0	71	12	172	24	0.00
/* SELECT b FROM OrderMaster b left outer join b.currentOrderLine orderLine WHERE b.trial = true and b.trial_retry_count<=3 and orderLine.provisionDate is not null and orderLine.cancelationDate is NULL */ select ordermaste0_.id as id37_, ordermaste0_.active as active37_, ordermaste0_.sales_agent_id as sales3_37_, ordermaste0_.linked_order_id as linked4_37_, ordermaste0_.bcd_id as bcd5_37_, ordermaste0_.bill_cycle_day as bill6_37_, ordermaste0_.case_no_1 as case7_37_, ordermaste0_.case_no_10 as case8_37_, ordermaste0_.case_no_11 as case9_37_, ordermaste0_.case_no_12 as case10_37_, ordermaste0_.case_no_2 as case11_37_, ordermaste0_.case_no_3 as case12_37_, ordermaste0_.case_no_4 as case13_37_, ordermaste0_.case_no_5 as case14_37_, ordermaste0_.case_no_6 as case15_37_, ordermaste0_.case_no_7 as case16_37_, ordermaste0_.case_no_8 as case17_37_, ordermaste0_.case_no_9 as case18_37_, ordermaste0_.is_closed as is19_37_, ordermaste0_.created_by as created20_37_, ordermaste0_.creator_org_id a...	0	18	41	110	31	0.00
/* select b.roleDTO from ServiceProviderUserRoleMapDTO b where b.serviceProviderUserDTO.id in (select u.id from ServiceProviderUserDTO u where u.baseUser.id=:UserId and u.serviceProviderOrganizationDTO.id in (select w.id from ServiceProviderOrganizationDTO w where w.baseOrganizationDTO.id=:BaseOrgId)) and b.is_primary=:is_primary */ select roledto1_.id as id23_, roledto1_.authority_level as authority2_23_, roledto1_.inheritable as inherita3_23_, roledto1_.is_agent_superadmin as is4_23_, roledto1_.is_customer_superadmin as is5_23_, roledto1_.is_reseller_superadmin as is6_23_, roledto1_.is_sp_superadmin as is7_23_, roledto1_.organization_type as organiza8_23_, roledto1_.profile_identifier as profile9_23_, roledto1_.role_identifier as role10_23_, roledto1_.role_type as role11_23_, roledto1_.user_activated_by_default as user12_23_ from service_provider_user_role_map servicepro0_ inner join role roledto1_ on servicepro0_.role_id=roledto1_.id where (servicepro0_.user_serviceprovider_map_id ...	0	315	2	16	5	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* load com.ensim.synergy.server.synergyitems.db.UnifyResourceDTO */ select unifyresou0_.id as id76_0_, unifyresou0_.allow_unlimited as allow2_76_0_, unifyresou0_.applicable_ppu_percentage as applicable3_76_0_, unifyresou0_.bulk_user_avail_order as bulk4_76_0_, unifyresou0_.bulk_user_avail_pifs as bulk5_76_0_, unifyresou0_.conv_op_ppu_unit as cf6_76_0_, unifyresou0_.cf_reserved_unit as cf7_76_0_, unifyresou0_.conv_op_ppu as conv8_76_0_, unifyresou0_.conv_op_resv as conv9_76_0_, unifyresou0_.is_customer_specific as is10_76_0_, unifyresou0_.default_value as default11_76_0_, unifyresou0_.depend_on_resid as depend12_76_0_, unifyresou0_.domain_type as domain13_76_0_, unifyresou0_.editable_after_provision as editable14_76_0_, unifyresou0_.input_type as input15_76_0_, unifyresou0_.instance_information as instance16_76_0_, unifyresou0_.is_mandatory as is17_76_0_, unifyresou0_.oss_ppu_unit as oss18_76_0_, unifyresou0_.oss_reports_ppu as oss19_76_0_, unifyresou0_.oss_reserved_unit as oss20_76_0_, ...	0	61	11	71	16	0.00
/* criteria query */ select this_.id as id27_1_, this_.is_activated as is2_27_1_, this_.activation_token as activation3_27_1_, this_.cachepermison as cacheper4_27_1_, this_.entity_id as entity21_27_1_, this_.create_datetime as create5_27_1_, this_.current_login as current6_27_1_, this_.deleted as deleted27_1_, this_.external_id as external8_27_1_, this_.external_id2 as external9_27_1_, this_.failed_attempts as failed10_27_1_, this_.global_id as global11_27_1_, this_.is_local as is12_27_1_, this_.language_id as language22_27_1_, this_.last_login as last13_27_1_, this_.last_status_change as last14_27_1_, this_.logout as logout27_1_, this_.password as password27_1_, this_.password_set_by_user as password17_27_1_, this_.primary_role_id as primary23_27_1_, this_.theme as theme27_1_, this_.user_name as user19_27_1_, this_.optlock as optlock27_1_, e1_.id as id26_0_, e1_.create_datetime as create2_26_0_, e1_.description as descript3_26_0_, e1_.external_id as external4_26_0_, e1_.language_id as...	0	342	1	47	5	0.00
/* Select b.roleDTO from ServiceProviderUserRoleMapDTO b where b.serviceProviderUserDTO.id=:spUserMapId */ select roledto1_.id as id23_, roledto1_.authority_level as authority2_23_, roledto1_.inheritable as inherita3_23_, roledto1_.is_agent_superadmin as is4_23_, roledto1_.is_customer_superadmin as is5_23_, roledto1_.is_reseller_superadmin as is6_23_, roledto1_.is_sp_superadmin as is7_23_, roledto1_.organization_type as organiza8_23_, roledto1_.profile_identifier as profile9_23_, roledto1_.role_identifier as role10_23_, roledto1_.role_type as role11_23_, roledto1_.user_activated_by_default as user12_23_ from service_provider_user_role_map servicepro0_ inner join role roledto1_ on servicepro0_.role_id=roledto1_.id where servicepro0_.user_serviceprovider_map_id=?	0	630	0	31	3	0.00
/* criteria query */ select this_.id as id27_0_, this_.is_activated as is2_27_0_, this_.activation_token as activation3_27_0_, this_.cachepermison as cacheper4_27_0_, this_.entity_id as entity21_27_0_, this_.create_datetime as create5_27_0_, this_.current_login as current6_27_0_, this_.deleted as deleted27_0_, this_.external_id as external8_27_0_, this_.external_id2 as external9_27_0_, this_.failed_attempts as failed10_27_0_, this_.global_id as global11_27_0_, this_.is_local as is12_27_0_, this_.language_id as language22_27_0_, this_.last_login as last13_27_0_, this_.last_status_change as last14_27_0_, this_.logout as logout27_0_, this_.password as password27_0_, this_.password_set_by_user as password17_27_0_, this_.primary_role_id as primary23_27_0_, this_.theme as theme27_0_, this_.user_name as user19_27_0_, this_.optlock as optlock27_0_ from base_user this_ where this_.user_name=? and this_.deleted=?	0	312	1	16	4	0.00
/* SELECT b FROM ServiceRequestQueueDTO b WHERE b.actionRequired = 1 AND b.status != :status AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by servicereq0_.id) as __hibernate_row_nr__, servicereq0_.id as id227_, servicereq0_.action_required as action2_227_, servicereq0_.action_type as action3_227_, servicereq0_.api_data as api4_227_, servicereq0_.error_code as error5_227_, servicereq0_.error_message as error6_227_, servicereq0_.last_retried_date as last7_227_, servicereq0_.request_for_user as request8_227_, servicereq0_.retry_count as retry9_227_, servicereq0_.sr_response as sr10_227_, servicereq0_.status as status227_, servicereq0_.submitted_date as submitted12_227_, servicereq0_.type_of_request as type13_227_ from service_request_queue servicereq0_ where servicereq0_.action_required=1 and servicereq0_.status<>? and servicereq0_.id>?) SELECT * FROM query WHERE __hibernate_row_nr__ BETWEEN ? AND ?	0	180	2	47	6	0.00
update synergy_order_line set workflow_email_sent=? where id=? and workflow_email_sent=?	0	30	9	31	8	0.00
/* Select b from BaseUserOrgMapDTO b where b.base_user_id=:baseUserId AND b.base_org_id=:baseOrgId */ select baseuseror0_.id as id99_, baseuseror0_.base_org_id as base2_99_, baseuseror0_.base_user_id as base3_99_ from base_user_org_map baseuseror0_ where baseuseror0_.base_user_id=? and baseuseror0_.base_org_id=?	0	315	0	16	3	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowEmailSent = :wfeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_.id) as __hibernate_row_nr__, synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo_id as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.data_retn_3_notif_sent as data8_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.customer_approval_stat...	0	18	15	64	19	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowEmailSent = :wfeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_.id) as __hibernate_row_nr__, synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo_id as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.data_retn_3_notif_sent as data8_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.customer_approval_stat...	0	18	14	47	17	0.00
/* SELECT b FROM ServiceRequestQueueDTO b WHERE b.status in (:status) AND b.retryCount < :rcount AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by servicereq0_.id) as __hibernate_row_nr__, servicereq0_.id as id227_, servicereq0_.action_required as action2_227_, servicereq0_.action_type as action3_227_, servicereq0_.api_data as api4_227_, servicereq0_.error_code as error5_227_, servicereq0_.error_message as error6_227_, servicereq0_.last_retried_date as last7_227_, servicereq0_.request_for_user as request8_227_, servicereq0_.retry_count as retry9_227_, servicereq0_.sr_response as sr10_227_, servicereq0_.status as status227_, servicereq0_.submitted_date as submitted12_227_, servicereq0_.type_of_request as type13_227_ from service_request_queue servicereq0_ where (servicereq0_.status in (? , ?)) and servicereq0_.retry_count<? and servicereq0_.id>?) SELECT * FROM query WHERE __hibernate_row_nr__ BETWEEN ? AND ?	0	180	1	33	4	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b .status.id in (:status) AND b.origProductOfferId = :offerId AND b.workFlowEmailSent = :wfeStatus AND b.id > :previousLineId order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by synergyord0_.id) as __hibernate_row_nr__, synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo_id as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.data_retn_3_notif_sent as data8_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.customer_approval_stat...	0	18	13	63	18	0.00
/* Select b from BaseUserOrgMapDTO b,UserDTO a where a.id=b.base_user_id and a.userName=:baseUserName */ select baseuseror0_.id as id99_, baseuseror0_.base_org_id as base2_99_, baseuseror0_.base_user_id as base3_99_ from base_user_org_map baseuseror0_ cross join base_user userdto1_ where userdto1_.id=baseuseror0_.base_user_id and userdto1_.user_name=?	0	3	73	79	10	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b.suspendNotifSent = 0 AND b.status.id = 10 AND b.orderId is not null AND b.id > :previousLine */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as __hibernate_row_nr__, synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo_id as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.data_retn_3_notif_sent as data8_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.customer_approval_status as customer16_38_, synergyord0_.data_r...	0	7	25	125	44	0.00
/* Select b from BrandingVersionDetailsDTO b WHERE b.id >:appliedBranding order by id */ select brandingve0_.id as id300_, brandingve0_.app_version as app2_300_, brandingve0_.entry_timestamp as entry3_300_, brandingve0_.folder_name as folder4_300_ from branding_version brandingve0_ where brandingve0_.id>? order by brandingve0_.id	0	48	3	16	6	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b.subscription_request_pending in (:status) AND b.renewalNotifStatus =:renewalNotifStatus AND b.orderId is not null AND b.id > :previousLineId */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as __hibernate_row_nr__, synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo_id as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.data_retn_3_notif_sent as data8_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.customer_appro...	0	1	162	162	0	0.00
/* SELECT c.id FROM OrderSubscriptionDetailsDTO c WHERE (c.notificationReminderStatus1 = 0 OR c.notificationReminderStatus2 = 0 OR c.notificationReminderStatus3 = 0) AND c.subscriptionEndDate IS NOT NULL */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as __hibernate_row_nr__, ordersubsc0_.id as col_0_0_ from order_subscription_details ordersubsc0_ where (ordersubsc0_.notification_reminder1=0 or ordersubsc0_.notification_reminder2=0 or ordersubsc0_.notification_reminder3=0) and (ordersubsc0_.subscription_end_date is not null)) SELECT * FROM query WHERE __hibernate_row_nr__ BETWEEN ? AND ?	0	1	161	161	0	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b.delayedNotifSent = 0 AND b.status.id = :status AND b.orderId is not null AND b.id > :previousLine */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as __hibernate_row_nr__, synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo_id as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.data_retn_3_notif_sent as data8_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.customer_approval_status as customer16_38_, synergyord0_.d...	0	4	39	143	69	0.00
update synergy_order_line set suspend_notif_sent=? where id=? and suspend_notif_sent=?	0	6	26	47	12	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT b FROM OrderServiceItemDTO b WHERE b.id = :hid */ select orderservi0_.id as id39_, orderservi0_.is_bundle as is2_39_, orderservi0_.is_composit as is3_39_, orderservi0_.custom_po_allow_zero as custom4_39_, orderservi0_.diff_operator as diff5_39_, orderservi0_.diff_quantity as diff6_39_, orderservi0_.product_group_id as product7_39_, orderservi0_.order_line_id as order20_39_, orderservi0_.possible_values as possible8_39_, orderservi0_.possible_val_meta_id as possible21_39_, orderservi0_.prepay_required as prepay9_39_, orderservi0_.quantity as quantity39_, orderservi0_.service_id as service11_39_, orderservi0_.service_item_id as service12_39_, orderservi0_.item_type as item22_39_, orderservi0_.tax_code as tax13_39_, orderservi0_.tax_on_tax_amount as tax14_39_, orderservi0_.response_code as response15_39_, orderservi0_.response_code_desc as response16_39_, orderservi0_.total_tax_amount as total17_39_, orderservi0_.unify_resource_reference as unify18_39_, orderservi0_.unit as uni...	0	14	11	62	17	0.00
/* SELECT b FROM ProductOfferDTO b */ select productoff0_.id as id67_, productoff0_.allow_multiple_instances as allow2_67_, productoff0_.aloc as aloc67_, productoff0_.approval_threshold_hour as approval4_67_, productoff0_.is_billable as is5_67_, productoff0_.billingfrequencylength as billingf6_67_, productoff0_.billingfrequencyperiod as billingf7_67_, productoff0_.catalogue_id as catalogue8_67_, productoff0_.category_id as category9_67_, productoff0_.condition_available as condition10_67_, productoff0_.contract_period as contract11_67_, productoff0_.contract_period_unit as contract12_67_, productoff0_.creator_org_id as creator73_67_, productoff0_.current_terms_and_conditions as current13_67_, productoff0_.custom_field1 as custom14_67_, productoff0_.custom_field10 as custom15_67_, productoff0_.custom_field11 as custom16_67_, productoff0_.custom_field12 as custom17_67_, productoff0_.custom_field2 as custom18_67_, productoff0_.custom_field3 as custom19_67_, productoff0_.custom_field4 as ...	0	18	8	47	12	0.00
/* insert com.ensim.actionLog.ActionItemDTO */ insert into action_log_items (master_id, action_name, details, process_percentage, process_time, status, id) values (?, ?, ?, ?, ?, ?, ?)	0	72	2	31	5	0.00
/* SELECT c.id FROM OrderSubscriptionDetailsDTO c WHERE c.requestNotificationStatus = 0 AND c.subscriptionEndDate IS NOT NULL */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as __hibernate_row_nr__, ordersubsc0_.id as col_0_0_ from order_subscription_details ordersubsc0_ where ordersubsc0_.notification_renewal_status=0 and (ordersubsc0_.subscription_end_date is not null)) SELECT * FROM query WHERE __hibernate_row_nr__ BETWEEN ? AND ?	0	1	135	135	0	0.00
/* select b from NodeSpecificBrandingDetailsDTO b where b.orgID=:orgID and b.nodeIPAddress =:nodeIPAddress */ select nodespecif0_.id as id301_, nodespecif0_.branding_version_id as branding2_301_, nodespecif0_.node_ip_adddess as node3_301_, nodespecif0_.org_id as org4_301_, nodespecif0_.process_status as process5_301_ from node_specific_branding_details nodespecif0_ where nodespecif0_.org_id=? and nodespecif0_.node_ip_adddess=?	0	48	2	16	5	0.00
/* SELECT b FROM ServiceProviderOrganizationDTO b */ select servicepro0_.id as id93_, servicepro0_.org_id as org5_93_, servicepro0_.created_on as created2_93_, servicepro0_.currency_id as currency6_93_, servicepro0_.use_marketplace as use3_93_, servicepro0_.use_reseller_model as use4_93_ from service_provider_organization servicepro0_	0	24	5	16	7	0.00
/* Select b from BrandingThemeUploadDetailsDTO b WHERE b.uploadTimestamp <= :uploadTimeStamp */ select brandingth0_.id as id132_, brandingth0_.reseller_id as reseller3_132_, brandingth0_.upload_timestamp as upload2_132_ from branding_theme_upload_details brandingth0_ where brandingth0_.upload_timestamp<=?	0	24	4	16	7	0.00
/* load one-to-many com.ensim.synergy.server.notification.db.NotificationMessageSectionDTO.notificationMessageLines */ select notificati0_.message_section_id as message4_28_1_, notificati0_.id as id1_, notificati0_.id as id29_0_, notificati0_.full_content as full2_29_0_, notificati0_.message_section_id as message4_29_0_, notificati0_.optlock as optlock29_0_ from notification_message_line notificati0_ where notificati0_.message_section_id=?	0	20	5	16	7	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b.ssidGenNotifSent = 0 AND b.status.id in (:status) AND b.pwfIdRef = 2 AND b.orderId is not null AND b.id > :previousLineId */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as __hibernate_row_nr__, synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo_id as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.data_retn_3_notif_sent as data8_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.customer_approval_status as custom...	0	1	109	109	0	0.00
/* select b from CRMJobScheduleDTO b where b.job_status=0 order by b.id */ select crmjobsche0_.id as id246_, crmjobsche0_.action_log as action2_246_, crmjobsche0_.cancelled_by as cancelled3_246_, crmjobsche0_.cancelled_date as cancelled4_246_, crmjobsche0_.internal_path as internal5_246_, crmjobsche0_.job_id as job6_246_, crmjobsche0_.job_schedule as job7_246_, crmjobsche0_.job_status as job8_246_, crmjobsche0_.notification_status as notifica9_246_, crmjobsche0_.submitted_by as submitted10_246_, crmjobsche0_.submitted_date as submitted11_246_ from crm_data_job_schedule crmjobsche0_ where crmjobsche0_.job_status=0 order by crmjobsche0_.id	0	24	3	16	6	0.00
/* Select b from BrandingThemeUploadDetailsDTO b WHERE b.uploadTimestamp > :uploadTimeStamp */ select brandingth0_.id as id132_, brandingth0_.reseller_id as reseller3_132_, brandingth0_.upload_timestamp as upload2_132_ from branding_theme_upload_details brandingth0_ where brandingth0_.upload_timestamp>?	0	24	3	17	6	0.00
/* SELECT b FROM SMSNotificationHistoryDTO b WHERE b.sentStatus = :status AND b.retryCount <= :rcount AND b.id > :previousLineId */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as __hibernate_row_nr__, smsnotific0_.id as id356_, smsnotific0_.content as content356_, smsnotific0_.foreign_id as foreign3_356_, smsnotific0_.last_sent_date_time as last4_356_, smsnotific0_.phone_number as phone5_356_, smsnotific0_.retry_count as retry6_356_, smsnotific0_.sent_count as sent7_356_, smsnotific0_.sent_status as sent8_356_, smsnotific0_.sub_state as sub9_356_, smsnotific0_.table_id as table10_356_, smsnotific0_.receiver_user_id as receiver11_356_ from sms_notification_history smsnotific0_ where smsnotific0_.sent_status=? and smsnotific0_.retry_count<=? and smsnotific0_.id>?) SELECT * FROM query WHERE __hibernate_row_nr__ BETWEEN ? AND ?	0	142	0	16	2	0.00
/* insert com.ensim.actionLog.ActionLogDTO */ insert into action_log_master (action_guid, action_name, category, closed_at, expected_max_time, expected_min_time, organization_id, single_type, started_at, status, user_id, id) values (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)	0	24	3	16	6	0.00
/* Select b.serviceProviderOrganizationDTO from ServiceProviderUserDTO b where b.baseUser.id=:baseUserId and b.is_user_deactivated=:is_user_deactivated */ select servicepro1_.id as id93_, servicepro1_.org_id as org5_93_, servicepro1_.created_on as created2_93_, servicepro1_.currency_id as currency6_93_, servicepro1_.use_marketplace as use3_93_, servicepro1_.use_reseller_model as use4_93_ from service_provider_user servicepro0_ inner join service_provider_organization servicepro1_ on servicepro0_.serviceprovider_org_id=servicepro1_.id where servicepro0_.base_user_id=? and servicepro0_.is_user_deactivated=?	0	3	22	36	11	0.00
/* load com.ensim.synergy.server.notification.db.NotificationMessageLineDTO */ select notificati0_.id as id29_0_, notificati0_.full_content as full2_29_0_, notificati0_.message_section_id as message4_29_0_, notificati0_.optlock as optlock29_0_ from notification_message_line notificati0_ where notificati0_.id=?	0	8	8	16	8	0.00
/* select b from CRMInternalPathHoldDTO b order by b.id desc */ select crminterna0_.id as id247_, crminterna0_.fetch_date as fetch2_247_, crminterna0_.csv_path_password as csv3_247_, crminterna0_.path as path247_, crminterna0_.csv_path_userid as csv5_247_ from crm_csv_internal_path_holder crminterna0_ order by crminterna0_.id desc	0	24	2	17	6	0.00
/* load com.ensim.organization.OrganizationDTO */ select organizati0_.id as id51_0_, organizati0_.date_time_format as date2_51_0_, organizati0_.email_signature as email3_51_0_, organizati0_.entity_id as entity4_51_0_, organizati0_.is_deleted as is5_51_0_, organizati0_.org_type as org6_51_0_ from organization organizati0_ where organizati0_.id=?	0	24	2	16	6	0.00
/* load com.ensim.synergy.server.user.permisson.db.PermissionTypeDTO */ select permission0_.id as id20_0_, permission0_.description as descript2_20_0_, permission0_.order_index as order3_20_0_ from permission_type permission0_ where permission0_.id=?	0	64	0	16	3	0.00
/* dynamic native SQL query */ select count(*) from synergy_version	0	24		16	5	0.00
/* load one-to-many com.ensim.synergy.server.util.db.CurrencyDTO.exchangeDTO */ select exchangedt0_.currency_id as currency6_16_1_, exchangedt0_.id as id1_, exchangedt0_.id as id15_0_, exchangedt0_.create_datetime as create2_15_0_, exchangedt0_.currency_id as currency6_15_0_, exchangedt0_.entity_id as entity3_15_0_, exchangedt0_.rate as rate15_0_, exchangedt0_.optlock as optlock15_0_ from currency_exchange exchangedt0_ where exchangedt0_.currency_id=?	0	30	2	16	5	0.00
/* load com.ensim.reseller.ResellerOrganizationDTO */ select reselleror0_.id as id128_4_, reselleror0_.is_activated as is2_128_4_, reselleror0_.org_id as org27_128_4_, reselleror0_.billing_emails as billing3_128_4_, reselleror0_.billing_language_id as billing28_128_4_, reselleror0_.city as city128_4_, reselleror0_.communication_language_id as communi29_128_4_, reselleror0_.country_code as country5_128_4_, reselleror0_.create_datetime as create6_128_4_, reselleror0_.creator_org_id as creator7_128_4_, reselleror0_.creator_org_type as creator8_128_4_, reselleror0_.currency_id as currency30_128_4_, reselleror0_.email as email128_4_, reselleror0_.fax_number as fax10_128_4_, reselleror0_.login_url_identifier as login11_128_4_, reselleror0_.organization_name as organiz12_128_4_, reselleror0_.phone_number as phone13_128_4_, reselleror0_.postal_code as postal14_128_4_, reselleror0_.representative as represe15_128_4_, reselleror0_.reseller_id as reseller16_128_4_, reselleror0_.state_province as ...	0	24	2	16	5	0.00
/* load com.ensim.synergy.server.provisioningWorkflow.db.ProvisioningWorkflowDTO */ select provisioni0_.id as id155_2_, provisioni0_.pwf_code as pwf2_155_2_, provisioni0_.pwf_name as pwf3_155_2_, pwfpropeti1_.pwf_id as pwf7_155_4_, pwfpropeti1_.id as id4_, pwfpropeti1_.id as id156_0_, pwfpropeti1_.api_calling as api2_156_0_, pwfpropeti1_.defer_billing as defer3_156_0_, pwfpropeti1_.op_iden as op6_156_0_, pwfpropeti1_.pwf_id as pwf7_156_0_, pwfpropeti1_.send_notification as send4_156_0_, pwfpropeti1_.send_notification_at as send5_156_0_, provisioni2_.id as id154_1_, provisioni2_.op_iden as op2_154_1_ from provisioning_workflow_gen provisioni0_ left outer join pwf_properties pwfpropeti1_ on provisioni0_.id=pwfpropeti1_.pwf_id left outer join provisioning_operations provisioni2_ on pwfpropeti1_.op_iden=provisioni2_.id where provisioni0_.id=?	0	21	2	18	5	0.00
update service_provider_user set set_of_permission=?, permission_updated_time=? where id=?	0	4	12	17	8	0.00
WITH query AS (/* criteria query */ select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as __hibernate_row_nr__, this_.id as id92_0_, this_.ad_attributes as ad2_92_0_, this_.street_addres1 as street3_92_0_, this_.street_addres2 as street4_92_0_, this_.user_id as user28_92_0_, this_.base_user_name as base5_92_0_, this_.city as city92_0_, this_.company as company92_0_, this_.country_code as country8_92_0_, this_.create_datetime as create9_92_0_, this_.department as department92_0_, this_.display_name as display11_92_0_, this_.fax_area_code as fax12_92_0_, this_.fax_country_code as fax13_92_0_, this_.fax_phone_number as fax14_92_0_, this_.first_name as first15_92_0_, this_.notification_include as notific16_92_0_, this_.person_initial as person17_92_0_, this_.job_title as job18_92_0_, this_.last_name as last19_92_0_, this_.mobile_number as mobile20_92_0_, this_.phone_number as phone21_92_0_, this_.office_name as office22_92_0_, this_.postal_code as postal23_92_0_, this_.primary_email as ...	0	6	8	16	8	0.00
/* update com.ensim.actionLog.ActionLogDTO */ update action_log_master set action_guid=?, action_name=?, category=?, closed_at=?, expected_max_time=?, expected_min_time=?, organization_id=?, single_type=?, started_at=?, status=?, user_id=? where id=?	0	24	2	16	5	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* select b from CRMJobScheduleDTO b where b.job_status=:status */ select crmjobsche0_.id as id246_, crmjobsche0_.action_log_id as action2_246_, crmjobsche0_.cancelled_by as cancelled3_246_, crmjobsche0_.cancelled_date as cancelled4_246_, crmjobsche0_.internal_path as internal5_246_, crmjobsche0_.job_id as job6_246_, crmjobsche0_.job_schedule as job7_246_, crmjobsche0_.job_status as job8_246_, crmjobsche0_.notification_status as notifica9_246_, crmjobsche0_.submitted_by as submitted10_246_, crmjobsche0_.submitted_date as submitted11_246_ from crm_data_job_schedule crmjobsche0_ where crmjobsche0_.job_status=?	0	24	2	16	5	0.00
/* SELECT b FROM SynergyOrderLine b WHERE b.startBillingNotifSent = 0 AND b.status.id in (:status) AND b.orderId is not null AND b.id > :previousLine */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as __hibernate_row_nr__, synergyord0_.id as id38_, synergyord0_.action_type as action2_38_, synergyord0_.associated_promo_id as associated3_38_, synergyord0_.atf_code as atf4_38_, synergyord0_.business_contact as business5_38_, synergyord0_.data_retn_1_notif_sent as data6_38_, synergyord0_.data_retn_2_notif_sent as data7_38_, synergyord0_.data_retn_3_notif_sent as data8_38_, synergyord0_.cancelation_date as cancelat9_38_, synergyord0_.cart_notification_send as cart10_38_, synergyord0_.ci_change_pending as ci11_38_, synergyord0_.comments as comments38_, synergyord0_.contact_period_unit as contact13_38_, synergyord0_.contact_period as contact14_38_, synergyord0_.current_subscription_line as current15_38_, synergyord0_.customer_approval_status as customer16_38_, synerg...	0	1	47	47	0	0.00
/* load com.ensim.synergy.server.util.db.InternationalDescriptionDTO */ select internatio0_.foreign_id as foreign1_17_0_, internatio0_.language_id as language2_17_0_, internatio0_.psudo_column as psudo3_17_0_, internatio0_.table_id as table4_17_0_, internatio0_.content as content17_0_ from international_description internatio0_ where internatio0_.foreign_id=? and internatio0_.language_id=? and internatio0_.psudo_column=? and internatio0_.table_id=?	0	11	4	16	7	0.00
/* select a.action_guid from ActionLogDTO a where a.id=:actionLogDTOID */ select actionlogd0_.action_guid as col_0_0_ from action_log_master actionlogd0_ where actionlogd0_.id=?	0	24	1	16	5	0.00
/* SELECT b FROM ActionLogDTO b WHERE b.id = :ActionLogHid */ select actionlogd0_.id as id201_, actionlogd0_.action_guid as action2_201_, actionlogd0_.action_name as action3_201_, actionlogd0_.category as category201_, actionlogd0_.closed_at as closed5_201_, actionlogd0_.expected_max_time as expected6_201_, actionlogd0_.expected_min_time as expected7_201_, actionlogd0_.organization_id as organiza8_201_, actionlogd0_.single_type as single9_201_, actionlogd0_.started_at as started10_201_, actionlogd0_.status as status201_, actionlogd0_.user_id as user12_201_ from action_log_master actionlogd0_ where actionlogd0_.id=?	0	24	1	16	5	0.00
/* SELECT b FROM PaymentNotificationQueueDTO b WHERE b.sentStatus= :status AND b.retryCount <= :rcount */ select paymentnot0_.id as id329_, paymentnot0_.bcc as bcc329_, paymentnot0_.body as body329_, paymentnot0_.cc as cc329_, paymentnot0_.customer_invoice_id as customer12_329_, paymentnot0_.mail_generated_time as mail5_329_, paymentnot0_.last_sent_time as last6_329_, paymentnot0_.receiver_email as receiver7_329_, paymentnot0_.retry_count as retry8_329_, paymentnot0_.sent_count as sent9_329_, paymentnot0_.sent_status as sent10_329_, paymentnot0_.subject as subject329_, paymentnot0_.synergy_order_line_id as synergy13_329_ from payment_notification_queue paymentnot0_ where paymentnot0_.sent_status=? and paymentnot0_.retry_count<=?	0	2	17	19	2	0.00
/* SELECT b FROM CustomerInvoiceDetailsDTO b WHERE b.notificationSend = 0 AND b.id > :previousLine AND b.pdfGenerationStatus=2 order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by customerin0_.id) as __hibernate_row_nr__, customerin0_.id as id123_, customerin0_.account_id as account2_123_, customerin0_.adjustment_amount as adjustment3_123_, customerin0_.amount_payable as amount4_123_, customerin0_.approval_status as approval5_123_, customerin0_.approval_timestamp as approval6_123_, customerin0_.approved_by as approved7_123_, customerin0_.creation_datetime as creation8_123_, customerin0_.currency_id as currency9_123_, customerin0_.customer_id as customer10_123_, customerin0_.discard_notification_status as discard11_123_, customerin0_.discarded_invoice_number as discarded12_123_, customerin0_.distri_discount_account as distri13_123_, customerin0_.due_date as due14_123_, customerin0_.dunning_sent_count as dunning15_123_, customerin0_.end_date as end16_123_, customerin0_.ins...	0	2	16	16	0	0.00
/* select b from CustomerInvoiceDetailsDTO b where b.dueDate <=:currentDate AND (b.paymentStatus=:psUnpaid OR b.paymentStatus=:psFailed OR b.paymentStatus=:psConcidered) AND b.approvalStatus=:approvalStatus */ select customerin0_.id as id123_, customerin0_.account_id as account2_123_, customerin0_.adjustment_amount as adjustment3_123_, customerin0_.amount_payable as amount4_123_, customerin0_.approval_status as approval5_123_, customerin0_.approval_timestamp as approval6_123_, customerin0_.approved_by as approved7_123_, customerin0_.creation_datetime as creation8_123_, customerin0_.currency_id as currency9_123_, customerin0_.customer_id as customer10_123_, customerin0_.discard_notification_status as discard11_123_, customerin0_.discarded_invoice_number as discarded12_123_, customerin0_.distri_discount_account as distri13_123_, customerin0_.due_date as due14_123_, customerin0_.dunning_sent_count as dunning15_123_, customerin0_.end_date as end16_123_, customerin0_.installment_amount as i...	0	2	16	16	0	0.00
/* SELECT d from ReportMasterDTO d where d.id in(SELECT c.id from ReportMasterDTO c join c.roleDTOs b WHERE c.role_scope=:role_scope and c.active=1 and b.id in(:roleDtos)) order by d.executionTime desc */ WITH query AS (select ROW_NUMBER() OVER (order by reportmast0_.execution_time desc) as __hibernate_row_nr__, reportmast0_.id as id263_, reportmast0_.activation_time as activation2_263_, reportmast0_.is_active as is3_263_, reportmast0_.created_by as created19_263_, reportmast0_.creation_time as creation4_263_, reportmast0_.deactivation_time as deactiva5_263_, reportmast0_.execution_time as execution6_263_, reportmast0_.generated_for_no_of_months as generated7_263_, reportmast0_.is_multi_reports_available as is8_263_, reportmast0_.is_sub_reports_available as is9_263_, reportmast0_.jasper_file_name as jasper10_263_, reportmast0_.last_updated_time as last11_263_, reportmast0_.query as query263_, reportmast0_.query_type as query13_263_, reportmast0_.recepients_dl as recepients14_263_, repo...	0	3	10	16	9	0.00
/* load com.ensim.actionLog.ActionLogDTO */ select actionlogd0_.id as id201_0_, actionlogd0_.action_guid as action2_201_0_, actionlogd0_.action_name as action3_201_0_, actionlogd0_.category as category201_0_, actionlogd0_.closed_at as closed5_201_0_, actionlogd0_.expected_max_time as expected6_201_0_, actionlogd0_.expected_min_time as expected7_201_0_, actionlogd0_.organization_id as organiza8_201_0_, actionlogd0_.single_type as single9_201_0_, actionlogd0_.started_at as started10_201_0_, actionlogd0_.status as status201_0_, actionlogd0_.user_id as user12_201_0_ from action_log_master actionlogd0_ where actionlogd0_.id=?	0	24	1	16	4	0.00
/* load com.ensim.synergy.server.jarScheduling.db.RegisteredServerDTO */ select registered0_.id as id208_0_, registered0_.host_address as host2_208_0_, registered0_.host_name as host3_208_0_, registered0_.jar_location as jar4_208_0_ from registered_server registered0_ where registered0_.id=?	0	6	5	16	8	0.00
/* SELECT b FROM ServiceProviderOrganizationDTO b WHERE b.baseOrganizationDTO.id = :orgId */ select servicepro0_.id as id93_, servicepro0_.org_id as org5_93_, servicepro0_.created_on as created2_93_, servicepro0_.currency_id as currency6_93_, servicepro0_.use_marketplace as use3_93_, servicepro0_.use_reseller_model as use4_93_ from service_provider_organization servicepro0_ where servicepro0_.org_id=?	0	3	10	16	9	0.00
/* SELECT b FROM EscmJarConfigDTO b WHERE b.registeredServerDTO.id =:reg_server_id and b.required = true order by b.id asc */ select escmjarcon0_.id as id205_, escmjarcon0_.jar_name as jar2_205_, escmjarcon0_.registered_server_id as registered7_205_, escmjarcon0_.is_required as is3_205_, escmjarcon0_.retry_count as retry4_205_, escmjarcon0_.schedule_day as schedule5_205_, escmjarcon0_.schedule_time as schedule6_205_ from escm_jar_config escmjarcon0_ where escmjarcon0_.registered_server_id=? and escmjarcon0_.is_required =1 order by escmjarcon0_.id asc	0	6	5	16	8	0.00
/* load collection com.ensim.synergy.server.user.permisson.db.RoleDTO.permissions */ select permission0_.role_id as role1_23_1_, permission0_.permission_id as permission2_1_, permission1_.id as id22_0_, permission1_.foreign_id as foreign2_22_0_, permission1_.organization_types as organiza3_22_0_, permission1_.type as type4_22_0_ from permission_role_map permission0_ inner join permission permission1_ on permission0_.permission_id=permission1_.id where permission0_.role_id=? order by permission0_.permission_id	0	4	7	31	15	0.00
/* SELECT a.baseOrganizationDTO.id, a FROM ResellerOrganizationDTO a WHERE a.baseOrganizationDTO.id in (:baseOrgIds) */ select reselleror0_.org_id as col_0_0_, reselleror0_.id as col_1_0_, reselleror0_.id as id128_, reselleror0_.is_activated as is2_128_, reselleror0_.org_id as org27_128_, reselleror0_.billing_emails as billing3_128_, reselleror0_.billing_language_id as billing28_128_, reselleror0_.city as city128_, reselleror0_.communication_language_id as communi29_128_, reselleror0_.country_code as country5_128_, reselleror0_.create_datetime as create6_128_, reselleror0_.creator_org_id as creator7_128_, reselleror0_.creator_org_type as creator8_128_, reselleror0_.currency_id as currency30_128_, reselleror0_.email as email128_, reselleror0_.fax_number as fax10_128_, reselleror0_.login_url_identifier as login11_128_, reselleror0_.organization_name as organiz12_128_, reselleror0_.phone_number as phone13_128_, reselleror0_.postal_code as postal14_128_, reselleror0_.representative as rep...	0	3	10	16	8	0.00
/* SELECT b FROM CustomerInvoiceDetailsDTO b WHERE b.discardNotificationStatus = 0 AND b.id > :previousLine AND b.pdfGenerationStatus=2 order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by customerin0_.id) as __hibernate_row_nr__, customerin0_.id as id123_, customerin0_.account_id as account2_123_, customerin0_.adjustment_amount as adjustment3_123_, customerin0_.amount_payable as amount4_123_, customerin0_.approval_status as approval5_123_, customerin0_.approval_timestamp as approval6_123_, customerin0_.approved_by as approved7_123_, customerin0_.creation_datetime as creation8_123_, customerin0_.currency_id as currency9_123_, customerin0_.customer_id as customer10_123_, customerin0_.discard_notification_status as discard11_123_, customerin0_.discarded_invoice_number as discarded12_123_, customerin0_.distri_discount_account as distri13_123_, customerin0_.due_date as due14_123_, customerin0_.dunning_sent_count as dunning15_123_, customerin0_.end_date as end16_123_, custome...	0	2	15	16	0	0.00
/* load one-to-many com.ensim.synergy.server.notification.db.NotificationMessageDTO.notificationMessageSections */ select notificati0_.message_id as message4_32_1_, notificati0_.id as id1_, notificati0_.id as id28_0_, notificati0_.message_id as message4_28_0_, notificati0_.section as section28_0_, notificati0_.optlock as optlock28_0_ from notification_message_section notificati0_ where notificati0_.message_id=? order by notificati0_.section	0	6	5	16	8	0.00
/* load one-to-many com.ensim.synergy.server.user.db.UserDTO.permissions */ select permission0_.user_id as user4_27_1_, permission0_.id as id1_, permission0_.id as id21_0_, permission0_.user_id as user4_21_0_, permission0_.is_grant as is2_21_0_, permission0_.org_type as org3_21_0_, permission0_.permission_id as permission5_21_0_ from permission_user permission0_ where permission0_.user_id=?	0	4	7	16	8	0.00
/* SELECT b FROM LanguageDTO b where lower(b.iso639code) =:digit2Code */ select languagedt0_.id as id13_, languagedt0_.code as code13_, languagedt0_.delete_indicator as delete3_13_, languagedt0_.description as descript4_13_, languagedt0_.iso639code as iso5_13_, languagedt0_.provisioning_language as provisio6_13_, languagedt0_.right_to_left as right7_13_, languagedt0_.status as status13_, languagedt0_.ui_presentation as ui9_13_ from language languagedt0_ where lower(languagedt0_.iso639code)=?	0	6	5	15	7	0.00
/* SELECT b FROM UsageDataStatusDTO b WHERE b.startDateTime =(Select max(a.startDateTime) from UsageDataStatusDTO a) */ select usagedatas0_.id as id207_, usagedatas0_.completed as completed2_207_, usagedatas0_.end_date_time as end3_207_, usagedatas0_.jar_running_state as jar4_207_, usagedatas0_.start_date_time as start5_207_, usagedatas0_.status as status207_ from usage_data_status usagedatas0_ where usagedatas0_.start_date_time=(select max(usagedatas1_.start_date_time) from usage_data_status usagedatas1_)	0	6	3	14	6	0.00
/* from BPTConfigurationDTO */ select bptconfigu0_.id as id216_, bptconfigu0_.property_name as property2_216_, bptconfigu0_.property_value as property3_216_ from bpt_config bptconfigu0_	0	1	16	16	0	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT c from ReportMasterDTO c WHERE c.role_scope=:role_scope and c.active=1 */ select reportmast0_.id as id263_, reportmast0_.activation_time as activation2_263_, reportmast0_.is_active as is3_263_, reportmast0_.created_by as created19_263_, reportmast0_.creation_time as creation4_263_, reportmast0_.deactivation_time as deactiva5_263_, reportmast0_.execution_time as execution6_263_, reportmast0_.generated_for_no_of_months as generated7_263_, reportmast0_.is_multi_reports_available as is8_263_, reportmast0_.is_sub_reports_available as is9_263_, reportmast0_.jasper_file_name as jasper10_263_, reportmast0_.last_updated_time as last11_263_, reportmast0_.query as query263_, reportmast0_.query_type as query13_263_, reportmast0_.recepients_dl as recepients14_263_, reportmast0_.report_frequency as report15_263_, reportmast0_.report_name as report16_263_, reportmast0_.role_scope as role17_263_, reportmast0_.sub_report_path as sub18_263_, reportmast0_.updated_by as updated20_263_ from repor...	0	3	5	16	9	0.00
/* SELECT b FROM ServiceProviderBatchDataDTO b WHERE b.id = :organization_id */ select servicepro0_.id as id96_, servicepro0_.billing_emails as billing2_96_, servicepro0_.city as city96_, servicepro0_.country_code as country4_96_, servicepro0_.email as email96_, servicepro0_.entity_id as entity6_96_, servicepro0_.organization_name as organiza7_96_, servicepro0_.phone_area_code as phone8_96_, servicepro0_.phone_country_code as phone9_96_, servicepro0_.phone_phone_number as phone10_96_, servicepro0_.postal_code as postal11_96_, servicepro0_.sp_organization_id as sp12_96_, servicepro0_.state_province as state13_96_, servicepro0_.street_addres1 as street14_96_, servicepro0_.street_addres2 as street15_96_, servicepro0_.vat_number as vat16_96_ from service_provider servicepro0_ where servicepro0_.id=?	0	3	5	16	9	0.00
/* select b from CustomerInvoiceDetialsDTO b where b.dueDate >=:currentDate AND b.paymentStatus=:paymentStatus AND b.approvalStatus=:approvalStatus */ select customerin0_.id as id123_, customerin0_.account_id as account2_123_, customerin0_.adjustment_amount as adjustment3_123_, customerin0_.amount_payable as amount4_123_, customerin0_.approval_status as approval5_123_, customerin0_.approval_timestamp as approval6_123_, customerin0_.approved_by as approved7_123_, customerin0_.creation_datetime as creation8_123_, customerin0_.currency_id as currency9_123_, customerin0_.customer_id as customer10_123_, customerin0_.discard_notification_status as discard11_123_, customerin0_.discarded_invoice_number as discarded12_123_, customerin0_.distri_discount_account as distri13_123_, customerin0_.due_date as due14_123_, customerin0_.dunning_sent_count as dunning15_123_, customerin0_.end_date as end16_123_, customerin0_.installment_amount as install17_123_, customerin0_.invoice_amount as invoice18_123...	0	2	8	16	11	0.00
/* select b from BrandingVersionDetailsDTO b order by b.id desc */ select brandingve0_.id as id300_, brandingve0_.app_version as app2_300_, brandingve0_.entry_timestamp as entry3_300_, brandingve0_.folder_name as folder4_300_ from branding_version brandingve0_ order by brandingve0_.id desc	0	24	0	16	3	0.00
/* load com.ensim.customer.CustomerOrganizationDTO */ select customeror0_.id as id81_0_, customeror0_.api_pass_key as api18_81_0_, customeror0_.org_id as org63_81_0_, customeror0_.city_name as city2_81_0_, customeror0_.contractual_statement as contrac19_81_0_, customeror0_.created_on as created20_81_0_, customeror0_.currency_id as currency21_81_0_, customeror0_.custom_field1 as custom22_81_0_, customeror0_.custom_field10 as custom23_81_0_, customeror0_.custom_field11 as custom24_81_0_, customeror0_.custom_field12 as custom25_81_0_, customeror0_.custom_field2 as custom26_81_0_, customeror0_.custom_field3 as custom27_81_0_, customeror0_.custom_field4 as custom28_81_0_, customeror0_.custom_field5 as custom29_81_0_, customeror0_.custom_field6 as custom30_81_0_, customeror0_.custom_field7 as custom31_81_0_, customeror0_.custom_field8 as custom32_81_0_, customeror0_.custom_field9 as custom33_81_0_, customeror0_.customer_id as customer4_81_0_, customeror0_.customer_org_name as customer5_81_0_...	0	3	5	16	9	0.00
/* SELECT b.organization_name from ServiceProviderOrganizationDTO a, ServiceProviderBatchDataDTO b WHERE a.baseOrganizationDTO.id= :ids AND a.id=b.sp_organization_id */ select servicepro1_.organization_name as col_0_0_ from service_provider_organization servicepro0_ cross join service_provider servicepro1_ where servicepro0_.org_id=? and servicepro0_.id=servicepro1_.sp_organization_id	0	3	5	16	9	0.00
/* criteria query */ select this_.id as id26_0_, this_.create_datetime as create2_26_0_, this_.description as descript3_26_0_, this_.external_id as external4_26_0_, this_.language_id as language6_26_0_, this_.optlock as optlock26_0_ from entity this_	0	3	5	16	9	0.00
/* SELECT b FROM ResellerInvoiceDetialsDTO b WHERE b.discardNotificationStatus = 0 AND b.id > :previousLine order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by resellerin0_.id) as __hibernate_row_nr__, resellerin0_.id as id199_, resellerin0_.adjustment_amount as adjustment2_199_, resellerin0_.amount_payable as amount3_199_, resellerin0_.approval_status as approval4_199_, resellerin0_.approval_timestamp as approval5_199_, resellerin0_.approved_by as approved6_199_, resellerin0_.creation_datetime as creation7_199_, resellerin0_.currency_id as currency8_199_, resellerin0_.discard_notification_status as discard9_199_, resellerin0_.discarded_invoice_number as discarded10_199_, resellerin0_.discount as discount199_, resellerin0_.due_date as due12_199_, resellerin0_.end_date as end13_199_, resellerin0_.installment_amount as install14_199_, resellerin0_.invoice_amount as invoice15_199_, resellerin0_.invoice_number as invoice16_199_, resellerin0_.late_fine as late17_199_, reselle...	0	2	8	16	11	0.00
/* SELECT a.baseOrganizationDTO.id, b from CustomerOrganizationDTO a, CustomerBatchDataDTO b WHERE a.baseOrganizationDTO.id in (:ids) AND a.customer_id=b.customer_id */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as __hibernate_row_nr__, customeror0_.org_id as col_0_0_, customerba1_.id as col_1_0_, customerba1_.id as id81_, customerba1_.city_name as city2_81_, customerba1_.comm_language as comm3_81_, customerba1_.customer_id as customer4_81_, customerba1_.customer_org_name as customer5_81_, customerba1_.delete_indicator as delete6_81_, customerba1_.is_onboarded as is7_81_, customerba1_.legal_language as legal8_81_, customerba1_.macro_segment as macro9_81_, customerba1_.master_account_billing_day as master10_81_, customerba1_.master_account_id as master11_81_, customerba1_.party_type as party12_81_, customerba1_.phonetic_name as phonetic13_81_, customerba1_.stop_order_indicator as stop14_81_, customerba1_.street_name as street15_81_, customerba1_.vat_number as ...	0	6	2	16	6	0.00
/* SELECT b from WcmSpaceDTO b WHERE b.id=:hid */ select wcmspacedt0_.id as id7_, wcmspacedt0_.aliasuri as aliasuri7_, wcmspacedt0_.name as name7_, wcmspacedt0_.version as version7_ from wcm_space wcmspacedt0_ where wcmspacedt0_.id=?	0	6	2	16	6	0.00
/* insert synergy.Breadcrumb */ insert into breadcrumb (version, action, controller, description, name, object_id, user_id, id) values (?, ?, ?, ?, ?, ?, ?, ?)	0	1	16	16	0	0.00
/* from UserSecurityQuestionAnswerDTO b where b.user_id=:user_id */ select usersecuri0_.id as id152_, usersecuri0_.answer as answer152_, usersecuri0_.own_question as own3_152_, usersecuri0_.security_question as security4_152_, usersecuri0_.user_id as user5_152_ from user_security_question_answer usersecuri0_ where usersecuri0_.user_id=?	0	3	5	16	9	0.00
/* SELECT p FROM PaymentGatewayPluginDTO p */ select paymentgat0_.id as id184_, paymentgat0_.base_plugin_id as base2_184_, paymentgat0_.financial_institution_id as financial3_184_ from plugin_payment_gateway paymentgat0_	0	3	5	15	8	0.00
/* criteria query */ select this_.id as id23_0_, this_.authority_level as authority2_23_0_, this_.inheritable as inherita3_23_0_, this_.is_agent_superadmin as is4_23_0_, this_.is_customer_superadmin as is5_23_0_, this_.is_reseller_superadmin as is6_23_0_, this_.is_sp_superadmin as is7_23_0_, this_.organization_type as organiza8_23_0_, this_.profile_identifier as profile9_23_0_, this_.role_identifier as role10_23_0_, this_.role_type as role11_23_0_, this_.user_activated_by_default as user12_23_0_ from role this_ where this_.id=?	0	3	5	15	8	0.00
update base_user set current_login=? where id=?	0	3	5	15	8	0.00
update base_user set last_login=? where id=?	0	3	5	15	8	0.00
/* criteria query */ select this_.id as id93_3_, this_.org_id as org5_93_3_, this_.created_on as created2_93_3_, this_.currency_id as currency6_93_3_, this_.use_marketplace as use3_93_3_, this_.use_reseller_model as use4_93_3_, organizati2_.id as id51_0_, organizati2_.date_time_format as date2_51_0_, organizati2_.email_signature as email3_51_0_, organizati2_.entity_id as entity4_51_0_, organizati2_.is_deleted as is5_51_0_, organizati2_.org_type as org6_51_0_, currencydt3_.id as id16_1_, currencydt3_.code as code16_1_, currencydt3_.current_exchange_line as current3_16_1_, currencydt3_.is_default as is4_16_1_, currencydt3_.is_active as is5_16_1_, currencydt3_.multiple_country_symbol as multiple6_16_1_, currencydt3_.optlock as optlock16_1_, currencydt3_.provider as provider8_16_1_, currencydt3_.symbol as symbol16_1_, exchanged4_.id as id5_, exchanged4_.currency_6_16_5_, exchanged4_.id as id5_, exchanged4_.id as id15_2_, exchanged4_.create_datetime as create2_15_2_, exchanged4_.currency_id as a...	0	6	2	15	6	0.00
/* SELECT b FROM ResellerInvoiceDetialsDTO b WHERE b.notificatioSend = 0 AND b.id > :previousLine order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by resellerin0_.id) as __hibernate_row_nr__, resellerin0_.id as id199_, resellerin0_.adjustment_amount as adjustment2_199_, resellerin0_.amount_payable as amount3_199_, resellerin0_.approval_status as approval4_199_, resellerin0_.approval_timestamp as approval5_199_, resellerin0_.approved_by as approved6_199_, resellerin0_.creation_datetime as creation7_199_, resellerin0_.currency_id as currency8_199_, resellerin0_.discard_notification_status as discard9_199_, resellerin0_.discarded_invoice_number as discarded10_199_, resellerin0_.discount as discount199_, resellerin0_.due_date as due12_199_, resellerin0_.end_date as end13_199_, resellerin0_.installment_amount as install14_199_, resellerin0_.invoice_amount as invoice15_199_, resellerin0_.invoice_number as invoice16_199_, resellerin0_.late_fine as late17_199_, resellerin0_.noti...	0	2	7	15	10	0.00
/* criteria query */ select this_.id as id206_1_, this_.submitted_by as submitted17_206_1_, this_.executed_command_line as executed2_206_1_, this_.completed as completed206_1_, this_.criteria_string as criteria4_206_1_, this_.end_date_time as end5_206_1_, this_.execution_type as execution6_206_1_, this_.host_address as host7_206_1_, this_.invoicing_period as invoicing8_206_1_, this_.jar_running_state as jar9_206_1_, this_.jar_type as jar10_206_1_, this_.job_instance as job11_206_1_, this_.job_schedule_details_id as job19_206_1_, this_.process_id as process13_206_1_, this_.provider_id as provider14_206_1_, this_.start_date_time as start15_206_1_, this_.status as status206_1_, this_.submitted_time as submitted18_206_1_, jobschedul2_.id as id276_0_, jobschedul2_.criteria_string as criteria2_276_0_, jobschedul2_.escm_jar_config_id as escm3_276_0_, jobschedul2_.execution_type as execution4_276_0_, jobschedul2_.is_active as is5_276_0_, jobschedul2_.job_id...	0	6	2	15	6	0.00
/* SELECT b FROM JobScheduleDetailsDTO b WHERE b.escm_jar_config_id =:jarConfigId and b.isActive =:activeStatus and b.execution_type =:execution_type order by b.id */ select jobschedul0_.id as id276_, jobschedul0_.criteria_string as criteria2_276_, jobschedul0_.escm_jar_config_id as escm3_276_, jobschedul0_.execution_type as execution4_276_, jobschedul0_.is_active as is5_276_, jobschedul0_.job_id as job6_276_, jobschedul0_.job_name as job7_276_, jobschedul0_.job_schedule as job8_276_, jobschedul0_.schedule_time as schedule9_276_, jobschedul0_.submitted_by as submitted10_276_ from job_schedule_details jobschedul0_ where jobschedul0_.escm_jar_config_id=? and jobschedul0_.is_active=? and jobschedul0_.execution_type=? order by jobschedul0_.id	0	6	2	15	6	0.00
/* SELECT a FROM LanguageDTO a WHERE a.uiPresentation = :uiPresentation and a.status= :status ORDER BY a.description ASC */ select languagedt0_.id as id13_, languagedt0_.code as code13_, languagedt0_.delete_indicator as delete3_13_, languagedt0_.description as descript4_13_, languagedt0_.iso639code as iso5_13_, languagedt0_.provisioning_language as provisio6_13_, languagedt0_.right_to_left as right7_13_, languagedt0_.status as status13_, languagedt0_.ui_presentation as ui9_13_ from language languagedt0_ where languagedt0_.ui_presentation=? and languagedt0_.status=? order by languagedt0_.description ASC	0	6	2	15	6	0.00
/* select b from CRMJobScheduleDTO b where b.notification_status=0 and job_status=3 */ select crmjobsche0_.id as id246_, crmjobsche0_.action_log_id as action2_246_, crmjobsche0_.cancelled_by as cancelled3_246_, crmjobsche0_.cancelled_date as cancelled4_246_, crmjobsche0_.internal_path as internal5_246_, crmjobsche0_.job_id as job6_246_, crmjobsche0_.job_schedule as job7_246_, crmjobsche0_.job_status as job8_246_, crmjobsche0_.notification_status as notifica9_246_, crmjobsche0_.submitted_by as submitted10_246_, crmjobsche0_.submitted_date as submitted11_246_ from crm_data_job_schedule crmjobsche0_ where crmjobsche0_.notification_status=0 and crmjobsche0_.job_status=3	0	24	0	15	3	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* criteria query */ select this_.id as id9_0_, this_.version as version9_0_, this_.action as action9_0_, this_.controller as controller9_0_, this_.description as descript5_9_0_, this_.name as name9_0_, this_.object_id as object7_9_0_, this_.user_id as user8_9_0_ from breadcrumb this_ where this_.user_id=? order by this_.id asc	0	9	1	15	5	0.00
/* SELECT b FROM CustomerUserDTO b WHERE b.baseUser.id = :userId */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as __hibernate_row_nr__, customerus0_.id as id91_, customerus0_.cust_acc_hid as cust29_91_, customerus0_.ad_sync_pending as ad2_91_, customerus0_.ad_user_name as ad3_91_, customerus0_.base_user_id as base28_91_, customerus0_.creator_base_org_id as creator4_91_, customerus0_.creator_org_type as creator5_91_, customerus0_.creator_base_user_id as creator6_91_, customerus0_.domain_account_map_id as domain31_91_, customerus0_.customer_org_id as customer30_91_, customerus0_.double_encrypted_password as double7_91_, customerus0_.error_message as error8_91_, customerus0_.inner_error_message as inner9_91_, customerus0_.is_user_deactivated as is10_91_, customerus0_.isbusiness_contact as isbusiness11_91_, customerus0_.ispassword_never_expire as ispassword12_91_, customerus0_.istech_contact as istech13_91_, customerus0_.native_value as native14_91_, customerus0_.o...	0	3	5	15	8	0.00
update synergy_order_line set delayed_notif_sent=? where id=? and delayed_notif_sent=?	0	3	5	15	8	0.00
/* SELECT a.baseOrganizationDTO.id, b from CustomerOrganizationDTO a, CustomerBatchDataDTO b WHERE a.baseOrganizationDTO.id in (:ids) AND a.customer_id=b.customer_id */ select customeror0_.org_id as col_0_0_, customerba1_.id as col_1_0_, customerba1_.id as id81_, customerba1_.city_name as city2_81_, customerba1_.comm_language as comm3_81_, customerba1_.customer_id as customer4_81_, customerba1_.customer_org_name as customer5_81_, customerba1_.delete_indicator as delete6_81_, customerba1_.is_onboarded as is7_81_, customerba1_.legal_language as legal8_81_, customerba1_.macro_segment as macro9_81_, customerba1_.master_account_billing_day as master10_81_, customerba1_.master_account_id as master11_81_, customerba1_.party_type as party12_81_, customerba1_.phonetic_name as phonetic13_81_, customerba1_.stop_order_indicator as stop14_81_, customerba1_.street_name as street15_81_, customerba1_.vat_number as vat16_81_, customerba1_.zip_code as zip17_81_ from customer_organization customeror0_ c...	0	6	2	15	6	0.00
/* criteria query */ select this_.id as id107_0_, this_.change_pwd_url as change2_107_0_, this_.organization_type as organiza3_107_0_ from change_pwd_url_settings this_ where lower(this_.organization_type) like ?	0	9	1	15	5	0.00
/* SELECT b from DashboardPropertiesDTO b WHERE upper(b.property_name)= :propName and b.language.id=:languageID */ select dashboardp0_.id as id100_, dashboardp0_.language_id as language4_100_, dashboardp0_.property_name as property2_100_, dashboardp0_.property_value as property3_100_ from dashboard_properties dashboardp0_ where upper(dashboardp0_.property_name)=? and dashboardp0_.language_id=?	0	9	0	2	0	0.00
/* load com.ensim.bgcSEAP.account.CustomerAccountMapDTO */ select customerac0_.id as id97_2_, customerac0_.account_hib_id as account2_97_2_, customerac0_.cust_org_domain_map_id as cust3_97_2_, accountdto1_.id as id85_0_, accountdto1_.account_id as account2_85_0_, accountdto1_.account_name as account3_85_0_, accountdto1_.billable_to as billable4_85_0_, accountdto1_.billing_emails as billing5_85_0_, accountdto1_.billing_day as billing6_85_0_, accountdto1_.billing_language as billing7_85_0_, accountdto1_.care_of_indicator as care8_85_0_, accountdto1_.communication_language as communic9_85_0_, accountdto1_.corporate_id as corporate10_85_0_, accountdto1_.currency_id as currency11_85_0_, accountdto1_.service_field1 as service12_85_0_, accountdto1_.customer_id as customer13_85_0_, accountdto1_.default_bc as default14_85_0_, accountdto1_.default_tc as default15_85_0_, accountdto1_.delete_indicator as delete16_85_0_, accountdto1_.external_billing_id as external17_85_0_, accountdto1_.is_locked a...	0	3	0	0	0	0.00
/* SELECT b FROM PaymentReceivedResellerDTO b WHERE b.notifSent = 0 AND b.id > :previousLine order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by paymentrec0_.id) as __hibernate_row_nr__, paymentrec0_.id as id118_, paymentrec0_.payment_adjustment_number as payment2_118_, paymentrec0_.amount_paid as amount3_118_, paymentrec0_.card_type_id as card4_118_, paymentrec0_.cheque_date as cheque5_118_, paymentrec0_.comments_made as comments6_118_, paymentrec0_.currency_id as currency7_118_, paymentrec0_.entry_datetime as entry8_118_, paymentrec0_.financial_institution_id as financial9_118_, paymentrec0_.instrument_number as instrument10_118_, paymentrec0_.notif_sent as notif11_118_, paymentrec0_.is_online as is12_118_, paymentrec0_.original_amount_paid as original13_118_, paymentrec0_.original_currency_id as original14_118_, paymentrec0_.payment_datetime as payment15_118_, paymentrec0_.payment_mode_id as payment16_118_, paymentrec0_.payment_type as payment17_118_, paymentrec0_.pl...	0	2	0	0	0	0.00
/* select b.invoiceNumber from CustomerInvoiceDetailsDTO b where b.approvalStatus=2 and b.pdfGenerationStatus in (0,3) order by id */ WITH query AS (select ROW_NUMBER() OVER (order by customerin0_.id) as __hibernate_row_nr__, customerin0_.invoice_number as col_0_0_ from customer_invoice_details customerin0_ where customerin0_.approval_status=2 and (customerin0_.pdf_generation_status in (0 , 3))) SELECT * FROM query WHERE __hibernate_row_nr__ BETWEEN ? AND ?	0	1	0	0	0	0.00
/* select b.roleDTO from ServiceProviderUserRoleMapDTO b where b.serviceProviderUserDTO.id in (select u.id from ServiceProviderUserDTO u where u.baseUser.id=:UserId and u.serviceProviderOrganizationDTO.id in (select w.id from ServiceProviderOrganizationDTO w where w.baseOrganizationDTO.id=:BaseOrgId)) */ select roledto1_.id as id23_, roledto1_.authority_level as authority2_23_, roledto1_.inheritable as inherita3_23_, roledto1_.is_agent_superadmin as is4_23_, roledto1_.is_customer_superadmin as is5_23_, roledto1_.is_reseller_superadmin as is6_23_, roledto1_.is_sp_superadmin as is7_23_, roledto1_.organization_type as organiza8_23_, roledto1_.profile_identifier as profile9_23_, roledto1_.role_identifier as role10_23_, roledto1_.role_type as role11_23_, roledto1_.user_activated_by_default as user12_23_ from service_provider_user_role_map servicepro0_ inner join role roledto1_ on servicepro0_.role_id=roledto1_.id where servicepro0_.user_serviceprovider_map_id in (select servicepro2_.id fr...	0	4	0	0	0	0.00
/* SELECT a.baseOrganizationDTO.id, b FROM PartnerOrganizationDTO a, PartnerBatchDataDTO b WHERE a.baseOrganizationDTO.id in (:baseOrgIds) AND a.par_id=b.par_id */ select partnerorg0_.org_id as col_0_0_, partnerbat1_.id as col_1_0_, partnerbat1_.id as id50_, partnerbat1_.address_boxnumber as address2_50_, partnerbat1_.address_city as address3_50_, partnerbat1_.address_country as address4_50_, partnerbat1_.address_email as address5_50_, partnerbat1_.address_number as address6_50_, partnerbat1_.address_postalcode as address7_50_, partnerbat1_.address_street as address8_50_, partnerbat1_.billing_language_id as billing17_50_, partnerbat1_.communication_language_id as communi18_50_, partnerbat1_.is_onboarded as is9_50_, partnerbat1_.name as name50_, partnerbat1_.organization_status as organiz11_50_, partnerbat1_.par_id as par12_50_, partnerbat1_.par_par_seq_nr as par13_50_, partnerbat1_.product_certificates as product14_50_, partnerbat1_.product_certificates_id as product15_50_, partnerbat1...	0	3	0	0	0	0.00
/* SELECT b from OrgSpaceMapDTO b WHERE b.org.id=:orgId */ select orgspacema0_.id as id221_, orgspacema0_.creation_date as creation2_221_, orgspacema0_.is_active as is3_221_, orgspacema0_.is_production as is4_221_, orgspacema0_.org_id as org5_221_, orgspacema0_.rank as rank221_, orgspacema0_.space_id as space7_221_ from org_space_map orgspacema0_ where orgspacema0_.org_id=?	0	3	0	0	0	0.00
/* SELECT a FROM LanguageDTO a WHERE a.code = :code ORDER BY a.description ASC */ select languagedt0_.id as id13_, languagedt0_.code as code13_, languagedt0_.delete_indicator as delete3_13_, languagedt0_.description as descript4_13_, languagedt0_.iso639code as iso5_13_, languagedt0_.provisioning_language as provisio6_13_, languagedt0_.right_to_left as right7_13_, languagedt0_.status as status13_, languagedt0_.ui_presentation as ui9_13_ from language languagedt0_ where languagedt0_.code=? order by languagedt0_.description ASC	0	3	0	0	0	0.00
/* select b.invoiceNumber from ResellerInvoiceDetialsDTO b where b.approvalStatus=2 and b.pdfGenerationStatus in (0,3) order by id */ WITH query AS (select ROW_NUMBER() OVER (order by resellerin0_.id) as __hibernate_row_nr__, resellerin0_.invoice_number as col_0_0_ from res_invoice_summary resellerin0_ where resellerin0_.approval_status=2 and (resellerin0_.pdf_generation_status in (0 , 3))) SELECT * FROM query WHERE __hibernate_row_nr__ BETWEEN ? AND ?	0	1	0	0	0	0.00
/* delete synergy.Breadcrumb */ delete from breadcrumb where id=? and version=?	0	1	0	0	0	0.00
/* criteria query */ select this_.id as id96_0_, this_.billing_emails as billing2_96_0_, this_.city as city96_0_, this_.country_code as country4_96_0_, this_.email as email96_0_, this_.entity_id as entity6_96_0_, this_.organization_name as organiza7_96_0_, this_.phone_area_code as phone8_96_0_, this_.phone_country_code as phone9_96_0_, this_.phone_phone_number as phone10_96_0_, this_.postal_code as postal11_96_0_, this_.sp_organization_id as sp12_96_0_, this_.state_province as state13_96_0_, this_.street_addres1 as street14_96_0_, this_.street_addres2 as street15_96_0_, this_.vat_number as vat16_96_0_ from service_provider this_ where this_.entity_id=?	0	1	0	0	0	0.00
/* SELECT b FROM UserServiceNotificationDTO b WHERE b.notifSent = 0 AND b.id > :previousLine */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as __hibernate_row_nr__, userservic0_.id as id198_, userservic0_.access_token as access2_198_, userservic0_.user_service_instance_map_id as user3_198_, userservic0_.notif_sent as notif4_198_ from user_service_notification userservic0_ where userservic0_.notif_sent=0 and userservic0_.id>?) SELECT * FROM query WHERE __hibernate_row_nr__ BETWEEN ? AND ?	0	1	0	0	0	0.00
WITH query AS (/* criteria query */ select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as __hibernate_row_nr__, min(this_.id) as y0_ from entity this_) SELECT * FROM query WHERE __hibernate_row_nr__ BETWEEN ? AND ?	0	9	0	0	0	0.00
/* Select p.permission.id from PermissionUserDTO p where p.baseUser.id=:basUserId and p.orgType=:_orgType */ select permission0_.permission_id as col_0_0_ from permission_user permission0_ where permission0_.user_id=? and permission0_.org_type=?	0	8	0	0	0	0.00
/* SELECT b FROM RegisteredServerDTO b WHERE b.hostAddress =:hostAddress */ select registered0_.id as id208_, registered0_.host_address as host2_208_, registered0_.host_name as host3_208_, registered0_.jar_location as jar4_208_ from registered_server registered0_ where registered0_.host_address=?	0	6	0	0	0	0.00
/* criteria query */ select this_.id as id18_0_, this_.name as name18_0_ from synergy_table this_ where this_.name=?	0	2	0	0	0	0.00
/* from SecurityQuestionsDTO */ select securityqu0_.id as id153_, securityqu0_.security_question as security2_153_ from security_questions securityqu0_	0	3	0	0	0	0.00
/* SELECT b FROM PermissionDTO b WHERE b.id = :hid */ select permission0_.id as id22_, permission0_.foreign_id as foreign2_22_, permission0_.organization_types as organiza3_22_, permission0_.type_id as type4_22_ from permission permission0_ where permission0_.id=?	0	4	0	0	0	0.00
/* criteria query */ select this_.id as id14_0_, this_.is_active as is2_14_0_, this_.code as code14_0_, this_.iso3166code as iso4_14_0_ from country this_ where this_.code=?	0	3	0	0	0	0.00
/* Select b.userName from UserDTO b where b.id=:id */ select userdto0_.user_name as col_0_0_ from base_user userdto0_ where userdto0_.id=?	0	4	0	0	0	0.00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
/* SELECT b FROM PaymentReceivedDTO b WHERE b.notifSent = 0 AND b.online = true AND b.id > :previousLine order by b.id */ WITH query AS (select ROW_NUMBER() OVER (order by paymentrec0_.id) as __hibernate_row_nr__, paymentrec0_.id as id114_, paymentrec0_.account_id as account2_114_, paymentrec0_.adjustment_against as adjustment3_114_, paymentrec0_.adjustment_against_value as adjustment4_114_, paymentrec0_.payment_adjustment_number as payment5_114_, paymentrec0_.amount_paid as amount6_114_, paymentrec0_.card_type_id as card7_114_, paymentrec0_.cheque_date as cheque8_114_, paymentrec0_.comments_made as comments9_114_, paymentrec0_.currency_id as currency10_114_, paymentrec0_.customer_id as customer11_114_, paymentrec0_.eas_transaction_id as eas12_114_, paymentrec0_.entry_datetime as entry13_114_, paymentrec0_.financial_institution_id as financial14_114_, paymentrec0_.instrument_number as instrument15_114_, paymentrec0_.is_approved as is16_114_, paymentrec0_.notif_sent as notif17_114_, pa...	0	2	0	0	0	0.00
/* load com.ensim.synergy.server.util.db.TimePeriodsDTO */ select timeperiod0_.id as id77_0_, timeperiod0_.time_period as time2_77_0_ from time_periods_meta timeperiod0_ where timeperiod0_.id=?	0	2	0	0	0	0.00
/* select p from PermissionDTO p join p.roles r where r.id in (:tags) and p.id =:permission */ select permission0_.id as id22_, permission0_.foreign_id as foreign2_22_, permission0_.organization_types as organiza3_22_, permission0_.type_id as type4_22_ from permission permission0_ inner join permission_role_map roles1_ on permission0_.id=roles1_.permission_id inner join role roledto2_ on roles1_.role_id=roledto2_.id where (roledto2_.id in (?)) and permission0_.id=?	0	8	0	0	0	0.00
/* SELECT a.baseOrganizationDTO.id, b FROM ServiceProviderOrganizationDTO a, ServiceProviderBatchDataDTO b WHERE a.baseOrganizationDTO.id in (:baseOrgIds) */ select servicepro0_.org_id as col_0_0_, servicepro1_.id as col_1_0_, servicepro1_.id as id96_, servicepro1_.billing_emails as billing2_96_, servicepro1_.city as city96_, servicepro1_.country_code as country4_96_, servicepro1_.email as email96_, servicepro1_.entity_id as entity6_96_, servicepro1_.organization_name as organiza7_96_, servicepro1_.phone_area_code as phone8_96_, servicepro1_.phone_country_code as phone9_96_, servicepro1_.phone_phone_number as phone10_96_, servicepro1_.postal_code as postal11_96_, servicepro1_.sp_organization_id as sp12_96_, servicepro1_.state_province as state13_96_, servicepro1_.street_addres1 as street14_96_, servicepro1_.street_addres2 as street15_96_, servicepro1_.vat_number as vat16_96_ from service_provider_organization servicepro0_ cross join service_provider servicepro1_ where servicepro0_.org...	0	3	0	0	0	0.00
/* SELECT b FROM AdhocEmailQueueDTO b WHERE b.retryCount <= :rcount AND b.sentCount = 0 AND b.id > :previousId */ WITH query AS (select ROW_NUMBER() OVER (ORDER BY CURRENT_TIMESTAMP) as __hibernate_row_nr__, adhocemail0_.id as id188_, adhocemail0_.bcc as bcc188_, adhocemail0_.cc as cc188_, adhocemail0_.content_type as content4_188_, adhocemail0_.is_encrypted as is5_188_, adhocemail0_.full_body as full6_188_, adhocemail0_.priority as priority188_, adhocemail0_.reciever_email as reciever8_188_, adhocemail0_.retry_count as retry9_188_, adhocemail0_.sent_count as sent10_188_, adhocemail0_.subject as subject188_ from adhoc_email_queue adhocemail0_ where adhocemail0_.retry_count<=? and adhocemail0_.sent_count=0 and adhocemail0_.id>?) SELECT * FROM query WHERE __hibernate_row_nr__ BETWEEN ? AND ?	0	1	0	0	0	0.00
/* FROM PortalAuthenticationDTO p where p.id = (SELECT min(port.id) FROM PortalAuthenticationDTO port) */ select portalauth0_.id as id222_, portalauth0_.auth_value as auth2_222_, portalauth0_.value1 as value3_222_, portalauth0_.unique_auth_id as unique4_222_, portalauth0_.value2 as value5_222_ from portal_authentication portalauth0_ where portalauth0_.id=(select min(portalauth1_.id) from portal_authentication portalauth1_)	0	3	0	0	0	0.00
/* Select b from ServiceProviderUserDTO b where b.baseUser.id=:baseUserId AND b.serviceProviderOrganizationDTO.id=:spOrgId */ select servicepro0_.id as id94_, servicepro0_.ad_user_name as ad2_94_, servicepro0_.base_user_id as base14_94_, servicepro0_.double_encrypted_password as double3_94_, servicepro0_.error_message as error4_94_, servicepro0_.inner_error_message as inner5_94_, servicepro0_.is_user_deactivated as is6_94_, servicepro0_.isbusiness_contact as isbusiness7_94_, servicepro0_.istech_contact as istech8_94_, servicepro0_.operation_status_id as operation9_94_, servicepro0_.oss_provision_date as oss10_94_, servicepro0_.permission_updated_time as permission11_94_, servicepro0_.retry_count as retry12_94_, servicepro0_.serviceprovider_org_id as service15_94_, servicepro0_.set_of_permission as set13_94_ from service_provider_user servicepro0_ where servicepro0_.base_user_id=? and servicepro0_.serviceprovider_org_id=?	0	6	0	0	0	0.00
/* SELECT b.id from ServiceProviderOrganizationDTO a, ServiceProviderBatchDataDTO b WHERE a.baseOrganizationDTO.id= :ids AND a.id=b.sp_organization_id */ select servicepro1_.id as col_0_0_ from service_provider_organization servicepro0_ cross join service_provider servicepro1_ where servicepro0_.org_id=? and servicepro0_.id=servicepro1_.sp_organization_id	0	3	0	0	0	0.00

5,650 hits/min on 221 requests

</> Detailed statistics jsp - all

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of cumulative cpu time	Mean cpu time (ms)	% of system error	Mean hits sql	Mean time sql (ms)
/grails/dashboard/myAccountInfo.dispatch	30	3	303	547	215	25	218	0.00	15	78
/grails/login/auth.dispatch	29	3	296	672	325	30	260	0.00	7	20
/grails/logout/sessionTimedOut.dispatch	27	3	270	734	401	30	265	0.00	0	0
/grails/dashboard/index.dispatch	6	3	62	156	81	7	62	0.00	1	0
/grails/home.dispatch	5	3	57	125	59	6	51	0.00	3	10

0 hits/min on 5 requests

⛔ Detailed statistics http system errors - all

None

⛔ Last http system errors - all

None

👣 Detailed statistics system errors logs - all

None

👣 Last system errors logs - all

None

⏳ Detailed current requests

None

🖥 Detailed system information

Host:	**EASAPP01@10.10.3.16**
Java memory used:	2,041 Mb / 3,641 Mb
Nb of http sessions:	2
Nb of active threads (current http requests):	0
Nb of active jdbc connections:	0
Nb of used jdbc connections (opened if no datasource):	0
OS:	Windows Server 2012 , amd64/64 (4 cores)
Java:	Java(TM) SE Runtime Environment, 1.7.0_51-b13
JVM:	Java HotSpot(TM) 64-Bit Server VM, 24.51-b03, mixed mode
PID of process:	6416
Server:	Apache Tomcat/8.0.22

Monitoring JavaMelody on /escm_EASAPP01 - all

Webapp context:	/escm
Start:	1/11/17 12:48 PM
JVM arguments:	-Dfile.encoding=UTF-8 -Dcom.sun.management.jmxremote.port=3333 -Dcom.sun.management.jmxremote.ssl=false -Dcom.sun.management.jmxremote.authenticate=false -Xms1024m -Xmx4096m -XX:PermSize=1024m -XX:MaxPermSize=2048m -Djava.util.logging.config.file=C:\tomcat8\conf\logging.properties -Djava.util.logging.manager=org.apache.juli.ClassLoaderLogManager -Djava.endorsed.dirs=C:\tomcat8\endorsed -Dcatalina.base=C:\tomcat8 -Dcatalina.home=C:\tomcat8 -Djava.io.tmpdir=C:\tomcat8\temp
Mean age of http sessions (min):	12
Tomcat "http-nio-8080":	Busy threads = 2 / 250 Bytes received = 2,936 Bytes sent = 8,312,734 Request count = 1,186 Error count = 5 Sum of processing times (ms) = 219,067 Max processing time (ms) = 22,248
Memory:	Non heap memory = 153 Mb (Perm Gen, Code Cache), Loaded classes = 20,047, Garbage collection time = 63,483 ms, Process cpu time = 7,657,578 ms, Committed virtual memory = 4,956 Mb, Free physical memory = 10,405 Mb, Total physical memory = 16,383 Mb, Free swap space = 13,200 Mb, Total swap space = 20,991 Mb
Perm Gen memory:	134 Mb / 2,048 Mb
Free disk space:	15,477 Mb

Monitoring JavaMelody on /escm_EASAPP01 - all

Dependencies:

193 dependencies ;
EASTAX.jar,
IPaymentManagement.jar,
ISMSManagement.jar,
PhoneInventroyClient.jar,
SMSConnector.jar,
ServiceConnectorPDK.jar,
TaxConnectorInterface.jar,
activation-1.1.jar,
ant-1.7.1.jar,
ant-launcher-1.7.1.jar,
antlr-2.7.7.jar,
aopalliance-1.0.jar,
apache-commons-net.jar,
asm-3.3.1.jar,
aspectjrt-1.6.10.jar,
aspectjweaver-1.6.10.jar,
bcmail-jdk14-138.jar,
bcprov-jdk16-146.jar,
c3p0-0.9.1.2.jar,
castor-1.2.jar,
cglib-2.2.jar,
commons-beanutils-1.8.3.jar,
commons-cli-1.2.jar,
commons-codec-1.5.jar,
commons-collections-3.2.1.jar,
commons-dbcp-1.4.jar,
commons-digester-2.1.jar,
commons-digester3-3.2.jar,
commons-el-1.0.jar,
commons-fileupload-1.2.2.jar,
commons-httpclient-3.0.1.jar,
commons-io-2.1.jar,
commons-javaflow-20060411.jar,
commons-lang-2.6.jar,
commons-lang3-3.4.jar,
commons-logging-1.1.1.jar,
commons-net-2.0.jar,
commons-pool-1.5.6.jar,
commons-validator-1.3.1.jar,
compass-2.2.1-src.jar,
compass-2.2.1.jar,
concurrentlinkedhashmap-lru-1.2_jdk5.jar,
cxf-api-2.6.2.jar,
cxf-rt-bindings-soap-2.6.2.jar,
cxf-rt-bindings-xml-2.6.2.jar,
cxf-rt-core-2.6.2.jar,
cxf-rt-databinding-jaxb-2.6.2.jar,
cxf-rt-frontend-jaxrs-2.6.2.jar,
cxf-rt-frontend-jaxws-2.6.2.jar,
cxf-rt-frontend-simple-2.6.2.jar,
cxf-rt-transports-http-2.6.2.jar,
cxf-rt-ws-addr-2.6.2.jar,
cxf-rt-ws-policy-2.6.2.jar,
cxf-tools-common-2.6.2.jar,
cxf-tools-validator-2.6.2.jar,
cxf-tools-wsdlto-core-2.6.2.jar,
cxf-tools-wsdlto-databinding-jaxb-2.6.2.jar,
cxf-tools-wsdlto-frontend-jaxws-2.6.2.jar,
dnsjava-2.1.5.jar,
dom4j-1.6.1.jar,
eas-report.jar,
ecj-3.7.2.jar,
ehcache-core-2.4.6.jar,
escm-encrypt-decrypt.jar,
escm-ticket.jar,
geronimo-javamail_1.4_spec-1.7.1.jar,
grails-bootstrap-2.2.0.jar,
grails-core-2.2.0.jar,
grails-crud-2.2.0.jar,
grails-datastore-core-1.1.2.RELEASE.jar,
grails-datastore-gorm-1.1.2.RELEASE.jar,
grails-datastore-simple-1.1.2.RELEASE.jar,
grails-hibernate-2.2.0.jar,
grails-logging-2.2.0.jar,
grails-plugin-bean-fields-1.0.jar,
grails-plugin-blueprint-0.9.1.1.jar,
grails-plugin-cache-headers-1.1.5.jar,
grails-plugin-codecs-2.2.0.jar,
grails-plugin-controllers-2.2.0.jar,
grails-plugin-converters-2.2.0.jar,
grails-plugin-datasource-2.2.0.jar,
grails-plugin-domain-class-2.2.0.jar,
grails-plugin-filters-2.2.0.jar,
grails-plugin-gsp-2.2.0.jar,
grails-plugin-i18n-2.2.0.jar,
grails-plugin-log4j-2.2.0.jar,
grails-plugin-mimetypes-2.2.0.jar,
grails-plugin-navigation-1.3.2.jar,
grails-plugin-scaffolding-2.2.0.jar,
grails-plugin-searchable-0.6.4.jar,
grails-plugin-services-2.2.0.jar,
grails-plugin-servlets-2.2.0.jar,
grails-plugin-taggable-1.0.1.jar,
grails-plugin-tomcat-2.2.0.jar,
grails-plugin-url-mappings-2.2.0.jar,
grails-plugin-validation-2.2.0.jar,
grails-plugin-weceem-1.1.3-SNAPSHOT.jar,
grails-plugin-weceem-spring-security-1.1.jar,
grails-resources-2.2.0.jar,
grails-spring-2.2.0.jar,
grails-web-2.2.0.jar,
groovy-all-2.0.5.jar,
h2-1.3.164.jar,
hessian-4.0.7.jar,
hibernate-commons-annotations-3.2.0.Final.jar,
hibernate-core-3.6.10.Final.jar,
hibernate-ehcache-3.6.10.Final.jar,
hibernate-jpa-2.0-api-1.0.1.Final.jar,
hibernate-validator-4.1.0.Final.jar,
hsqldb-1.8.0.10.jar,
httpclient-4.5.2.jar,
httpcore-4.4.4.jar,
itext-2.1.7.jar,
itextpdf-5.3.2.jar,
jasper-compiler-jdt-5.5.15.jar,
jasperreports-5.6.1.jar,
jasperreports-applet-5.6.1.jar,
jasperreports-core-renderer.jar,
jasperreports-extensions-3.5.3.jar,
jasperreports-fonts-5.6.1.jar,
jasperreports-functions-5.6.1.jar,
jasperreports-htmlcomponent-4.1.1.jar,
jasperreports-javaflow-5.6.1.jar,
jasperreports-json.jar,
javamelody-core-1.44.0.jar,
javassist-3.16.1-GA.jar,
jaxb-impl-2.2.6.jar,
jaxb-xjc-2.2.6.jar,
jcifs-1.3.17.jar,
jcl-over-slf4j-1.6.2.jar,
jcommon-1.0.17.jar,
jfreechart-1.0.12.jar,
jna-3.0.9.jar,
joda-time-1.6.2.jar,
jrobin-1.5.9.jar,
jsch.jar,
json-simple-1.1.jar,

Monitoring JavaMelody on /escm_EASAPP01 - all

jsr311-api-1.1.1.jar,
jstl-1.1.2.jar,
jta-1.1.jar,
jtds-1.3.0.jar,
jul-to-slf4j-1.6.2.jar,
log4j-1.2.16.jar,
lucene-analyzers.jar,
lucene-core.jar,
lucene-highlighter.jar,
lucene-queries.jar,
lucene-snowball.jar,
lucene-spellchecker.jar,
mail-1.4.3.jar,
neethi-3.0.2.jar,
opencsv-2.1.jar,
oro-2.0.8.jar,
poi-3.10-FINAL-20140208.jar,
postgresql-8.4-702.jdbc4.jar,
quartz-all-2.1.6.jar,
secure-channel-facade.jar,
sitemesh-2.4.jar,
slf4j-api-1.6.6.jar,
slf4j-log4j12-1.6.6.jar,
spring-aop-3.1.2.RELEASE.jar,
spring-asm-3.1.2.RELEASE.jar,
spring-aspects-3.1.2.RELEASE.jar,
spring-beans-3.1.2.RELEASE.jar,
spring-context-3.1.2.RELEASE.jar,
spring-context-support-3.1.2.RELEASE.jar,
spring-core-3.1.2.RELEASE.jar,
spring-expression-3.1.2.RELEASE.jar,
spring-jdbc-3.1.2.RELEASE.jar,
spring-jms-3.1.2.RELEASE.jar,
spring-modules-cache-0.8.jar,
spring-orm-3.1.2.RELEASE.jar,
spring-security-core-3.0.7.RELEASE.jar,
spring-security-web-3.0.7.RELEASE.jar,
spring-test-3.1.0.RELEASE.jar,
spring-tx-3.1.2.RELEASE.jar,
spring-web-3.1.2.RELEASE.jar,
spring-webmvc-3.1.2.RELEASE.jar,
stax2-api-3.1.1.jar,
textile-j-2.2.864.jar,
urlrewritefilter-4.0.3.jar,
validation-api-1.0.0.GA.jar,
velocity-1.7.jar,
virus-scanner.jar,
woodstox-core-asl-4.1.4.jar,
ws-commons-util-1.0.2.jar,
wsdl4j-1.6.2.jar,
xml-resolver-1.2.jar,
xmlrpc-client-3.1.jar,
xmlrpc-common-3.1.jar,
xmlschema-core-2.0.3.jar,
xpp3_min-1.1.4c.jar,
xstream-1.2.1.jar

⚙ Detailed threads

Threads on EASAPP01@10.10.3.16: Number = 69, Maximum = 257, Total started = 5,073

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
ajp-nio-8009-Acceptor-0	yes	5	🟢 RUNNABLE	sun.nio.ch.ServerSocketChannelImpl.accept0(Native Method)	0	0
ajp-nio-8009-ClientPoller-0	yes	5	🟢 RUNNABLE	sun.nio.ch.WindowsSelectorImpl$SubSelector.poll0(Native Method)	0	0
ajp-nio-8009-ClientPoller-1	yes	5	🟢 RUNNABLE	sun.nio.ch.WindowsSelectorImpl$SubSelector.poll0(Native Method)	0	0
AsyncFileHandlerWriter-357935641	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	31	31
Attach Listener	yes	5	🟢 RUNNABLE		0	0
AWT-Windows	yes	6	🟢 RUNNABLE	sun.awt.windows.WToolkit.eventLoop(Native Method)	125	31
com.ensim.synergy.server.user.db.UserDTO.data	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
com.ensim.synergy.server.user.db.UserDTO.data	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
com.ensim.synergy.server.user.db.UserDTO.data	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
com.mchange.v2.async.ThreadPoolAsynchronousRunner$PoolThread-#0	yes	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	248,250	74,406
com.mchange.v2.async.ThreadPoolAsynchronousRunner$PoolThread-#1	yes	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	235,968	70,078
com.mchange.v2.async.ThreadPoolAsynchronousRunner$PoolThread-#2	yes	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	307,421	91,390
com.mchange.v2.async.ThreadPoolAsynchronousRunner$PoolThread-#3	yes	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	306,015	86,718
com.mchange.v2.async.ThreadPoolAsynchronousRunner$PoolThread-#4	yes	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	246,812	73,421
com.mchange.v2.async.ThreadPoolAsynchronousRunner$PoolThread-#5	yes	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	236,062	71,281
Compass Executor Thread [pool-1-thread-10]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	906	890
Compass Executor Thread [pool-1-thread-1]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	265	265
Compass Executor Thread [pool-1-thread-2]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	156	156
Compass Executor Thread [pool-1-thread-3]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	203	203
Compass Executor Thread [pool-1-thread-4]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	203	171
Compass Executor Thread [pool-1-thread-5]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	171	171
Compass Executor Thread [pool-1-thread-6]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	78	31
Compass Executor Thread [pool-1-thread-7]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	31	15
Compass Executor Thread [pool-1-thread-8]	.1	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	390	375
Compass Executor Thread [pool-1-thread-9]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	468	437
Compass Scheduled Executor Thread [pool-3-thread-1]	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	23,234	6,093
ContainerBackgroundProcessor[StandardEngine[Catalina]]	yes	5	🔵 TIMED_WAITING	java.lang.Thread.sleep(Native Method)	250	93

Monitoring JavaMelody on /escm_EASAPP01 - all

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
DefaultQuartzScheduler_QuartzSchedulerThread	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	281	218
DefaultQuartzScheduler_Worker-1	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	2,812	2,468
DefaultQuartzScheduler_Worker-10	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	671	562
DefaultQuartzScheduler_Worker-2	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	3,065,093	3,007,187
DefaultQuartzScheduler_Worker-3	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	750	609
DefaultQuartzScheduler_Worker-4	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	781	578
DefaultQuartzScheduler_Worker-5	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	468	375
DefaultQuartzScheduler_Worker-6	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	421	343
DefaultQuartzScheduler_Worker-7	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	953	765
DefaultQuartzScheduler_Worker-8	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	1,343	1,156
DefaultQuartzScheduler_Worker-9	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	500	406
Finalizer	yes	8	WAITING	java.lang.Object.wait(Native Method)	34,218	32,125
GC Daemon	yes	2	TIMED_WAITING	java.lang.Object.wait(Native Method)	0	0
http-nio-8080-Acceptor-0	yes	5	RUNNABLE	sun.nio.ch.ServerSocketChannelImpl.accept0(Native Method)	93	62
http-nio-8080-ClientPoller-0	yes	5	RUNNABLE	sun.nio.ch.WindowsSelectorImpl$SubSelector.poll0(Native Method)	328	203
http-nio-8080-ClientPoller-1	yes	5	RUNNABLE	sun.nio.ch.WindowsSelectorImpl$SubSelector.poll0(Native Method)	218	156
http-nio-8080-exec-1	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	8,421	6,828
http-nio-8080-exec-10	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	7,984	5,906
http-nio-8080-exec-2	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	18,218	14,875
http-nio-8080-exec-3	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	14,437	10,687
http-nio-8080-exec-4	yes	5	RUNNABLE	java.lang.Thread.dumpThreads(Native Method)	15,078	11,765
http-nio-8080-exec-5	yes	5	RUNNABLE	java.util.zip.Deflater.deflateBytes(Native Method)	14,046	10,093
http-nio-8080-exec-6	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	5,156	4,343
http-nio-8080-exec-7	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	18,750	15,671
http-nio-8080-exec-8	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	16,375	13,359
http-nio-8080-exec-9	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	9,828	8,531
Java2D Disposer	yes	10	WAITING	java.lang.Object.wait(Native Method)	140	125
javamelody escm	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	50,937	32,375
jrobin escm	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	15	15
main	no	5	RUNNABLE	java.net.DualStackPlainSocketImpl.accept0(Native Method)	3,312	2,906
net.sf.ehcache.CacheManager@1de3fc4b	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	0	0
net.sf.ehcache.CacheManager@347fb123	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	0	0
net.sf.ehcache.CacheManager@60c78d0	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	0	0
NioBlockingSelector.BlockPoller-1	yes	5	RUNNABLE	sun.nio.ch.WindowsSelectorImpl$SubSelector.poll0(Native Method)	421	281
NioBlockingSelector.BlockPoller-2	yes	5	RUNNABLE	sun.nio.ch.WindowsSelectorImpl$SubSelector.poll0(Native Method)	0	0
Reference Handler	yes	10	WAITING	java.lang.Object.wait(Native Method)	4,703	4,656
RMI TCP Accept-0	yes	5	RUNNABLE	java.net.DualStackPlainSocketImpl.accept0(Native Method)	0	0
RMI TCP Accept-0	yes	5	RUNNABLE	java.net.DualStackPlainSocketImpl.accept0(Native Method)	0	0
RMI TCP Accept-3333	yes	5	RUNNABLE	java.net.DualStackPlainSocketImpl.accept0(Native Method)	0	0
Signal Dispatcher	yes	9	RUNNABLE		0	0
Timer-0	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	656	640
Timer-1	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	31	15

The cpu times and user times of these threads are measured from the start of the server

Detailed jobs

18 job(s) on EASAPP01@10.10.3.16 with 0 running

Group	Name	Class name	Mean time	Running for	Previous execution	Next execution	Period or cron expression	Paused
branding_sync_cron_job_group	Branding Synchronization Cron Job	com.ensim.synergy.server.theming.BrandingSynchronizationJob	00:00:00		1/11/17 6:45 PM	1/11/17 7:00 PM	0 0/15 * * * ?	no
invoice_payment_notif_schedule_job_group	Invoice Payment Notification Scheduled Job	com.ensim.synergy.server.notification.InvoiceAndPaymentNotification	00:00:00		1/11/17 6:45 PM	1/11/17 7:00 PM	0 0/15 * * * ?	no
invoice_pdf_generation_schedule_job	Invoice PDF Generation Schedule Job	com.ensim.synergy.server.invoicePDFGenerator.InvoicePDFGenerationJob	00:00:00		1/11/17 6:00 PM	1/12/17 12:00 AM	0 0 0/6 1/1 * ? *	no
manual_provisioning_notification_job_group	Manual Provisioning Notification Job	com.ensim.synergy.server.notification.workflowBatchJobs.WorkflowNotificationScheduledJob	00:00:00		1/11/17 6:48 PM	1/11/17 6:50 PM	0 0/2 * * * ?	no
notification_resending_job_group	Notification Scheduled Job	com.ensim.synergy.server.notification.NotificationScheduledJob	00:00:33		1/11/17 6:48 PM	1/11/17 6:50 PM	0 0/2 * * * ?	no
order_schedule_job_group	Order Scheduled Job	com.ensim.synergy.server.order.orderBatchJob.OrderScheduledJob	23:59:59			1/12/17 12:01 AM	0 01 00 ? * *	no
portal_authentication_job_group	portal_authentication_job	com.ensim.synergy.server.license.scheduler.PortalAuthenticationScheduler	23:59:59			1/12/17 12:01 AM	0 01 00 ? * *	no
promotion_deactivating_job_group	Promotion Deactivating Job	com.ensim.synergy.server.promotion.PromoDeactivateScheduler	23:59:59			1/12/17 12:01 AM	0 01 00 ? * *	no
bpt_notification_scheduled_job_group	Provisioning Engine Notification Scheduled Job	com.ensim.synergy.server.runningBatchJobs.BPTNotificationScheduledJob	00:00:00		1/11/17 6:00 PM	1/11/17 7:00 PM	0 0/60 * * * ?	no
schedule_jars_job_group	Schedule Jars Job	com.ensim.synergy.server.jarScheduling.VariousJarExecutionScheduler	00:00:00		1/11/17 6:00 PM	1/11/17 7:00 PM	0 0/60 * * * ?	no
organization_import_jars_job_group	Schedule Organization Import Job	com.ensim.synergy.server.util.crm_settings.organizationImport.OrganizationImportScheduleJob	00:00:00		1/11/17 6:45 PM	1/11/17 7:00 PM	0 0/15 * * * ?	no
report_data_replication_job_group	Schedule Report Data Replication Job	com.ensim.synergy.reportDataReplication.ReportDataReplicationTaskSchedular	23:59:59			1/12/17 6:00 AM	0 0 6 1/1 * ? *	no

Monitoring JavaMelody on /escm_EASAPP01 - all

Group	Name	Class name	Mean time	Running for	Previous execution	Next execution	Period or cron expression	Paused
report_schedule_job_group	Schedule Reporting Scheduled Job	com.ensim.synergy.report.ReportGenTaskScheduler	23:59:59			2/2/17 4:00 AM	0 0 4 2 1/1 ? *	no
revenue_jars_job_group	Schedule Revenue Job	com.ensim.synergy.server.jarScheduling.RevenueTaskScheduler	23:59:59			2/2/17 12:00 AM	0 0 0 2 1/1 ? *	no
service_request_schedule_job_group	Service Request Scheduled Job	com.ensim.synergy.server.end_user_catalog.serviceRequestJob.ServiceRequestScheduledJob	00:00:00		1/11/17 6:48 PM	1/11/17 6:50 PM	0 0/2 * * * ?	no
Subscription_Renewal_schedule_job_group	Subscription Renewal Scheduled Job	com.ensim.synergy.server.subscription.SubscriptionBatchJob	23:59:59			1/12/17 12:01 AM	0 01 00 ? * *	no
trial_notification_scheduled_job_group	Trial Notification Scheduled Job	com.ensim.synergy.server.notification.TrialNotificationScheduledJob	00:00:00		1/11/17 6:48 PM	1/11/17 6:50 PM	0 0/2 * * * ?	no
version_schedule_job_group	Version Scheduled Job	com.ensim.synergy.server.productoffer.versionBatchJob.VersionScheduledJob	23:59:59			1/12/17 12:15 AM	0 15 00 ? * *	no

Configuration reference

Detailed statistics job - all

Job	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of cumulative cpu time	Mean cpu time (ms)	% of system error	Mean hits sql	Mean time sql (ms)
manual_provisioning_notification_job_group.Manual Provisioning Notification Job	3	180	977	21,372	3,950	57	20	0.00	16	212
trial_notification_scheduled_job_group.Trial Notification Scheduled Job	0	180	20	580	86	2	1	0.00	0	5
service_request_schedule_job_group.Service Request Scheduled Job	0	180	23	563	93	3	1	0.00	2	3
notification_resending_job_group.Notification Scheduled Job	96	142	33,700	4,785,346	401,577	0	0	0.00	2,955	5,802
branding_sync_cron_job_group.Branding Synchronization Cron Job	0	24	120	1,969	394	8	21	0.00	10	28
invoice_payment_notif_schedule_job_group.Invoice Payment Notification Scheduled Job	0	24	97	2,234	455	5	14	0.00	1	10
organization_import_jars_job_group.Schedule Organization Import Job	0	24	266	3,781	748	14	37	0.00	15	35
bpt_notification_scheduled_job_group.Provisioning Engine Notification Scheduled Job	0	6	88	516	209	4	52	0.00	0	2
schedule_jars_job_group.Schedule Jars Job	0	6	348	1,920	770	2	28	0.00	7	23
invoice_pdf_generation_schedule_job.Invoice PDF Generation Schedule Job	0	1	46	46	0	0	46	0.00	2	0
promotion_deactivating_job_group.Promotion Deactivating Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
report_schedule_job_group.Schedule Reporting Scheduled Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
order_schedule_job_group.Order Scheduled Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
revenue_jars_job_group.Schedule Revenue Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
Subscription_Renewal_schedule_job_group.Subscription Renewal Scheduled Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
report_data_replication_job_group.Schedule Report Data Replication Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
version_schedule_job_group.Version Scheduled Job	0	0	-1	0	-1	0	-1	0.00	-1	-1
portal_authentication_job_group.portal_authentication_job	0	0	-1	0	-1	0	-1	0.00	-1	-1

18 jobs

Last jobs errors - all

None

Detailed caches

205 cache(s) on EASAPP01@10.10.3.16

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
com.ensim.IDMReadOnly.CustomerOrganizationRoDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.IDMReadOnly.CustomerUserRoDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.jasper.ReportConfigDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.common.DateTimeFormatDTO	0	1	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.end_user_catalog.db.AsynchronousOperationStatusDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.end_user_catalog.db.IncrementalUsageDetailsDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.end_user_catalog.db.ServiceRequestQueueDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.item.db.ItemDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.item.db.ItemDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.item.db.ItemDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.item.db.ItemPriceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.item.db.ItemPriceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.item.db.ItemPriceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
com.ensim.synergy.server.item.db.ItemTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 900, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.item.db.ItemTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 900, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.item.db.ItemTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 900, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.item.db.ItemUserPriceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.item.db.ItemUserPriceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.item.db.ItemUserPriceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.item.db.ResourceBundleElementMapDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.item.db.ResourceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.item.db.ServiceBundleElementMapDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.item.db.ServiceDTO	0	2	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.item.db.ServiceItemDTO	0	32	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.item.db.SuggestedServicesDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.notification.db.NotificationMessageDTO	2	2	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.notification.db.NotificationMessageDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.notification.db.NotificationMessageDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.notification.db.NotificationMessageDTO.notificationMessageSections	2	2	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.notification.db.NotificationMessageDTO.notificationMessageSections	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.notification.db.NotificationMessageDTO.notificationMessageSections	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.notification.db.NotificationMessageLineDTO	4	4	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.notification.db.NotificationMessageLineDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.notification.db.NotificationMessageLineDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 300, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.notification.db.NotificationMessageSectionDTO	6	6	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.notification.db.NotificationMessageSectionDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.notification.db.NotificationMessageSectionDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.notification.db.NotificationMessageSectionDTO.notificationMessageLines	6	6	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.notification.db.NotificationMessageSectionDTO.notificationMessageLines	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.notification.db.NotificationMessageSectionDTO.notificationMessageLines	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.notification.db.NotificationMessageTypeDTO	100	20	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.notification.db.NotificationMessageTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
com.ensim.synergy.server.notification.db.NotificationMessageTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.notification.db.SMSNotificationHistoryDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.notification.db.SMSTemplateContentDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.notification.db.SMSTemplateDetailsDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.order.db.OrderBillingTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.order.db.OrderBillingTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.order.db.OrderBillingTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.order.db.OrderExportStatusDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.order.db.OrderLineTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.order.db.OrderLineTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.order.db.OrderLineTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.order.db.OrderProcessDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 1200, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.order.db.OrderProcessDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 1200, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.order.db.OrderProcessDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 1200, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.order.db.OrderUIActionDTO	0	18	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.order.db.StateActionMapCustomerDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.order.db.StateActionMapIspDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.order.db.StateActionMapResellerDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.payment.db.PaymentMethodDTO.java	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.payment.db.PaymentMethodDTO.java	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.payment.db.PaymentMethodDTO.java	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.payment.db.PaymentResultDTO.java	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.payment.db.PaymentResultDTO.java	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.payment.db.PaymentResultDTO.java	0	0	0	-1	-1	ehcache [maxElementsInMemory = 20, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.plugin.bpaConnectors.BpaMeterMasterDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.plugin.bpaConnectors.BpaUsageDataDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.productoffer.b2b.db.ResellerPricePlanDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.productoffer.b2b.db.ResellerSpecificDiscountDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.productoffer.db.OfferCategoryDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.productoffer.db.OfferCodeMapDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.productoffer.db.OfferCodeTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
com.ensim.synergy.server.productoffer.db.OfferConditionDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.productoffer.db.OfferGroupDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.productoffer.db.OfferInPlaceRenewalPathDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.productoffer.db.OfferInPlaceUpgradePathDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.productoffer.db.OfferInplaceUpgradeProductDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.productoffer.db.OfferMacroDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.productoffer.db.OfferTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.productoffer.db.OfferVersionDefinitionDTO	0	2	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.productoffer.db.OfferVersionDetailsDTO	0	41	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.productoffer.db.OfferWorkflowNotificationMapDTO	1	77	0	100	87	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.productoffer.db.PossibleValuesDTO	0	6	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.productoffer.db.PricePlanComponentDTO	0	41	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.productoffer.db.PricePlanDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.productoffer.db.ProductOfferDTO	1	79	0	100	92	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.productoffer.db.ProductOfferMarketContentDTO	0	2	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.productoffer.db.ProductOfferStatusDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.productoffer.db.ProviderPricingMapDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.productoffer.db.TrialOfferUpgradePathDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.productoffer.MarketplaceCurrencyDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.provisioningWorkflow.db.ProvisioningOperationsDTO	0	8	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.provisioningWorkflow.db.ProvisioningWorkflowDTO	0	5	0	100	96	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.provisioningWorkflow.db.ProvisioningWorkflowDTO.pwfPropeties	0	5	0	100	98	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.provisioningWorkflow.db.WorkflowPropertiesDTO	0	40	0	100	98	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.saleschannel.PricePlanElementDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.saleschannel.PricePlanTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.saleschannel.SynergyPriceModelDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.saleschannel.TariffFrequencyDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.synctool.db.SyncConfigDTO	0	1	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.synctool.db.SyncServicesDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.synctool.db.SyncToolDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
com.ensim.synergy.server.synergyitems.db.CompositeProductElementDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.synergyitems.db.GoodTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.synergyitems.db.RatingRulesDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.synergyitems.db.ResourceGroupLabelDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.synergyitems.db.ServiceItemTypeDTO	0	3	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.synergyitems.db.SystemUnitsDTO	0	3	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.synergyitems.db.UnifyResourceDTO	0	17	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.synergyitems.db.UniqueItemDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.tax.ItemTaxDataMasterDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.usagedata.details.Usage_Data_DetailsDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.usagedata.master.Usage_Data_MasterDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.user.contact.db.UserContactDTO	64	3,200	0	100	41	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.user.db.CompanyDTO	10	1	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.user.db.CompanyDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.user.db.CompanyDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.user.db.UserDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = true, maxElementsOnDisk = 0, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.user.db.UserDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = true, maxElementsOnDisk = 0, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.user.db.UserDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = true, maxElementsOnDisk = 0, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.user.permisson.db.PermissionDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.user.permisson.db.PermissionDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.user.permisson.db.PermissionDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.user.permisson.db.PermissionTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.user.permisson.db.PermissionTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.user.permisson.db.PermissionTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.user.permisson.db.PermissionUserDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.user.permisson.db.PermissionUserDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.user.permisson.db.PermissionUserDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.user.permisson.db.RoleAssignmentDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.user.permisson.db.RoleDTO	1	1	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.user.permisson.db.RoleDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.user.permisson.db.RoleDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.util.config_properties.db.ConfigPropertiesDTO	0	45	0	100	98	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
com.ensim.synergy.server.util.db.AbstractGenericStatus	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.util.db.AbstractGenericStatus	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.util.db.AbstractGenericStatus	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.util.db.CountryDTO	0	1	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.util.db.CurrencyDTO	10	1	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.util.db.CurrencyDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.util.db.CurrencyDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.util.db.CurrencyExchangeDTO	1	1	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 60, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.util.db.CurrencyExchangeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 60, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.util.db.CurrencyExchangeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 60, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.util.db.generated.SynergyTable	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.util.db.generated.SynergyTable	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.util.db.generated.SynergyTable	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.util.db.InternationalDescription	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.util.db.InternationalDescription	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.util.db.InternationalDescription	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.util.db.InternationalDescriptionDTO	0	4	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.util.db.InternationalDescriptionDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.util.db.InternationalDescriptionDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.util.db.LanguageDTO	30	3	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.util.db.LanguageDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.util.db.LanguageDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.util.db.NotificationCategoryDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.util.db.PreferenceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.util.db.PreferenceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.util.db.PreferenceDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 600, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.util.db.PreferenceTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 500, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.util.db.PreferenceTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 500, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.util.db.PreferenceTypeDTO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 500, overflowToDisk = false, eternal = true, diskPersistent = false]
com.ensim.synergy.server.util.db.SynergyTable	0	5	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
com.ensim.synergy.server.util.db.TimePeriodsDTO	0	1	0	100	99	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.grails.taggable.Tag	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.grails.taggable.TagLink	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.hibernate.cache.StandardQueryCache	0	3	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 100000, timeToIdleSeconds = 1800, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.hibernate.cache.StandardQueryCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 100000, timeToIdleSeconds = 1800, memoryStoreEvictionPolicy = LRU, diskPersistent = false]

Cache	% used of memory cache	Number of objects in memory	Number of objects on disk	% of efficiency of memory cache (memory hits/hits)	% of efficiency of cache (hits/accesses)	Configuration
org.hibernate.cache.StandardQueryCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 100000, timeToIdleSeconds = 1800, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.hibernate.cache.UpdateTimestampsCache	0	9	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
org.hibernate.cache.UpdateTimestampsCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
org.hibernate.cache.UpdateTimestampsCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
org.weceem.content.WcmContent	4	232	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.weceem.content.WcmRelatedContent	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.weceem.content.WcmSpace	0	2	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
org.weceem.content.WcmStatus	0	4	0	-1	0	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
thirdLevel-RO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
thirdLevel-RO	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
thirdLevel-RO	3	3	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = true, diskPersistent = false]
thirdLevel-RW	0	0	0	-1	-1	ehcache [maxElementsInMemory = 500, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
thirdLevel-RW	0	0	0	-1	-1	ehcache [maxElementsInMemory = 500, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
thirdLevel-RW	0	0	0	-1	-1	ehcache [maxElementsInMemory = 500, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 300, memoryStoreEvictionPolicy = LRU, diskPersistent = false]
weceem.contentCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.contentCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.contentCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.contentFingerprintCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.contentFingerprintCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.contentFingerprintCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.contentTreeFingerprintCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.contentTreeFingerprintCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.contentTreeFingerprintCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.dataFeeds	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 60, timeToIdleSeconds = 60, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.dataFeeds	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 60, timeToIdleSeconds = 60, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.dataFeeds	0	0	0	-1	-1	ehcache [maxElementsInMemory = 100, overflowToDisk = false, eternal = false, timeToLiveSeconds = 60, timeToIdleSeconds = 60, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.eternalCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.eternalCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.eternalCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 10000, overflowToDisk = false, eternal = true, diskPersistent = false]
weceem.gspCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.gspCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.gspCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 5000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.uriToContentCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.uriToContentCache	0	3	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]
weceem.uriToContentCache	0	0	0	-1	-1	ehcache [maxElementsInMemory = 1000, overflowToDisk = false, eternal = false, timeToLiveSeconds = 3600, timeToIdleSeconds = 3600, memoryStoreEvictionPolicy = LFU, diskPersistent = false]

Configuration reference

Last collect time: 172 ms

Display time: 6152 ms

Memory overhead estimate: < 1 Mb

Disk usage: 6 Mb

JavaMelody 1.44.0