

Problem Statement

Team Aanoval | CareClaw

- â€¢ Online consultations often start with incomplete, unstructured patient chat.
- â€¢ Doctors lose time collecting basic history, checking red flags, and preparing notes.
- â€¢ Payment and doctor access are usually detached from the clinical workflow.
- â€¢ A basic chatbot is not enough: the workflow needs task execution, safety gates, and handoff.

CareClaw

A multi-agent healthcare communication system built around OpenClaw.

- â€¢ Patient starts from a mobile-first PWA with guided intake.
- â€¢ OpenClaw runs the autonomous consultation handoff task.
- â€¢ Specialized agents structure symptoms, detect safety signals, create payment gates, and brief doctors.
- â€¢ Doctors remain the final medical decision makers.

Autonomous Handoff Architecture

The visible product task is not a chat reply; it is a completed workflow artifact.

- â€¢ Patient PWA -> API -> OpenClaw Intake Bridge -> Orchestrator.
- â€¢ Orchestrator -> Symptom Extraction -> Safety Gate -> Payment Agent -> Doctor Briefing.
- â€¢ Output includes agent trace, tool calls, handoffs, payment gate, and doctor briefing.
- â€¢ The workflow continues until the consultation handoff task is completed.

What Works Now

Designed to be reproducible, inspectable, and deployable.

- â€¢ OpenClaw workspace, bridge, and Docker runtime.
- â€¢ Autonomous consultation handoff demo and live API endpoints.
- â€¢ DOKU-compatible payment flow with QRIS and Virtual Account path.
- â€¢ Patient PWA, hidden doctor workspace, doctor queue, and approval gate.
- â€¢ Node.js, TypeScript, Docker Compose, Nginx, vanilla PWA.

From Demo To Clinic Workflow

AI handles workflow; doctors handle medical decisions.

- â€¢ Reduce doctor intake burden and improve consultation readiness.
- â€¢ Add production payment callbacks, scheduling, and multi-doctor routing.
- â€¢ Support voice-note intake and WhatsApp continuation.
- â€¢ Improve medical RAG, red-flag scoring, and clinic-specific agent skills.
- â€¢ Make safer, faster, and more meaningful doctor-patient communication accessible.