


Process & Decision Documentation

Process Overview Visualization (Group Work Only)



Project/Assignment Decisions

At this point in the project, we had made the base mechanics of our game, as well as implemented ways to express our chosen disability. We chose to have our game have several rounds where the player can wager the chips that they got and see how far they were able to get in each round. As a way of expressing 'dyscalculia', we decided to have the numbers flip and mirror in rapid sequence with very little time for the player to register and recognize it before they are forced to make their guess as to what it was. A challenge we faced was when designing the UI system for the game, we weren't able to get it to look exactly as we wanted it since we first designed it in Figma and then had to replicate it using a script, but we managed to make it work.


A1 – A3 (Group Work)

- The first change we made was to the layout and design of the UI. We changed it to closer resemble those old mobile casino games that are bright and eye catching.
- We made it that it would no longer be possible for the player's chip count to go into the negative. We did this because it adds more 'weight' to how much you're willing to wager each turn.
- We added a difficulty setting that gives you three options to choose how easy or hard the levels are and how fast the timer goes. We did this so that players have a chance to think before they make their guesses.
- We added a shop where the player can spend the chips that they acquired to buy skills and other tools to help them as they progress through the different levels. This lets them play for longer and adds variety to their game.
- We included a leaderboard that shows the player's highest scores throughout their different runs. We did this as a way to track how many chips they were able to get at the end of the game.

Role-Based Process Evidence

changesesss		Elizabeth Sorchak c1e3284
Elizabeth Sorchak • 15 minutes ago	4 changed files	assets/Calcu
Merge branch 'main' into Liza	assets/Calculusino_p.png	
aanteque • 7 days ago	index.html	
update	sketch.js	
Elizabeth Sorchak • 7 days ago	style.css	
Added stuff to game		
Elizabeth Sorchak • 7 days ago		
Merge pull request #2 from LizaCen...		
aanteque • 7 days ago		
Liza's version of the game		
Elizabeth Sorchak • 7 days ago		
comment		
Elizabeth Sorchak • 7 days ago		
Merge pull request #1 from aantequ...		
aanteque • 7 days ago		
Merge branch 'main' into Oye		
aanteque • 7 days ago		
name		
dajiboye • 7 days ago		
Read me updates		
aanteque • 7 days ago		
Game fixy		
aanteque • 7 days ago		


History of changes on Liza Storchak's side



Mockup of the UI done by Liza in Figma





Logo design by Dolapo



The rather questionable anime girl illustration that briefly appears in Liza's prototype by Jisoo

Work by her supreme royalty ALEJANDRA! (Also, just check the appendix for AI conversation)





Entry Header

Name: Alejandra Antequera

Role(s): Almighty programmer of this project

Primary responsibility for this work: Programming gameplay mechanics! And a little special effect.

Goal of Work Session

Briefly describe what you were trying to accomplish during this phase of the assignment.

Overall, I handled all aspects of the gameplay. Based on our ideation process I created the based game with the help of Claude then furthermore debugged and improved the project as needed. After the initial play tested occurred, I asked my team for the feedback notes (as I was gone) then implemented gameplay mechanic suggestions from the professor and classmates

Tools, Resources, or Inputs Used

- Claude AI (Sonnet 4.6)

Liza Storchak

Name: Liza Storchak

Role(s): coding, design

Primary responsibility for this work: helped code the game and design the UI

Goal of Work Session

My main goal was helping with using Claude to code the game. This means adding on features like the two levels of the initial gameplay, debugging, and testing features like having chips go into the negatives. Later, after we had the March 5 playtest day, I tried making the UI resemble a sketchy casino app.

Tools, Resources, or Inputs Used

- Claude Sonnet 4.2 for coding
- Feedback from March 5 play testing experience

Name: Dolapo Ajiboye

Role(s): design, playtest

Primary responsibility for this work:

Goal of Work Session

My goal during this work session was to assist with creating some design elements for the visuals of the game. I also did a lot of playtesting to see what features worked in the gameplay and if they translated properly from our imagination to the screen.

Name: Jisoo Lee

Role(s): design, playtest

Primary responsibility for this work: Drawing some assets that will be implemented later, and playtesting the game.

Goal of Work Session

My goal during this work session was providing feedback to the game and suggesting ideas to further expand and add content to the game. I also created many illustrative assets that was used in some mock-ups and will be used in future additions of the game.

Tools used:

- Clip studio paint
- Playtesting the game
- MS Paint for scribbling down ideas

GenAI Documentation

Date Used: March 3rd, 4th, & 11th

Tool Disclosure: Claude Sonnet 4.2

Purpose of Use: We used the GenAI tool as a means of putting our ideas into working code.

Summary of Interaction. Overall, the interactions first began with an idea or goal in mind. From there we would discuss with the AI and check the implemented changes. If work was done by individuals typically, we would check in with one another to see if the changes are acceptable. After we would modify the project where needed with a couple iterations then once satisfied, we would move onto the next task.

Human Decision Point(s): Most human decision points came from visual direction. Sometimes we would require clearer affordances or simply wanted to take the visuals in another direction leading to our intervention.

Integrity & Verification Note: Explain how you checked GenAI output for accuracy, bias, appropriateness, or fit with course concepts.

Scope of GenAI Use: GenAI mainly contributed to making the game function, aside from that we as a team focused on developing the visual and narrative direction of the game.

Limitations or Misfires: Limitations mostly came from vague prompts. We found that if we were not specific enough when requesting support often the AI would misinterpret our prompts and move in a different direction.

Summary of Process (Human + Tool)

- Iteration between drafts or versions
- Discussion with teammates
- Getting feedback from the professors
- Testing and revision
- Moments of uncertainty, failure, or rework: We weren't sure if the prompts we were putting in would give us the exact result that we wanted in order to build up our game.

Decision Points & Trade-offs

Describe one or two key decisions you made:

- At first, we considered using ChatGPT for help with our coding, but then we changed our minds and decided to use Claude.ai
- We looked back at some of the results that ChatGPT had given us in the past for some of our code, and we realized that it wasn't suited to handle how complex we needed our code to be.
- We did this because our code would not have been as streamlined, and it would also have had a lot of bugs and issues with it. And if we had used ChatGPT, it would have taken quite a bit longer for us to go through our errors and mistakes to fix them.

Verification & Judgement

- Playtesting and reiterating on what we liked and disliked.
- Group discussion.
- Peer and instructor feedback.
- Comparison with course concepts.
- Comparison with other game designs and mechanics.
- Re-reading assignment criteria.

Limitations, Dead Ends, or Open Questions

- The only limitations came from the way we did our prompting. We found during the beginning if we did not specify that the code was meant to be written in java script the AI would freak out and spit out nonsense. Another gap we found was when transferring the FIGMA UI to p5js the AI would not properly colour pick from the file and made the UI too bright.

Appendix

Ally Prompts:

Date	Tool Used	Original Prompt	Raw Response	Summary of AI Conversation	Helped or Not Helped in Our Assignment	Prompt Author

March 3, 2026	Claude (Sonnent 4.6)	i want to make a game thats inspired by dyscalculia and its symptomp and i want to make it gambling of some sort any ideas?	Here are some game concepts inspired by dyscalculia symptoms (number confusion, poor sense of quantity, difficulty with sequences/time):  Game Ideas 1. "Fuzzy Numbers" — Slot Machine The reels show numbers that blur, swap digits, or morph (6 becomes 9, 17 becomes 71). Players have to bet on whether the <i>true</i> sum of three reels is over/under a target — but the numbers keep shifting before they can count them. Simulates the feeling of numbers "not sticking." 2. "How Many?" — Quantity Poker Instead of card values, hands show clouds of dots. Players must estimate quantities quickly (like subitizing) and bet on who has more. The trick: dot clusters are arranged to be visually misleading (spread out = feels like more). Classic dyscalculia — the <i>feel</i> of number doesn't match reality. 3. "Sequence Roulette" A number sequence appears briefly (like 3, 7, 2, 9...) then disappears. Players bet on what comes "next" in a pattern — but the patterns are	Helped generate template	Helped	Alejandra Antequera
---------------	----------------------	---	--	--------------------------	--------	---------------------

			inconsistent and hard to track, mimicking working memory issues with number order. 4. "The Wrong Clock" — Time Betting Players bet on how much time has passed since a timer started — with no clock visible. Dyscalculia strongly affects time perception. Closest guess wins the pot. Simple, social, and deeply on-theme. 5. "Digit Drift" — Blackjack Variant Like blackjack, but digits on cards occasionally flip or swap (a 14 might flash as 41). Players must decide hit/stand under uncertainty. The "house edge" is literally perceptual distortion.  My Top Pick "Fuzzy Numbers" or "Digit Drift" feel the most immersive — they put the <i>player</i> in the experience of dyscalculia rather than just referencing it. The gambling tension + perceptual unreliability = very thematic. Want me to prototype any of these as a playable browser game?			
--	--	--	---	--	--	--

March 3, 2026	Claude (Sonnet 4.6)	so maybe some sort of fast paced memory game	Love that direction! Here are some focused concepts that mix fast-paced memory + gambling + dyscalculia experience:  Fast-Paced Memory Game Concepts 1. "Flash Bet" Numbers flash on screen for milliseconds. You saw... 3 digits? 4? You bet on what you think you saw. The faster you go, the higher the multiplier. Simulates how numbers "don't stick" in working memory. 2. "Stack or Bust" A sequence of numbers builds up quickly, then vanishes. Bet on the sum — but you only had 2 seconds to see them. Wrong = lose your chips. Right = multiplier grows. Pure dyscalculia panic energy. 3. "Mirror Trap" Numbers flash but some are mirrored/flipped (common dyscalculia experience — 6/9, 3/E, 17/71). You bet on the real value before time runs out. Speed increases each round.	Had a good conversation to figure out ideas	Helped	Alejandra Antequera
---------------	---------------------	--	--	---	--------	---------------------

			4. "Crowd Count" Dots or objects flash briefly. Bet on the exact count or over/under. The quantities are designed to be deceptive — spread out, clustered, or moving.  My Recommendation Combine 1 + 3 — numbers flash briefly AND some are mirrored/flipped. You bet on the true value under time pressure. Simple core loop, escalating difficulty, very on-theme. Want me to build that as a playable game? I can make it polished with: • Chip/betting system • Escalating rounds • Score tracking • Dyscalculia-inspired visual effects			
March 3, 2026	Claude (Sonnet 4.6)	yes i do please make me a playable game based on 1+3	Now let me build this game with a dark, anxious neon casino vibe — combining Flash Bet + Mirror Trap mechanics. FUZZY BET is ready to play! 🎮 Here's how it works: The loop: Pick a wager → hit REVEAL → a number flashes briefly	Helped create html version	Helped	Alejandra Antequera

			→ pick the right answer from 4 choices → win or lose chips. Two dyscalculia mechanics in play: • Flash Bet — the number vanishes after just a moment (gets faster each round). Can you hold it in your head? • Mirror Trap — starting round 4, some numbers appear <i>flipped/mirrored</i> in red. The question then becomes "what was the <i>real</i> number?" — forcing you to mentally un-mirror it under pressure. Difficulty ramps up every few rounds — from 1.8 seconds of flash time down to 0.3 seconds, and mirror chances climb from 0% to 75%. Multipliers go from ×1.5 up to ×4 to reward the harder rounds. You start with 100 chips. Lose them all and it's BUST.			
March 4, 2026	Claude (Sonnet 4.6)	could i get this for p5js im using vsc?	Here are both files — drop them in the same folder in VS Code. To run it: Option 1 — Live Server (recommended) Right-click <code>index.html</code> → <i>Open with Live Server</i> Option 2 — p5.vscode extension Open <code>sketch.js</code> and hit the play button in the top-right What's in the files:	Helped transform the game to p5js	Helped	Alejandra Antequera

			<code>index.html</code> — loads p5.js from CDN and mounts the canvas <code>sketch.js</code> — the full game (all logic + drawing, no external dependencies beyond p5) The game loads the Bebas Neue + Share Tech Mono fonts from Google Fonts, so you'll need an internet connection the first time. Everything else runs locally.			
March 4, 2026	Claude (Sonnet 4.6)	is my set up okay when i run it i see Loading... screen	I can see your setup — you have a <code>libraries</code> folder with <code>p5.min.js</code> locally, which means your <code>index.html</code> needs to point to that local file instead of the CDN. Let me fix it to match your project structure. Now the "Loading..." issue — that's because <code>preload()</code> is trying to fetch fonts from Google Fonts, which hangs if there's no internet or the request stalls. Let me fix <code>sketch.js</code> to use a system font fallback so it never gets stuck:	Helped with debugging	Helped	Alejandra Antequera
March 4, 2026	Claude (Sonnet 4.6)	this is my current index html <pre><!doctype html> <html lang="en"> <head> <meta charset="utf-8" /></pre>	Got it! Your setup is standard p5.js — no <code>sketch-holder</code> div, canvas goes into <code><main></code>. I need to fix the sketch to match and also remove the font preloading that was causing the "Loading..." freeze. Just replace your <code>sketch.js</code> with this one — don't touch your <code>index.html</code>, it's already perfect.	Helped with debugging	Helped	Alejandra Antequera

		<pre> <meta name="viewport" content="width=device-width, initial-scale=1" /> <title>A1</title> <link rel="stylesheet" href="style.css" /> <script src="libraries/p5. min.js"></script> <!-- Then sketch --> <script src="sketch.js">< /script> </head> <body> <main></main> </body> </html> </pre>	Two things I fixed: • No <code>preload()</code> — the old version was loading Google Fonts over the internet, which caused the "Loading..." freeze. This version uses your system <code>monospace</code> font with no network calls at all. • <code>cnv.parent('main')</code> — canvas now attaches to your <code><main></code> tag exactly as your setup expects.			
March 4,	Claude (Sonne)	currently when i boot up the game	The issue is <code>cnv.parent('main')</code> — p5 needs a CSS selector with <code>'main'</code>	Helped with debugging	Helped	Alejandra Ante

20 26	t 4.6)	its completely blank	as a tag, but it's safer to grab the element directly. Let me also add a quick debug check.			quer a
Ma rch 4, 20 26	Cla ude (So nne t 4.6)	<pre> html, body { margin: 0; padding: 0; } canvas { display: block; } </pre>	Perfect, your CSS is clean. The blank screen is almost certainly just <code>cnv.parent('main')</code> failing silently. The fix is simple — just use <code>createCanvas()</code> without <code>.parent()</code> and p5 will append the canvas to <code><body></code> automatically, which works fine with your CSS. Replace your <code>sketch.js</code> with this. The key fix is just this one line in <code>setup()</code>: // before (broken) <pre>createCanvas(520, 680).parent('main');</pre> // after (fixed) <pre>createCanvas(520, 680);</pre> When you call <code>.parent('main')</code>, p5 looks for an element with the id <code>main</code>, not the <code><main></code> tag — so it silently fails and the canvas never gets added to the page. Removing <code>.parent()</code> lets p5 attach the canvas to <code><body></code> automatically, which works perfectly with your existing CSS.	Helpe d with debug ging	Helpe d	Aleja ndra Ante quer a

March 4, 2026	Claude (Sonnet 4.6)	when i live test its still blank. could you tell me from the start which files should be in there and how the setup should look	Looking at your folder, you have the right files. Let me just make sure everything is correct from scratch. Your GROUP7A_A1 folder should have exactly these files: GROUP7A_A1/ — libraries/ └─ p5.min.js ☒ already there — assets/ └─ images/ ☒ already there — types/ ☒ already there — index.html ← replace with mine — sketch.js ← replace with mine — style.css ← replace with mine — jsconfig.json ☒ leave as is └─ .gitattributes ☒ leave as is Here are the three files you need to replace: Download all three and replace the files in your GROUP7A_A1 folder. Here's exactly what each file does:	Helped with debugging	Helped	Alejandra Antequera
---------------	---------------------	---	--	-----------------------	--------	---------------------

			index.html — clean minimal shell, loads libraries/p5.min.js then sketch.js, empty <body> so p5 can attach the canvas itself style.css — zero margins, dark background, canvas as block sketch.js — the full game, setup() just calls createCanvas(520, 680) with no .parent() so it works automatically The libraries/p5.min.js file you already have stays untouched. Nothing else needs to change.			
March 4, 2026	Claude (Sonnent 4.6)	in the html version it was centered and had cool line effects with blurr can we bring that back?	The HTML version centered the canvas and had CSS effects we can replicate. Let me bring those back via the style.css and a small tweak to index.html. Just replace your style.css — no changes needed to index.html or sketch.js. This brings back: • Centered canvas — flexbox on body centers it vertically and horizontally • Scanline overlay — the body::after repeating gradient lays crisp horizontal lines over everything • Ambient color bleed — body::before puts the red glow top-left and cyan glow bottom-right behind the canvas	Helped with effects	Helped	Alejandra Antequera

			Canvas bloom — CSS <code>filter: drop-shadow</code> gives the canvas that soft neon blur/glow around the edges			
March 4, 2026	Claude (Sonnet 4.6)	can the blurr look something like the one here right now its less of a gradient and more of a stack.	Let me check the original HTML file to see exactly how the blur/glow was done there. The original uses layered <code>text-shadow</code> for the title glow and <code>radial-gradient</code> for ambient bleed — it's all done on the HTML elements, not on the canvas itself. In the p5 version the glow needs to come from inside <code>sketch.js</code> using p5's <code>drawingContext</code> for proper smooth blur. Let me replicate it properly. Now update <code>sketch.js</code> to use <code>drawingContext</code> for proper blur/shadow on the title and numbers, matching the original's <code>text-shadow</code> effect. Replace both files. Here's what changed to match the original blur: In <code>style.css</code> — the two radial gradient blobs (<code>body::before</code>) and scanlines (<code>body::after</code>) are now copied exactly from the original HTML, with the correct opacity and positions. In <code>sketch.js</code> — replaced the fake stacked ellipses with <code>drawingContext.shadowBlur</code> and <code>drawingContext.shadowColor</code>, which is the p5 way to access the real Canvas 2D blur API. The title now has three layered shadow	Helped with effects	Helped	Alejandra Antequera

			passes (blur 80 → 40 → 20) at increasing opacity, exactly matching the original's <code>text-shadow: 0 0 80px ..., 0 0 40px ..., 0 0 20px ...</code>. Same treatment on the flashing number, stat values, answer buttons, and the reveal button.			
March 4, 2026	Claude (Sonnent 4.6)	can when make it more spaced out and longer like the original. at the moment it feels more compressed and thick	Let me look at the original layout measurements carefully. Good, I can see all the exact measurements now. The original uses <code>16px</code> padding inside sections, <code>200px</code> arena height, <code>14px</code> vertical padding on answer buttons, gaps of <code>16px</code> between sections. Let me rebuild the canvas layout to match precisely. Replace your <code>sketch.js</code> with this. The key changes to fix the compressed feeling: • Canvas is now taller — height is calculated dynamically from each section's actual size plus <code>16px</code> gaps between them, so nothing is squashed • Arena is 200px tall — matching the original exactly (was 168px before) • Answer buttons are 56px tall — matching the original's <code>padding: 14px</code> top and bottom • All sections use <code>16px</code> internal padding — same as the original's <code>.bet-section { padding: 16px }</code>	Helped with effects	Helped	Alejandra Antequera

			• Flash number is 120px — matching the original (was 108px before) • 16px gaps between every section — matching the original's flexbox gap: 16px			
March 4, 2026	Claude (Sonnent 4.6)	can the reveal button still be dark red before touch and how can i make the text thinner?	For the reveal button, it should have a dim dark red presence even when disabled. For thinner text, p5.js's built-in textStyle doesn't support font-weight control, but we can switch to a thinner system font. Now fix the font — drawingContext lets us set a proper thin font weight. Now replace all textSize(x); textStyle(BOLD/NORMAL) calls with setFont(). Now I'll do all the font replacements in one go by rewriting the affected functions. Replace your sketch.js with this. Two things changed: Dark red reveal button — when no bet is placed it now shows a dark crimson border rgb(120,20,35) and a very dark red fill rgb(60,10,18) instead of just going grey. It still lights up bright red once you've placed a bet. Thinner text — added a setFont(size, weight) helper that writes directly to drawingContext.font, bypassing p5's limited BOLD/NORMAL system. All text now uses weight 300 (thin) for labels and UI text, and 400 (regular) for	Helped with visuals	Helped	Alejandra Antequera

			numbers — no more thick bold everywhere.			
March 4, 2026	Claude (Sonnet 4.6)	could we use the font used in this version	The original uses Bebas Neue for headings/numbers and Share Tech Mono for all the UI text. Both load from Google Fonts. I'll add them to your <code>index.html</code> and update <code>sketch.js</code> to use them. Confirmed — Bebas Neue for titles/numbers/buttons, Share Tech Mono for all UI labels. Let me update both files: All clean. Copy to outputs: Replace both files. You need an internet connection the first time to load the fonts from Google — after that the browser caches them. Here's what changed: • <code>index.html</code> — added the Google Fonts <code><link></code> for Bebas Neue + Share Tech Mono • <code>sketch.js</code> — <code>setFont(size, 'display')</code> now sets Bebas Neue (used on the title, flash number, stat values, answer buttons, betting amount, reveal button), and <code>setFont(size, 'ui')</code> sets Share Tech Mono (used on all labels, log messages, chip buttons, arena state text) — exactly matching the original	Helped with visuals	Helped	Alejandra Antequera

March 4, 2026	Claude (Sonnet 4.6)	okay last but not least in the original when you hovered over the reveal bar it would fill and also the what number did you see section appears too big and the text too small. can you make these areas function like the original?	Let me check the original's hover and answer section behaviour. Got it. The reveal button does a sliding fill from left on hover, text turns dark. Answer section buttons are compact — <code>padding: 14px 0</code> with <code>font-size: 28px</code> so total height is about 56px, but the section itself is tighter. Let me fix both — hover fill animation on reveal, and shrink the answer section height. All good. Copy to outputs: Replace your <code>sketch.js</code>. Two things fixed: Reveal button hover fill — tracks mouse position via <code>mouseMoved()</code>, animates <code>revealFill</code> from 0→1 smoothly each frame. The red slides in from the left, and once it's more than halfway the text flips to the dark background colour — exactly matching the original's CSS slide effect. Answer section — shrunk from 100px to 92px tall so the buttons sit tighter. Buttons are now 52px tall (matching the original's <code>padding: 14px</code> top and bottom). Hovering an answer button now highlights it in cyan with a glow, matching the original's <code>:hover</code> style.	Helped with debugging	Helped	Alejandra Antequera
March 4, 2026	Claude (Sonnet 4.6)	in the original fuzzy bet in the what number did you see section it extends during the guessing period could we	Let me check exactly how the original handles that expansion. I can see it now — the answer section in the original is always rendered at its small "idle" size, and the buttons only appear when <code>answering</code> is true (they're injected into the DOM).	Helped with debugging	Helped	Alejandra Antequera

		have that in the new version?	So the section visually grows when buttons appear. I'll replicate this by animating H_ANSWER between a collapsed height (just the label) and full height when in ANSWER/RESULT state. Replace your sketch.js. Here's what happens now: • Collapsed (BET/FLASH state) — the answer section sits at just 36px, showing only the "What number did you see?" label • Expanded (ANSWER/RESULT state) — smoothly animates to 92px as the buttons slide in, fading from transparent to full opacity as the box grows • Collapses again after each round resets back to BET state It's the same feel as the original where the section visually "grows" to reveal the choices after the number vanishes.			
March 4, 2026	Claude (Sonnent 4.6)	by chance on higher difficulties is there addition problems?	No, right now it only ever shows a single number to memorise. Adding arithmetic problems on higher difficulties is a great idea though — it fits the dyscalculia theme perfectly, making you hold a sum in working memory instead of just a digit. Here's how it could escalate:	Helped with debugging	Helped	Alejandra Antequera

March 4, 2026	Claude (Sonnet 4.6)	When the value is a negative instead of multiplying by the negative number can it multiply by the absolute value	Looking at the <code>handleAnswer</code> function, the issue is when calculating wins/losses with negative chip counts. Let me fix the multiplier calculations to use <code>abs(currentBet)</code> or handle the negative case properly. Actually, re-reading your request — you want the multiplier to use the absolute value so that if <code>currentBet</code> is negative (which can happen if chips go negative and you bet "ALL"), it still calculates correctly. The code is in the conversation. Here are the specific changes needed in <code>handleAnswer</code> — replace every <code>currentBet * 2</code> loss and <code>currentBet * diff.mult</code> win with <code>abs(currentBet)</code> versions: The fix is simple: add <code>let bet = abs(currentBet);</code> at the top of both <code>handleAnswer</code> and <code>handleTimeout</code>, then replace all uses of <code>currentBet</code> in the math with <code>bet</code>. Here's exactly what changed in your code — just swap out those two functions: <code>handleAnswer</code> — add <code>let bet = abs(currentBet);</code> after <code>let diff = getDiff();</code>, then replace every <code>currentBet</code> used in calculations (wins, losses, log messages) with <code>bet</code>.	Helped with debugging	Helped	Alejandra Antequera
---------------	---------------------	---	---	-----------------------	--------	---------------------

			handleTimeout — same thing: add <code>let bet = abs(currentBet);</code> and replace <code>currentBet</code> in the loss and log line with <code>bet</code>. This means if a player goes negative and bets "ALL" (e.g. -15 chips), the game will still correctly treat it as a 15-chip wager rather than inverting the math and rewarding them for a wrong answer.			
March 4, 2026	Claude (Sonnet 4.6)	can you fix my code	Here's the complete fixed file with both functions updated: It looks like no file was uploaded — your code is only in the chat. I can apply the fix directly to the code from our conversation and give you the complete updated file. Want me to do that?	Helped with debugging	Helped	Alejandra Antequera
March 4, 2026	Claude (Sonnet 4.6)	yes pls	Here's your complete fixed file. The only change from your original is in handleAnswer and handleTimeout — both now have <code>let bet = abs(currentBet);</code> at the top, and use <code>bet</code> for all win/loss calculations instead of <code>currentBet</code> directly. Everything else is identical to your original.	Helped with debugging	Helped	Alejandra Antequera

March 4, 2026	Claude (Sonnent 4.6)	im finding theres an issue with the score calculation for the wagers, it seems all wonky, sometimes it doesnt calculate other times it multiples lose values	Looking at your <code>handleAnswer</code> and <code>handleTimeout</code> functions, I can see a few bugs: 1. <code>handleAnswer Act 1 win:</code> <code>floor(currentBet * diff.mult)</code> should <i>add</i> the winnings on top of the bet, not replace it — you're only adding the multiplied amount, not getting your bet back too. 2. <code>handleAnswer Act 2 close win:</code> same issue. 3. <code>handleAnswer Act 2 dead loss:</code> there's an unused <code>let loss = floor(currentBet * 0.5)</code> that does nothing — the penalty is still <code>currentBet * 2</code> regardless. 4. Negative chips / ALL bet: <code>currentBet</code> can be negative (if chips are negative and you hit ALL), which inverts all the math — wins become losses and vice versa. Let me fix all of these:I also need to fix <code>startFlash</code> — it deducts the bet upfront when the player hits REVEAL, so the chip math can stay consistent:Here's a summary of all the fixes: The core problem was that the bet was never deducted upfront — chips were only modified at result time, making the math messy and	Helped with debugging	Helped	Alejandra Antequera
---------------	----------------------	---	---	-----------------------	--------	---------------------

			inconsistent. The new model is clean: • On REVEAL: <code>chips -= bet</code> (bet is spent immediately) • Correct: <code>chips += bet + winnings</code> (get bet back + profit) • Break even (Act II, off by ≤ 5): <code>chips += bet</code> (get bet back exactly) • Wrong / timeout: nothing added back (bet stays lost) • Negative chips / ALL bet: <code>abs(currentBet)</code> ensures a negative chip count can never invert the math Also removed the dead <code>let loss = floor(currentBet * 0.5)</code> line in the Act II wrong branch that was calculating something and then doing nothing with it.			
March 4, 2026	Claude (Sonnent 4.6)	when ever someone gets it wrong the streak needs to reset to 0	Looking at the code, the streak reset is already there for most cases but is missing from the Act II break-even branch (off by ≤ 5) and the timeout handler has a bug where it uses <code>currentBet</code> which is now 0 after being deducted upfront. Now fix <code>handleTimeout</code> — since the bet is deducted upfront in <code>startFlash</code>, <code>currentBet</code> is still the right value to reference but <code>abs()</code> is redundant now. More importantly, the bet is already spent so we just need to not return it (no extra deduction	Helped with debugging	Helped	Alejandra Antequera

			needed):Also fix <code>handleAnswer</code> for the same reason — the wrong branch was doing <code>chips -= bet</code> but the bet is already gone:I can see two remaining issues: the wrong branch in Act 1 is still doing <code>chips -= bet</code> (double-deducting since it was already taken upfront), and same in the Act 2 wrong branch. Let me fix both:Here's a full summary of everything fixed in this pass: Streak resets — streak now resets to 0 on every non-win outcome: wrong answer (Act I & II), break-even (Act II off by ≤ 5), and timeout. Double deduction bug — the Act I and Act II wrong branches were doing <code>chips -= bet</code> even though the bet was already deducted upfront in <code>startFlash</code>. Both are now removed so losing simply means the bet stays gone, not gone twice. Timeout — same fix, no extra chip deduction, just streak reset and log message.			
March 4, 2026	Claude (Sonne 4.6)	when someone gets an answer wrong for the first time it starts the streak for some reason	The issue is in <code>handleAnswer</code> — <code>let bet = abs(currentBet)</code> is reading <code>currentBet</code> which is now 0 after being deducted in <code>startFlash</code>. So <code>bet</code> is always 0, which means the wrong branch log shows <code>-0 chips</code> and the streak	Helped with debugging	Helped	Alejandra Antequera

			isn't visibly resetting because it was never incrementing properly either. The fix: store the bet amount in a separate variable before deducting it in <code>startFlash</code>. Also reset <code>lastBet</code> in <code>resetRound</code> to keep things clean. The root cause was that <code>currentBet</code> gets set to <code>0</code> inside <code>resetRound</code>, but actually it was being zeroed out earlier — the bet is deducted from <code>chips</code> in <code>startFlash</code>, after which <code>currentBet</code> still holds the value... but <code>resetRound</code> clears it between rounds. The real problem was that <code>abs(currentBet)</code> in <code>handleAnswer</code> was computing <code>abs(0)</code> because <code>currentBet</code> had already been reset. The fix introduces <code>lastBet</code> — a snapshot of the bet taken right before deducting it in <code>startFlash</code>. Both <code>handleAnswer</code> and <code>handleTimeout</code> now use <code>lastBet</code> so the correct amount is always available regardless of when <code>currentBet</code> gets cleared.			
March 4, 2026	Claude (Sonne 4.6)	can we make the wager section flash or glow as a way to tell the player to select a wager?	Now add the glow to <code>drawBetSection</code> on the card border. Also add the <code>// smooth animations</code> comment back since we inserted before it. The wager card now gently pulses with a cyan glow whenever the player is in the <code>BET</code> state and hasn't selected a chip yet.	Helped with debugging	Helped	Alejandra Antequera

			Once they pick a wager (or any other state), the glow immediately stops. The pulse uses a sine wave so it breathes in and out smoothly rather than flickering.			
March 4, 2026	Claude (Sonnet 4.6)	nothing is happening right now?	Let me check what's actually in the file around that section. The problem is that <code>drawCard</code> is drawn after the glow rect, completely painting over it with a solid fill. The glow needs to be applied to <code>drawCard</code> , not before it. Let me fix this properly: The issue was that the glow rect was being drawn and then immediately covered up by <code>drawCard</code> 's solid fill. Now the shadow is set directly on the <code>drawCard</code> call itself, so the glow appears around the card's border and stays visible. It'll pulse cyan until you pick a chip, then disappear.	Helped with debugging	Helped	Alejandra Antequera
March 4, 2026	Claude (Sonnet 4.6)	issue with the chips players need to bet. they start w 50 and theres a multiplier. if they hit the negatives they can still win back money they wager on. right now the system is all broken	Let me trace through the exact chip math to find the bug. The core issue is the upfront-deduct model is causing confusion — <code>chips</code> goes negative during the flash even before the result is known, which makes the UI look broken. The cleanest fix is to never deduct upfront — just apply the full result at answer time using <code>lastBet</code> . Let me rewrite <code>startFlash</code> and <code>handleAnswer</code> cleanly: Now rewrite <code>handleAnswer</code> so the chip math is applied all in one place, clearly: The	Helped with debugging	Helped	Alejandra Antequera

			chip system is now simple and clean: • Chips never change until you answer — no upfront deduction • Win: <code>chips += floor(bet × multiplier)</code> — you keep your bet and gain profit • Lose / timeout: <code>chips -= bet</code> — you lose only the bet amount • Break even: nothing changes • Negative chips + ALL bet: <code>abs(chips)</code> is used, so betting ALL when at -20 wagers 20, and a win gains you <code>floor(20 × mult)</code> back — you can dig out of negatives fairly			
March 4, 2026	Claude (Sonnent 4.6)	perfect! now one thing theres this like pity system near the end that will award players with points. its kind of inconsistent is there a way near the end (second phase) we can make it more consistent?	Looking at the Act II scoring, the "close counts" ranges are what create the pity system. Let me check the exact thresholds and how they interact with the difficulty tiers. The problem is clear. The close/break-even thresholds (± 2 and ± 5) are fixed but the possible sums grow much larger as rounds progress — by round 6 you have 5 numbers each up to 20, so the sum could be anywhere from 5 to 100. Being off by 5 on a sum of 73 is very different from being off by 5 on a sum of 12.	Helped with debugging	Helped	Alejandra Antequera

			The fix is to make the thresholds scale with the difficulty tier — each tier gets its own closeRange and breakEvenRange that make sense for how spread out the sums can be. Now update handleAnswer to use those tier values instead of the hardcoded 2 and 5: Also update the splash screen's how-to-play text to reflect the change: Here's the logic behind each tier's ranges, so you can tune them if needed: <table><tr><th>Round</th><th>Label</th><th>Numbers</th><th>Max sum</th><th>Closes range</th><th>Break-even range</th></tr><tr><td>1</td><td>CALM</td><td>2 (still)</td><td>~18</td><td>±2</td><td>±4</td></tr><tr><td>2</td><td>DRIFTING</td><td>2 (scatter)</td><td>~18</td><td>±2</td><td>±5</td></tr><tr><td>3</td><td>SPREAD</td><td>3</td><td>~27</td><td>±3</td><td>±7</td></tr><tr><td>4</td><td>CHAOS</td><td>3</td><td>~45</td><td>±4</td><td>±9</td></tr></table>	Round	Label	Numbers	Max sum	Closes range	Break-even range	1	CALM	2 (still)	~18	±2	±4	2	DRIFTING	2 (scatter)	~18	±2	±5	3	SPREAD	3	~27	±3	±7	4	CHAOS	3	~45	±4	±9			
Round	Label	Numbers	Max sum	Closes range	Break-even range																															
1	CALM	2 (still)	~18	±2	±4																															
2	DRIFTING	2 (scatter)	~18	±2	±5																															
3	SPREAD	3	~27	±3	±7																															
4	CHAOS	3	~45	±4	±9																															

			5 FRE 4 ~8 ±5 ±12 NZY 0 6 MAY 5 ~1 ±6 ±15 HEM 00 Early rounds stay tight since sums are small, but by MAYHEM you get a reasonable margin to account for the fact that you're mentally tracking 5 scattered, flipped numbers.			
March 4, 2026	Claude (Sonnent 4.6)	can we change the game name to Calcucino and also as the player earns more the minimum wages should increase. also when the game restarts the old message at the bottom still appears. the game should entirely reset	Three changes at once — let me do them all cleanly. Now handle the scaling minimum wager and the log reset on restart: Now add a function to recalculate chip values based on current chips, and call it from <code>fullReset</code> and after each result: Now call <code>updateChipValues()</code> at the start of each round and on full reset: Now fix <code>fullReset</code> to reset chips first, then also reset the log message: Also update the subtitle tagline on the splash: Three things done: Name — renamed to Calcucino throughout (title, subtitles, comments). Scaling wagers — chip buttons now scale up as you earn more. At 100+ chips the minimum jumps to 10/25/50/100, and at 200+ chips it jumps again to 25/50/100/200. This	Helped with debugging	Helped	Alejandra Antequera

			kicks in at the start of each round so you always see the right options fresh. Clean restart — <code>fullReset</code> now explicitly clears <code>logMsg</code> and <code>logType</code> back to defaults, and resets <code>CHIP_VALUES</code> to the base tier, so nothing bleeds over from the previous game.			
March 4, 2026	Clau (Sonne 4.6)	i bet all my chips and i didnt lose them..? also for the wagers they arent increeasing	Two separate bugs. Let me trace both. Found both bugs: Bug 1 - ALL bet not saving chips: When ALL is clicked in <code>mousePressed</code>, <code>currentBet = b.realVal</code> where <code>realVal = chips</code> at draw time. But then in <code>startFlash</code>, <code>currentBet = abs(chips)</code> overwrites it with the <i>current</i> chips again — that's fine. But <code>lastBet = currentBet</code> happens correctly... Let me check what <code>realVal</code> is when chips are 0 after a loss. Bug 2 - Wagers not increasing: <code>updateChipValues</code> uses <code>abs(chips)</code> which means at 50 chips (starting value) it stays at tier 1. The thresholds are 100 and 200, but p5.js's <code>abs()</code> isn't available outside of <code>draw/setup</code>. Let me check — actually the real issue is <code>abs</code> is a p5 function, not available at call time from <code>resetRound</code> during <code>fullReset</code> since p5 might not be	Helped with debugging	Helped	Alejandra Antequera

			initialized. Let me fix both properly: Now fix the ALL bet bug — <code>realVal</code> for ALL is computed as <code>chips</code> at draw time but that can be stale. The real fix is to always re-snapshot <code>chips</code> when ALL is actually clicked: Now simplify <code>startFlash</code> — since <code>currentBet</code> is already correctly set at click time, remove the redundant ALL recalculation there: Two fixes: ALL bet — <code>currentBet</code> is now snapshotted with <code>Math.abs(chips)</code> exactly when you click the button, not at some later draw frame. <code>startFlash</code> just reads it directly without overwriting anything. Scaling wagers — replaced the broken per-value logic with clean tier thresholds using <code>Math.abs</code> (safe outside p5 context). The tiers now kick in at 75, 150, and 300 chips — reachable from a 50-chip start — so you'll actually see them scale mid-game.			
March 4, 2026	Claude (Sonnent 4.6)	when you fail a round the streak should be 0	Looking at the code, the streak reset is already in <code>handleAnswer</code> for wrong answers... but let me check the break-even case in Act II, which currently doesn't reset it. There it is — break-even doesn't reset the streak. Also the <code>fullReset</code> at line 994 should already zero it. Let me fix the break-even case: The break-even path in Act II was the culprit —	Helped with debugging	Helped	Alejandra Antequera

			wrong answers and timeouts were already resetting to 0, but "off by <code>≤breakEvenRange</code> " was silently preserving the streak. Fixed.			
March 4, 2026	Claude (Sonnet 4.6)	sometimes on the second act the score doesn't calculate properly after the guess the betting amount will remain the same	The issue is that <code>currentBet</code> stays set to the old value after a round — so if the player doesn't re-select a wager, they can hit REVEAL with a stale bet. But the real bug is the REVEAL button should stay disabled until a fresh bet is chosen each round. Let me check <code>resetRound</code> and the reveal disabled logic. <code>resetRound</code> does zero <code>currentBet</code>, so the REVEAL button should be disabled. The real issue is different — in Act II, <code>handleAnswer</code> calls <code>abs(val - correctAnswer)</code> using p5's <code>abs</code>, but <code>val</code> from the button can sometimes be <code>null</code> if <code>choices</code> isn't fully populated. Also, <code>generateChoicesAct2</code> only rejects <code>d ≤ 0 d > 200</code> — it doesn't reject values matching the correct answer when delta ends up 0 due to the random, so duplicates can slip in. But the main scoring bug you're describing — "betting amount remains the same" — points to <code>lastBet</code> being 0 because <code>currentBet</code> was 0 when <code>startFlash</code> fired. The real culprit: after Act I ends and the <code>ACT_TRANSITION</code> plays, <code>beginAct2()</code> calls	Helped with debugging	Helped	Alejandra Antequera

			<code>resetRound()</code> which zeros <code>currentBet</code>. Good. But the <code>isClose</code> highlight in <code>drawAnswerSection</code> still hardcodes <code><= 2</code> instead of using <code>diff.closeRange</code>. Let me fix both that visual bug AND add a guard so <code>lastBet</code> can never be 0: Now add a hard guard in <code>startFlash</code> so a zero bet can never reach scoring: Now fix <code>handleAnswer</code> to use <code>Math.abs</code> instead of p5's <code>abs</code> for delta, which can misbehave outside draw context: Three fixes in one pass: Score not calculating — <code>handleAnswer</code> was using p5's <code>abs()</code> for the delta, which can return unexpected values when called during an event handler rather than the draw loop. Switched to <code>Math.abs()</code>. Close highlight mismatch — <code>drawAnswerSection</code> was hardcoding <code><= 2</code> to highlight "close" answers in amber, but the actual scoring uses the per-tier <code>diff.closeRange</code> (which goes up to 6 in later rounds). Now they match, so the visual always reflects what you actually earned. Zero-bet safety — added a guard in <code>startFlash</code> so if <code>currentBet</code> is somehow 0 it bails out early, preventing a round where <code>lastBet = 0</code> makes all chip math a no-op.			
--	--	--	---	--	--	--

March 4, 2026	Claude (Sonnent 4.6)	make sure wehn the player places the bid it immediately takesit out of his balance. i have noticed that sometimes when the player does not win a round his balance did not go down that round	The cleanest fix is to deduct the bet immediately when REVEAL is clicked, then on win you add back the bet plus profit, on loss you've already paid, and on break-even you refund the bet. Now I have the full picture. I'll deduct the bet in <code>startFlash</code>, then rewrite <code>handleAnswer</code> and <code>handleTimeout</code> so they only ever add chips back (never subtract): Now rewrite <code>handleAnswer</code> and <code>handleTimeout</code> — wins return bet + profit, break-even returns bet, losses and timeout do nothing (already paid): The chip math now has a single clear source of truth: • REVEAL clicked → bet deducted immediately from balance, visible right away • Correct / Exact → <code>chips += bet + profit</code> (stake returned + winnings) • Close (Act II) → <code>chips += bet + halfProfit</code> (stake returned + partial winnings) • Break-even (Act II) → <code>chips += bet</code> (stake returned, net zero) • Wrong / Timeout → nothing extra, loss was already taken at REVEAL This eliminates the race condition where <code>handleAnswer</code> might not fire correctly — the deduction is unconditional and immediate, so a loss can never slip through without the chips going down.	Helped with debugging	Helped	Alejandra Antequera
---------------	----------------------	---	--	-----------------------	--------	---------------------

March 4, 2026	Claude (Sonnet 4.6)	can you remove the pity system	Now clean up the now-unused <code>closeRange/breakEvenRange</code> fields from the diff tiers, the <code>isClose</code> button highlight logic, and the splash screen text: Also update the Act II transition screen which still mentions "close counts": Also fix the answer prompt in the arena which still says "Close counts!": Fully removed. Act II is now win-or-lose only — exact answer returns your stake plus profit, anything else loses the bet. Cleaned it up everywhere: scoring logic, diff tiers, button highlight colors, splash screen text, transition screen, and the answer prompt.	Helped with debugging	Helped	Alejandra Antequera
March 11, 2026	Claude (Sonnet 4.6)	for my game i'd like it so that instead of going into negative numbers once players lose all their money the game ends	Looking at your code, I need to modify the <code>handleAnswer</code> and <code>handleTimeout</code> functions to check if chips would go to zero or below, and trigger game over instead. No worries — I'll apply the changes directly from the code you pasted. Here's what to update in your file: Replace <code>handleAnswer</code> with this version: <pre>function handleAnswer(val) { selectedAnswer = val; let diff = getDiff(), bet = lastBet;</pre>	Helped with debugging	Helped	Alejandra Antequera

			<pre>if (act === 1) { if (val === correctAnswer) { let profit = floor(bet * diff.mult); chips += bet + profit; streak++; setLog("+" + profit + " chips! Correct! (×" + diff.mult + ")", "good"); } else { streak = 0; setLog("-" + bet + " chips. It was " + correctAnswer + ".", "bad"); } } else { if (Math.abs(val - correctAnswer) === 0) { let profit = floor(bet * diff.mult); chips += bet + profit; streak++; setLog("+" + profit + " chips! EXACT! (×" + diff.mult + ")", "good"); } else { streak = 0; setLog("-" + bet + " chips. Sum was " + correctAnswer + ".", "bad"); } }</pre>			
--	--	--	---	--	--	--

			<pre> } if (chips <= 0) { chips = 0; finalChips = 0; setLog("BUST! You're out of chips.", "bad"); } state = "RESULT"; resultTimer = 2000; } Replace handleTimeout with this version: function handleTimeout() { selectedAnswer = -1; streak = 0; setLog("TIME'S UP! -" + lastBet + " chips. It was " + correctAnswer + ".", "bad",); if (chips <= 0) { chips = 0; finalChips = 0; </pre>			
--	--	--	--	--	--	--

			<pre> setLog("TIME'S UP! BUST — you're out of chips.", "bad"); } state = "RESULT"; resultTimer = 2000; }</pre> Replace <code>nextRound</code> with this version: <pre>function nextRound() { if (chips <= 0) { finalChips = 0; state = "GAME_OVER"; return; } let maxRounds = act === 1 ? 4 : 6; if (actRound >= maxRounds) { if (act === 1) { state = "ACT_TRANSITION"; transitionTimer = 3000; return; } else { finalChips = chips; state = "GAME_OVER"; } } }</pre>			
--	--	--	--	--	--	--

			<pre> return; } } actRound++; setLog("Select a wager to begin.", "muted"); resetRound(); } </pre> The key changes: chips are clamped to 0 (never go negative), a "BUST" log message shows on the result screen, and <code>nextRound</code> catches the zero-chip state and routes to <code>GAME_OVER</code> instead of continuing.			
March 11, 2026	Claude (Sonnent 4.6)	that was perfect! before the game starts I'd like there to be some sort of difficulty meter that players can adjust for their preference	Good, I have the design context. Now I'll implement a difficulty selector on the splash screen that fits the casino aesthetic perfectly. The plan: add a <code>difficulty</code> variable with 3 tiers (EASY / NORMAL / HARD) that scales the flash durations and choice proximity. I'll add a slick selector to the splash screen with casino-style toggle buttons, and update the how-to-play text to remove the now-outdated "chips CAN go negative" line. The difficulty selector is now on the splash screen, sitting between the how-to-play card and the START button. Here's what each tier does:	Helped with debugging	Helped	Alejandra Antequera

			• EASY (green) — flash times are 1.6× longer, and wrong answer choices are spread further apart (easier to eliminate) • NORMAL (gold) — the original balanced experience • HARD (red) — flash times are 0.6× (brutal), and wrong choices are clustered very close to the correct answer The selected difficulty persists into the game and affects both the flash durations across all rounds and how deceptive the multiple-choice options are. The description text under the label updates live as you toggle between options.			
March 11, 2026	Claude (Sont 4.6)	that was amazing! I was wondering if in between act I and II there could be a shop where players could buy Maybe some sort of shop to buy things with coins like streak savers or extra time boost but it should scale relative to the amount of money they have so its not like super cheap. then when they have it there	Let me read the skill file first, then plan this out carefully. Good. Now I'll build this out fully. Here's my plan: Shop items (2): •  STREAK SHIELD — protects your streak on one wrong answer. Price = ~40% of current chips •  TIME SURGE — doubles the answer timer for one round. Price = ~30% of current chips Visual indicators: Small icon badges in the top-right of the arena during gameplay Activation flash: Full-screen dramatic overlay text when a power-	Helped with debugging	Helped	Alejandra Antequera

		should be some visual to indicate they have it maybe in the top right corner, and if its used maybe have some sort of visual to indicate it was used like flashing it across the screen super cool like	up triggers (e.g. "STREAK SAVED!" or "TIME SURGE ACTIVE!")Here's everything that was added: The Shop appears after Act I completes, replacing the old direct transition. It shows your current chip count and two items with prices that scale — Shield costs 40% of your chips, Surge costs 28%, both floored to a minimum so you can't get priced out entirely. "ENTER ACT II →" then kicks off the cinematic transition as before. 🛡 Streak Shield — protects your streak on one wrong answer or timeout. When it fires, the streak stays intact and a cyan "STREAK SAVED!" flash slams across the arena. ⚡ Time Surge — doubles the flash duration for one round. It activates the moment you hit REVEAL, showing a gold "TIME SURGE!" blast so you know it's in effect. HUD badges — small colored icons appear in the top-right corner of the arena while you hold each power-up (cyan shield, gold lightning bolt), disappearing when consumed. Activation flash — a 3-phase animation: slams in scaled at 2.4×, holds at full opacity with scan-line overlay, then fades out. Colored glow + white outline text makes it feel cinematic without blocking gameplay for too long.			
--	--	--	--	--	--	--

March 11, 2026	Claude (Sonnent 4.6)	issue after buying a powerup the loading screen for act II gets stuck on a loop	The bug is in <code>beginAct2()</code> — it sets <code>state = "ACT_TRANSITION"</code> but <code>drawActTransition</code> calls <code>beginAct2()</code> again when the timer hits zero, creating an infinite loop. It should call <code>resetRound()</code> directly instead. Now also fix the shop's continue button — it should trigger the cinematic transition, not call <code>beginAct2()</code> directly (which would skip the transition). The transition's timer expiry should then call <code>beginAct2()</code> which now correctly calls <code>resetRound()</code>. Two fixes were needed: 1. <code>beginAct2()</code> was re-triggering <code>state = "ACT_TRANSITION"</code> every time it was called — so when the transition timer hit zero it called <code>beginAct2()</code> → which set the transition again → infinite loop. Now <code>beginAct2()</code> just calls <code>resetRound()</code> directly. 2. The shop's "ENTER ACT II" button now sets <code>act=2</code>, <code>actRound=1</code>, and starts the transition itself — so the cinematic still plays, and when it finishes it correctly drops into the game.	Helped with debugging	Helped	Alejandra Antequera
----------------	----------------------	---	--	-----------------------	--------	---------------------

March 11, 2026	Claude (Sonnent 4.6)	amazing! Now could there be some sort of highscore? but still casino theme, it should record the users highest coin amount perhaps and the difficulty rating won in!	Good — the latest version is already in <code>/home/claude/calculucino-p5.js</code> from the previous session. Now I'll add the high score system with <code>localStorage</code> persistence and a casino-style leaderboard panel on the Game Over screen. Now update <code>drawGameOver</code> to show the leaderboard and save scores, and add a "NEW RECORD!" flash: Now wire up <code>saveHighScore</code> to be called when a game ends: Now also need to load scores on startup and call <code>loadHighScores</code> in <code>setup</code>: Now verify the layout math works — Game Over needs logo + result card + leaderboard + button to all fit: Everything fits cleanly. Copy to output: Here's what was added: High Score system — scores are saved to <code>localStorage</code> under a versioned key, so they persist between sessions. Up to 5 entries are kept, always sorted highest chips first. Game Over screen is now split into two cards: • Result card — compact GAME OVER header, your final chip count in the round's color (green/gold/red), and difficulty mode badge. If it's a new all-time record a gold ★ NEW RECORD ★ banner glows above it. • Leaderboard card — shows up to 5 entries with ① ② ③ medals, chip count colored	Helped with debugging	Helped	Alejandra Antequera
----------------	----------------------	--	---	-----------------------	--------	---------------------

			by performance tier, difficulty mode label, and the date. The current run's row gets a subtle gold highlight if it's a new record. Scores are recorded at both endings — completing Act II normally, and busting out early (recorded as 0 chips).			
March 11, 2026	Claude (Sonnet 4.6)	perfect! now i want to add more odds to the game some how like greater risk higher the reward. the more you're willing to bet the higher the multiplier would be if you get it right. but im open to any ideas	Love this direction. A few ideas before I build — let me pick the best combo: What I'll build: Dynamic bet multiplier — the more % of your stack you wager, the higher the payout. Betting 10% of chips = base mult, betting 100% = up to 2× the base mult. Shown live as you select your bet so it feels juicy. DOUBLE DOWN — after seeing the flash but before answering, you can spend extra chips to double your potential payout. High risk, spicy reward. Odds display — a live "ODDS" indicator on the arena that updates as you pick your wager, so players can feel the risk before committing.	Helped with coding new features	Helped	Alejandra Antequera

March 11, 2026	Claude (Sonnent 4.6)	could we put the double down button in the center instead of the left since its colliding with the act and rnd	Quick fix — just reposition the double down button to center bottom of the arena, above the timer bar: Now also nudge the timer bar up slightly so it doesn't overlap the button: Done! The Double Down button is now centered horizontally and sits just above the timer bar at the bottom of the arena — well clear of the ACT/RND label in the top-left.	Helped with debugging	Helped	Alejandra Antequera
March 11, 2026	Claude (Sonnent 4.6)	how come you cant double down on all?	The bug is in the Double Down check — it compares <code>chips >= lastBet</code>, but when you bet ALL your chips are already 0, so the check fails. Need to allow it when <code>chips + lastBet >= lastBet</code> (i.e. always when ALL IN), or more simply: just check if the player <i>had</i> enough chips at bet time. The real fix: track the chip total <i>before</i> the bet was placed, and use that for the DD affordability check. Fixed. The problem was that <code>chips >= lastBet</code> was checked <i>after</i> the bet was already deducted — so if you went ALL IN, <code>chips</code> was 0 and the check always failed. The fix adds a <code>chipsBeforeBet</code> snapshot taken right before the deduction. Double Down now checks against that instead, so ALL	Helped with debugging	Helped	Alejandra Antequera

			IN bets (and any bet that leaves you with fewer chips than the bet amount) will correctly show the button.			
March 11, 2026	Claude (Sonnent 4.6)	perfffeecctt can we add some confetti with chips explosion like vfx on both sides on the screen when the player wins?	Two cannons now fire from both sides of the screen on every correct answer! Here's how it works: Particle system — each particle is either a spinning oval or a casino chip rectangle (with a little shine stripe). They're colored in the game's palette: gold, green, cyan, purple, red and white. Two cannons — left and right sides at mid-screen height, both arc inward and upward so the explosions meet in the middle dramatically. Big win detection — if your profit is 50+ chips or you doubled down, it fires 120 particles instead of 70 for an extra explosive celebration. Physics — gravity pulls them down, slight horizontal wobble as they fall, they fade out as they reach the bottom and self-clean from the array.	Helped with visuals	Helped	Alejandra Antequera
March 11, 2026	Claude (Sonnent 4.6)	i noticed 2 glitches on doubling down streak saver doesnt save you and if you press while doubledown is	Let me look at the double down logic carefully. Found both bugs: Shield not saving on DD loss — when you doubled down, the extra lastBet chips were already deducted from chips at click time. So	Helped with debugging	Helped	Alejandra Antequera

		enable it brought me back to loading screen	when the shield triggers, it doesn't refund those chips back. 2. DD button click goes to splash — the <code>ddBtn</code> hit area overlaps with the <code>startBtn</code> rect that was set during the splash screen and never nulled. When you're in ANSWER state and click DD, it also registers as a <code>startBtn</code> hit → <code>fullReset()</code>. Need to null <code>startBtn</code> on game start. The splash <code>startBtn</code> check happens before the early-return guards only when <code>state=== "SPLASH"</code>. That flow looks correct... The bug is actually that <code>startBtn</code> is positioned at the bottom of the canvas (<code>CH - PAD - sbh</code>) which overlaps with the DD button area. Since <code>mousePressed</code> does the SPLASH check first and returns — wait, it returns early if state is SPLASH. Let me re-read... Actually the issue: <code>fullReset()</code> sets <code>state="BET"</code> then calls <code>resetRound()</code> — but <code>startBtn</code> is never nulled until <i>inside</i> <code>fullReset</code>. The real problem: when clicking DD, the <code>mousePressed</code> correctly hits the			
--	--	---	--	--	--	--

			ANSWER block... unless <code>state</code> gets changed mid-frame. Let me just fix both bugs cleanly:Now fix the shield bug — when shield saves you after a double down, the extra <code>lastBet</code> chips were already deducted. The shield should refund them back:Both fixed: Bug 1 — Splash screen regression: <code>startBtn</code> was keeping its position rect from the splash screen. When you clicked the DD button (which sits near the bottom of the canvas, same y-range as the start button), <code>mousePressed</code> was checking <code>startBtn</code> first even in ANSWER state... actually the guard should have caught it, but nulling <code>startBtn</code> immediately on click prevents any edge-case race. Safe fix. Bug 2 — Shield not saving on DD: The shield was triggering correctly, but it wasn't actually giving your chips back — it was just eating the loss silently. Now the shield refunds the full bet (including the doubled portion that was already deducted when you hit the button), so you truly break even. The log message now says "+ chips refunded" to make that clear.			

Date	Tool Used	Original Prompt	Raw Response	Summary of AI Conversation	Helped or Not Helped in Our Assignment	Prompt Author
March 4 2026	Claude (Sonnet 4.6)	look at this game, and make it have different levels/ rounds. the first round is a tutorial game that is similar to what we have right now, where the player simply guesses what number pops up and it gets harder. it does that 5 times. the second round there is more numbers and the player must guess what the sum roughly is (they dont type anything in its just like the first round where they must choose a number). it starts off with	Let me build this out! I'll create a full two-act version of Fuzzy Bet with a proper tutorial round and a new "Sum Blitz" round. Searching for places Searching for places jsx // FUZZY BET - p5.js - Extended with Act 1 (Tutorial) and Act 2 (Sum Blitz) Here's the full rebuilt game as a React artifact wrapping p5.js: Let me just write the artifact directly: html <!DOCTYPE html> <!-- Full Fuzzy Bet game --> I'll create this as a single HTML artifact with p5.js embedded: jsx export default function FuzzyBet() { ... } Let me write the full implementation now as a proper artifact: html fuzzy-bet.html	Asked AI to build on the stump Alejandro had made. Implemented tutorial level and sum blitz level. Unfortunately I did not specify where we were coding because the Claude AI freaked out and started making mistakes.	Helped, as it added base components to the game, but also not really because I had to add a second prompt specifying we were using VLC.	Elizabeth Storckhak

		just 2 but adds another as the game gets harder for 6 rounds, and the numbers arent just in the centre of the screen and flicker/ get faster with more rounds so the player has less time to assess. They win if they guess the right number, but win less if the number is close and lose coins if the number is off.	Here's the complete game: Searching for places Searching for places Let me just write the artifact directly without tool calls: The game is complex enough that I'll build it as a self-contained HTML file with p5.js: I'll write this as a full HTML artifact now: Here is the complete rebuilt game: I realize I should just output the artifact. Here it is: I realize I need to output this as an actual rendered artifact. Let me do that properly:Here's the complete game as a working HTML artifact: I'll now write this as a proper single complete file: Here is the fully working extended game: That's the full working game! Here it is as a rendered artifact: I keep going in circles. Let me just output the artifact in a single clean code block right now, properly formatted for the artifact renderer: I apologize for the repeated false starts — let me just render it: Here's the complete game:			
--	--	---	--	--	--	--

			I see what's happening — the artifact isn't getting triggered properly. Let me write it out one final time, clean and complete, as a proper HTML artifact below:			
March 4 2026		hey so uh. the game is being coded using p5js in visual studio code. theres an html file in the base game already...	Got it! You just need the updated <code>sketch.js</code> file. Let me create that cleanly: Created a file, read a file Created a file, read a file Drop this <code>sketch.js</code> into your project folder replacing the old one. Here's what changed: Act 1 — Tutorial (5 rounds) works exactly like your original, just with a tighter difficulty ramp and a round counter. Rounds 1–2 use single digits, 3–5 use two-digit numbers, mirroring increases each round. Act 2 — Sum Blitz (6 rounds) is the new mode: • Rounds 1–2: 2 numbers, centered/evenly spaced, longer flash time • Rounds 3–4: 3 numbers, scattered around the arena, shorter time • Rounds 5–6: 4–5 numbers, fast, drifting/wobbling positions • Scoring: Exact answer = full multiplier payout. Off by ≤ 2 = half payout (shown in amber on	I specified that I needed a p5js file, so it took what it did last prompt and cleared that up.	Helped because it made the base stuff of the game	Elizabeth Storck

			result). Off by ≤ 5 = break even. Off by more = lose half your bet. Transition: After finishing Act 1 round 5, a full-screen purple "ACT II / SUM BLITZ" splash plays for 3 seconds before starting Act 2 automatically.			
March 4, 2026	Claude (Sonnet 4.6)	keep the aspect where the numbers flash and go backwards sometimes, especially in the first level, to keep it hard	The Act 2 numbers already support mirroring via the <code>isMirrored</code> flag in Act 1, but Act 2 doesn't use it at all for individual numbers. Let me add that properly: Viewed 6 files Viewed 6 files Good, I have the full picture now. I need to: 1. Add a <code>numMirrored[]</code> array for Act 2 — each number independently has a mirror chance that scales with round 2. Add upside-down (<code>scale(1, -1)</code>) as a second deception type, alongside horizontal mirror 3. Make Act 1 also occasionally flip upside-down at higher rounds Add <code>numMirrored</code> array and <code>flipType</code> for act 1 to state variables	My changes made it seem like the numbers stopped flashing and going backwards. I asked it to add those back	Helped by adding back core component of game, which was number flashes and mirroring	Elizabeth Storck

			Add numMirrored array and flipType for act 1 to state variables Now update Act 1 difficulty to include a vertical flip chance, and update startFlash to assign flipType: Add vflip chance to Act 1 difficulty tiers Add vflip chance to Act 1 difficulty tiers Now update Act 2 difficulty tiers to include per-number flip chances: Add flip chances to Act 2 difficulty tiers Add flip chances to Act 2 difficulty tiers Now update startFlash to compute flipType for Act 1 and numFlips[] for Act 2: Update startFlash to assign flipType for act 1 and numFlips for act 2 Update startFlash to assign flipType for act 1 and numFlips for act 2 Now update drawAct1Flash to apply flipType properly: Update drawAct1Flash to use flipType for h-mirror, v-flip, or both Update drawAct1Flash to use flipType for h-mirror, v-flip, or both			
--	--	--	---	--	--	--

			Now update <code>drawAct2Flash</code> to apply each number's individual flip from <code>numFlips[]</code>: Update <code>drawAct2Flash</code> to apply per-number flips from <code>numFlips</code> array Update <code>drawAct2Flash</code> to apply per-number flips from <code>numFlips</code> array Now update the answer section label to reflect the new flip types, and fix <code>resetRound</code> to clear <code>numFlips</code>: Edited 2 files Edited 2 files Also update the arena idle text to mention flipping as a warning in Act 2: Edited a file, read a file Edited a file, read a file Drop this <code>sketch.js</code> in and it'll replace the old one. Here's what changed: Act 1 — three deception types, not just mirroring: • Round 1: always clean • Round 2: horizontal mirror only (like before) • Round 3+: adds vertical flip (upside-down number) • Round 4+: adds "both" — mirrored AND flipped simultaneously, which is			
--	--	--	---	--	--	--

			the nastiest since it looks like a completely different number - The log message tells you what happened ("UPSIDE DOWN", "MIRRORED + FLIPPED", etc.) and the number renders in red whenever any transform is active Act 2 — per-number independent flips: - Each number in the scatter has its own <code>flipChance</code> roll — so in a group of 5 you might get 2 normal, 1 mirrored, 1 flipped, and 1 doing both - Flipped numbers render in red so you can tell <i>something</i> is wrong, but you still have to figure out what the real value is before summing - Flip chance scales from 0% (round 1) up to 60% (round 6)			
March 4 2026	Claude (Sonnet 4.6)	make sure to take away chips when the player gets the answer wrong. Their chips can go	Now I have a clear picture of everything. Let me make all the changes: Chips can go negative — remove <code>max(0, ...)</code> clamps	There was a bug where chips wouldn't be deducted when	Helped with core game features	Elizabeth Storck

		in the negative. also, for later parts of round 2 (around halfway mark) , make the numbers stay on screen for at least 5 seconds to give people time to read them. add a splash screen with the instructions and a start button. When the rounds are up, have a game over card that says nothing but "GAME OVER!" and shows how many chips the player has	2. Act 2 rounds 4–6 get longer flash times ($\geq 5000\text{ms}$) 3. Add SPLASH and GAME_OVER states 4. Draw splash screen with instructions + start button 5. Draw game over card Edited 3 files Edited 3 files Now update Act 2 difficulty — rounds 4-6 get $\geq 5000\text{ms}$ so players have time to read scattered numbers: Update Act 2 difficulty tiers - longer times for later rounds, min 5000ms for rounds 4-6 Update Act 2 difficulty tiers - longer times for later rounds, min 5000ms for rounds 4-6 Now update the draw() function to handle SPLASH and GAME_OVER states: Add SPLASH and GAME_OVER handling to draw loop Add SPLASH and GAME_OVER handling to draw loop Now fix handleAnswer — remove all max(0, ...) clamps so chips can go negative: Remove max(0,...) clamps so chips can go negative	player got an answer wrong. I also asked for the numbers to stay on screen longer and to add a splash screen with instructions and game over screen		
--	--	--	--	--	--	--

			Remove max(0,...) clamps so chips can go negative Now update <code>nextRound</code> — remove the bust reset, and trigger GAME_OVER when act 2 ends: Update nextRound to trigger GAME_OVER instead of looping, remove bust reset Update nextRound to trigger GAME_OVER instead of looping, remove bust reset Now add the splash and game over draw functions, and a full game reset. Insert them before <code>drawCard</code>: Add drawSplash, drawGameOver, and fullReset functions before drawCard Add drawSplash, drawGameOver, and fullReset functions before drawCard Now update <code>mousePressed</code> to handle SPLASH and GAME_OVER clicks: Add SPLASH and GAME_OVER click handling to mousePressed Add SPLASH and GAME_OVER click handling to mousePressed Also update <code>updateHover</code> to not crash on SPLASH/GAME_OVER:			
--	--	--	--	--	--	--

			Guard updateHover against SPLASH and GAME_OVER states Guard updateHover against SPLASH and GAME_OVER states Now let's copy the final file to outputs and verify it looks right: Verify key changes are present and no old max(0) clamps remain Verify key changes are present and no old max(0) clamps remain All changes are in and no max(0, clamps remain. Let me present the file: Presented file Presented file Drop this sketch.js in. Here's what changed: Chips go negative — all max(0, ...) clamps removed. Bet big and get it wrong? You'll see red in the chip count. Act II rounds 4–6 now show numbers for 5 full seconds — enough time to scan the whole arena and add them up, even with flips. Rounds 1–3 stay fast. Splash screen — shows on launch with a full instructions breakdown covering both acts, the scoring rules (including the negative chips warning), and a			
--	--	--	--	--	--	--

			glowing cyan START GAME button. Game Over screen — after round 6 of Act II, you get a stark "GAME OVER!" card showing your final chip count in green (profit), amber (broke even-ish), or red (in debt). A PLAY AGAIN button takes you back to the splash.			
Mar ch 4 202 6	Clau de (Son net 4.6)	change the time for later rounds in act 2 to be 3 seconds	Done — rounds 4, 5, and 6 of Act II now flash for 3 seconds instead of 5.	I asked it to change the time to be shorter to make it harder	Yes, it changed the time	Elizab eth Storc hak
Mar ch 4 202 6	Clau de (Son net 4.6)	make it so the player starts with 50 coins. if they guess wrong they lose double what they bety	Quick changes to starting chips and the wrong-answer penalty: Edited 4 files Edited 4 files Also update the splash instructions to reflect the new rules: Edited a file, read a file Edited a file, read a file Done. Three changes: • Start with 50 chips instead of 100 • Wrong answer = lose 2× your bet in both acts (so betting 25 and missing costs you 50)	I asked for the player to start with a set amount of coins and to lose double what they bet to make it harder	Yes, it added mechan ics	Elizab eth Storc hak

			Splash screen updated to reflect both rule changes			
March 4 2026	Claude (Sonnet 4.6)	also make it so the numbers are fuzzy and flip every time, and make it so that even in the first round they don't just stay in the middle of the screen. also shorten the first level to be 4 rounds	Got it. Four changes needed: 1. Act 1 shortened to 4 rounds, difficulty tiers trimmed 2. Flip type always assigned (never 0) in Act 1 — always some transform 3. Act 2 flipChance always 1.0 so every number is always flipped 4. Act 1 number gets a random position in the arena instead of always centred Edited 2 files Edited 2 files Now update <code>startFlash</code> for Act 1 — always pick a random flip type (1, 2, or 3, never 0), and assign a random position: Act 1 startFlash — always flip, random position, 4-round range Act 1 startFlash — always flip, random position, 4-round range Now declare <code>act1Pos</code> near the other state variables: Add act1Pos state variable Add act1Pos state variable	Made it so the numbers are fuzzy and don't just appear in the middle of the screen to make it harder	Yes, added a mechanic	Elizabeth Storck

			Now update <code>drawAct1Flash</code> to use <code>act1Pos</code> instead of always centring: Use <code>act1Pos</code> for number position instead of always centring Use <code>act1Pos</code> for number position instead of always centring Now update the log message and answer label — since it's always flipped, simplify the hint to just say what type it was: Update act 1 log messages — always flipped so always show a warning Update act 1 log messages — always flipped so always show a warning Update the answer section label — since it's always transformed, always show the appropriate label: Update answer label — always transformed in act 1 so always show flip type Update answer label — always transformed in act 1 so always show flip type Also update <code>nextRound</code> to use 4 as the max for act 1, and update the splash instructions: Edited 2 files Edited 2 files			
--	--	--	--	--	--	--

			Also update the stats display which shows total rounds: Update stats display total rounds for act 1 to 4 Update stats display total rounds for act 1 to 4 Also update the splash goal text to say 10 rounds total: Edited a file, ran a command Edited a file, ran a command All looks good. Presented file Presented file Here's what changed: • Act 1 is now 4 rounds — stats counter shows 1/4 through 4/4, and the act transition fires after round 4 • Numbers always flip in Act 1 — <code>flipType</code> is always 1, 2, or 3 (never clean). Every flash will be mirrored, upside-down, or both, and always renders in red to signal the trick • Numbers appear anywhere in the arena in Act 1 — a random <code>act1Pos</code> is picked each flash with enough margin to keep the number fully visible, so you can never just stare at the centre			
--	--	--	--	--	--	--

			Act 2 every number always flipped — flipChance: 1.0 across all 6 rounds, so you always have to mentally un-flip before summing			
March 4 2026	Claude (Sonnet 4.6)	you can still bet even if your chips go in the negatives, you just accrue debt (more negative points)	The chip buttons currently have a guard that prevents betting if realVal > chips. Let me find and remove that: Find the chip betting guard Find the chip betting guard Also need to fix the ALL chip button — it currently sets realVal to chips, which goes weird when chips are negative. ALL should always bet a fixed amount (e.g. 50) or just be treated as a regular value. Let me also check how realVal is set for ALL: Check chipBtns construction and disabled logic Check chipBtns construction and disabled logic Three fixes needed: remove the min(b.realVal, chips) cap and the v <= 0 guard, fix ALL to always be 50 (since chips could be negative), and fix the active check which also breaks when chips are negative.	I added the mechanic that you can continue even if you have negative chips- you just accrue debt	Yes, as this was a mechanic for our playtest	Elizabeth Storck

			Edited 2 files, read a file Edited 2 files, read a file Done. Three changes: • No more betting block — the <code>min(chips)</code> cap and the <code>v <= 0</code> guard are both gone, so you can always select any chip value regardless of your balance • ALL now always bets 50 instead of your current chip count, since "bet everything" doesn't make sense when your balance is negative or zero • Active highlight on chip buttons no longer requires chips to be positive, so the selection state always works correctly			
Mar ch 4 202 6	Clau de (Son net 4.6)	makw it so theres a 6 second timer when choosing an answer	Good. I'll add an <code>answerTimer</code> that counts down 6 seconds in ANSWER state, auto-penalises on timeout, and draws a draining bar inside the answer section card. Edited 3 files Edited 3 files Now add the <code>handleTimeout</code> function right after <code>handleAnswer</code>:	I added a visible timer so the player can see how long they have	Yes, its a feature that helps the player	Elizab eth Storc hak

			Viewed a file, edited a file Viewed a file, edited a file Now draw the countdown bar inside the answer section. Find <code>drawAnswerSection</code> and add the bar at the bottom of the card: Viewed a file, edited a file, read a file Viewed a file, edited a file, read a file Done. Here's what was added: • 6-second countdown bar runs along the bottom of the answer card in cyan, turning red when under 35% (about 2 seconds left) • Auto-penalty on timeout — if you don't pick in time, you lose double your bet, same as a wrong answer, and the log flashes "TIME'S UP!" • The timer resets fresh each time you enter the ANSWER state, so it never carries over between rounds			
Mar ch 4 202 6	Clau de (Son net 4.6)	debug. why does 50 and all light up when selceed	Mar 4 The ALL button's realVal is hardcoded to 50, which is the same as the 50 chip button — so both match when currentBet === 50.	There was a bug where when all was selected,	Yes, it helped debug	Elizab eth Storc hak

			Edited a file, read a file Edited a file, read a file Fixed — ALL now bets 100 instead of 50, so it has a unique value and won't double-highlight with the 50 button. If you'd prefer a different amount for ALL just let me know.	so was 50 in the wager area		
March 4 2026	Claude (Sonnet 4.6)	make sure all bets everything you have, regardless of its above or below 50.	The fix is: <code>realVal</code> for ALL should be <code>chips</code> (evaluated fresh each frame), and <code>active</code> needs to use a flag rather than value-matching since <code>chips</code> changes. I'll track whether ALL was the last button pressed with a separate boolean: Make ALL bet current chip total, track <code>allSelected</code> flag for active state Make ALL bet current chip total, track <code>allSelected</code> flag for active state Now add <code>allSelected</code> near the other state variables: Add <code>allSelected</code> flag to state variables Add <code>allSelected</code> flag to state variables Now update <code>mousePressed</code> to set/clear <code>allSelected</code>: Set <code>allSelected</code> flag when ALL button pressed, clear it for other chip buttons	There was a bug where betting ALL just meant betting 50. Made sure all actually meant all	Yes, it debugged	Elizabeth Storck

			Set allSelected flag when ALL button pressed, clear it for other chip buttons Now clear allSelected in resetRound: Clear allSelected in resetRound Clear allSelected in resetRound Also need to re-sync currentBet when ALL is selected and startFlash is called, since chips may have changed. Do that at the top of startFlash: Edited a file, read a file Edited a file, read a file Fixed. Here's what changed: • ALL bets your exact current chip count — realVal is computed as chips each frame, so it always reflects whatever you currently have, positive or negative • allSelected flag tracks whether ALL was the last pressed button, so its highlight is independent of the value and never accidentally matches the 50 button • Bet locks in at reveal time — if you pick ALL and your chips somehow change before hitting REVEAL, the bet			
--	--	--	--	--	--	--

			snaps to the live count at that moment			
Mar ch 4 202 6	Clau de (Son net 4.6)	debug why the end of the game shows instructions not end scene	Mar 4 The issue is that <code>fullReset()</code> is called from <code>startBtn</code> which sets <code>state = 'BET'</code>, but the game over screen's "PLAY AGAIN" sets <code>state = 'SPLASH'</code> — so clicking START on the splash calls <code>fullReset()</code> which is correct. Let me check what <code>fullReset</code> actually does vs what <code>drawGameOver</code> expects: Viewed 3 files Viewed 3 files Found it. <code>drawSplash</code> positions its START button at <code>CH - PAD - bh</code> — but <code>drawGameOver</code> positions its PLAY AGAIN button at <code>cardY + cardH + GAP * 2</code>. The problem is that <code>drawGameOver</code> uses <code>playAgainBtn</code> for click detection, but <code>drawSplash</code> also runs its <code>startBtn</code> assignment every frame. When <code>state === 'GAME_OVER'</code>, only <code>drawGameOver</code> should run — and it does — but let me check <code>drawGameOver</code>: Check <code>drawGameOver</code> fully Check <code>drawGameOver</code> fully Found the bug. <code>drawGameOver</code> uses <code>playAgainBtn</code> ? <code>inBtn(...)</code> for hover — but <code>playAgainBtn</code> is null on the first frame, so hover is always	Bug where end of the game showed instructions again, not game over.	Yes, it helped debug	Elizabeth Storck

			false until after the first draw. That's fine. But the real issue is in <code>mousePressed</code>: Check <code>mousePressed</code> <code>GAME_OVER</code> handler Check <code>mousePressed</code> <code>GAME_OVER</code> handler The logic looks right. The actual bug is subtler — <code>nextRound</code> is called from the <code>RESULT</code> timer, but <code>resultTimer</code> is ticked in the draw loop only when <code>state === 'RESULT'</code>. After the last round of act 2, <code>nextRound</code> sets <code>state = 'GAME_OVER'</code> and <code>finalChips = chips</code>. But look at what <code>drawGameOver</code> checks: <code>finalChips >= 100 ? 'green' : finalChips >= 0 ? 'amber' : 'red'</code> — that's fine. The real issue: the draw loop renders the background glows and scanlines, then checks <code>SPLASH/GAME_OVER</code> — but <code>drawGameOver</code> calls <code>drawCard</code> which uses <code>stroke</code>. Let me check if the issue is that <code>nextRound</code> is being called at the wrong time by checking exactly when act 2 round 6 ends: Actually, looking more carefully — the bug is that <code>actRound</code> starts at 1 and <code>nextRound</code> increments it to 2, 3... The check <code>actRound >= maxRounds</code> where <code>maxRounds = 6</code> means game over fires when <code>actRound === 6</code> <i>before</i> incrementing. So round 6 never actually plays — it fires game			
--	--	--	--	--	--	--

			over after round 5. Let me verify: Check nextRound logic carefully Check nextRound logic carefully That's all correct. Now let me look at what <code>drawSplash</code> does at the very bottom — the START button <code>by</code> position. The splash START button sits at <code>CH - PAD - bh</code>. The game over PLAY AGAIN button sits at <code>cardY + cardH + GAP * 2</code>. These are different positions so they shouldn't overlap. Wait — the bug report says "end of game shows instructions not end scene." That means <code>state</code> is <code>'SPLASH'</code> instead of <code>'GAME_OVER'</code> when the game ends. The only place <code>state</code> gets set to <code>'SPLASH'</code> outside of clicking PLAY AGAIN is... nowhere. But <code>resetRound()</code> sets <code>state = 'BET'</code>, and <code>fullReset()</code> calls <code>resetRound()</code> then sets <code>state = 'BET'</code>. The real culprit: <code>nextRound()</code> is called from the RESULT timer. But <code>resultTimer</code> is decremented every frame while <code>state === 'RESULT'</code>. After <code>handleAnswer</code> sets <code>state = 'RESULT'</code> and <code>resultTimer = 2000</code>, the next frame decrements it. That's fine. BUT — <code>nextRound</code> sets <code>state = 'GAME_OVER'</code>, then the draw loop next frame sees <code>GAME_OVER</code> and calls <code>drawGameOver</code>. That should work.			
--	--	--	---	--	--	--

			Unless... the issue is that <code>state</code> starts as <code>'SPLASH'</code> but the <code>drawSplash</code> function is showing the instructions card <i>when PLAY AGAIN is clicked</i> — because PLAY AGAIN sets <code>state = 'SPLASH'</code> which shows the instructions again. The user probably wants PLAY AGAIN to go straight to the game, not back to instructions. Let me fix that: Make PLAY AGAIN go straight to a fresh game instead of back to splash Make PLAY AGAIN go straight to a fresh game instead of back to splash But wait — the user said "end of game shows instructions not end scene." That means <code>GAME_OVER</code> state is never being reached and instead <code>SPLASH</code> is showing. The most likely cause: <code>resultTimer</code> countdown in the draw loop has an issue where after <code>nextRound</code> triggers during RESULT, something resets state back. Let me check if <code>resetRound</code> is being called somewhere it shouldn't: Actually I see it now — <code>fullReset</code> calls <code>resetRound()</code> which sets <code>state = 'BET'</code>, then <code>fullReset</code> sets <code>state = 'BET'</code> again. That's fine. But the initial <code>state = 'SPLASH'</code> — on game load — means the very first <code>draw()</code> call hits the <code>SPLASH</code> branch. That's correct.			
--	--	--	---	--	--	--

			The issue is more likely that <code>nextRound</code> is firing when <code>act === 1</code> and <code>actRound === 4</code>, setting <code>state = 'ACT_TRANSITION'</code>, which then calls <code>beginAct2()</code> setting <code>act = 2, actRound = 1</code>. Then after act 2 round 6, <code>nextRound</code> fires with <code>actRound >= 6</code> — but wait, after round 6 of act 2 completes and <code>handleAnswer</code> is called, <code>state = 'RESULT'</code> and <code>resultTimer = 2000</code>. The draw loop ticks <code>resultTimer</code> down and calls <code>nextRound()</code>. At that point <code>act === 2</code> and <code>actRound === 6</code>, so <code>actRound >= maxRounds (6)</code> is true, and <code>state = 'GAME_OVER'</code>. This should work. The bug must be that <code>finalChips</code> is 0 at the splash screen — because <code>fullReset</code> sets <code>finalChips = 0</code>. So the game over screen <i>does</i> show but <code>finalChips</code> displays 0. But the user says instructions show... Let me re-read: "why does the end of the game show instructions not end scene." I think the issue is simply that PLAY AGAIN was going to SPLASH (showing instructions) instead of restarting directly. My fix above addresses that. But also, let me make sure the game over card renders on top of a clean background, not over the game UI: Edited a file, read a file			
--	--	--	---	--	--	--

			Edited a file, read a file Two fixes: - PLAY AGAIN now calls <code>fullReset()</code> directly instead of going back to <code>state = 'SPLASH'</code> — so clicking it restarts the game immediately rather than showing the instructions screen again. That was almost certainly the bug you were seeing. - Game over screen now clears the background itself — so it can't bleed through any leftover game UI underneath.			
March 4 2026	Claude (Sonnet 4.6)	also make it so the wager amount is more prominent throughout gameplay, perhaps using colour	I'll make the bet amount much bigger, add a background fill to make it pop, and show it persistently during FLASH, ANSWER and RESULT states too — not just while betting: Make wager amount larger, glowier, with a filled pill background Make wager amount larger, glowier, with a filled pill background Now also colour the small BETTING: X line amber with a glow when a bet is placed, and dim it when not: Edited a file, read a file Edited a file, read a file	Asked to make the wager more prominent so players can remember what they bet	Not really, it added prominence but not in a noticeable way	Elizabeth Storck

			The wager now has two levels of prominence: • Large amber pill in the top-right of the bet card — a bordered rectangle with a translucent amber fill and strong glow behind the number, rendered at 36px. Visible and glowing throughout the whole round including during FLASH, ANSWER and RESULT states • Small BETTING: X line below stays amber with a glow when a bet is placed, and dims to muted grey when nothing is selected, so unset vs set is instantly readable			
March 4 2026	Claude (Sonnet 4.6)	also change its name to Calcucino	Good — only the difficulty label "FUZZY" remains, which is intentional. Now update the subtitle on the splash: Update splash subtitle to Calcucino Update splash subtitle to Calcucino Also update the HTML title: Presented file Presented file	Asked to change the name	Yes, the name was changed	Elizabeth Storck

			Done — every instance of "FUZZY BET" / "F U Z Z Y B E T" in the title, header, and splash is now CALCUCINO / C A L C U C I N O. The difficulty label "FUZZY" on round 4 of Act I is unchanged since that's describing the round difficulty, not the game name. Also update your index.html title tag from FUZZY BET to CALCUCINO if you want it to match in the browser tab.			
March 11, 2026	Claude (Sonnet 4.6)	are you able to match the UI of this to a UI in an image?	Yes! I can take your p5.js game code and match its visual style to a reference image you provide. Just upload the image you'd like me to match the UI to, and I'll adapt the styling — colors, layout, typography, card styles, buttons, etc. — accordingly.	Asked if it can base UI off an image	Yes, was able to proceed with changing UI	Elizabeth Storck
March 11, 2026	Claude (Sonnet 4.6)	the image that is the header is calcusino.png. do you need specific colours, box sizes, font, text sizes, etc?	Let me read the frontend design skill first, then I'll analyze both images carefully. Reading frontend design skill I can clearly see both images. I have everything I need — I can extract the color palette, layout, font style, button design, and card styling directly from the	Specified title and asked if I need to include specifications	Yes and no. I did not need specifications, but it did not make the title an image	Elizabeth Storck

			screenshots. No need for you to specify values manually! Here's what I'm pulling from the images: • Background: Pure black • Title: Bold red/crimson with purple shadow offset, casino-style slab font, chip replacing the "O" • Stat boxes: Colored fills (blue for CHIPS, purple for ROUND, green for STREAK) with gold/orange borders, white bold text • Arena: Dark purple/navy card area • Wager buttons: Red fill with gold/orange border • START button: Red fill with gold border, bold white text • Font: Heavy bold display font (Impact/casino style) Let me restyle the p5.js code now: Viewed a file, created a file, read a file Viewed a file, created a file, read a file Here's the restyled p5.js file! I extracted everything directly from your screenshots. Here's what changed:			
--	--	--	---	--	--	--

			Colours matched from the image: • Background → pure black • Cards → dark purple/navy (#1c163c) • Borders → gold/amber • CHIPS stat → blue fill, ROUND → purple fill, STREAK → green fill • Buttons (wager, reveal, answer) → casino red with gold border + pressed shadow effect Style changes: • Title uses a purple offset shadow layer under the red text, matching the casino logo style • Buttons have a 3D pressed look — darker bottom layer + lighter top face, just like in the screenshot • "WAGER!" label is now bold and centered like the reference • Stat boxes are solid coloured fills (not just tinted text) matching the image exactly • Font switched to Black Han Sans / Impact for the chunky casino display style			
--	--	--	--	--	--	--

			All game logic is untouched — drop it into your p5.js sketch as a straight replacement.			
Mar ch 11, 202 6	Clau de (Son net 4.6)	remove the VHS overlay, and the box that says: it was mirrored-real number? move the "reaveal" button up a bit so it can be seen. remove "wagering x chips" blue text, and remove text in wager box that says "betting: x"	Now I have a clear picture of everything. Let me make all the changes: Edited 4 files Edited 4 files Now confirm there's no scanline/VHS draw call anywhere (the original had <code>drawScanlines</code> — checking the casino version doesn't have it): Check for any scanline references Check for any scanline references Good — no scanlines were in this version. All done. Presented file Presented file Here's what was changed: • No VHS overlay — confirmed it was already absent in the casino restyle (that was only in the original) • "IT WAS MIRRORED — REAL NUMBER?" label removed — answer section now shows just	Asked to remove VHS overlay	No. VHS overlay wasnt removed.	Elizab eth Storc hak

			the four answer buttons with no header text • REVEAL button moved up — shrunk <code>H_BET</code> from 100→70px, removing the extra padding that the "BETTING: x" row was taking up • "BETTING: x" removed — the bottom row of the wager box is gone entirely • "Wagering x chips. Hit REVEAL." blue log message removed — selecting a chip now silently sets the bet with a neutral "Hit REVEAL when ready." message instead			
March 11, 2026	Claude (Sonnet 4.6)	vhs lines still appear. debug.	Let me search the file carefully for anything that could be drawing lines. Search for any line drawing or loop that could create scanlines Search for any line drawing or loop that could create scanlines The file itself has no scanline loop. The VHS lines must be coming from p5.js sketch HTML wrapper — likely a <code>drawScanlines()</code> call or scanline loop still present in your sketch's main HTML/index file that wraps this JS, not in this file itself. Can you	I asked it to scan the code again to see why VHS lines were still appearing	No. VHS lines still appeared.	Elizabeth Storck

			check your index.html or the file that calls <code>setup()/draw()</code>? Alternatively, if you're using an online editor (like the p5.js web editor), paste this snippet to confirm — search your project for: Check uploads for any other JS files with scanlines Check uploads for any other JS files with scanlines The scanlines aren't in either file I have access to. Here's what's happening: the VHS scanlines are drawn inside the original code you shared at the top of this conversation — specifically this function that's still in your project: <pre>javascript function drawScanlines() { stroke(0, 0, 0, 28); strokeWeight(1); for (let y = 0; y < height; y += 4) line(0, y, width, y); noStroke(); }</pre> And it's called in <code>draw()</code> in that original file: <pre>javascript function draw() { background(col("bg")); drawScanlines(); // ← this line</pre> The casino restyle file I gave you doesn't include <code>drawScanlines</code>, but if you're merging/patching rather than			
--	--	--	---	--	--	--

			fully replacing, that old <code>draw()</code> function with the <code>drawScanlines()</code> call is still running. Fix: Make sure you're using the casino file as a complete replacement — not mixing it with the original. The casino <code>.js</code> file I provided has its own complete <code>draw()</code> function that never calls <code>drawScanlines</code>. If you paste the whole casino file into your editor and delete the old code entirely, the lines will be gone.			
Mar ch 11, 202 6	Clau de (Son net 4.6)	might they be in the html index?	No scanlines there — that's clean. The culprit is definitely still in your <code>sketch.js</code>. You must have an older version of the file still there. Check the very top of your <code>sketch.js</code> <code>draw()</code> function for this line: <pre>javascript drawScanlines();</pre> And search the file for this function: <pre>javascript function drawScanlines() { stroke(0, 0, 0, 28); strokeWeight(1);</pre>	Asked if html index was the problem.	No. sent me on a wild goose chase and HTML index wasn't the problem.	Elizab eth Storc hak

			<pre> for (let y = 0; y < height; y += 4) line(0, y, width, y); noStroke(); } </pre> If you see either of those, delete them both. The casino <code>.js</code> I provided doesn't contain them, so it sounds like your <code>sketch.js</code> still has the old original code in it rather than the new casino version.			
March 11, 2026	Claude (Sonnet 4.6)	are they anywhere here? <pre> html, body { margin: 0; padding: 0; background: #080a0f; min-height: 100vh; display: flex; align-items: center; justify- content: center; </pre>	Yes! Found it. The <code>body::after</code> block is your scanline overlay. Delete this entire section: <pre> css /* Scanline overlay — matches original exactly */ body::after { content: ""; position: fixed; inset: 0; background: repeating-linear- gradient(0deg, transparent, transparent 2px, </pre>	Asked if they were in style.css	Yes- that is where the problem was	Elizabeth Storck

		<pre> overflow: hidden; position: relative; } /* Ambient radial colour bleed — matches original exactly */ body::before { content: ""; position: fixed; inset: 0; background: radial- gradient(ellips e 60% 40% at 20% 10%, rgba(255,45,7 4,0.07) 0%, transparent 60%), radial- gradient(ellips e 50% 50% at 80% 90%, rgba(0,229,25 5,0.06) 0%, </pre>	<pre> rgba(0,0,0,0.15) 2px, rgba(0,0,0,0.15) 4px); pointer-events: none; z-index: 100; } </pre> That's the entire source of the VHS lines — a CSS repeating gradient overlaid on top of everything at z-index: 100.			
--	--	--	---	--	--	--

		<pre>transparent 60%); pointer- events: none; z-index: 0; } /* Scanline overlay — matches original exactly */ body::after { content: ""; position: fixed; inset: 0; background: repeating- linear- gradient(0deg, transparent, transparent 2px, rgba(0,0,0,0.1 5) 2px,</pre>				
--	--	--	--	--	--	--

		<pre> rgba(0,0,0,0.1 5) 4px); pointer- events: none; z-index: 100; } canvas { display: block; position: relative; z-index: 1; } </pre>				
Mar ch 11, 202 6	Clau de (Son net 4.6)	remove the box below "wager" and move up the "reveal" box and the "select wager then hit reveal" text	I need to see the current state of the file clearly to make precise edits. View the full layout and draw sections View the full layout and draw sections The answer section box (below wager) needs to go, and the log + reveal need to sit directly	Asked to remove some unnecessary parts and to move up the reveal box	Yes, it did what was asked	Elizab eth Storc hak

			under the bet section. Let me restructure the layout: Edited 2 files Edited 2 files Now remove <code>drawAnswerSection()</code> from the draw loop and stop drawing that box entirely: Remove <code>drawAnswerSection</code> call from draw loop Remove <code>drawAnswerSection</code> call from draw loop Now the answer buttons need to render inside the arena instead. Update <code>drawArena</code> to show answer buttons overlaid on the arena when in ANSWER/RESULT state: View <code>drawArena</code> and <code>drawAnswerSection</code> functions View <code>drawArena</code> and <code>drawAnswerSection</code> functions Now I'll replace the arena's ANSWER/RESULT section to show the answer buttons inside the arena itself, and remove the standalone <code>drawAnswerSection</code> function: Move answer buttons into the arena, remove the center prompt text			
--	--	--	---	--	--	--

			Move answer buttons into the arena, remove the center prompt text Now reset <code>answerBtns</code> at the start of <code>drawArena</code> so it rebuilds each frame: Reset <code>answerBtns</code> at start of <code>drawArena</code> Reset <code>answerBtns</code> at start of <code>drawArena</code> Now delete the now-unused standalone <code>drawAnswerSection</code> function: Viewed a file, edited a file Viewed a file, edited a file Also remove the <code>answerH</code> animation from the draw loop since there's no collapsing box anymore: Edited a file, read a file Edited a file, read a file Here's what changed: • Answer box removed — no more separate card below the wager section • Answer buttons now live inside the arena — they appear centred vertically in the arena card when it's time to pick			
--	--	--	--	--	--	--

			• Log + Reveal button moved up — they now sit directly below the wager box with no gap where the answer box used to be • Removed the answerH slide animation since there's no collapsing box to animate anymore			
March 11, 2026	Claude (Sonnet 4.6)	can you make it so the white text has a black outline of 2 thickness?	The cleanest approach is to use the canvas <code>strokeText</code> via <code>drawingContext</code> — I'll add a helper that draws text with a black outline, then use it wherever white text appears. Add <code>outlineText</code> helper after <code>setFont</code> Add <code>outlineText</code> helper after <code>setFont</code> Actually the dummy <code>strokeText</code> line is messy — let me do it cleanly with just p5's stroke system, which works perfectly for this: Clean up <code>outlineText</code> helper to just use p5 stroke Clean up <code>outlineText</code> helper to just use p5 stroke Now replace all white text <code>text()</code> calls with <code>outlineText()</code>. Let me find them all:	Asked for text outline.	Kind of-text got black outline but there were problems .	Elizabeth Storck

			Viewed 3 files, ran a command Viewed 3 files, ran a command Now I also need to check the chip buttons and answer buttons for white text. Let me do all replacements now: Edited 4 files Edited 4 files Now chip button labels and answer button numbers: Viewed 4 files, edited 3 files, read a file Viewed 4 files, edited 3 files, read a file Done! Every white text element now gets a 2px black outline via the <code>outlineText()</code> helper, which draws the text twice — once with <code>stroke(0)</code> <code>strokeWeight(4)</code> for the outline, then again with <code>noStroke()</code> for the clean white fill on top. Applied to: • Stat box labels and values (CHIPS, ROUND, STREAK) • WAGER! label • Chip bet buttons (5, 10, 25, 50, ALL) • Answer buttons (the four number choices) • REVEAL button • START GAME and PLAY AGAIN buttons			
--	--	--	--	--	--	--

			Disabled/dim states are left without the outline since they're already de-emphasised.			
March 11, 2026	Claude (Sonnet 4.6)	the letters have a weird fuzz and streaking around them. what is causing this?	The <code>setShadow</code> calls are the culprit. The <code>drawingContext.shadowBlur</code> on the canvas bleeds onto all subsequent draw calls including the text — and because <code>outlineText</code> draws the text twice (stroke pass + fill pass), the shadow from a previous <code>setShadow</code> call that wasn't properly cleared is bleeding onto the letters, creating fuzz and streaking. The fix is to make sure <code>clearShadow()</code> is always called before any <code>outlineText()</code> call. Let me check: Find all shadow and <code>outlineText</code> calls to see where shadow bleeds into text Find all shadow and <code>outlineText</code> calls to see where shadow bleeds into text There are two problems: 1. Line 264: <code>setShadow</code> is called right before <code>outlineText(values[i])</code> on line 268 — shadow is active during the outline draw	Asked about the weirdness with the text	Yes, the fuzz got removed, the streaks did not	Elizabeth Storck

			2. The <code>outlineText</code> helper itself — the <code>stroke()</code> pass renders with whatever shadow is currently active, doubling the blur onto the stroke layer The real fix is to force-clear the shadow inside <code>outlineText</code> itself, so it's guaranteed clean regardless of what came before: Force <code>clearShadow</code> inside <code>outlineText</code> so no bleed from prior <code>setShadow</code> calls Force <code>clearShadow</code> inside <code>outlineText</code> so no bleed from prior <code>setShadow</code> calls Also fix the stat values where <code>setShadow</code> wraps the <code>outlineText</code> call — remove that shadow since the outline replaces it: Edited a file, read a file Edited a file, read a file Two causes fixed: 1. <code>outlineText</code> now always calls <code>clearShadow()</code> first — so no matter what shadow was set before it, the outline draw is always clean 2. Removed the <code>setShadow</code> wrapping the stat values — that			
--	--	--	--	--	--	--

			was directly causing the blur to bleed into the stroke pass of the outline, creating the fuzz/streaking effect			
March 11, 2026	Claude (Sonnet 4.6)	fuzziness is gone but theres spiky artefacting around the letters	The spiky artefacting is caused by <code>strokeWeight(4)</code> with the default <code>MITER</code> line join — sharp corners on letterforms create spikes. Fix it by setting <code>drawingContext.lineJoin = "round"</code> before the stroke pass: Edited a file, read a file Edited a file, read a file That should do it. The default miter join extends stroke corners to a sharp point — on bold display fonts with tight angles (like the inside of an "R" or "N") this creates visible spikes. <code>"round"</code> caps all joins smoothly instead.	Asked about the weird streaks in the text	Yes, the weird streaks got removed	Elizabeth Storckhak
March 11, 2026	Claude (Sonnet 4.6)	make it so that the title is not words, but rather this image: . it will be added as a file as well	You'll need to load the image in p5.js using <code>loadImage</code> and draw it instead of the text title. Here's the change: Viewed a file, edited a file Viewed a file, edited a file	Finally made the title an image	No, game would not show up when tested	Elizabeth Storckhak

			Now replace <code>drawHeader</code> to use the image instead of text, and do the same for the splash screen title: Replace <code>drawHeader</code> text title with logo image Replace <code>drawHeader</code> text title with logo image Now do the same for the splash screen title: Viewed 2 files, edited a file, read a file Viewed 2 files, edited a file, read a file Done. The image has a black background in the PNG so it'll blend seamlessly against your black canvas background. Two things to note: • Make sure <code>Calculusino_p.png</code> is in the same folder as your <code>sketch.js</code> — the <code>loadImage("Calculusino_p.png")</code> path is relative • The image is scaled to fill the full card width (<code>CW - PAD*2</code>) while preserving its aspect ratio, so it'll look sharp at any canvas size			
--	--	--	--	--	--	--

March 11, 2026	Claude (Sonnet 4.6)	the png is in an "assets" folder in visual studio code	Just update the path in <code>loadImage</code>: Edited a file, read a file Edited a file, read a file That's it — <code>"assets/Calculusino_p.png"</code> will resolve correctly relative to your <code>index.html</code>.	Specified where image was so it can work	Yes, the game loaded in Safari	Elizabeth Storck
March 11, 2026	Claude (Sonnet 4.6)	make the blue in the chips square: 1144B1, the purple in the round square 9C1DB0, and the streak green: 0C8B21. make the red buttons B01818	Now update the hardcoded red colour values in the button drawing functions: Ran 2 commands, read a file Ran 2 commands, read a file All colours updated: • CHIPS box → <code>#1144B1</code> • ROUND box → <code>#9C1DB0</code> • STREAK box → <code>#0C8B21</code> • Red buttons (wager chips, answer buttons, REVEAL, START, PLAY AGAIN) → <code>#B01818</code>, with darker shadow/hover variants derived proportionally from that same hue	Fixed the colours of the back of the squares because they were too light	Yes, the colours got fixed	Elizabeth Storck

March 11, 2026	Claude (Sonnet 4.6)	can you make the first 3 boxes above have a darker gradient going sideways: top left lighter to bottom right darker. the darker gradient shade for each respective box is: chips box: 113789, round box: 650E73, streak box: 096C1A	Done. Each stat box now uses <code>drawingContext.createLinearGradient</code> going from top-left to bottom-right: • CHIPS: #1144B1 → #113789 • ROUND: #9C1DB0 → #650E73 • STREAK: #0C8B21 → #096C1A The gold border is drawn first via p5's <code>rect</code>, then the gradient fill is applied directly via the canvas 2D API on top of it.	Asked to add a gradient behind the squares of text	Yes, a gradient was added	Elizabeth Storck
March 11, 2026	Claude (Sonnet 4.6)	make it so instead of greying out, the box with the wager the player chooses stays so they can see what they wager	The fix is twofold: pass whether a button is the selected one even when disabled, and never grey it out if it's the chosen wager. Edited a file, read a file Edited a file, read a file Done. Now during FLASH, ANSWER, and RESULT states: • The chosen wager button stays lit (gold border, full colour) so the player can always see what they bet	Asked so that the player can see their wager instead of having the whole area greyed out	Yes, it fixed the issue	Elizabeth Storck

			• All other buttons grey out as before • Once a new round starts and state returns to BET, all buttons reset normally			
--	--	--	--	--	--	--